


Driver Test TESTING RESULTS

Fri Jun 16 13:28:21 MDT 2017

STATISTICS				
Passed	Skipped	Failed	Percent	Total Time
184	0	0	100.0	3.198 sec.



PASSED TESTS -getAverage			
Class	Method	Time (sec)	Status
[TestClass name=class raysullivan.unitTest.TestAdUtil]	TestAdUtil.getAverage(float, float, float)[pri:0, instance:raysullivan.unitTest.TestAdUtil@dbd940d]	0.043	PASSED
TEST MESSAGES			
PASSED TESTS -getAverage			
Class	Method	Time (sec)	Status
[TestClass name=class raysullivan.unitTest.TestAdUtil]	TestAdUtil.getAverage(float, float, float)[pri:0, instance:raysullivan.unitTest.TestAdUtil@dbd940d]	0.002	PASSED
TEST MESSAGES			
PASSED TESTS -getAverage			
Class	Method	Time (sec)	Status
[TestClass name=class raysullivan.unitTest.TestAdUtil]	TestAdUtil.getAverage(float, float, float)[pri:0, instance:raysullivan.unitTest.TestAdUtil@dbd940d]	0.001	PASSED
TEST MESSAGES			
PASSED TESTS -getAverage			
Class	Method	Time (sec)	Status
[TestClass name=class raysullivan.unitTest.TestAdUtil]	TestAdUtil.getAverage(float, float, float)[pri:0, instance:raysullivan.unitTest.TestAdUtil@dbd940d]	0.001	PASSED
TEST MESSAGES			
PASSED TESTS -getAverage			
Class	Method	Time (sec)	Status
[TestClass name=class raysullivan.unitTest.TestAdUtil]	TestAdUtil.getAverage(float, float, float)[pri:0, instance:raysullivan.unitTest.TestAdUtil@dbd940d]	0.001	PASSED
TEST MESSAGES			
PASSED TESTS -getAverage			
Class	Method	Time (sec)	Status
[TestClass name=class raysullivan.unitTest.TestAdUtil]	TestAdUtil.getAverage(float, float, float)[pri:0, instance:raysullivan.unitTest.TestAdUtil@dbd940d]	0.001	PASSED
TEST MESSAGES			
PASSED TESTS -getAverage			
Class	Method	Time (sec)	Status
[TestClass name=class raysullivan.unitTest.TestAdUtil]	TestAdUtil.getAverage(float, float, float)[pri:0, instance:raysullivan.unitTest.TestAdUtil@dbd940d]	0.001	PASSED
TEST MESSAGES			

[illegible]

TEST MESSAGES			
PASSED TESTS -getElapsedTime			
Class	Method	Time (sec)	Status
[TestClass name=class raysullivan.unitTest.TestAdUtil]	TestAdUtil.getElapsedTime(long, long, float)[pri:0, instance:raysullivan.unitTest.TestAdUtil@dbd940d]	0.001	PASSED
TEST MESSAGES			
PASSED TESTS -getElapsedTime			
Class	Method	Time (sec)	Status
[TestClass name=class raysullivan.unitTest.TestAdUtil]	TestAdUtil.getElapsedTime(long, long, float)[pri:0, instance:raysullivan.unitTest.TestAdUtil@dbd940d]	0.001	PASSED
TEST MESSAGES			
PASSED TESTS -getElapsedTime			
Class	Method	Time (sec)	Status
[TestClass name=class raysullivan.unitTest.TestAdUtil]	TestAdUtil.getElapsedTime(long, long, float)[pri:0, instance:raysullivan.unitTest.TestAdUtil@dbd940d]	0.001	PASSED
TEST MESSAGES			
PASSED TESTS -getError			
Class	Method	Time (sec)	Status
[TestClass name=class raysullivan.unitTest.TestAdUtil]	TestAdUtil.getError()[pri:0, instance:raysullivan.unitTest.TestAdUtil@dbd940d]	0.001	PASSED
TEST MESSAGES			
PASSED TESTS -getIsCapCsv			
Class	Method	Time (sec)	Status
[TestClass name=class raysullivan.unitTest.TestAdUtil]	TestAdUtil.getIsCapCsv()[pri:0, instance:raysullivan.unitTest.TestAdUtil@dbd940d]	0.006	PASSED
TEST MESSAGES			
PASSED TESTS -getIsCapVideo			
Class	Method	Time (sec)	Status
[TestClass name=class raysullivan.unitTest.TestAdUtil]	TestAdUtil.getIsCapVideo()[pri:0, instance:raysullivan.unitTest.TestAdUtil@dbd940d]	0.001	PASSED
TEST MESSAGES			
PASSED TESTS -getKeyString			
Class	Method	Time (sec)	Status
[TestClass name=class raysullivan.unitTest.TestAdUtil]	TestAdUtil.getKeyString()[pri:0, instance:raysullivan.unitTest.TestAdUtil@dbd940d]	0.0	PASSED
TEST MESSAGES			
PASSED TESTS -getPropertyName			
Class	Method	Time (sec)	Status
[TestClass name=class raysullivan.unitTest.TestAdUtil]	TestAdUtil.getPropertyName()[pri:0, instance:raysullivan.unitTest.TestAdUtil@dbd940d]	0.001	PASSED
TEST MESSAGES			
PASSED TESTS -getResultSpreadsheet			
Class	Method	Time (sec)	Status
[TestClass name=class raysullivan.unitTest.TestAdUtil]	TestAdUtil.getResultSpreadsheet()[pri:0, instance:raysullivan.unitTest.TestAdUtil@dbd940d]	0.002	PASSED
TEST MESSAGES			
PASSED TESTS -getSheetIterations			
Class	Method	Time (sec)	Status
[TestClass name=class raysullivan.unitTest.TestAdUtil]	TestAdUtil.getSheetIterations()[pri:0, instance:raysullivan.unitTest.TestAdUtil@dbd940d]	0.004	PASSED
TEST MESSAGES			
PASSED TESTS -getSpreadsheet			
Class	Method	Time (sec)	Status
[TestClass name=class raysullivan.unitTest.TestAdUtil]	TestAdUtil.getSpreadsheet()[pri:0, instance:raysullivan.unitTest.TestAdUtil@dbd940d]	0.0	PASSED
TEST MESSAGES			
PASSED TESTS -getSuccess			
Class	Method	Time (sec)	Status
[TestClass name=class raysullivan.unitTest.TestAdUtil]	TestAdUtil.getSuccess()[pri:0, instance:raysullivan.unitTest.TestAdUtil@dbd940d]	0.001	PASSED
TEST MESSAGES			
PASSED TESTS -getTestProfile			
Class	Method	Time (sec)	Status
[TestClass name=class raysullivan.unitTest.TestAdUtil]	TestAdUtil.getTestProfile()[pri:0, instance:raysullivan.unitTest.TestAdUtil@dbd940d]	0.001	PASSED
TEST MESSAGES			
PASSED TESTS -getTestPropertyPath			

[illegible]

[illegible]

[TestClass name=class raysullivan.unit.Test.TestAdUtil]	TestAdUtil.validateValTypeTest(java.lang.String, java.lang.String, java.lang.String, java.lang.String)[pri:0, instance:raysullivan.unit.Test.TestAdUtil@dbd940d]	0.0	PASSED
TEST MESSAGES			
PASSED TESTS -validateValTypeTest			
Class	Method	Time (sec)	Status
[TestClass name=class raysullivan.unit.Test.TestAdUtil]	TestAdUtil.validateValTypeTest(java.lang.String, java.lang.String, java.lang.String, java.lang.String)[pri:0, instance:raysullivan.unit.Test.TestAdUtil@dbd940d]	0.0	PASSED
TEST MESSAGES			
PASSED TESTS -validateValTypeTest			
Class	Method	Time (sec)	Status
[TestClass name=class raysullivan.unit.Test.TestAdUtil]	TestAdUtil.validateValTypeTest(java.lang.String, java.lang.String, java.lang.String, java.lang.String)[pri:0, instance:raysullivan.unit.Test.TestAdUtil@dbd940d]	0.0	PASSED
TEST MESSAGES			
PASSED TESTS -decryptString			
Class	Method	Time (sec)	Status
[TestClass name=class raysullivan.unit.Test.TestAdEncryptDecrypt]	TestAdEncryptDecrypt.decryptString(java.lang.String, java.lang.String, java.lang.String)[pri:0, instance:raysullivan.unit.Test.TestAdEncryptDecrypt@27fe3806]	0.001	PASSED
TEST MESSAGES			
PASSED TESTS -decryptString			
Class	Method	Time (sec)	Status
[TestClass name=class raysullivan.unit.Test.TestAdEncryptDecrypt]	TestAdEncryptDecrypt.decryptString(java.lang.String, java.lang.String, java.lang.String)[pri:0, instance:raysullivan.unit.Test.TestAdEncryptDecrypt@27fe3806]	0.0	PASSED
TEST MESSAGES			
PASSED TESTS -decryptString			
Class	Method	Time (sec)	Status
[TestClass name=class raysullivan.unit.Test.TestAdEncryptDecrypt]	TestAdEncryptDecrypt.decryptString(java.lang.String, java.lang.String, java.lang.String)[pri:0, instance:raysullivan.unit.Test.TestAdEncryptDecrypt@27fe3806]	0.0	PASSED
TEST MESSAGES			
PASSED TESTS -decryptString			
Class	Method	Time (sec)	Status
[TestClass name=class raysullivan.unit.Test.TestAdEncryptDecrypt]	TestAdEncryptDecrypt.decryptString(java.lang.String, java.lang.String, java.lang.String)[pri:0, instance:raysullivan.unit.Test.TestAdEncryptDecrypt@27fe3806]	0.001	PASSED
TEST MESSAGES			
PASSED TESTS -decryptString			
Class	Method	Time (sec)	Status
[TestClass name=class raysullivan.unit.Test.TestAdEncryptDecrypt]	TestAdEncryptDecrypt.decryptString(java.lang.String, java.lang.String, java.lang.String)[pri:0, instance:raysullivan.unit.Test.TestAdEncryptDecrypt@27fe3806]	0.001	PASSED
TEST MESSAGES			
PASSED TESTS -decryptString			
Class	Method	Time (sec)	Status
[TestClass name=class raysullivan.unit.Test.TestAdEncryptDecrypt]	TestAdEncryptDecrypt.decryptString(java.lang.String, java.lang.String, java.lang.String)[pri:0, instance:raysullivan.unit.Test.TestAdEncryptDecrypt@27fe3806]	0.002	PASSED
TEST MESSAGES			
PASSED TESTS -decryptString			
Class	Method	Time (sec)	Status
[TestClass name=class raysullivan.unit.Test.TestAdEncryptDecrypt]	TestAdEncryptDecrypt.decryptString(java.lang.String, java.lang.String, java.lang.String)[pri:0, instance:raysullivan.unit.Test.TestAdEncryptDecrypt@27fe3806]	0.001	PASSED
TEST MESSAGES			

[TestClass name=class raysullivan.unit.Test.AdEncryptDecrypt]	TestAdEncryptDecrypt.decryptString(java.la ng.String, java.lang.String, java.lang.String)[pri:0, instance:raysullivan.unit.Test.AdEncrypt Decrypt@27fe3806]	0.0	PASSED
TEST MESSAGES			
PASSED TESTS -decryptStringInvalid			
Class	Method	Time (sec)	Status
[TestClass name=class raysullivan.unit.Test.AdEncryptDecrypt]	TestAdEncryptDecrypt.decryptStringBad(jav a.lang.String, java.lang.String, java.lang.String)[pri:0, instance:raysullivan.unit.Test.AdEncrypt Decrypt@27fe3806]	0.002	PASSED
TEST MESSAGES			
PASSED TESTS -decryptStringInvalid			
Class	Method	Time (sec)	Status
[TestClass name=class raysullivan.unit.Test.AdEncryptDecrypt]	TestAdEncryptDecrypt.decryptStringBad(jav a.lang.String, java.lang.String, java.lang.String)[pri:0, instance:raysullivan.unit.Test.AdEncrypt Decrypt@27fe3806]	0.001	PASSED
TEST MESSAGES			
PASSED TESTS -decryptStringInvalid			
Class	Method	Time (sec)	Status
[TestClass name=class raysullivan.unit.Test.AdEncryptDecrypt]	TestAdEncryptDecrypt.decryptStringBad(jav a.lang.String, java.lang.String, java.lang.String)[pri:0, instance:raysullivan.unit.Test.AdEncrypt Decrypt@27fe3806]	0.0	PASSED
TEST MESSAGES			
PASSED TESTS -decryptStringInvalid			
Class	Method	Time (sec)	Status
[TestClass name=class raysullivan.unit.Test.AdEncryptDecrypt]	TestAdEncryptDecrypt.decryptStringBad(jav a.lang.String, java.lang.String, java.lang.String)[pri:0, instance:raysullivan.unit.Test.AdEncrypt Decrypt@27fe3806]	0.001	PASSED
TEST MESSAGES			
PASSED TESTS -decryptStringInvalid			
Class	Method	Time (sec)	Status
[TestClass name=class raysullivan.unit.Test.AdEncryptDecrypt]	TestAdEncryptDecrypt.decryptStringBad(jav a.lang.String, java.lang.String, java.lang.String)[pri:0, instance:raysullivan.unit.Test.AdEncrypt Decrypt@27fe3806]	0.0	PASSED
TEST MESSAGES			
PASSED TESTS -decryptStringInvalid			
Class	Method	Time (sec)	Status
[TestClass name=class raysullivan.unit.Test.AdEncryptDecrypt]	TestAdEncryptDecrypt.decryptStringBad(jav a.lang.String, java.lang.String, java.lang.String)[pri:0, instance:raysullivan.unit.Test.AdEncrypt Decrypt@27fe3806]	0.002	PASSED
TEST MESSAGES			
PASSED TESTS -decryptStringInvalid			
Class	Method	Time (sec)	Status
[TestClass name=class raysullivan.unit.Test.AdEncryptDecrypt]	TestAdEncryptDecrypt.decryptStringBad(jav a.lang.String, java.lang.String, java.lang.String)[pri:0, instance:raysullivan.unit.Test.AdEncrypt Decrypt@27fe3806]	0.0	PASSED
TEST MESSAGES			
PASSED TESTS -decryptStringInvalid			
Class	Method	Time (sec)	Status
[TestClass name=class raysullivan.unit.Test.AdEncryptDecrypt]	TestAdEncryptDecrypt.decryptStringBad(jav a.lang.String, java.lang.String, java.lang.String)[pri:0, instance:raysullivan.unit.Test.AdEncrypt Decrypt@27fe3806]	0.001	PASSED
TEST MESSAGES			
PASSED TESTS -decryptStringExceptions			
Class	Method	Time (sec)	Status
[TestClass name=class raysullivan.unit.Test.AdEncryptDecrypt]	TestAdEncryptDecrypt.decryptStringExcepti ons(java.lang.String, java.lang.String, java.lang.String)[pri:0, instance:raysullivan.unit.Test.AdEncrypt Decrypt@27fe3806]	0.0	PASSED
TEST MESSAGES			
PASSED TESTS -decryptStringExceptions			
Class	Method	Time (sec)	Status

[illegible]

[illegible]

[illegible]

[TestClass name=class raysullivan.unitTest.TestAdOpenExcelSpreadsheet]	TestAdOpenExcelSpreadsheet.invalidKBTestFile(java.lang.String, java.lang.String, java.lang.String)[pri:0, instance:raysullivan.unitTest.TestAdOpenExcelSpreadsheet@71d15f18]	0.025	PASSED
TEST MESSAGES			
PASSED TESTS -invalidKBTestFile			
Class	Method	Time (sec)	Status
[TestClass name=class raysullivan.unitTest.TestAdOpenExcelSpreadsheet]	TestAdOpenExcelSpreadsheet.invalidKBTestFile(java.lang.String, java.lang.String, java.lang.String)[pri:0, instance:raysullivan.unitTest.TestAdOpenExcelSpreadsheet@71d15f18]	0.081	PASSED
TEST MESSAGES			
PASSED TESTS -invalidKBTestFile			
Class	Method	Time (sec)	Status
[TestClass name=class raysullivan.unitTest.TestAdOpenExcelSpreadsheet]	TestAdOpenExcelSpreadsheet.invalidKBTestFile(java.lang.String, java.lang.String, java.lang.String)[pri:0, instance:raysullivan.unitTest.TestAdOpenExcelSpreadsheet@71d15f18]	0.0	PASSED
TEST MESSAGES			
PASSED TESTS -invalidKBTestFile			
Class	Method	Time (sec)	Status
[TestClass name=class raysullivan.unitTest.TestAdOpenExcelSpreadsheet]	TestAdOpenExcelSpreadsheet.invalidKBTestFile(java.lang.String, java.lang.String, java.lang.String)[pri:0, instance:raysullivan.unitTest.TestAdOpenExcelSpreadsheet@71d15f18]	0.001	PASSED
TEST MESSAGES			
PASSED TESTS -invalidKBTestFile			
Class	Method	Time (sec)	Status
[TestClass name=class raysullivan.unitTest.TestAdOpenExcelSpreadsheet]	TestAdOpenExcelSpreadsheet.invalidKBTestFile(java.lang.String, java.lang.String, java.lang.String)[pri:0, instance:raysullivan.unitTest.TestAdOpenExcelSpreadsheet@71d15f18]	0.002	PASSED
TEST MESSAGES			
PASSED TESTS -invalidKBTestFile			
Class	Method	Time (sec)	Status
[TestClass name=class raysullivan.unitTest.TestAdOpenExcelSpreadsheet]	TestAdOpenExcelSpreadsheet.invalidKBTestFile(java.lang.String, java.lang.String, java.lang.String)[pri:0, instance:raysullivan.unitTest.TestAdOpenExcelSpreadsheet@71d15f18]	0.021	PASSED
TEST MESSAGES			
PASSED TESTS -invalidKBTestFile			
Class	Method	Time (sec)	Status
[TestClass name=class raysullivan.unitTest.TestAdOpenExcelSpreadsheet]	TestAdOpenExcelSpreadsheet.invalidKBTestFile(java.lang.String, java.lang.String, java.lang.String)[pri:0, instance:raysullivan.unitTest.TestAdOpenExcelSpreadsheet@71d15f18]	1.852	PASSED
TEST MESSAGES			
PASSED TESTS -validKBTestFile			
Class	Method	Time (sec)	Status
[TestClass name=class raysullivan.unitTest.TestAdOpenExcelSpreadsheet]	TestAdOpenExcelSpreadsheet.validKBTestFile(java.lang.String, java.lang.String, java.lang.String)[pri:0, instance:raysullivan.unitTest.TestAdOpenExcelSpreadsheet@71d15f18]	0.066	PASSED
TEST MESSAGES			
PASSED TESTS -validKBTestFile			
Class	Method	Time (sec)	Status
[TestClass name=class raysullivan.unitTest.TestAdOpenExcelSpreadsheet]	TestAdOpenExcelSpreadsheet.validKBTestFile(java.lang.String, java.lang.String, java.lang.String)[pri:0, instance:raysullivan.unitTest.TestAdOpenExcelSpreadsheet@71d15f18]	0.253	PASSED
TEST MESSAGES			
PASSED TESTS -testScreenShot			
Class	Method	Time (sec)	Status
[TestClass name=class raysullivan.unitTest.TestAdTakeScreenShot]	TestAdTakeScreenShot.testScreenShot()[pri:0, instance:raysullivan.unitTest.TestAdTakeScreenShot@7f416310]	0.135	PASSED
TEST MESSAGES			
PASSED TESTS -testFileNotFound			
Class	Method	Time (sec)	Status
[TestClass name=class raysullivan.unitTest.TestAdBrowserProperties]	TestAdBrowserProperties.testFileNotFound(java.lang.String)[pri:0, instance:raysullivan.unitTest.TestAdBrowserProperties@de3a06f]	0.001	PASSED
TEST MESSAGES			
PASSED TESTS -testPropertyFile			
Class	Method	Time (sec)	Status
[TestClass name=class raysullivan.unitTest.TestAdBrowserProperties]	TestAdBrowserProperties.testPropertyFile(java.lang.String, java.lang.String)[pri:0, instance:raysullivan.unitTest.TestAdBrowserProperties@de3a06f]	0.002	PASSED

[illegible]

Class	Method	Time (sec)	Status
[TestClass name=class raysullivan.unitTest.TestAdVariable]	TestAdVariable.isAVariableTest(java.lang.String, boolean)[pri:0, instance:raysullivan.unitTest.TestAdVariable@3439f68d]	0.0	PASSED
TEST MESSAGES			
PASSED TESTS -validateisA Variable			
Class	Method	Time (sec)	Status
[TestClass name=class raysullivan.unitTest.TestAdVariable]	TestAdVariable.isAVariableTest(java.lang.String, boolean)[pri:0, instance:raysullivan.unitTest.TestAdVariable@3439f68d]	0.0	PASSED
TEST MESSAGES			
PASSED TESTS -setVariableAndOverwrite			
Class	Method	Time (sec)	Status
[TestClass name=class raysullivan.unitTest.TestAdVariable]	TestAdVariable.setVariableAndOverwrite(java.lang.String, java.lang.String, java.lang.String)[pri:0, instance:raysullivan.unitTest.TestAdVariable@3439f68d]	0.002	PASSED
TEST MESSAGES			
PASSED TESTS -setVariableAndOverwrite			
Class	Method	Time (sec)	Status
[TestClass name=class raysullivan.unitTest.TestAdVariable]	TestAdVariable.setVariableAndOverwrite(java.lang.String, java.lang.String, java.lang.String)[pri:0, instance:raysullivan.unitTest.TestAdVariable@3439f68d]	0.0	PASSED
TEST MESSAGES			
PASSED TESTS -setVariableAndOverwrite			
Class	Method	Time (sec)	Status
[TestClass name=class raysullivan.unitTest.TestAdVariable]	TestAdVariable.setVariableAndOverwrite(java.lang.String, java.lang.String, java.lang.String)[pri:0, instance:raysullivan.unitTest.TestAdVariable@3439f68d]	0.0	PASSED
TEST MESSAGES			
PASSED TESTS -setVariableMultiple			
Class	Method	Time (sec)	Status
[TestClass name=class raysullivan.unitTest.TestAdVariable]	TestAdVariable.setVariableMultiple(java.lang.String, java.lang.String, java.lang.String, java.lang.String)[pri:0, instance:raysullivan.unitTest.TestAdVariable@3439f68d]	0.0	PASSED
TEST MESSAGES			
PASSED TESTS -setVariableMultiple			
Class	Method	Time (sec)	Status
[TestClass name=class raysullivan.unitTest.TestAdVariable]	TestAdVariable.setVariableMultiple(java.lang.String, java.lang.String, java.lang.String, java.lang.String)[pri:0, instance:raysullivan.unitTest.TestAdVariable@3439f68d]	0.001	PASSED
TEST MESSAGES			
PASSED TESTS -validateAssertVariables			
Class	Method	Time (sec)	Status
[TestClass name=class raysullivan.unitTest.TestAdVariable]	TestAdVariable.validateAssertVariables(java.lang.String, java.lang.String)[pri:0, instance:raysullivan.unitTest.TestAdVariable@3439f68d]	0.0	PASSED
TEST MESSAGES			
PASSED TESTS -validateVariable			
Class	Method	Time (sec)	Status
[TestClass name=class raysullivan.unitTest.TestAdVariable]	TestAdVariable.validateVariable(java.lang.String, java.lang.String)[pri:0, instance:raysullivan.unitTest.TestAdVariable@3439f68d]	0.008	PASSED
TEST MESSAGES			
PASSED TESTS -validateVariable			
Class	Method	Time (sec)	Status
[TestClass name=class raysullivan.unitTest.TestAdVariable]	TestAdVariable.validateVariable(java.lang.String, java.lang.String)[pri:0, instance:raysullivan.unitTest.TestAdVariable@3439f68d]	0.0	PASSED
TEST MESSAGES			
PASSED TESTS -validateVariable			
Class	Method	Time (sec)	Status
[TestClass name=class raysullivan.unitTest.TestAdVariable]	TestAdVariable.validateVariable(java.lang.String, java.lang.String)[pri:0, instance:raysullivan.unitTest.TestAdVariable@3439f68d]	0.0	PASSED
TEST MESSAGES			
PASSED TESTS -validateVariable			
Class	Method	Time (sec)	Status
[TestClass name=class raysullivan.unitTest.TestAdVariable]	TestAdVariable.validateVariable(java.lang.String, java.lang.String)[pri:0, instance:raysullivan.unitTest.TestAdVariable@3439f68d]	0.001	PASSED
TEST MESSAGES			

[illegible]

[illegible]

[illegible]

PASSED TESTS -TestAssertNotEquals			
Class	Method	Time (sec)	Status
[TestClass name=class raysullivan.unitTest.TestAdKeywords]	TestAdKeywords.TestAssertNotEquals(java.lang.String, java.lang.String, java.lang.String, java.lang.String)[pri:0, instance:raysullivan.unitTest.TestAdKeywords@6c9f5c0d]	0.001	PASSED
TEST MESSAGES			
PASSED TESTS -TestAssertNotEquals			
Class	Method	Time (sec)	Status
[TestClass name=class raysullivan.unitTest.TestAdKeywords]	TestAdKeywords.TestAssertNotEquals(java.lang.String, java.lang.String, java.lang.String, java.lang.String)[pri:0, instance:raysullivan.unitTest.TestAdKeywords@6c9f5c0d]	0.006	PASSED
TEST MESSAGES			
PASSED TESTS -TestAssertNotEquals			
Class	Method	Time (sec)	Status
[TestClass name=class raysullivan.unitTest.TestAdKeywords]	TestAdKeywords.TestAssertNotEquals(java.lang.String, java.lang.String, java.lang.String, java.lang.String)[pri:0, instance:raysullivan.unitTest.TestAdKeywords@6c9f5c0d]	0.001	PASSED
TEST MESSAGES			

EXCEPTIONS SUMMARY