

Jusivo Case Manager — Codebase Summary

Generated: 2025-08-10 19:23:29 -05:00

What it is

A legal case manager app with:

- Frontend: React 19 + Vite 6 + React Router + Tailwind
- Backend: Cloudflare Worker (Hono) with D1 (SQLite) for data, R2 for file storage, SendGrid for email
- Auth: Mocha Users Service (Google OAuth) via secure cookies; MOCK_AUTH available for local development
- Hosting: Static site deployed to Appwrite Sites via GitHub Actions

Key directories and files

Frontend (SPA): index.html boots /src/react-app/main.tsx; pages live under src/react-app/pages; shared components in src/react-app/components; ProtectedRoute guards auth-only routes; AuthProvider manages session context; lib/appwrite.ts wires Appwrite SDK; lib/storage-url.ts resolves storage:// URIs.

Backend (Cloudflare Worker): src/worker/index.ts defines Hono app, CORS, and API routes; client-portal-routes.ts provides lookup/data endpoints; r2-routes.ts serves files and metadata from R2; email-webhook.ts stores SendGrid inbound replies as communications; types.ts defines Env bindings.

Shared utilities: src/shared/email-service.ts (SendGrid send/parse, templates, reply tracking), src/shared/r2storage.ts (R2 helper), src/shared/document-generator.ts (docx/html-docx-js/jsPDF).

Data & infra: migrations/ contains D1 schema (clients, matters, documents, deadlines, hearings, invoices, communications, etc.); wrangler.jsonc configures Worker (D1 binding, SPA assets, nodejs_compat); vite.config.ts wires React, Cloudflare plugin, Mocha plugins; Tailwind/PostCSS configs present; CI deploys dist/client to Appwrite Sites.

How it works (end-to-end)

- Auth: UI requests /api/oauth/google/redirect_url -> Google -> POST /api/sessions; Worker exchanges code for session token and sets cookie; UI calls /api/users/me to load user. MOCK_AUTH=true bypasses remote auth locally.
- Data: UI interacts with Worker API (D1); file downloads via /api/files/:fileKey (R2).
- Email: SendGrid sends notifications; inbound replies POST to /api/webhook/email/inbound and are stored/linked to matters, deadlines, or hearings.
- Hosting: Frontend on Appwrite Sites; Worker on Cloudflare.

Commands

- npm install
- npm run dev (Vite dev server; CORS allows http://localhost:5173)
- npm run build
- npm run lint
- npm run check (build + wrangler deploy --dry-run)

Environment & bindings

- Frontend build: VITE_APPWRITE_ENDPOINT, VITE_APPWRITE_PROJECT_ID
- Worker: DB (D1), DOCUMENTS_BUCKET (R2), MOCHA_USERS_SERVICE_API_URL,

MOCHA_USERS_SERVICE_API_KEY, optional MOCK_AUTH, SENDGRID_API_KEY

Notable issues / to-dos

- tsconfig.worker.json is invalid JSON: move baseUrl/paths inside compilerOptions and fix missing comma after types
- wrangler.jsonc is missing r2_buckets binding for DOCUMENTS_BUCKET
- src/worker/index.ts defines apiApp but does not mount it; either route it or remove