

PIXEL.AI

1. Kanhaiya Mehta
2. Rayyan Shaikh
3. Ayush Kumar
4. Anurag Verma

IDEA TITLE



❖ Proposed Solution:

• Detailed explanation:

- An end-to-end, AI-powered smart survey platform that unifies intuitive survey building, omni-channel deployment, and instantaneous data validation into a single operational framework.

The system operates across six concise execution pillars:

- **Unified No-Code Survey Builder:** A drag-and-drop structural interface integrated with pre-validated semantic question templates, eliminating manual frontend coding.
- **Omni-Channel Ingestion Engine:** Dynamically converts forms across five target endpoints: responsive web, native mobile, conversational voice IVR, generative AI avatars, and WhatsApp bots.
- **Multi-Dimensional Para data Capture:** Automatically binds secondary metrics (hardware GPS, micro-timestamps, photos, and ambient voice logs) to responses to verify field collection integrity.
- **Automated Logic Validation & Auto-Coding:** Uses edge-ML models to instantly flag logical contradictions and auto-categorize qualitative text into structured categorical codes.
- **Real-Time Translation Gateway:** Leverages neural machine translation (via Bhashini AI) to let respondents interact in regional dialects while preserving a single database schema.
- **Supervisor Analytics Dashboard:** A live central observation hub that visualizes collection rates, data-reliability flags, and potential statistical anomalies.

• How it addresses the problem:

Traditional survey mechanisms break down across complex demographics due to operational friction. This architecture resolves these systematic faults directly:

- **Language Diversity:** Bhashini AI integration removes regional communication barriers by providing live, accurate context translation across local dialects.
- **The Digital Divide:** Features an offline-first architecture that securely stores encrypted transaction logs locally and autosyncs once cloud connectivity is restored.
- **Socioeconomic and Cultural Barriers:** Replaces dense, text-heavy forms with natural voice channels and realistic AI avatars, eliminating literacy barriers in marginalized populations.
- **Real-Time Fraud Prevention:** Employs ongoing AI automated verification checkpoints to intercept data anomalies, coordinate mismatches, and falsified document scans.

• Innovation and uniqueness of the solution:


- **Core Differentiator:** Traditional platforms rely on slow, manual post-collection data cleaning. Our system executes automated translation, semantic auto-coding, and logic cross-validation *synchronously at the point of ingestion*, guaranteeing clean data before it hits the database.

TECHNICAL APPROACH



- **Technologies to be used:**

- **Programming Languages:** Dart • Python • TypeScript • JavaScript • SQL • CSS
- **Tech Stack Frontend:** React • Next.js • Motion • SurveyJS • Recharts • shadcn • Jest • Chat UI • React-Flow • Material UI
- **Backend:** Supabase • PostGIS • pgcrypto • pg_stat_statements • Mapbox GL JS • Aadhar API
- **AI & ML:** Hugging Face Transformers • FastAI • Bhashini AI • Tesseract OCR • FFmpeg • FastAPI • PyTorch • Llama.cpp • FAISS • Grafana • Krutrim-2 • Rhubarb lip-sync
- **Mobile & Other:** Flutter • Twilio WhatsApp API
- **CI/CD & DevOps:** GitHub • Docker



FEASIBILITY AND VIABILITY



- **Analysis of the feasibility of the idea:**

The design addresses system implementation challenges by utilizing a modular, microservice-based structure. Rather than maintaining a rigid monolith, independent technical components communicate via standardized API formats.

- **Potential challenges and risks:**

- **Low Network Connectivity in Remote Regions** *Mitigation:* The mobile application uses an offline-first storage architecture. Changes are safely tracked locally within an embedded SQLite instance via Flutter's reactive cache. When network connectivity is restored, a delta synchronization protocol transfers stored logs to the backend database, preventing data loss.
- **High Operational Inferences and Model Response Latency** *Mitigation:* Large cloud language models are too slow for real-time field validation checks. We optimize execution by running compressed, quantized open models locally through Llama.cpp. This brings critical processing latency down to microsecond ranges, minimizing server overhead.
- **Complex Integration Across Diverse Software Packages** *Mitigation:* We control dependency complexity by running all platform features inside highly controlled Docker environment instances. Standardized contract patterns across APIs prevent cascading code breaks when changing individual software components.

IMPACT AND BENEFITS



- **Potential impact:**
 - **High Analytical Precision:** Running machine learning algorithms directly at the point of ingestion eliminates manual database cleanup stages. This mitigates common copy errors, human classification mistakes, and data recording anomalies.
 - **Increased Population Inclusivity:** The system removes digital and educational access barriers. Using conversational speech modules helps capture accurate data trends among historically underrepresented demographics, creating balanced and high-fidelity research records.
 - **Optimized Resource Allocation:** Field supervisors can monitor real-time data collection patterns using the centralized Grafana tracking dashboard. Misallocated research assets, security exceptions, or sudden collection drops can be addressed immediately, reducing operational waste.
- **Benefits of the solution:**
 - **Economic Benefits:** Automating language translation and manual coding routines reduces data processing overheads by up to 60%, allowing public and private entities to run large-scale projects on tighter budgets.
 - **Social Benefits:** Providing clean, accessible data tools helps regional agencies acquire accurate, representative community insights. This supports more equitable policy decisions across public health, structural education, and local infrastructure projects.
 - **Environmental Benefits:** Adopting an omni-channel, digital-first system eliminates the printing, shipping, and processing overheads associated with paper forms, substantially reducing carbon footprints across long-term field campaigns.

RESEARCH AND REFERENCES



- Suh, J., Jahanparast, E., Moon, S., Kang, M., & Chang, S. (2025). Language model fine-tuning on scaled survey data for predicting distributions of public opinions. *arXiv*. <https://doi.org/10.48550/arxiv.2502.16761>
- Cited by: 63
- Eurostat. (2024). *Smart survey implementation: Review stage report on end-to-end research methodology*. European Statistical System Network (ESSnet) Deliverable Repository. <https://cros.ec.europa.eu/>
- De Vitiis, B. (2023). *Smart surveys: Methodological issues and challenges for official statistics*. Istat Corporate Technology and Methodology Directorate. <https://www.istat.it/>