

Digital Section 1

Konusbitr stores every bounding box in PDF user-space points with the origin at the top left of the unrotated page, which is the single convention the parser, the database and the viewer all agree on. A box that leaves the worker in any other frame is wrong everywhere downstream, and a highlight drawn a line too low reads as a bug rather than as an answer worth checking.

Konusbitr stores every bounding box in PDF user-space points with the origin at the top left of the unrotated page, which is the single convention the parser, the database and the viewer all agree on. A box that leaves the worker in any other frame is wrong everywhere downstream, and a highlight drawn a line too low reads as a bug rather than as an answer worth checking.

Digital Section 2

Konusbitr stores every bounding box in PDF user-space points with the origin at the top left of the unrotated page, which is the single convention the parser, the database and the viewer all agree on. A box that leaves the worker in any other frame is wrong everywhere downstream, and a highlight drawn a line too low reads as a bug rather than as an answer worth checking.

Konusbitr stores every bounding box in PDF user-space points with the origin at the top left of the unrotated page, which is the single convention the parser, the database and the viewer all agree on. A box that leaves the worker in any other frame is wrong everywhere downstream, and a highlight drawn a line too low reads as a bug rather than as an answer worth checking.

Digital Section 3

Konusbitr stores every bounding box in PDF user-space points with the origin at the top left of the unrotated page, which is the single convention the parser, the database and the viewer all agree on. A box that leaves the worker in any other frame is wrong everywhere downstream, and a highlight drawn a line too low reads as a bug rather than as an answer worth checking.

Konusbitr stores every bounding box in PDF user-space points with the origin at the top left of the unrotated page, which is the single convention the parser, the database and the viewer all agree on. A box that leaves the worker in any other frame is wrong everywhere downstream, and a highlight drawn a line too low reads as a bug rather than as an answer worth checking.

Digital Section 4

Konusbitr stores every bounding box in PDF user-space points with the origin at the top left of the unrotated page, which is the single convention the parser, the database and the viewer all agree on. A box that leaves the worker in any other frame is wrong everywhere downstream, and a highlight drawn a line too low reads as a bug rather than as an answer worth checking.

Konusbitr stores every bounding box in PDF user-space points with the origin at the top left of the unrotated page, which is the single convention the parser, the database and the viewer all agree on. A box that leaves the worker in any other frame is wrong everywhere downstream, and a highlight drawn a line too low reads as a bug rather than as an answer worth checking.

Digital Section 5

Konusbitr stores every bounding box in PDF user-space points with the origin at the top left of the unrotated page, which is the single convention the parser, the database and the viewer all agree on. A box that leaves the worker in any other frame is wrong everywhere downstream, and a highlight drawn a line too low reads as a bug rather than as an answer worth checking.

Konusbitr stores every bounding box in PDF user-space points with the origin at the top left of the unrotated page, which is the single convention the parser, the database and the viewer all agree on. A box that leaves the worker in any other frame is wrong everywhere downstream, and a highlight drawn a line too low reads as a bug rather than as an answer worth checking.

Digital Section 6

Konusbitr stores every bounding box in PDF user-space points with the origin at the top left of the unrotated page, which is the single convention the parser, the database and the viewer all agree on. A box that leaves the worker in any other frame is wrong everywhere downstream, and a highlight drawn a line too low reads as a bug rather than as an answer worth checking.

Konusbitr stores every bounding box in PDF user-space points with the origin at the top left of the unrotated page, which is the single convention the parser, the database and the viewer all agree on. A box that leaves the worker in any other frame is wrong everywhere downstream, and a highlight drawn a line too low reads as a bug rather than as an answer worth checking.

Digital Section 7

Konusbitr stores every bounding box in PDF user-space points with the origin at the top left of the unrotated page, which is the single convention the parser, the database and the viewer all agree on. A box that leaves the worker in any other frame is wrong everywhere downstream, and a highlight drawn a line too low reads as a bug rather than as an answer worth checking.

Konusbitr stores every bounding box in PDF user-space points with the origin at the top left of the unrotated page, which is the single convention the parser, the database and the viewer all agree on. A box that leaves the worker in any other frame is wrong everywhere downstream, and a highlight drawn a line too low reads as a bug rather than as an answer worth checking.

Scanned Exhibit

This is exhibit 1, attached as a photocopy.
It has no text layer and must be recognised.

Settlement amount: 12,500 USD.

Scanned Exhibit

This is exhibit 2, attached as a photocopy.
It has no text layer and must be recognised.

Settlement amount: 12,500 USD.

Scanned Exhibit

This is exhibit 3, attached as a photocopy.
It has no text layer and must be recognised.

Settlement amount: 12,500 USD.