

Clean Text Fixture — Section 1

Konusbitr stores every bounding box in PDF user-space points with the origin at the top left of the unrotated page, which is the single convention the parser, the database and the viewer all agree on. A box that leaves the worker in any other frame is wrong everywhere downstream, and a highlight drawn a line too low reads as a bug rather than as an answer worth checking.

Konusbitr stores every bounding box in PDF user-space points with the origin at the top left of the unrotated page, which is the single convention the parser, the database and the viewer all agree on. A box that leaves the worker in any other frame is wrong everywhere downstream, and a highlight drawn a line too low reads as a bug rather than as an answer worth checking.

Konusbitr stores every bounding box in PDF user-space points with the origin at the top left of the unrotated page, which is the single convention the parser, the database and the viewer all agree on. A box that leaves the worker in any other frame is wrong everywhere downstream, and a highlight drawn a line too low reads as a bug rather than as an answer worth checking.

Clean Text Fixture — Section 2

Konusbitr stores every bounding box in PDF user-space points with the origin at the top left of the unrotated page, which is the single convention the parser, the database and the viewer all agree on. A box that leaves the worker in any other frame is wrong everywhere downstream, and a highlight drawn a line too low reads as a bug rather than as an answer worth checking.

Konusbitr stores every bounding box in PDF user-space points with the origin at the top left of the unrotated page, which is the single convention the parser, the database and the viewer all agree on. A box that leaves the worker in any other frame is wrong everywhere downstream, and a highlight drawn a line too low reads as a bug rather than as an answer worth checking.

Konusbitr stores every bounding box in PDF user-space points with the origin at the top left of the unrotated page, which is the single convention the parser, the database and the viewer all agree on. A box that leaves the worker in any other frame is wrong everywhere downstream, and a highlight drawn a line too low reads as a bug rather than as an answer worth checking.

Clean Text Fixture — Section 3

Konusbitr stores every bounding box in PDF user-space points with the origin at the top left of the unrotated page, which is the single convention the parser, the database and the viewer all agree on. A box that leaves the worker in any other frame is wrong everywhere downstream, and a highlight drawn a line too low reads as a bug rather than as an answer worth checking.

Konusbitr stores every bounding box in PDF user-space points with the origin at the top left of the unrotated page, which is the single convention the parser, the database and the viewer all agree on. A box that leaves the worker in any other frame is wrong everywhere downstream, and a highlight drawn a line too low reads as a bug rather than as an answer worth checking.

Konusbitr stores every bounding box in PDF user-space points with the origin at the top left of the unrotated page, which is the single convention the parser, the database and the viewer all agree on. A box that leaves the worker in any other frame is wrong everywhere downstream, and a highlight drawn a line too low reads as a bug rather than as an answer worth checking.

Clean Text Fixture — Section 4

Konusbitr stores every bounding box in PDF user-space points with the origin at the top left of the unrotated page, which is the single convention the parser, the database and the viewer all agree on. A box that leaves the worker in any other frame is wrong everywhere downstream, and a highlight drawn a line too low reads as a bug rather than as an answer worth checking.

Konusbitr stores every bounding box in PDF user-space points with the origin at the top left of the unrotated page, which is the single convention the parser, the database and the viewer all agree on. A box that leaves the worker in any other frame is wrong everywhere downstream, and a highlight drawn a line too low reads as a bug rather than as an answer worth checking.

Konusbitr stores every bounding box in PDF user-space points with the origin at the top left of the unrotated page, which is the single convention the parser, the database and the viewer all agree on. A box that leaves the worker in any other frame is wrong everywhere downstream, and a highlight drawn a line too low reads as a bug rather than as an answer worth checking.

Clean Text Fixture — Section 5

Konusbitr stores every bounding box in PDF user-space points with the origin at the top left of the unrotated page, which is the single convention the parser, the database and the viewer all agree on. A box that leaves the worker in any other frame is wrong everywhere downstream, and a highlight drawn a line too low reads as a bug rather than as an answer worth checking.

Konusbitr stores every bounding box in PDF user-space points with the origin at the top left of the unrotated page, which is the single convention the parser, the database and the viewer all agree on. A box that leaves the worker in any other frame is wrong everywhere downstream, and a highlight drawn a line too low reads as a bug rather than as an answer worth checking.

Konusbitr stores every bounding box in PDF user-space points with the origin at the top left of the unrotated page, which is the single convention the parser, the database and the viewer all agree on. A box that leaves the worker in any other frame is wrong everywhere downstream, and a highlight drawn a line too low reads as a bug rather than as an answer worth checking.

Clean Text Fixture — Section 6

Konusbitr stores every bounding box in PDF user-space points with the origin at the top left of the unrotated page, which is the single convention the parser, the database and the viewer all agree on. A box that leaves the worker in any other frame is wrong everywhere downstream, and a highlight drawn a line too low reads as a bug rather than as an answer worth checking.

Konusbitr stores every bounding box in PDF user-space points with the origin at the top left of the unrotated page, which is the single convention the parser, the database and the viewer all agree on. A box that leaves the worker in any other frame is wrong everywhere downstream, and a highlight drawn a line too low reads as a bug rather than as an answer worth checking.

Konusbitr stores every bounding box in PDF user-space points with the origin at the top left of the unrotated page, which is the single convention the parser, the database and the viewer all agree on. A box that leaves the worker in any other frame is wrong everywhere downstream, and a highlight drawn a line too low reads as a bug rather than as an answer worth checking.

Clean Text Fixture — Section 7

Konusbitr stores every bounding box in PDF user-space points with the origin at the top left of the unrotated page, which is the single convention the parser, the database and the viewer all agree on. A box that leaves the worker in any other frame is wrong everywhere downstream, and a highlight drawn a line too low reads as a bug rather than as an answer worth checking.

Konusbitr stores every bounding box in PDF user-space points with the origin at the top left of the unrotated page, which is the single convention the parser, the database and the viewer all agree on. A box that leaves the worker in any other frame is wrong everywhere downstream, and a highlight drawn a line too low reads as a bug rather than as an answer worth checking.

Konusbitr stores every bounding box in PDF user-space points with the origin at the top left of the unrotated page, which is the single convention the parser, the database and the viewer all agree on. A box that leaves the worker in any other frame is wrong everywhere downstream, and a highlight drawn a line too low reads as a bug rather than as an answer worth checking.

Clean Text Fixture — Section 8

Konusbitr stores every bounding box in PDF user-space points with the origin at the top left of the unrotated page, which is the single convention the parser, the database and the viewer all agree on. A box that leaves the worker in any other frame is wrong everywhere downstream, and a highlight drawn a line too low reads as a bug rather than as an answer worth checking.

Konusbitr stores every bounding box in PDF user-space points with the origin at the top left of the unrotated page, which is the single convention the parser, the database and the viewer all agree on. A box that leaves the worker in any other frame is wrong everywhere downstream, and a highlight drawn a line too low reads as a bug rather than as an answer worth checking.

Konusbitr stores every bounding box in PDF user-space points with the origin at the top left of the unrotated page, which is the single convention the parser, the database and the viewer all agree on. A box that leaves the worker in any other frame is wrong everywhere downstream, and a highlight drawn a line too low reads as a bug rather than as an answer worth checking.

Clean Text Fixture — Section 9

Konusbitr stores every bounding box in PDF user-space points with the origin at the top left of the unrotated page, which is the single convention the parser, the database and the viewer all agree on. A box that leaves the worker in any other frame is wrong everywhere downstream, and a highlight drawn a line too low reads as a bug rather than as an answer worth checking.

Konusbitr stores every bounding box in PDF user-space points with the origin at the top left of the unrotated page, which is the single convention the parser, the database and the viewer all agree on. A box that leaves the worker in any other frame is wrong everywhere downstream, and a highlight drawn a line too low reads as a bug rather than as an answer worth checking.

Konusbitr stores every bounding box in PDF user-space points with the origin at the top left of the unrotated page, which is the single convention the parser, the database and the viewer all agree on. A box that leaves the worker in any other frame is wrong everywhere downstream, and a highlight drawn a line too low reads as a bug rather than as an answer worth checking.

Clean Text Fixture — Section 10

Konusbitr stores every bounding box in PDF user-space points with the origin at the top left of the unrotated page, which is the single convention the parser, the database and the viewer all agree on. A box that leaves the worker in any other frame is wrong everywhere downstream, and a highlight drawn a line too low reads as a bug rather than as an answer worth checking.

Konusbitr stores every bounding box in PDF user-space points with the origin at the top left of the unrotated page, which is the single convention the parser, the database and the viewer all agree on. A box that leaves the worker in any other frame is wrong everywhere downstream, and a highlight drawn a line too low reads as a bug rather than as an answer worth checking.

Konusbitr stores every bounding box in PDF user-space points with the origin at the top left of the unrotated page, which is the single convention the parser, the database and the viewer all agree on. A box that leaves the worker in any other frame is wrong everywhere downstream, and a highlight drawn a line too low reads as a bug rather than as an answer worth checking.