



Client: Apex Peptides
 Accession #: 2607020343
 Search Code: Apex2607020343
 Received: 07/02/2026
 Reported: 07/05/2026
 Lot: 205040

Sample Summary

Product:	BPC-157/TB-500 10mg/10mg	Purity:	Vial 1: 99.78% Vial 2: 99.78% Vial 3: 99.76%
Identity:	Confirmed	Net Content:	Vial 1: BPC-157 – 9.28 mg Thymosin Beta-4 – 11.78 mg
Appearance:	White Lyophilized Powder		Vial 2: BPC-157 – 9.68 mg Thymosin Beta-4 – 11.12 mg
Endotoxin Threshold:	Pass		Vial 3: BPC-157 – 9.48 mg Thymosin Beta-4 – 11.65 mg
Microbial Analysis (PCR):	Pass		Vial 4: BPC-157 – 10.69 mg
Fentanyl Screen:	Negative		

Analytical Results

Test	Result
Identity (LC-MS)	Thymosin Beta-4/BPC-157
Purity (HPLC-UV)	99.77%

Net Content Average
 Thymosin Beta-4 - 11.38 mg
 BPC-157 - 9.78 mg

Method: Endotoxin testing performed using Limulus Amebocyte Lysate assay in accordance with USP <85> under validated laboratory conditions.


Endotoxin Replicate 1:	Pass	Assay Sensitivity: ≤0.05 EU/mL
Endotoxin Replicate 2:	Pass	Assay Sensitivity: ≤0.05 EU/mL

Method: Microbial detection performed using validated polymerase chain reaction (PCR)-based assay targeting common microbial contaminants.


Microbial Analysis (PCR)	No Detectable Microbial DNA	Pass
--------------------------	-----------------------------	------

Method: HPLC with UV detection coupled with mass spectrometry (LC-MS).

Chromatogram



Mass Confirmation



Alex Johnson
 Principal Chemist

FreedomDiagnosticsTesting.com
 Admin@FreedomDiagnostics.net
 Proudly Owned and Operated in the USA



The peptide purity analysis reported here was conducted using LCMS/MS under standard laboratory conditions. This analysis is intended for informational purposes only and is specific to the sample(s) provided. The peptides tested are intended for research use only and are not approved for human or veterinary use, diagnostic, therapeutic, or clinical applications. Results should be interpreted by qualified professionals within the scope of the intended research. The accuracy and reliability of the test may be influenced by sample integrity, handling, and other experimental variables.