



SKYLINE INNOVATIONS

2451 18th ST NW

SECOND FLOOR

WASHINGTON, DC 20009

Due Date	2010-09-16
Balance Due	98.72

Service Location

1103 WEST CHESTER PI, ST-12-A
WEST CHESTER

Environmental Benefit This Period

Frequency	Percentage
Often	78.0%
Sometimes	18.0%
Never	4.0%

Renewable 82.0%

Renewable Energy Consumed


7870740 BTUs

Pounds Carbon Dioxide Offset

1059

System Life To Date

Total Dollar Savings	98.74
Total Renewable Energy Consumed	15908916 BTUs
Total Pounds Carbon Dioxide Offset	2331.67
Tens of Trees to Date	1.8



Prior Balance	54.45
Payment Received	0.00
Adjustments	0.00

Your Savings	44.28
Skyline Charges	44.27

Balance Forward	54.45
------------------------	-------

Balance Due	98.72
--------------------	-------

Measured renewable and conventional energy.

Utility Register		Description		Quantity	
				Skyline	Utility
				Total	
027870434	Total Ccf			0	581
028702956	Total Ccf			78.70	371
				581.0 Ccf	
				449.7 Ccf	

Original utility charges prior to renewable energy.

Service	Charge Description	Quantity	Rate	Total
Gas	Customer Charge			25.00
	Natural Gas Supply Charges	1030.70 Ccf	0.59258 dollars	610.77
	Distribution Charges	1030.70 Ccf	0.37785 dollars	389.45
	Balancing Service Charges	1030.70 Ccf	0.05077 dollars	52.33
	Gas Cost Adjustment Charges	1030.70 Ccf	0.03850 dollars	39.68
	State Tax Adjustment	1117.23 dollars	0.16 percent	1.79
	Sales Tax	1119.02 dollars	6.0 percent	67.14
				1186.16