Test Case Report

Project Name	Electronic Medical Record System Application
Client Name	Health and Education for All (HAEFA)
Modul name	Frontend Functional Testing
Prepared by	Rashed Zahan & Mustafa Tanim
Reviewed by	Rashed Zahan
Project start date	27-Sep-23
project end date	31-Oct-23
Version no (Testing)	V 1.0

TEST EXECUTION REPORT

Test Case	PASS	FAIL	Not Executed	Out of Scope	Total Test Case
Doctor's Login	15	0	0	0	15
HomePage	7	0	0	0	7
Patient Registration	43	0	0	0	43
Doctor's Logout	10	0	0	0	10
Patient Search	16	0	0	0	16
Station 1	26	0	0	0	26
Station 2	20	0	0	0	20
Station 3	17	0	0	0	17
Station 4A	87	0	0	4	91
Station 4B	38	1	0	0	39
Station 4C	77	3	0	0	80
Station 4D	18	0	0	0	18
Station 4E	18	2	0	0	20
Prescription Page	16	2	0	0	18
					0
					0
Grand Total	408	8	0	4	420

Pie chart: Pass 97%, Fail 2%, Not Executed 0%, Out of Scope 1%

Legend: ■ Pass ■ Fail ■ Not Executed ■ Out of Scope

Project Name	Electronic Medical Record System Application
Client Name	Health and Education for All (HAEFA)
Reference Document	SRS
Domain	Local Server/App
Created by	Rashed Zahan
Execution by	Mustafa Tanim & Rashed Zahan
Creation Date	27-Sep-23

Test Scenario ID	Reference	Test Scenario Description	Priority	Number of Test Cases
(TS_001) Doctor's Login Functionality	SRS	Validate the working of "doctor's Login" functionality	P0	15
(TS_002) Home Page Functionality	SRS	Validate the "Home" page functionality	P0	7
(TS_003) Patient Registration Functionality	SRS	Validate the working of "Patient Registration" functionality	P0	43
(TS_004) Doctor's Logout Functionality	SRS	Validate the working of "doctor's Logout" functionality	P0	10
(TS_005) Search Patient Functionality	SRS	Validate the "Search Patient" functionality	P1	16
(TS_006) Station 1 - Height/Weight	SRS	Validate the "Station 1 - Height/Weight" page functionality	P1	26
(TS_007) Station 2 - Vital Statistic	SRS	Validate the "Station 2 - Vital Statistic" page functionality	P1	20
(TS_008) Station 3 - Glucose & Hemoglobin	SRS	Validate the "Station 3 - Glucose & Hemoglobin" page functionality	P1	17
(TS_009) Station 4A - Physician, Obs & Gynae	SRS	Validate the "Station 4A - Physician, Obs & Gynae Treatment plan" page functionality	P1	91
(TS_010) Station 4B Functionality	SRS	Validate the "Station 4B" page functionality	P1	39
(TS_011) Station 4C Functionality	SRS	Validate the "Station 4C" page functionality	P1	80
(TS_012) Station 4D Functionality	SRS	Validate the "Station 4D - (Cardiovascular Risk - Non Lab Based)" page functionality	P1	18
(TS_013) Station 4E Functionality	SRS	Validate the "Station 4E - (Cardiovascular Risk - Lab Based)" page functionality	P1	20
(TS_014) Prescription Page	SRS	Validate the "Prescription" page UI and functionality	P1	18

Doctor's Login Test Report

PASS	15
FAIL	0
Not Executed	0
Out of Scope	0
Total	15
Checked by	Rashed Zahan

Test Case Id	Test Scenario	Test Case Title	Pre-Requisites	Test Steps	Test Data	Expected Result (ER)	Actual Result	Priority	Result	Tested by	Remarks/Screenshot	Dev. Status	Regression Testing	Tested by
Scenarios>>														
TC_001	TS_001 (LogIn Functionality)	Validate logging into the Application using valid credentials	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the ""LogIn"" button (ER 02)	Email-"doctor@gmail.com" Password-123456789	1. The web application should display on the browser properly. 2. After using valid credentials, the application should login.	1. The web application is displayed on the browser properly. 2. After using valid credentials, the application is logged in.		PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_002	TS_001 (LogIn Functionality)	Validate logging into the Application using invalid credentials (i.e. Invalid email address and Invalid Password)	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the ""LogIn"" button after giving the invalid credentials (ER 02)	Email-"doctor231@gmail.com" Password-987654321	1. The web application should display on the browser properly. 2. After using invalid credentials, the application should not login.	1. The web application is displayed on the browser properly. 2. After using invalid credentials, the application is not login.		PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_003	TS_001 (LogIn Functionality)	Validate logging into the Application using invalid email address and valid Password	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the ""LogIn"" button (ER 02)"	Email-"doctor231@gmail.com" Password-123456789	1. The web application should display on the browser properly. 2. After using invalid email and valid password, the application should not login. 3. The application should display an error message with proper context	1. The web application is displayed on the browser properly. 2. After using invalid email and valid password, the application is not login. 3. The application is not displayed an error message with proper context		PASS	Mustafa Tanim	Issue: Valid message should be displayed	Done	PASS	Rashed Zahan
TC_004	TS_001 (LogIn Functionality)	Validate logging into the Application using valid email address and invalid Password	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the ""LogIn"" button (ER 02)"	Email-"doctor@gmail.com" Password-987654321	1. The web application should display on the browser properly. 2. After using valid email and invalid password, the application should not login. 3. The application should display an error message	1. The web application is displayed on the browser properly. 2. After using valid email and invalid password, the application is not login. 3. The application is not displayed an error message with proper context		PASS	Mustafa Tanim	Issue: Valid message should be displayed	Done	PASS	Rashed Zahan
TC_005	TS_001 (LogIn Functionality)	Validate logging into the Application without providing any credentials	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the ""LogIn"" button (ER	Email-null Password-null	1. The web application should display on the browser properly. 2. Without providing any credentials, the application should not	1. The web application is displayed on the browser properly. 2. Without providing any credentials, the application is not login.		PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_006	TS_001 (LogIn Functionality)	Validate logging into the Application using Keyboard keys (Tab and Enter)	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Use TAB Key from keyboard to go "LogIn" section (ER 02) 5. Now select "LogIn" button with TAB key and press "Enter" key(ER	NA	1. The web application should display on the browser properly. 2. The keyboard keys should work properly for LogIn	1. The web application is displayed on the browser properly. 2. The keyboard keys is working properly for LogIn		PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_007	TS_001 (LogIn Functionality)	Validate E-Mail Address and Password text field in the login page have the placeholder text	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the ""LogIn"" button (ER 02)"	NA	1. The web application should display on the browser properly. 2. E-Mail Address and Password text field in the login page should have the placeholder text	1. The web application is displayed on the browser properly. 2. E-Mail Address and Password text field in the login page have placeholder text		PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_008	TS_001 (LogIn Functionality)	Validate Logging into the Application and browsing back using Browser back button	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the ""LogIn"" button 5. After login, click the browser back	NA	1. The web application should display on the browser properly. 2. After logging into the Application, browser back button should not work to go login page	1. The web application is displayed on the browser properly. 2. After logging into the Application, browser back button is not working to go login page		PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_009	TS_001 (LogIn Functionality)	Validate Loggingout from the Application and browsing back using Browser back button	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the ""LogIn"" button 5. Logout the Application 5. After logout, click the browser	NA	1. The web application should display on the browser properly. 2. After loggingout the Application, browser back button should not take to the "Dashboard" page	1. The web application is displayed on the browser properly. 2. After loggingout the Application, browser back button is not taking to the "Dashboard" page		PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_010	TS_001 (LogIn Functionality)	Validate the text into the Password field is toggled to hide its visibility	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the ""LogIn"" button (ER	Email-"doctor@gmail.com" Password-123456789	1. The web application should display on the browser properly. 2. Password field should be toggled to hide its visibility	1. The web application is displayed on the browser properly. 2. Password field is toggled to hide its visibility		PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_011	TS_001 (LogIn Functionality)	Validate the copying of the text into the Password field	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the ""LogIn"" button (ER	Email-"doctor@gmail.com" Password-123456789	1. The web application should display on the browser properly. 2. Password should not copying into the password field	1. The web application is displayed on the browser properly. 2. Password is not able to copy into the password field		PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_012	TS_001 (LogIn Functionality)	Validate Logging into the Application, closing the Browser without loggingout and opening the application in the	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the ""LogIn"" button (ER	Email-"doctor@gmail.com" Password-123456789	1. The web application should display on the browser properly. 2. Even if close the browser while logged in, the application should be	1. The web application is displayed on the browser properly. 2. Even if close the browser while logged in, the application is opened again		PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_013	TS_001 (LogIn Functionality)	Validate the timeout functionality in the Login Session	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the ""LogIn"" button (ER	NA	1. The web application should display on the browser properly. 2. The application should not be timeout also logged in on time	1. The web application should display on the browser properly. 2. The application logged in on time and didn't face any timeout session		PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_014	TS_001 (LogIn Functionality)	Validate the UI of the Login page	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the ""LogIn"" button (ER 02)"	NA	1. The web application should display on the browser properly. 2. The UI design should not be overlapped with any other elements and should not go out of the	1. The web application is displayed on the browser properly. 2. The UI design is not overlapping with any other elements and the element is not go out of the screen.		PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_015	TS_001 (LogIn Functionality)	Validate the Login page functionality in all the supported environments	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01)	Google Chrome, Mozilla Firefox, Microsoft Edge,	1. The web application should display on the browser properly. 2. The application should display properly in all environments.	1. The web application is displayed on the browser. 2. The application is displayed properly in all environment.		PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan

HomePage Test Report

PASS	7
FAIL	0
Not Executed	0
Out of Scope	0
Total	7
Checked by	Rashed Zahan

Test Case Id	Test Scenario	Test Case Title	Pre-Requisites	Test Steps	Test Data	Expected Result (ER)	Actual Result	Priority	Result	Tested by	Remarks/Screenshot	Dev. Status	Regression te	Tested by
Scenarios>>														
TC_001	TS_002 (Home Page)	Validate the text spelling accurecy in the home page	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button 5. Check the "Home Page"	NA	1. The web application should display on the browser properly. 2. The home page text should not be misspelled in the application	1. The web application is displayed on the browser properly. 2. The home page text is not misspelled		PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_002	TS_002 (Home Page)	Validate the hover effect functionality in the application	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button 5. Check the "Home Page"	NA	1. The web application should display on the browser properly. 2. Hover effect should work properly.	1. The web application is displayed on the browser properly. 2. Hover effect is working properly.		PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_003	TS_002 (Home Page)	Validate the every clickable station is working properly	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button 5. Click every station of	NA	1. The web application should display on the browser properly. 2. Every clickable station should be working properly.	1. The web application is displayed on the browser properly. 2. Every clickable station is working properly.		PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_004	TS_002 (Home Page)	Validate the 'Home' button functionality under the bottom section in the application	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button 5. Click the 'Home' button (ER 02)	NA	1. The web application should display on the browser properly. 2. 'Home' button should work properly and should be taken to the home page	1. The web application is displayed on the browser properly. 2. 'Home' button is working properly and its taken to the home page		PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_005	TS_002 (Home Page)	Validate 'Profile' button functionality under the bottom section in the application	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button 5. Click the 'Profile' button (ER 02)	NA	1. The web application should display on the browser properly. 2. 'Profile' button should display profile name, designation and logout button.	1. The web application is displayed on the browser properly. 2. 'Profile' button is working properly and displayed the profile name, designation and logout button.		PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_006	TS_002 (Home Page)	Validate the UI design of Home page	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button 5. Check the "Home Page" (ER 02)	NA	1. The web application should display on the browser properly. 2. The UI design should not overlap with any other elements and should not go out of the screen.	1. The web application is displayed on the browser properly. 2. The UI design is not overlapping with any other elements and not to go out of the screen.		PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_007	TS_002 (Home Page)	Validate the Home page functionality in all the supported environments	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button 5. Check the "Home Page" (ER 02)	Google Chrome, Mozilla Firefox, Microsoft Edge,	1. The web application should display on the browser properly. 2. The application should display properly in all environments.	1. The web application is displayed on the browser. 2. This link is working properly in all environment .		PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan

Patient Registration Test

PASS	43
FAIL	0
Not Executed	0
Out of Scope	0
Total	43
Checked by	Rashed Zahan

Test Case Id	Test Scenario	Test Case Title	Pre-Requisites	Test Steps	Test Data	Expected Result (ER)	Actual Result	Priority	Result	Tested by	Remarks/Screenshot	Dev. Status	Regression Testing	Tested by
Scenarios>>														
TC_001	TS_003 (Patient Registration)	Validate the page header in the "Patient Registration" page	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button then go to "Home Page" 5. Click the "Patient Registration" (ER 02)	NA	1. The web application should display on the browser properly. 2. Page heading of "Patient Registration" should display on the screen	1. The web application is displayed on the browser properly. 2. Page heading of "Patient Registration" is displayed on the screen		PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_002	TS_003 (Patient Registration)	Validate the page title in the "Patient Registration" page	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button then go to "Home Page" 5. Click the "Patient Registration" (ER 02)	NA	1. The web application should display on the browser properly. 2. Page title of "Patient Registration" should display on the screen	1. The web application is displayed on the browser properly. 2. Page title of "Patient Registration" is displayed on the screen		PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_003	TS_003 (Patient Registration)	Validate the page url in the "Patient Registration" page	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button then go to "Home Page" 5. Click the "Patient Registration" (ER 02)	NA	1. The web application should display on the browser properly. 2. Page url of "Patient Registration" should display on the screen	1. The web application is displayed on the browser properly. 2. Page url of "Patient Registration" is displayed on the screen		PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_004	TS_003 (Patient Registration)	Validate the text alignment of the"Patient Registration" page	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button then go to "Home Page" 5. Click the "Patient Registration" (ER 02)	NA	1. The web application should display on the browser properly. 2. The text alignment of "Patient Registration" should same on the screen	1. The web application should display on the browser properly. 2. The text alignment of "Patient Registration" is same on the screen		PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_005	TS_003 (Patient Registration)	Validate the text field is allowing copy-paste.	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button then go to "Home Page" 5. Click the "Patient Registration" (ER 02)	NA	1. The web application should display on the browser properly. 2. Copy-paste functionality should work properly in text field	1. The web application should display on the browser properly. 2. Copy-paste functionality is working properly in text field		PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_006	TS_003 (Patient Registration)	Validate that user is able to delete text by pressing the backspace key on the keyboard in the text field.	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button then go to "Home Page" 5. Click the "Patient Registration" (ER 02)	NA	1. The web application should display on the browser properly. 2. The user should able to delete by pressing the backspace key on the keyboard.	1. The web application is displayed on the browser properly. 2. The user is able to delete by pressing the backspace key on the keyboard.		PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_007	TS_003 (Patient Registration)	Validate the placeholder in the text field of "Patient Registration" page	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button then go to "Home Page" 5. Click the "Patient Registration" (ER 02)	NA	1. The web application should display on the browser properly. 2. There should have placeholder in every text field	1. The web application is displayed on the browser properly. 2. There have placeholder in every text field		PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_008	TS_003 (Patient Registration)	Validate that user is not able to save the details without entering data on mandatory fields.	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button then go to "Home Page" 5. Click the "Patient Registration" (ER 02)	NA	1. The web application should display on the browser properly. 2. The user should not able to save the details without entering data on mandatory fields.	1. The web application is displayed on the browser properly. 2. The user is not able to save the details without entering data on mandatory fields.		PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_009	TS_003 (Patient Registration)	Validate that user is able to save the details with entering data on mandatory fields.	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button then go to "Home Page" 5. Click the "Patient Registration" (ER 02)	NA	1. The web application should display on the browser properly. 2. The user should able to save the details with entering data on mandatory fields.	1. The web application is displayed on the browser properly. 2. The user is not able to save the details with entering data on mandatory fields.		FAIL	Issue: some mandatory field may be not mentioned	TC_009	Done	PASS	Rashed Zahan
TC_010	TS_003 (Patient Registration)	Validate the alert message shows when the user save data without the mandatory field.	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button then go to "Home Page" 5. Click the "Patient Registration" (ER 02)	NA	1. The web application should display on the browser properly. 2. The alert message should shows when the user save data without the mandatory field	1. The web application is displayed on the browser properly. 2. The alert message had shown when the user save data without the mandatory field		PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_011	TS_003 (Patient Registration)	Validate that the mandatory fields of the application are marked with a special character like a red star icon (*).	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button then go to "Home Page" 5. Click the "Patient Registration" (ER 02)	NA	1. The web application should display on the browser properly. 2. The mandatory fields of the application should be marked with a special character like a red star icon (*).	1. The web application is displayed on the browser properly. 2. The mandatory fields of the application has marked with a special character like a red star icon (*).		PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_012	TS_003 (Patient Registration)	Validate that the dropdown field is clickable or not	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button then go to "Home Page" 5. Click the "Patient Registration" (ER 02)	NA	1. The web application should display on the browser properly. 2. The dropdown field should be clickable.	1. The web application is displayed on the browser properly. 2. The dropdown field is clickable.		PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_013	TS_003 (Patient Registration)	Validate that when Clicking on the dropdown list (value of dropdown) showing or not.	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button then go to "Home Page" 5. Click the "Patient Registration" (ER 02)	NA	1. The web application should display on the browser properly. 2. After clicking on the dropdown list, the value should show.	1. The web application is displayed on the browser properly. 2. After clicking on the dropdown list, the value is showed.		PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_014	TS_003 (Patient Registration)	Validate that the dropdown can be scrolled down by clicking the down arrow	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button then go to "Home Page" 5. Click the "Patient Registration" (ER 02)	NA	1. The web application should display on the browser properly. 2. The dropdown should be scrolled down by clicking the down arrow	1. The web application is displayed on the browser properly. 2. The dropdown can be scrolled down by clicking the down arrow		PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_015	TS_003 (Patient Registration)	Validate that the user is able to select the dropdown by the "tab" key from the keyboard.	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button then go to "Home Page" 5. Click the "Patient Registration" (ER 02)	NA	1. The web application should display on the browser properly. 2. The user should be able to select the dropdown by the "tab" key from the keyboard.	1. The web application is displayed on the browser properly. 2. The user is able to select the dropdown by the "tab" key from the keyboard.		PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_016	TS_003 (Patient Registration)	Validate the upazila dropdown list cannot show without selecting a district.	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button then go to "Home Page" 5. Click the "Patient Registration" (ER 02)	NA	1. The web application should display on the browser properly. 2. The upazila dropdown list should not show without selecting a district.	1. The web application is displayed on the browser properly. 2. The upazila dropdown list can not show without selecting a district.		PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_017	TS_003 (Patient Registration)	Validate the union dropdown list cannot show without selecting a upazila.	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button then go to "Home Page" 5. Click the "Patient Registration" (ER 02)	NA	1. The web application should display on the browser properly. 2. The union dropdown list should not show without selecting a upazila.	1. The web application is displayed on the browser properly. 2. The union dropdown list can not show without selecting a upazila .		PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_018	TS_003 (Patient Registration)	Validate that the radio buttons are selectable or unselectable.	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button then go to "Home Page" 5. Click the "Patient Registration" (ER 02)	NA	1. The web application should display on the browser properly. 2. The radio buttons should be selectable.	1. The web application is displayed on the browser properly. 2. The radio buttons are selectable.		PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_019	TS_003 (Patient Registration)	Validate that the radio buttons are clickable by using the tab on the keyboard	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button then go to "Home Page" 5. Click the "Patient Registration" (ER 02)	NA	1. The web application should display on the browser properly. 2. The radio buttons should be clickable by using the tab on the keyboard	1. The web application is displayed on the browser properly. 2. The radio buttons are clickable by using the tab on the keyboard		PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_020	TS_003 (Patient Registration)	Check if the user can select multiple radio buttons	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button then go to "Home Page" 5. Click the "Patient Registration" (ER 02)	NA	1. The web application should display on the browser properly. 2. The user should not select multiple radio buttons	1. The web application is displayed on the browser properly. 2. The user can't select multiple radio buttons		PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan

TC ID	TS ID	Description	Pre-conditions	Steps		Expected Result	Actual Result		Status	Tester				Reviewer
TC_021	TS_003 (Patient Registration)	Validate that the alignment of the radio button in all browsers.	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button then go to "Home Page" 5. Click the "Patient Registration" (ER 02)	NA	1. The web application should display on the browser properly. 2. The alignment of the radio button should same in all browsers.	1. The web application is displayed on the browser properly. 2. The alignment of the radio button is same in all browsers.		PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_022	TS_003 (Patient Registration)	Validate that the date of birth field's calender is enabled or not	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button then go to "Home Page" 5. Click the "Patient Registration" (ER 02)	NA	1. The web application should display on the browser properly. 2. The date of birth field's calender should be enabled.	1. The web application is displayed on the browser properly. 2. The date of birth field's calender is enabled.		PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_023	TS_003 (Patient Registration)	Validate that the user is able to click on the date field or not.	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button then go to "Home Page" 5. Click the "Patient Registration" (ER 02)	NA	1. The web application should display on the browser properly. 2. The user should be able to click on the date field	1. The web application is displayed on the browser properly. 2. The user is able to click on the date field		PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_024	TS_003 (Patient Registration)	Validate the date picker functionality (next, previous, day months year), the user is able to change and selected the date accordingly or not.	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button then go to "Home Page" 5. Click the "Patient Registration" (ER 02)	NA	1. The web application should display on the browser properly. 2. The user should be able to change and selected (date picker functionality) the date accordingly	1. The web application is displayed on the browser properly. 2. The user is able to change and selected (date picker functionality) the date accordingly		PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_025	TS_003 (Patient Registration)	Validate the month and day only accept two digits in the 'DOB'	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button then go to "Home Page" 5. Click the "Patient Registration" (ER 02)	NA	1. The web application should display on the browser properly. 2. The month and day should accept two digits in the 'DOB'	1. The web application is displayed on the browser properly. 2. The month and day can accept two digits in the 'DOB'		PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_026	TS_003 (Patient Registration)	Validate the year only accepts four digits in the 'DOB'.	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button then go to "Home Page" 5. Click the "Patient Registration" (ER 02)	NA	1. The web application should display on the browser properly. 2. The year should accepts four digits in the 'DOB'.	1. The web application is displayed on the browser properly. 2. The year can accepts four digits in the 'DOB'.		PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_027	TS_003 (Patient Registration)	Validate the input field does not accept special characters in the 'DOB'.	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button then go to "Home Page" 5. Click the "Patient Registration" (ER 02)	NA	1. The web application should display on the browser properly. 2. The input field should not accept special characters in the 'DOB'.	1. The web application is displayed on the browser properly. 2. The input field is not accept special characters in the 'DOB'.		PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_028	TS_003 (Patient Registration)	Validate leap year dates are accepted in the 'DOB'.	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button then go to "Home Page" 5. Click the "Patient Registration" (ER 02)	NA	1. The web application should display on the browser properly. 2. The leap year dates should be accepted in the 'DOB'.	1. The web application is displayed on the browser properly. 2. The leap year dates can be accepted in the 'DOB'.		PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_029	TS_003 (Patient Registration)	Validate the "Patient Age" calculation in years with "Date of birth" calendar	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button then go to "Home Page" 5. Click the "Patient Registration" (ER 02)	NA	1. The web application should display on the browser properly. 2. The "Patient Age" should be calculated in years with "Date of birth" calendar	1. The web application is displayed on the browser properly. 2. The "Patient Age" is calculated in years with "Date of birth" calendar		PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_030	TS_003 (Patient Registration)	Validate the "Registration Number" functionality as per requirement	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button then go to "Home Page" 5. Click the "Patient Registration" (ER 02)	NA	1. The web application should display on the browser properly. 2. The fixed section of "Registration Number" should be similar with "health code" from home page	1. The web application should display on the browser properly. 2. The "Registration Number" follows the requirements.		PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_031	TS_003 (Patient Registration)	Validate the contact number field by entering the special character	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button then go to "Home Page" 5. Click the "Patient Registration" (ER 02)	NA	1. The web application should display on the browser properly. 2. The "contact number" field should not be entered in the special character	1. The web application is displayed on the browser properly. 2. The "contact number" field is not entered in the special character		PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_032	TS_003 (Patient Registration)	Validate the contact number field by entering the string value.	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button then go to "Home Page" 5. Click the "Patient Registration" (ER 02)	NA	1. The web application should display on the browser properly. 2. The "contact number" field should not be accept the string value	1. The web application is displayed on the browser properly. 2. The "contact number" field is not allow the string value, except this (e,E) character			Mustafa Tanim	NA			Rashed Zahan
TC_033	TS_003 (Patient Registration)	Validate that the user can copy and paste the contact number in the field or not.	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button then go to "Home Page" 5. Click the "Patient Registration" (ER 02)	NA	1. The web application should display on the browser properly. 2. The user should be able to copy and paste the contact number in the field	1. The web application is displayed on the browser properly. 2. The user is able to copy and paste the contact number in the field		PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_034	TS_003 (Patient Registration)	Validate that the placeholder for the contact number text box.	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button then go to "Home Page" 5. Click the "Patient Registration" (ER 02)	NA	1. The web application should display on the browser properly. 2. There should have placeholder for the contact number text box	1. The web application is displayed on the browser properly. 2. There have placeholder for the contact number text box		PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_035	TS_003 (Patient Registration)	Validate all district names are displayed under the "District" dropdown section	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button then go to "Home Page" 5. Click the "Patient Registration" (ER 02)	NA	1. The web application should display on the browser properly. 2. All districts name should be displayed under the "District" dropdown section	1. The web application is displayed on the browser properly. 2. All districts name are displayed under the "District" dropdown section		PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_036	TS_003 (Patient Registration)	Validate all upazila names are displayed with "District" name under the "Upazila" dropdown section	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button then go to "Home Page" 5. Click the "Patient Registration" (ER 02)	NA	1. The web application should display on the browser properly. 2. All upazila names should be displayed with "District" name under the "Upazila" dropdown section	1. The web application is displayed on the browser properly. 2. All upazila names are displayed with "District" name under the "Upazila" dropdown section		PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_037	TS_003 (Patient Registration)	Validate the functionality of "Save & next" button.	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button then go to "Home Page" 5. Click the "Patient Registration" (ER 02)	NA	1. The web application should display on the browser properly. 2. "Save & next" button should be clickable and should work properly	1. The web application is displayed on the browser properly. 2. "Save & next" button is clickable and working properly		PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_038	TS_003 (Patient Registration)	Validate the hover effect of "Save & next" button.	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button then go to "Home Page" 5. Click the "Patient Registration" (ER 02)	NA	1. The web application should display on the browser properly. 2. There should have hover effect of "Save & next" button	1. The web application is displayed on the browser properly. 2. There have hover effect of "Save & next" button		PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_039	TS_003 (Patient Registration)	Validate that when the user clicks on "Save & next "button without entering data in the mandatory field then the error message for the mandatory field shows or not.	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button then go to "Home Page" 5. Click the "Patient Registration" (ER 02)	NA	1. The web application should display on the browser properly. 2. After clicking on "Save & next" button without entering data in the mandatory field, there should be shown an error message for the mandatory field.	1. The web application is displayed on the browser properly. 2. After clicking on "Save & next" button without entering data in the mandatory field, the error message displayed. Message: "Error. Registration Code or Number Format Invalid"		PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_040	TS_003 (Patient Registration)	Validate the 'Home' button functionality under the bottom section in the application	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button then go to "Home Page" 5. Click the "Patient Registration" (ER 02)	NA	1. The web application should display on the browser properly. 2. "Home" button should be clickable and should work properly	1. The web application is display on the browser properly. 2. "Home" button is clickable and is working properly		PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_041	TS_003 (Patient Registration)	Validate 'Profile' button functionality under the bottom section in the application	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button then go to "Home Page" 5. Click the "Patient Registration" (ER 02)	NA	1. The web application should display on the browser properly. 2. "Profile" button should be clickable and should work properly	1. The web application is display on the browser properly. 2. "Profile" button is clickable and is working properly		PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan

TC_042	TS_003 (Patient Registration)	Validate the UI design of Home page	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button then go to "Home Page" 5. Click the "Patient Registration" (ER 02)	NA	1. The web application should display on the browser properly. 2. The UI design should not overlap any other elements and not to go out of the screen.	1. The web application is displayed on the browser properly. 2. The UI design is not overlapping any other elements and not to go out of the screen.		PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_043	TS_003 (Patient Registration)	Validate the Home page functionality in all the supported environments	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button then go to "Home Page" 5. Click the "Patient Registration" (ER 02)	Google Chrome, Mozilla Firefox, Microsoft Edge,	1. The web application should display on the browser properly. 2. This link should work in all environments.	1. The web application is displayed on the browser properly. 2. This link is working in all environment.		PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_044	TS_003 (Patient Registration)	Validate to update the information of old registered patient	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button then go to "Home Page" 5. Click the "Patient Registration" (ER 02)		1. The web application should display on the browser properly 2. The application should have the option to update/edit for a registered patient	1. The web application is displayed on the browser 2. We didn't find any option to update/edit		FAIL	Mustafa Tanim	NA		PASS	Rashed Zahan

Doctor's Logout Test

PASS	10
FAIL	0
Not Executed	0
Out of Scope	0
Total	10
Checked by	Rashed Zahan

Test Case Id	Test Scenario	Test Case Title	Pre-Requisites	Test Steps	Test Data	Expected Result (ER)	Actual Result	Priority	Result	Tested by	Remarks/ Screenshot	Dev. Status	Regression Testing	Tested by
Scenarios>>														
TC_001	TS_004 (Doctor's Logout)	Validate after successful login on the profile icon to check logout button is visible or not.	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button then go to "Home Page" or any station. 5. Click "Profile" button 5. Click the "Logout" button (ER	NA	1. The web application should display on the browser properly. 2. After successful login from the profile icon, logout button should visible.	1. The web application is displayed on the browser properly. 2. After successful login from the profile icon, logout button is visible.		PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_002	TS_004 (Doctor's Logout)	Validate Logging out by selecting Logout option from "Home page" and every station	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button then go to "Home Page" or any station. 5. Click "Profile" button 5. Click the "Logout" button (ER	NA	1. The web application should display on the browser properly. 2. From "Home page" and every station, logout should work properly.	1. The web application is displayed on the browser properly. 2. From "Home page" and every station, logout is working properly.		PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_003	TS_004 (Doctor's Logout)	Validate clicking on the logout button, after successful logout on the login screen press the back button.	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button then go to "Home Page" or any station. 5. Click "Profile" button 5. Click the "Logout" button (ER	NA	1. The web application should display on the browser properly. 2. After successful logging out, back button should not work.	1. The web application is displayed on the browser properly. 2. After successful logging out, back button is not work.		PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_004	TS_004 (Doctor's Logout)	Validate after logout, try to re-login with the same or different account it's allowing or not	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button then go to "Home Page" or any station. 5. Click "Profile" button 5. Click the "Logout" button (ER	NA	1. The web application should display on the browser properly. 2. After logging out, re-login should work by same or different account.	1. The web application is displayed on the browser properly. 2. After logging out, re-login is working properly by same or different account.		PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_005	TS_004 (Doctor's Logout)	Validate the spelling of the Logout option	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button then go to "Home Page" or any station. 5. Click "Profile" button 5. Click the "Logout" button (ER	NA	1. The web application should display on the browser properly. 2. The logout text should not be misspelled in the application	1. The web application should display on the browser properly. 2. The logout text is not misspelled in the application		PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_006	TS_004 (Doctor's Logout)	Validate the logout button is clickable after user is logged in the account.	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button then go to "Home Page" or any station. 5. Click "Profile" button 5. Click the "Logout" button (ER	NA	1. The web application should display on the browser properly. 2. The logout button should be clickable	1. The web application is displayed on the browser properly. 2. The logout button is clickable		PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_007	TS_004 (Doctor's Logout)	Validate logout with valid user, close tab and re-open (Chrome browser ctrl+Shift+ t) check user is logged in or auto logout	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button then go to "Home Page" or any station. 5. Click "Profile" button 5. Click the "Logout" button (ER	NA	1. The website should display on the browser properly. 2. "Home" page or any other station should be logged out 3. After logging out, the screen should dispaly LogIn page	1. The website is displayed on the browser properly. 2. "Home" page or any other station is logged out 3. After logging out, the screen is dispalyed LogIn page		PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_008	TS_004 (Doctor's Logout)	Validate the sign-off page redirect to the page where it allows login	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button then go to "Home Page" or any station. 5. Click "Profile" button 5. Click the "Logout" button (ER	NA	1. The web application should display on the browser properly 2. After loggingout the Application, "LogIn" page should display	1. The web application is displayed on the browser properly. 2. After loggingout the Application, "LogIn" page is displayed		PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_009	TS_004 (Doctor's Logout)	Validate the UI of the Logout option.	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button then go to "Home Page" or any station. 5. Click "Profile" button 5. Click the "Logout" button (ER	NA	1. The web application should display on the browser properly. 2. The UI design should not overlap any other elements and not to go out of the screen.	1. The web application is displayed on the browser properly. 2. The UI design is not overlapping any other elements and not to go out of the screen.		PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_010	TS_004 (Doctor's Logout)	Validate the Logout functionality in all the supported environments	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button then go to "Home Page" or any station. 5. Click "Profile" button 5. Click the "Logout" button (ER	Google Chrome, Mozilla Firefox, Microsoft Edge,	1. The web application should display on the browser properly. 2. This link should work in all environments.	1. The web application is displayed on the browser. 2. This link is working in all environment.		PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan

Patient Search Test Report

PASS	16
FAIL	0
Not Executed	0
Out of Scope	0
Total	16
Checked by	Rashed Zahan

Test Case Id	Test Scenario	Test Case Title	Pre-Requisites	Test Steps	Test Data	Expected Result (ER)	Actual Result	Priority	Result	Tested by	Remarks /Screens hot	Dev. Status	Regression Testing	Tested by
Scenarios>>														
TC_001	TS_005 (Search)	Validate searching with an existing registered patient name/card/nid/mobile	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to any station from "Home page". 5. Check "Search" option (ER 02)	NID-123456789 Mobile-0123456789 NAME-Rahim Ullah	1. The web application should display on the browser properly. 2. By searching, the existing registered patient name/card/nid/mobile should display on the screen	1. The web application is displayed on the browser properly. 2. By searching, the existing registered patient name/nid/mobile is displayed on the screen but card doesn't work		FAIL	Mustafa Tanim	NA	Issue not foun	PASS	Rashed Zahan
TC_002	TS_005 (Search)	Validate searching with a non-existing registered patient name/card/nid/mobile	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to any station from "Home page". 5. Check "Search" option (ER 02)	NID-222456789 Mobile-012340009 NAME-KarimUllah	1. The web application should display on the browser properly. 2. Non-existing patient details should not displayed by serching	1. The web application is displayed on the browser properly. 2.Non-existing patient is not displayed by serching		PASS	Mustafa Tanim	NA		PASS	Rashed Zahan
TC_003	TS_005 (Search)	Validate searching without providing any patient name/card/nid/mobile	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to any station from "Home page". 5. Check "Search" option (ER 02)	NA	1. The web application should display on the browser properly. 2. Search without a patient name/card/nid/mobile, the browser should show nothing	1. The web application is displayed on the browser properly. 2. Search without a patient name/card/nid/mobile, the browser is showing nothing		PASS	Mustafa Tanim	NA		PASS	Rashed Zahan
TC_004	TS_005 (Search)	Validate searching for a patient name/card/nid/mobile after login to the Application	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to any station from "Home page". 5. Check "Search" option (ER 02)	NA	1. The web application should display on the browser properly. 2. After logging to the application, the browser should display the patient by searching full name and half name.	1. The web application should display on the browser properly. 2. After logging to the application, the browser is displayed the patient by searching with half name but not found with full name.		FAIL	Mustafa Tanim	Here, Data found with the single name. But the application didn't display any information if we search for full name.	Known issue. The requirement was to search by first name only	PASS	Rashed Zahan
TC_005	TS_005 (Search)	Validate the Search functionality and Search page have text field placeholders	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to any station from "Home page". 5. Check "Search" option (ER 02)	NA	1. The web application should display on the browser properly. 2. "Search" option should work properly and "Search" text field should have placeholder	1. The web application is displayed on the browser properly. 2. "Search" option is working properly and "Search" text field have placeholder		PASS	Mustafa Tanim	NA		PASS	Rashed Zahan
TC_006	TS_005 (Search)	Validate Search using the patient name/card/nid/mobile from the patient description	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to any station from "Home page". 5. Check "Search" option (ER 02)	NID-123456789 Mobile-0123456789 NAME-Rahim Ullah	1. The web application should display on the browser properly. 2. Using patient name/card/nid/mobile to search should return the patient description	1. The web application is displayed on the browser properly. 2. Name/NID/Mobile options are working properly, but Card option is not working.		FAIL	Mustafa Tanim	NA	Issue not foun	PASS	Rashed Zahan
TC_007	TS_005 (Search)	Validate and observe how much time required for getting the search result.	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to any station from "Home page". 5. Check "Search" option (ER 02)	NID-123456789 Mobile-0123456789 NAME-Rahim Ullah	1. The web application should display on the browser properly. 2. The application should display the result as soon as possible	1. The web application should display on the browser properly. 2. The application is displayed the result within 1 sec.		PASS	Mustafa Tanim	Issue: Searching functionality process is slow as per UAT		PASS	Rashed Zahan
TC_008	TS_005 (Search)	Validate auto suggestion shown on adding a keyword or not.	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to any station from "Home page". 5. Check "Search" option (ER 02)	NID-123456789 or, Mobile-0123456789 or, NAME-Rahim	1. The web application should display on the browser properly. 2. Auto suggestion should shown on adding a keyword	1. The web application is displayed on the browser properly. 2. Auto suggestion has shown on adding a keyword		PASS	Mustafa Tanim	NA		PASS	Rashed Zahan
TC_009	TS_005 (Search)	Validate the NID search option is working properly	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to any station from "Home page". 5. Check "Search" option (ER 02)		1. The web application should display on the browser properly. 2. When search with NID number, the application should search or check with NID number while register a new patient	1. The web application is displayed on the browser. 2. While select NID option,The application is checking the search value from "NID", "Birth" and "ID No" from backend		FAIL	Mustafa Tanim	NA	To be discussed in phase 2.2		Rashed Zahan
TC_010	TS_005 (Search)	Validate an warning message is displayed for blank input.	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to any station from "Home page". 5. Check "Search" option (ER 02)	NID- null or, Mobile-null or, NAME-null or, Card-null	1. The web application should display on the browser properly. 2. An warning message should display for blank input in the search box.	1. The web application is displayed on the browser properly. 2. An warning message is display for blank input in the search box.		PASS	Mustafa Tanim	NA		PASS	Rashed Zahan
TC_011	TS_005 (Search)	Validate if the user can paste the keyword with the mouse	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to any station from "Home page". 5. Check "Search" option (ER 02)	NID-123456789 or, Mobile-0123456789 or, NAME-Rahim Ullah	1. The web application should display on the browser properly. 2. The user should paste the keyword with the mouse	1. The web application is displayed on the browser properly. 2. The user should paste the keyword with the mouse		PASS	Mustafa Tanim	NA		PASS	Rashed Zahan
TC_012	TS_005 (Search)	Validate the search button functionality by adding keyword in search text field	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to any station from "Home page". 5. Check "Search" option (ER 02)	NID-123456789 or, Mobile-0123456789 or, NAME-Rahim Ullah	1. The web application should display on the browser properly. 2. The user should add any registered keyword in the search option and it should work	1. The web application is displayed on the browser properly. 2. The user can add any registered keyword in the search option and it will work		PASS	Mustafa Tanim	NA		PASS	Rashed Zahan
TC_013	TS_005 (Search)	Validate 'Search' textbox field and the button having search icon or text are displayed on all the station of the Application	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to any station from "Home page". 5. Check "Search" option (ER 02)	NID-123456789 or, Mobile-0123456789 or, NAME-Rahim Ullah	1. The web application should display on the browser properly. 2. In the search option, search icon or text should display on all the station of the Application	1. The web application is displayed on the browser properly. 2. In the search option, search icon or text are displayed on all the station of the Application		PASS	Mustafa Tanim	NA		PASS	Rashed Zahan
TC_014	TS_005 (Search)	Validate we can use all the options of Search functionality using the Keyboard keys	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to any station from "Home page". 5. Check "Search" option (ER 02)	NID-123456789 or, Mobile-0123456789 or, NAME-Rahim Ullah	1. The web application should display on the browser properly. 2. By using keyboard keys, the search option should work properly.	1. The web application is displayed on the browser properly. 2. By using keyboard keys, the search option is working properly.		PASS	Mustafa Tanim	NA		PASS	Rashed Zahan
TC_015	TS_005 (Search)	Validate Page Heading, Page URL and Page Title of the 'Search' page	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to any station from "Home page". 5. Check "Search" option (ER 02)	NA	1. The web application should display on the browser properly. 2. Page Heading, Page Title and Page URL of search option should display on the screen.	1. The web application is displayed on the browser properly. 2. Page Heading, Page Title and Page URL of search option is displayed on the screen.		PASS	Mustafa Tanim	NA		PASS	Rashed Zahan

| TC_016 | TS_005 (Search) | Validate the UI of Search page and functionality in the application | 1. Make sure the device has internet connection. 2. Confirm the application url | 1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to any station from "Home page". 5. Check "Search" option (ER 02) | NA | 1. The web application should display on the browser properly. 2. The UI design should not overlap any other elements and should not to go out of the screen. | 1. The web application is displayed on the browser properly. 2. The UI design is not overlapping any other elements and not to go out of the screen. | PASS | Mustafa Tanim | NA | | PASS | Rashed Zahan |
| TC_017 | TS_005 (Search) | Validate the Search functionality in all the supported environments | 1. Make sure the device has internet connection. 2. Confirm the application url | 1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to any station from "Home page". 5. Check "Search" option (ER 02) | Google Chrome, Mozilla Firefox, Microsoft Edge, | 1. The web application should display on the browser properly. 2. This "Search" option should work in all environments. | 1. The web application is displayed on the browser properly. 2. This "Search" option is working in all environment. | PASS | Mustafa Tanim | NA | | PASS | Rashed Zahan |

Station 1 Test Report

PASS	26
FAIL	0
Not Executed	0
Out of Scope	0
Total	26
Checked by	Rashed Zahan

Test Case Id	Test Scenario	Test Case Title	Pre-Requisites	Test Steps	Test Data	Expected Result (ER)	Actual Result	Priority	Result	Tested by	Remarks/Screenshot	Dev. Status	Regression Testing	Tested by
Scenarios>>														
TC_001	TS_007 (Station-1)	Validate the page header in the "Station-1" page	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-1" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Now check the "Station-1" page (ER 02)	NA	1. The web application should display on the browser properly. 2. Page heading of "Station-1" should display on the screen	1. The web application is displayed on the browser properly. 2. Page heading of "Station-1" is displayed on the screen		PASS	Mustafa Tanim	NA	Done		
TC_002	TS_007 (Station-1)	Validate the page title in the "Station-1" page	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-1" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Now check the "Station-1" page (ER 02)	NA	1. The web application should display on the browser properly. 2. Page title of "Station-1" should display on the screen	1. The web application is displayed on the browser properly. 2. Page title of "Station-1" is displayed on the screen		PASS	Mustafa Tanim	NA	Done		
TC_003	TS_007 (Station-1)	Validate the page url in the "Station-1" page	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-1" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Now check the "Station-1" page (ER 02)	NA	1. The web application should display on the browser properly. 2. Page url of "Station-1" should display on the screen	1. The web application is displayed on the browser properly. 2. Page url of "Station-1" is displayed on the screen		PASS	Mustafa Tanim	NA	Done		
TC_004	TS_007 (Station-1)	Validate the text field is allowing copy-paste.	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-1" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Now check the "Station-1" page (ER 02)	NA	1. The web application should display on the browser properly. 2. Copy-paste functionality should work properly in text field	1. The web application should display on the browser properly. 2. Copy-paste functionality is working properly in text field		PASS	Mustafa Tanim	NA	Done		
TC_005	TS_007 (Station-1)	Validate that user is able to delete text by pressing the backspace key on the keyboard.	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-1" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Now check the "Station-1" page (ER 02)	NA	1. The web application should display on the browser properly. 2. The user should able to delete text by pressing the backspace key on the keyboard.	1. The web application is displayed on the browser properly. 2. The user is able to delete text by pressing the backspace key on the keyboard.		PASS	Mustafa Tanim	NA	Done		
TC_006	TS_007 (Station-1)	Validate the placeholder in the text field of "Station-1" page	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-1" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Now check the "Station-1" page (ER 02)	NA	1. The web application should display on the browser properly. 2. There should have placeholder in every text field	1. The web application is displayed on the browser properly. 2. There have placeholder in every text field		PASS	Mustafa Tanim	NA	Done		
TC_007	TS_007 (Station-1)	Validate that user is not able to save the details without entering data on mandatory fields.	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-1" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Now check the "Station-1" page (ER 02)	NA	1. The web application should display on the browser properly. 2. The user should not able to save the details without entering data on mandatory fields.	1. The web application is displayed on the browser properly. 2. The user is not able to save the details without entering data on mandatory fields.		PASS	Mustafa Tanim	NA	Done		
TC_008	TS_007 (Station-1)	Validate that user is able to save the details with entering data only mandatory fields.	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-1" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Now check the "Station-1" page (ER 02)	NA	1. The web application should display on the browser properly. 2. The user should able to save the details with entering data only mandatory fields.	1. The web application is displayed on the browser properly. 2. The user is able to save the details with entering data only mandatory fields.		PASS	Mustafa Tanim	NA	Done		
TC_009	TS_007 (Station-1)	Validate the alert message shows when the user save data without the mandatory field.	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-1" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Now check the "Station-1" page (ER 02)	NA	1. The web application should display on the browser properly. 2. The alert message should shows when the user save data without the mandatory field	1. The web application is displayed on the browser properly. 2. The alert message had shown when the user save data without the mandatory field. Message: "This field can not be empty!"		PASS	Mustafa Tanim	NA	Done		
TC_010	TS_007 (Station-1)	Validate that the mandatory fields of the application are marked with a special character like a red star icon (*).	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-1" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Now check the "Station-1" page (ER 02)	NA	1. The web application should display on the browser properly. 2. The mandatory fields of the application should be marked with a special character like a red star icon (*).	1. The web application is displayed on the browser properly. 2. The mandatory fields of the application has marked with a special character like a red star icon (*).		PASS	Mustafa Tanim	NA	Done		
TC_011	TS_007 (Station-1)	Validate the display of the BMI output with the weight and height	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-1" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Now check the "Station-1" page (ER 02)	Height-178 cm Weight-82	1. The web application should display on the browser properly. 2. With weight and height, the BMI output should display in the screen.	1. The web application is displayed on the browser properly. 2. With weight and height, the BMI output is displayed in the screen		PASS	Mustafa Tanim	NA	Done		
TC_012	TS_007 (Station-1)	Validate the display of the "MUAC class" output with the muac	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-1" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Now check the "Station-1" page (ER 02)	MUAC-18/13/08	1. The web application should display on the browser properly. 2. With muac value, the MUAC class should display in the screen.	1. The web application is displayed on the browser properly. 2. With muac value, the MUAC class is displayed in the screen.		PASS	Mustafa Tanim	NA	Done		

TC_013	TS_007 (Station-1)	Validate that the dropdown field is clickable or not (Blood Group)	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-1" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Now check the "Station-1" page (ER 02)	NA	1. The web application should display on the browser properly. 2. The dropdown field should be clickable.	1. The web application is displayed on the browser properly. 2. The dropdown field is clickable.		PASS	Mustafa Tanim	NA	Done		
TC_014	TS_007 (Station-1)	Validate that when Clicking on the dropdown list, dropdown values are showing or not (Blood Group).	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-1" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Now check the "Station-1" page (ER 02)	NA	1. The web application should display on the browser properly. 2. After clicking on the dropdown list, the value should show.	1. The web application is displayed on the browser properly. 2. After clicking on the dropdown list, the value is showed.		PASS	Mustafa Tanim	NA	Done		
TC_015	TS_007 (Station-1)	Validate that the dropdown can be scrolled down by clicking the down arrow (Blood Group)	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-1" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Now check the "Station-1" page (ER 02)	NA	1. The web application should display on the browser properly. 2. The dropdown should be scrolled down by clicking the down arrow	1. The web application is displayed on the browser properly. 2. The dropdown can be scrolled down by clicking the down arrow		PASS	Mustafa Tanim	NA	Done		
TC_016	TS_007 (Station-1)	Validate that the user is able to select the dropdown by the "tab" key from the keyboard (Blood Group).	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-1" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Now check the "Station-1" page (ER 02)	NA	1. The web application should display on the browser properly. 2. The user should be able to mark the dropdown value by the "tab" key from the keyboard.	1. The web application is displayed on the browser properly. 2. The user is able to mark the dropdown value by the "tab" key from the keyboard.		PASS	Mustafa Tanim	NA	Done		
TC_017	TS_007 (Station-1)	Validate the functionality of "History" button.	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-1" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Now check the "Station-1" page (ER 02)	NA	1. The web application should display on the browser properly. 2. "History" button should be clickable and should work properly	1. The web application is displayed on the browser properly. 2. "History" button is clickable and working properly		PASS	Mustafa Tanim	NA	Done		
TC_018	TS_007 (Station-1)	Validate the functionality of "Back" button of the "Prescription Preview" page	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-1" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Now check the "Station-1" page 7. Click on "History" button to get in "Prescription preview" page(ER 02)	NA	1. The web application should display on the browser properly. 2. "Back" button should be clickable and should work properly	1. The web application is displayed on the browser properly. 2. "Back" button is clickable and working properly		PASS	Mustafa Tanim	NA	Done		
TC_019	TS_007 (Station-1)	Validate the history of "Height and weight" of the "Prescription Preview" page	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-1" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Now check the "Station-1" page 7. Click on "History" button to get in "Prescription preview" page(ER 02)	NA	1. The web application should display on the browser properly. 2. The value of "Height and Weight" should display on the screen	1. The web application is displayed on the browser properly. 2. The value of "Height and Weight" is displayed on the screen		PASS	Mustafa Tanim	NA	Done		
TC_020	TS_007 (Station-1)	Validate the functionality of "Save & Station 2" button.	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-1" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Now check the "Station-1" page (ER 02)	NA	1. The web application should display on the browser properly. 2. "Save & Station 2" button should be clickable and should take to the next page	1. The web application should display on the browser properly. 2. "Save & Station 2" button is clickable and it takes to the station 2 page		PASS	Mustafa Tanim	NA	Done		
TC_021	TS_007 (Station-1)	Validate the hover effect of "Save" button.	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-1" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Now check the "Station-1" page (ER 02)	NA	1. The web application should display on the browser properly. 2. "Save" button should be hover effect	1. The web application is displayed on the browser properly. 2. "Save" button is hover effect		PASS	Mustafa Tanim	NA	Done		
TC_022	TS_007 (Station-1)	Validate that when the user clicks on "Save & Station 2"button without entering data in the mandatory field then the error message for the mandatory field shows or not.	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-1" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Now check the "Station-1" page (ER 02)	NA	1. The web application should display on the browser properly. 2. After clicking on "Save & Station 2" button without entering data in the mandatory field, application should be displayed an error message for the mandatory field.	1. The web application is displayed on the browser properly. 2. After clicking on "Save & Station 2" button without entering data in the mandatory field, the error message displayed. Message: "This field can not be empty!"		PASS	Mustafa Tanim	NA	Done		
TC_023	TS_007 (Station-1)	Validate the 'Home' button functionality under the bottom section in the application	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-1" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Now check the "Station-1" page (ER 02)	NA	1. The web application should display on the browser properly. 2. "Home" button should be clickable and should work properly	1. The web application is displayed on the browser properly. 2. "Home" button is clickable and working properly		PASS	Mustafa Tanim	NA	Done		
TC_024	TS_007 (Station-1)	Validate 'Profile' button functionality under the bottom section in the application	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-1" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Now check the "Station-1" page (ER 02)	NA	1. The web application should display on the browser properly. 2. "Profile" button should be clickable and should work properly	1. The web application is displayed on the browser properly. 2. "Profile" button is clickable and working properly		PASS	Mustafa Tanim	NA	Done		
TC_025	TS_007 (Station-1)	Validate the UI design of Home page	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-1" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Now check the "Station-1" page (ER 02)	NA	1. The web application should display on the browser properly. 2. The UI design should not overlap any other elements and not to go out of the screen.	1. The web application is displayed on the browser properly. 2. The UI design is not overlapping any other elements and not to go out of the screen.		PASS	Mustafa Tanim	NA	Done		

| TC_026 | TS_007 (Station-1) | Validate the "Station-1"page functionality in all the supported environments | 1. Make sure the device has internet connection. 2. Confirm the application url | 1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-1" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Now check the "Station-1" page (ER 02) | Google Chrome, Mozilla Firefox, Microsoft Edge, | 1. The web application should display on the browser properly. 2. This link should work in all environments. | 1. The web application is displayed on the browser. 2. This link is working in all environment. | | PASS | Mustafa Tanim | NA | Done | |

Station 2 Test Report

PASS	20
FAIL	0
Not Executed	0
Out of Scope	0
Total	20

Checked by   Rashed Zahan

Test Case Id	Test Scenario	Test Case Title	Pre-Requisites	Test Steps	Test Data	Expected Result (ER)	Actual Result	Priority	Result	Tested by	Remarks/ Screenshot	Dev. Status	Regression Testing	Tested by
Scenarios>>														
TC_001	TS_008 (Station-2)	Validate the page header in the "Station-2" page	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-2" page after "Patient Registration"	NA	1. The web application should display on the browser properly. 2. Page heading of "Station-2" should display on the screen	1. The web application is displayed on the browser properly. 2. Page heading of "Station-2" is displayed on the screen		PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_002	TS_008 (Station-2)	Validate the page title in the "Station-2" page	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-2" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Now check the "Station-2" page (ER 02)	NA	1. The web application should display on the browser properly. 2. Page title of "Station-2" should display on the screen	1. The web application is displayed on the browser properly. 2. Page title of "Station-2" is displayed on the screen		PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_003	TS_008 (Station-2)	Validate the page url in the "Station-2" page	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-2" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Now check the "Station-2" page (ER 02)	NA	1. The web application should display on the browser properly. 2. Page url of "Station-2" should display on the screen	1. The web application is displayed on the browser properly. 2. Page url of "Station-2" is displayed on the screen		PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_004	TS_008 (Station-2)	Validate the text field is allowing copy-paste.	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-2" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Now check the "Station-2" page (ER 02)	NA	1. The web application should display on the browser properly. 2. Copy-paste functionality should work properly in text field	1. The web application should display on the browser properly. 2. Copy-paste functionality is working properly in text field		PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_005	TS_008 (Station-2)	Validate that user is able to delete text by pressing the backspace key on the keyboard.	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-2" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Now check the "Station-2" page (ER 02)	NA	1. The web application should display on the browser properly. 2. The user should able to delete text by pressing the backspace key on the keyboard.	1. The web application is displayed on the browser properly. 2. The user is able to delete text by pressing the backspace key on the keyboard.		PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_006	TS_008 (Station-2)	Validate the placeholder in the text field of "Station-2" page	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-2" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Now check the "Station-2" page (ER 02)	NA	1. The web application should display on the browser properly. 2. There should have placeholder in every text field	1. The web application is displayed on the browser properly. 2. There have placeholder in every text field		PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_007	TS_008 (Station-2)	Validate the unit of "Blood Pressure"	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-2" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Now check the "Station-2" page (ER 02)	NA	1. The web application should display on the browser properly. 2. "Blood pressure" unit should be millimeters of mercury (mmHg)	1. The web application should display on the browser properly. 2. "Blood pressure" unit is millimeters of mercury (mmHg)		PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_008	TS_008 (Station-2)	Validate the "Heart rate" of "Pulse" in the station 2 page	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-2" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Now check the "Station-2" page (ER 02)	NA	1. The web application should display on the browser properly. 2. "Heart rate" should be in minutes and text field should accept only integer value.	1. The web application should display on the browser properly. 2. "Heart rate"counting value in minutes and text field is accepting only integer value.		PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_009	TS_008 (Station-2)	Validate the unit of " Body Temparature"	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-2" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Now check the "Station-2" page (ER 02)	NA	1. The web application should display on the browser properly. 2. "Body Temparature" unit should be Fahrenheit (°F)	1. The web application is displayed on the browser properly. 2. "Body Temparature" unit is "Fahrenheit (°F)"		PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_010	TS_008 (Station-2)	Validate the unit of "Respiratory rate"	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-2" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Now check the "Station-2" page (ER 02)	NA	1. The web application should display on the browser properly. 2. "Respiratory rate" unit should be "Minute (min)"	1. The web application is displayed on the browser properly. 2. "Respiratory rate" unit is "Minute (min)"		PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_011	TS_008 (Station-2)	Validate the unit of "SpO2 rate"	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-2" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Now check the "Station-2" page (ER 02)	NA	1. The web application should display on the browser properly. 2. "SpO2 rate" unit should be "percent saturation(%)"	1. The web application is displayed on the browser properly. 2. "SpO2 rate" unit is "percent saturation(%)"		PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan

TC ID	TS ID	Test Case	Pre-condition	Test Steps	Test Data	Expected Result	Actual Result	Environment	Status	Tester		Status		Reviewer
TC_012	TS_008 (Station-2)	Validate the saturation status value displayed with the SpO2 rate	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-2" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Now check the "Station-2" page (ER 02)	NA	1. The web application should display on the browser properly. 2. The saturation status should be change with SpO2 as per requirements.	1. The web application should display on the browser properly. 2. The saturation status has been changed with SpO2 as per requirements.		PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_013	TS_008 (Station-2)	Validate the functionality of "History" button.	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-2" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Now check the "Station-2" page (ER 02)	NA	1. The web application should display on the browser properly. 2. "History" button should be clickable and should work properly	1. The web application is displayed on the browser properly. 2. "History" button is clickable and working properly		PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_014	TS_008 (Station-2)	Validate the functionality of "Back" button of the "Prescription Preview" page	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-2" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Now check the "Station-2" page	NA	1. The web application should display on the browser properly. 2. "Back" button should be clickable and should work properly	1. The web application is displayed on the browser properly. 2. "Back" button is clickable and working properly		PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_015	TS_008 (Station-2)	Validate the functionality of "Save & Station 2" button.	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-2" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Now check the "Station-2" page (ER 02)	NA	1. The web application should display on the browser properly. 2. "Save & Station 2" button should be clickable and should take to the next page	1. The web application should display on the browser properly. 2. "Save & Station 2" button is clickable and its take to the next page		PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_016	TS_008 (Station-2)	Validate the hover effect of "Save" button.	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-2" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Now check the "Station-2" page (ER 02)	NA	1. The web application should display on the browser properly. 2. "Save" button should be hover effect	1. The web application is displayed on the browser properly. 2. "Save" button is hover effected		PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_017	TS_008 (Station-2)	Validate the 'Home' button functionality under the bottom section in the application	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-2" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Now check the "Station-2" page (ER 02)	NA	1. The web application should display on the browser properly. 2. "Home" button should be clickable and should work properly	1. The web application is displayed on the browser properly. 2. "Home" button is clickable and working properly		PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_018	TS_008 (Station-2)	Validate 'Profile' button functionality under the bottom section in the application	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-2" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Now check the "Station-2" page (ER 02)	NA	1. The web application should display on the browser properly. 2. "Profile" button should be clickable and should work properly	1. The web application is displayed on the browser properly. 2. "Profile" button is clickable and working properly		PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_019	TS_008 (Station-2)	Validate the UI design of Home page	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-2" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Now check the "Station-2" page (ER 02)	NA	1. The web application should display on the browser properly. 2. The UI design should not overlap any other elements and not to go out of the screen.	1. The web application is displayed on the browser properly. 2. The UI design is not overlapping any other elements and not to go out of the screen.		PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_020	TS_008 (Station-2)	Validate the "Station-1"page functionality in all the supported environments	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-2" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Now check the "Station-2" page (ER 02)	Google Chrome, Mozilla Firefox, Microsoft Edge,	1. The web application should display on the browser properly. 2. This link should work in all environments.	1. The web application is displayed on the browser. 2. This link is working in all environment.		PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan

PASS	17
FAIL	0
Not Executed	0
Out of Scope	0
Total	17

Checked by | Rashed Zahan

Test Case Id	Test Scenario	Test Case Title	Pre-Requisites	Test Steps	Test Data	Expected Result (ER)	Actual Result	Priority	Result	Tested by	Remarks/ Screenshot	Dev. Status	Regression Testing	Tested by
Scenarios>>														
TC_001	TS_009 (Station-3)	Validate the page header in the "Station-3" page	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-3" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Now check the "Station-3" page (ER 02)	NA	1. The web application should display on the browser properly. 2. Page heading of "Station-3" should display on the screen	1. The web application is displayed on the browser properly. 2. Page heading of "Station-3" is displayed on the screen		PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_002	TS_009 (Station-3)	Validate the page title in the "Station-3" page	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-3" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Now check the "Station-3" page (ER 02)	NA	1. The web application should display on the browser properly. 2. Page title of "Station-3" should display on the screen	1. The web application is displayed on the browser properly. 2. Page title of "Station-3" is displayed on the screen		PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_003	TS_009 (Station-3)	Validate the page url in the "Station-3" page	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-3" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Now check the "Station-3" page (ER 02)	NA	1. The web application should display on the browser properly. 2. Page url of "Station-3" should display on the screen	1. The web application is displayed on the browser properly. 2. Page url of "Station-3" is displayed on the screen		PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_004	TS_009 (Station-3)	Validate the text field is allowing copy-paste.	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-3" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Now check the "Station-3" page (ER 02)	NA	1. The web application should display on the browser properly. 2. Copy-paste functionality should work properly in text field	1. The web application should display on the browser properly. 2. Copy-paste functionality is working properly in text field		PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_005	TS_009 (Station-3)	Validate that user is able to delete text by pressing the backspace key on the keyboard.	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-3" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Now check the "Station-3" page (ER 02)	NA	1. The web application should display on the browser properly. 2. The user should able to delete text by pressing the backspace key on the keyboard.	1. The web application is displayed on the browser properly. 2. The user is able to delete text by pressing the backspace key on the keyboard.		PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_006	TS_009 (Station-3)	Validate the placeholder in the text field of "Station-3" page	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-3" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Now check the "Station-3" page (ER 02)	NA	1. The web application should display on the browser properly. 2. There should have placeholder in every text field	1. The web application is displayed on the browser properly. 2. There have placeholder in every text field		PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_007	TS_009 (Station-3)	Validate the unit of "RBG"	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-3" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Now check the "Station-3" page (ER 02)	NA	1. The web application should display on the browser properly. 2. "RBG" unit should be millimoles per litre (mmol/L)	1. The web application should display on the browser properly. 2. "RBG" unit is millimoles per litre (mmol/L)		PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_008	TS_009 (Station-3)	Validate the unit of "FBG"	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-3" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Now check the "Station-3" page (ER 02)	NA	1. The web application should display on the browser properly. 2. "FBG" unit should be millimoles per litre (mmol/L)	1. The web application should display on the browser properly. 2. "FBG" unit is millimoles per litre (mmol/L)		PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_009	TS_009 (Station-3)	Validate the unit of "Hemoglobin"	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-3" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Now check the "Station-3" page (ER 02)	NA	1. The web application should display on the browser properly. 2. "Hemoglobin" unit should be millimoles per litre (mmol/L)	1. The web application should display on the browser properly. 2. "Hemoglobin" unit is millimoles per litre (mmol/L)		PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_010	TS_009 (Station-3)	Validate the functionality of "History" button.	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-3" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Now check the "Station-3" page 7. Click on the "History" button(ER 02)	NA	1. The web application should display on the browser properly. 2. "History" button should be clickable and should work properly	1. The web application is displayed on the browser properly. 2. "History" button is clickable and working properly		PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_011	TS_009 (Station-3)	Validate the functionality of "Back" button of the "Prescription Preview" page	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-3" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Now check the "Station-3" page	NA	1. The web application should display on the browser properly. 2. "Back" button should be clickable and should work properly	1. The web application is displayed on the browser properly. 2. "Back" button is clickable and working properly		PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan

Test Case ID	Test Scenario ID	Test Case Description	Pre-Conditions	Test Steps	Test Data	Expected Results	Actual Results	Status	Executed By	Bug ID	Remarks	Result	Reviewed By
TC_012	TS_009 (Station-3)	Validate the functionality of "Save & Station 4" button.	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-3" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Now check the "Station-3" page (ER 02)	NA	1. The web application should display on the browser properly. 2. "Save & Station 4" button should be clickable and should take to the next page	1. The web application should display on the browser properly. 2. "Save & Station 4" button is clickable and its take to the next page	PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_013	TS_009 (Station-3)	Validate the hover effect of "Save" button.	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-3" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Now check the "Station-3" page (ER 02)	NA	1. The web application should display on the browser properly. 2. "Save" button should be hover effect	1. The web application is displayed on the browser properly. 2. "Save" button is hover effected	PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_014	TS_009 (Station-3)	Validate the 'Home' button functionality under the bottom section in the application	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-3" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Now check the "Station-3" page (ER 02)	NA	1. The web application should display on the browser properly. 2. "Home" button should be clickable and should work properly	1. The web application is displayed on the browser properly. 2. "Home" button is clickable and working properly	PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_015	TS_009 (Station-3)	Validate 'Profile' button functionality under the bottom section in the application	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-3" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Now check the "Station-3" page (ER 02)	NA	1. The web application should display on the browser properly. 2. "Profile" button should be clickable and should work properly	1. The web application is displayed on the browser properly. 2. "Profile" button is clickable and working properly	PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_016	TS_009 (Station-3)	Validate the UI design of Home page	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-3" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Now check the "Station-3" page (ER 02)	NA	1. The web application should display on the browser properly. 2. The UI design should not overlap any other elements and not to go out of the screen.	1. The web application is displayed on the browser properly. 2. The UI design is not overlapping any other elements and not to go out of the screen.	PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_017	TS_009 (Station-3)	Validate the "Station-3"page functionality in all the supported environments	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-3" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Now check the "Station-3" page (ER 02)	Google Chrome, Mozilla Firefox, Microsoft Edge,	1. The web application should display on the browser properly. 2. This should work in all environments.	1. The web application is displayed on the browser. 2. This link is working in all environment.	PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan

Station 4A Test Report

PASS	87
FAIL	0
Not Executed	0
Out of Scope	4
Total	91
Checked by	Rashed Zahan

Test Case Id	Test Scenario	Test Case Title	Pre-Requisites	Test Steps	Test Data	Expected Result (ER)	Actual Result	Priority	Result	Tested by	Remarks/Screenshot	Dev. Status	Regression Testing	Tested by
Scenarios>>														
TC_001	TS_010 (Station-4A)	Validate the page header in the "Station-4A" page	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Now check the "Station-4A" page (ER 02)	NA	1. The web application should display on the browser properly. 2. Page heading of "Station-4a" should be as per requirement	1. The web application is displayed on the browser properly. 2. Page heading of "Station-4a" is displayed as per requirement.		PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_002	TS_010 (Station-4A)	Validate the page title in the "Station-4A" page	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Now check the "Station-4A" page (ER 02)	NA	1. The web application should display on the browser properly. 2. Page title of "Station-4A" should display on the screen	1. The web application is displayed on the browser properly. 2. Page title of "Station-4A" is displayed on the screen		PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_003	TS_010 (Station-4A)	Validate the page url in the "Station-4A" page	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Now check the "Station-4A" page (ER 02)	NA	1. The web application should display on the browser properly. 2. Page url of "Station-4A" should display on the screen	1. The web application is displayed on the browser properly. 2. Page url of "Station-4A" is displayed on the screen		PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_004	TS_010 (Station-4A)	Validate that the history section showing all information of patient	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Now check the "Station-4A" page (ER 02)	NA	1. The web application should display on the browser properly. 2. The history should display on the screen	1. The web application is displayed on the browser properly. 2. The history is displayed on the screen		PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_005	TS_010 (Station-4A)	Validate that the dropdown arrow button is clickable and check the functionality	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Now check the "Station-4A" page (ER 02)	NA	1. The web application should display on the browser properly. 2. The dropdown arrow button should be work properly	1. The web application should display on the browser properly. 2. The dropdown arrow button is working properly		PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_006	TS_010 (Station-4A)	Validate the dropdown value is showing by clicking dropdown button	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Now check the "Station-4A" page (ER 02)	NA	1. The web application should display on the browser properly. 2. After clicking on the dropdown list, the value should show.	1. The web application is displayed on the browser properly. 2. After clicking on the dropdown list, the value is showed.		PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_007	TS_010 (Station-4A)	Validate the functionality of "Add" button	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Now check the "Station-4A" page 7. Scroll down to the page and click the	NA	1. The web application should display on the browser properly. 2. The "Add" button should be clickable and display a pop-up window	1. The web application is displayed on the browser properly. 2. The "Add" button is clickable and displayed a pop-up window		PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_008	TS_010 (Station-4A)	Validate the placeholder in the text field of "Station-4A" under "Chief Complaints"	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Now check the "Station-4A" page 7. Scroll down to the page and click the "Chief Complaints" (ER 02)	NA	1. The web application should display on the browser properly. 2. Placeholder should be in the text field of "Station 4A" under "Chief Complaints.	1. The web application should display on the browser properly. 2. Placeholder is in the text field of "Station 4A" under "Chief Complaints.		PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_009	TS_010 (Station-4A)	Validate previous all complaints are displayed in "Chief Complaints" under "Station-4A".	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Now check the "Station-4A" page 7. Scroll down to the page and click the "Chief Complaints" (ER 02)	NA	1. The web application should display on the browser properly. 2. All previous complaints should be displayed in "Chief Complaints" section	1. The web application is displayed on the browser properly. 2. All previous complaints should be displayed in "Chief Complaints" section		PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_010	TS_010 (Station-4A)	Validate the dropdown functionality in "Chief Complaints" section	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Now check the "Station-4A" page 7. Scroll down to the page and click the "Chief Complaints" (ER 02)	NA	1. The web application should display on the browser properly. 2. The dropdown should be work properly	1. The web application is displayed on the browser properly. 2. The dropdown is working properly.		PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_011	TS_010 (Station-4A)	Validate that showing dropdownlist value by clicking on dropdown	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Now check the "Station-4A" page 7. Scroll down to the page and click the "Chief Complaints" (ER 02)	NA	1. The web application should display on the browser properly. 2. After clicking on the dropdown list, the application should display values.	1. The web application is displayed on the browser properly. 2. After clicking on the dropdown list, the application is displayed all values.		PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_012	TS_010 (Station-4A)	Validate that the user is able to select the dropdown by the "tab" key from the keyboard.	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Now check the "Station-4A" page 7. Scroll down to the page and click the	NA	1. The web application should display on the browser properly. 2. The user should be able to select the dropdown by the "tab" key from the keyboard.	1. The web application is displayed on the browser properly. 2. The user is able to select the dropdown by the "tab" key from the keyboard.		PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan

TC ID	TS ID	Test Case	Pre-condition	Test Steps	Test Data	Expected Result	Actual Result	Status	Tester		Comment	Result	Reviewer
TC_013	TS_010 (Station-4A)	Validate to update or edit the information of a patient in "Chief Complaints" under Station 4A section	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Scroll down to the page and click the "Chief Complaints" 7. Now check the "Station-4A" page (ER 02)	NA	1. The web application should display on the browser properly. 2. The application should have the option to update/edit for a registered patient	1. The web application is displayed on the browser properly. 2. We didn't find any option to update/edit	FAIL	Mustafa Tanim	NA	It was not specified in the requirements. To be discussed in phase 2.2	Out of Scope	Rashed Zahan
TC_014	TS_010 (Station-4A)	Validate to add integer value in the "CcDuration Value" under "Chief Complaints" of "Station-4A"	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Now check the "Station-4A" page 7. Scroll down to the page and click the	NA	1. The web application should display on the browser properly. 2. An user should add an integer value.	1. The web application should display on the browser properly. 2. An user can add an integer value.	PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_015	TS_010 (Station-4A)	Validate to add string value in the text field of "CcDuration Value" under "Chief Complaints" of "Station-4A"	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Now check the "Station-4A" page 7. Scroll down to the page and click the	NA	1. The web application should display on the browser properly. 2. The application should accept only string value in this section.	1. The web application should display on the browser properly. 2. The application accept only string value in this section.	PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_016	TS_010 (Station-4A)	Validate to accept string and integer value in the "Other Cc(text)" section under "Chief Complaints" of "Station-4A"	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Now check the "Station-4A" page 7. Scroll down to the page and click the	NA	1. The web application should display on the browser properly. 2. The application should accept integer and string value in this section	1. The web application should display on the browser properly. 2. The application accept integer and string value in this section	PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_017	TS_010 (Station-4A)	Validate the functionality of "Save" button	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Now check the "Station-4A" page 7. Scroll down to the page and click the "Chief Complaints" (ER 02)	NA	1. The web application should display on the browser properly. 2. The "Save" button should be clickable and should work properly	1. The web application is displayed on the browser properly. 2. The "Save" button is clickable and its working properly	PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_018	TS_010 (Station-4A)	Validate the functionality of "Cancel" button	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Now check the "Station-4A" page 7. Scroll down to the page and click the "Chief Complaints" (ER 02)	NA	1. The web application should display on the browser properly. 2. The "Cancel" button should be clickable and should work properly	1. The web application is displayed on the browser properly. 2. The "Cancel" button is clickable and its working properly	PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_019	TS_010 (Station-4A)	Validate to add the "Chief Complaints" data in the database when an user click the "Add" button	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Now check the "Station-4A" page 7. Scroll down to the page and click the "Chief Complaints" (ER 02) 8. Click on "Add" button 9. Input in the text field and click on "Save"	NA	1. The web application should display on the browser properly. 2. The data should insert into the database.	1. The web application should display on the browser properly. 2. The data is inserted into the database.	PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_020	TS_010 (Station-4A)	Validate the functionality of "Cross" button in "Chief Complaints" section	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Now check the "Station-4A" page 7. Scroll down and click the "Chief Complaints" 8. Add complaints to this section	NA	1. The web application should display on the browser properly. 2. The "Cross" button should be clickable and should remove from this section	1. The web application is displayed on the browser properly. 2. The "Cross" button is working properly and removed from this section	PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_021	TS_010 (Station-4A)	Validate the functionality of "Switch" button in "H/O present illness" section	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Now check the "Station-4A" page 7. Scroll down to the page and click the "H/O present illness" (ER 02)	NA	1. The web application should display on the browser properly. 2. The "Switch" button should work properly and display diseases for inquiry	1. The web application is displayed on the browser properly. 2. The "Switch" button is working properly and displayed the diseases	PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_022	TS_010 (Station-4A)	Validate the radio button's functionality in "H/O present illness" section	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Now check the "Station-4A" page 7. Scroll down to the page and click the "H/O present illness"	NA	1. The web application should display on the browser properly. 2. The radio buttons should work properly	1. The web application is displayed on the browser properly. 2. The radio buttons are working properly.	PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_023	TS_010 (Station-4A)	Validate that the radio buttons are clickable by using the tab on the keyboard	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Now check the "Station-4A" page 7. Scroll down to the page and click the "H/O present illness" (ER 02)	NA	1. The web application should display on the browser properly. 2. The radio buttons should be clickable by using the tab and arrow button on the keyboard	1. The web application is displayed on the browser properly. 2. The radio buttons are clickable by using the tab and arrow button on the keyboard	PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_024	TS_010 (Station-4A)	Check if the user can select multiple radio buttons	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Now check the "Station-4A" page 7. Scroll down to the page and click the "H/O present illness" (ER 02)	NA	1. The web application should display on the browser properly. 2. The user should not select multiple radio buttons	1. The web application is displayed on the browser properly. 2. The user can't select multiple radio buttons	PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan

Test Case	Test Suite	Description	Pre-condition	Test Steps		Expected Result	Actual Result	Status	Tester	Comment		Retest	Approver
TC_025	TS_010 (Station-4A)	Validate that the alignment of the radio button in all browsers.	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Now check the "Station-4A" page 7. Scroll down to the page and click the "H/O present illness" (ER 02)	NA	1. The web application should display on the browser button should same in all browsers. 2. The alignment of the radio button should same in all browsers.	1. The web application is displayed on the browser properly. 2. The alignment of the radio button is same in all browsers.	PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_026	TS_010 (Station-4A)	Validate the functionality of "Switch" button in "H/O past illness" section	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Now check the "Station-4A" page 7. Scroll down to the page and click the "H/O past illness" (ER 02)	NA	1. The web application should display on the browser properly. 2. The "Switch" button should be clickable and should display all details	1. The web application is displayed on the browser properly. 2. The "Switch" button is clickable and it showed all details	PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_027	TS_010 (Station-4A)	Validate the text heading in "H/O past illness" section	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Now check the "Station-4A" page 7. Scroll down to the page and click the "H/O past illness"	NA	1. The web application should display on the browser properly. 2. The text heading shoud as per requirement	1. The web application should display on the browser properly. 2. The "H/O past illness" section text heading "Do you have any of the following diseases?"	FAIL	Mustafa Tanim	Past illness heading should be in past tense.	Done	PASS	Rashed Zahan
TC_028	TS_010 (Station-4A)	Validate the radio buttons are working properly in "H/O past illness" section.	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Now check the "Station-4A" page 7. Scroll down to the page and click the "H/O past illness"	NA	1. The web application should display on the browser properly. 2. The radio buttons should work properly.	1. The web application is displayed on the browser properly. 2. The radio buttons are working properly.	PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_029	TS_010 (Station-4A)	Validate that the radio buttons are clickable by using the tab on the keyboard	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Now check the "Station-4A" page 7. Scroll down to the page and click the "H/O past illness" (ER 02)	NA	1. The web application should display on the browser properly. 2. The radio buttons should be clickable by using the tab on the keyboard	1. The web application is displayed on the browser properly. 2. The radio buttons are clickable by using the tab on the keyboard	FAIL	Mustafa Tanim	NA	Done	Design Upadated	Rashed Zahan
TC_030	TS_010 (Station-4A)	Check if the user can select multiple radio buttons	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Now check the "Station-4A" page 7. Scroll down to the page and click the "H/O past illness"	NA	1. The web application should display on the browser properly. 2. The user should not select multiple radio buttons	1. The web application is displayed on the browser properly. 2. The user can't select multiple radio buttons	PASS	Mustafa Tanim	NA	Done		Rashed Zahan
TC_031	TS_010 (Station-4A)	Validate that the alignment of the radio button in all browsers.	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Now check the "Station-4A" page 7. Scroll down to the page and click the "H/O past illness"	NA	1. The web application should display on the browser properly. 2. The alignment of the radio button should same in all browsers.	1. The web application is displayed on the browser properly. 2. The alignment of the radio button is same in all browsers.	PASS	Mustafa Tanim	NA	Done		Rashed Zahan
TC_032	TS_010 (Station-4A)	Validate the functionality of "Switch" button	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Now check the "Station-4A" page 7. Scroll down to the page and click the "Family history" (ER 02)	NA	1. The web application should display on the browser properly. 2. The "Switch" button should be clickable and should show all details	1. The web application is displayed on the browser properly. 2. The "Switch" button is clickable and it showed all details	PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_033	TS_010 (Station-4A)	Validate the required text heading in "Family history" section	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Now check the "Station-4A" page 7. Scroll down to the page and click the "Family history" (ER 02)	NA	1. The web application should display on the browser properly. 2. The "Family history" section text should as per requirement	1. The web application should display on the browser properly. 2. The "Family history" section text heading is "Do you have any of the following diseases?"	FAIL	Mustafa Tanim	Issue: Section heading should be different	Done	PASS	Rashed Zahan
TC_034	TS_010 (Station-4A)	Validate the radio buttons are working properly in "Family history" section	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Now check the "Station-4A" page 7. Scroll down to the page and click the "Family history"	NA	1. The web application should display on the browser properly. 2. The radio buttons should work properly.	1. The web application is displayed on the browser properly. 2. The radio buttons are working properly.	PASS	Mustafa Tanim	NA	Done		Rashed Zahan
TC_035	TS_010 (Station-4A)	Validate that the radio buttons are clickable by using the tab on the keyboard	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Now check the "Station-4A" page 7. Scroll down to the page and click the "Family history" (ER 02)	NA	1. The web application should display on the browser properly. 2. The radio buttons should be clickable by using the tab on the keyboard	1. The web application is displayed on the browser properly. 2. The radio buttons are clickable by using the tab on the keyboard	FAIL	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_036	TS_010 (Station-4A)	Check if the user can select multiple radio buttons	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Now check the "Station-4A" page 7. Scroll down to the page and click the "Family history" (ER 02)	NA	1. The web application should display on the browser properly. 2. The user should not select multiple radio buttons	1. The web application is displayed on the browser properly. 2. The user can't select multiple radio buttons	PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan

TC ID	TS ID	Title	Pre-condition	Test Steps	Test Data	Expected Result	Actual Result	Status	Tested By		Status		Reviewed By
TC_037	TS_010 (Station-4A)	Validate that the alignment of the radio button in all browsers.	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Now check the "Station-4A" page 7. Scroll down to the page and click the "Family history" (ER 02)	NA	1. The web application should display on the browser properly. 2. The alignment of the radio button should same in all browsers.	1. The web application is displayed on the browser properly. 2. The alignment of the radio button is same in all browsers.	PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_038	TS_010 (Station-4A)	Validate the functionality of "Switch" button in "Social history" section	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Now check the "Station-4A" page 7. Scroll down to the page and click the "Social history"	NA	1. The web application should display on the browser properly. 2. The "Switch" button should be clickable and should show all details	1. The web application is displayed on the browser properly. 2. The "Switch" button is clickable and it showed all details	PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_039	TS_010 (Station-4A)	Validate the required text heading in "Social history" section	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Now check the "Station-4A" page 7. Scroll down to the page and click the "Social history" (ER 02)	NA	1. The web application should display on the browser properly. 2. The "Family history" section text should as per requirement	1. The web application should display on the browser properly. 2. The "Family history" section text heading "Do you have any of the following diseases?"	FAIL	Mustafa Tanim		Done	PASS	Rashed Zahan
TC_040	TS_010 (Station-4A)	Validate the radio button's functionality in "Social history" section	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Now check the "Station-4A" page 7. Scroll down to the page and click the "Social history"	NA	1. The web application should display on the browser properly. 2. The radio buttons should work properly.	1. The web application is displayed on the browser properly. 2. The radio buttons are working properly.	PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_041	TS_010 (Station-4A)	Validate that the radio buttons are clickable by using the tab on the keyboard	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Now check the "Station-4A" page 7. Scroll down to the page and click the "Social history" (ER 02)	NA	1. The web application should display on the browser properly. 2. The radio buttons should be clickable by using the tab on the keyboard	1. The web application is displayed on the browser properly. 2. The radio buttons are clickable by using the tab on the keyboard	PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_042	TS_010 (Station-4A)	Check if the user can select multiple radio buttons	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Now check the "Station-4A" page 7. Scroll down to the page and click the "Social history" (ER 02)	NA	1. The web application should display on the browser properly. 2. The user should not select multiple radio buttons	1. The web application is displayed on the browser properly. 2. The user can't select multiple radio buttons	PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_043	TS_010 (Station-4A)	Validate that the alignment of the radio button in all browsers.	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Now check the "Station-4A" page 7. Scroll down to the page and click the "Social history" (ER 02)	NA	1. The web application should display on the browser properly. 2. The alignment of the radio button should same in all browsers.	1. The web application is displayed on the browser properly. 2. The alignment of the radio button is same in all browsers.	PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_044	TS_010 (Station-4A)	Validate the functionality of "Switch" button in "TB screening" section	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Now check the "Station-4A" page 7. Scroll down to the page and click the "TB Screening" (ER 02)	NA	1. The web application should display on the browser properly. 2. The "Switch" button should work properly and display all details	1. The web application is displayed on the browser properly. 2. The "Switch" button is working properly and displayed all details	PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_045	TS_010 (Station-4A)	Validate that the radio buttons are selectable or unselectable.	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Now check the "Station-4A" page 7. Scroll down to the page and click the "TB Screening"	NA	1. The web application should display on the browser properly. 2. The radio buttons should be selectable.	1. The web application is displayed on the browser properly. 2. The radio buttons are selectable.	PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_046	TS_010 (Station-4A)	Validate that the radio buttons are clickable by using the tab on the keyboard	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Now check the "Station-4A" page 7. Scroll down to the page and click the "TB Screening" (ER 02)	NA	1. The web application should display on the browser properly. 2. The radio buttons should be clickable by using the tab on the keyboard	1. The web application is displayed on the browser properly. 2. The radio buttons are clickable by using the tab on the keyboard	PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_047	TS_010 (Station-4A)	Check if the user can select multiple radio buttons	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Now check the "Station-4A" page 7. Scroll down to the page and click the "TB Screening" (ER 02)	NA	1. The web application should display on the browser properly. 2. The user should not select multiple radio buttons	1. The web application is displayed on the browser properly. 2. The user can't select multiple radio buttons	PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_048	TS_010 (Station-4A)	Validate that the alignment of the radio button in all browsers.	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Now check the "Station-4A" page 7. Scroll down to the page and click the "TB Screening" (ER 02)	NA	1. The web application should display on the browser properly. 2. The alignment of the radio button should same in all browsers.	1. The web application is displayed on the browser properly. 2. The alignment of the radio button is same in all browsers.	PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan

TC ID	TS	Objective	Pre-condition	Test Steps		Expected Result	Actual Result	Status	Tester		Result		Final	Reviewer
TC_049	TS_010 (Station-4A)	Validate the functionality of "rating" ('+' sign) in "General examination" section	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Now check the "Station-4A" page 7. Scroll down to the page and click the "General Examination" (ER 02)	NA	1. The web application should display on the browser properly. 2. The "rating" ('+' sign) should be selectable.	1. The web application is displayed on the browser properly. 2. The "rating" ('+' sign) are selectable.	PASS	Mustafa Tanim	NA	Done		PASS	Rashed Zahan
TC_050	TS_010 (Station-4A)	Validate the "switch" button functionality in "General examination" section	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Now check the "Station-4A" page 7. Scroll down to the page and click the "General Examination" (ER 02)	NA	1. The web application should display on the browser properly. 2. The "switch" button should work properly and display the text field.	1. The web application should display on the browser properly. 2. The "switch" button is working properly and display the text field.	PASS	Mustafa Tanim	NA	Done		PASS	Rashed Zahan
TC_051	TS_010 (Station-4A)	Validate the functionality of "Add" button	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Now check the "Station-4A" page 7. Scroll down to the page and click the "Systemic Examination" (ER 02)	NA	1. The web application should display on the browser properly. 2. The "Add" button should work properly and display a pop-up window	1. The web application is displayed on the browser properly. 2. The "Add" button is working properly and displayed a pop-up window	PASS	Mustafa Tanim	NA	Done		PASS	Rashed Zahan
TC_052	TS_010 (Station-4A)	Validate that the dropdown is clickable or not	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Now check the "Station-4A" page 7. Scroll down to the page and click the "Systemic Examination"	NA	1. The web application should display on the browser properly. 2. The dropdown should be clickable.	1. The web application is displayed on the browser properly. 2. Dropdown is clickable and working properly.	PASS	Mustafa Tanim	NA	Done		PASS	Rashed Zahan
TC_053	TS_010 (Station-4A)	Validate that when Clicking on the dropdown list (value of dropdown) showing or not.	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Now check the "Station-4A" page 7. Scroll down to the page and click the "Systemic Examination" (ER 02)	NA	1. The web application should display on the browser properly. 2. After clicking on the dropdown list, the value should show.	1. The web application is displayed on the browser properly. 2. After clicking on the dropdown list, the value is showed.	PASS	Mustafa Tanim	NA	Done		PASS	Rashed Zahan
TC_054	TS_010 (Station-4A)	Validate to update or edit the information of a patient in "Systemic Examination" under Station 4C section	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Scroll down to the page and click the "Systeic Examination" 7. Now check the "Station-4A" page (ER 02)	NA	1. The web application should display on the browser properly. 2. The application should have the option to update/edit for a registered patient	1. The web application is displayed on the browser properly. 2. We didn't find any option to update/edit	FAIL	Mustafa Tanim	NA	It was not specified in the requirements. To be discussed in phase 2.2	Out of Scope	Rashed Zahan
TC_055	TS_010 (Station-4A)	Validate that the user is able to select the dropdown by the "tab" key from the keyboard.	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Now check the "Station-4A" page 7. Scroll down to the page and click the "Systemic Examination" (ER 02)	NA	1. The web application should display on the browser properly. 2. The user should be able to select the dropdown by the "tab" key from the keyboard.	1. The web application is displayed on the browser properly. 2. The user is able to select the dropdown by the "tab" key from the keyboard.	PASS	Mustafa Tanim	NA	Done		PASS	Rashed Zahan
TC_056	TS_010 (Station-4A)	Validate the placeholder in the text field.	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Now check the "Station-4A" page 7. Scroll down to the page and click the "Systemic Examination" (ER 02)	NA	1. The web application should display on the browser properly. 2. There should have placeholder in the text field	1. The web application is displayed on the browser properly. 2. There has placeholder in the text field	PASS	Mustafa Tanim	NA	Done		PASS	Rashed Zahan
TC_057	TS_010 (Station-4A)	Validate the functionality of "Save" button	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Now check the "Station-4A" page 7. Scroll down to the page and click the "Systemic Examination" (ER 02)	NA	1. The web application should display on the browser properly. 2. The "Save" button should be clickable and should work properly	1. The web application is displayed on the browser properly. 2. The "Save" button is clickable and its working properly	PASS	Mustafa Tanim	NA	Done		PASS	Rashed Zahan
TC_058	TS_010 (Station-4A)	Validate the functionality of "Cancel" button	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Now check the "Station-4A" page 7. Scroll down to the page and click the "Systemic Examination" (ER 02)	NA	1. The web application should display on the browser properly. 2. The "Cancel" button should be clickable and should work properly	1. The web application is displayed on the browser properly. 2. The "Cancel" button is clickable and it's working properly	PASS	Mustafa Tanim	NA	Done		PASS	Rashed Zahan
TC_059	TS_010 (Station-4A)	Validate the functionality of "Cross" button	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Now check the "Station-4A" page 7. Scroll down to the page and click the "Systemic Examination" (ER 02) 8. Click on "Add" button (ER 02) 9. Provide systematic information	NA	1. The web application should display on the browser properly. 2. The "Cross" button should be clickable and should work properly	1. The web application is displayed on the browser properly. 2. The "Cross" button is clickable and its working properly	PASS	Mustafa Tanim	NA	Done		PASS	Rashed Zahan
TC_060	TS_010 (Station-4A)	Validate the functionality of "Add" button	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Now check the "Station-4A" page 7. Scroll down to the page and click the "Current Medication Taken" (ER 02)	NA	1. The web application should display on the browser properly. 2. The "Add" button should be clickable and display a pop-up window	1. The web application is displayed on the browser properly. 2. The "Add" button is clickable and display a pop-up window	PASS	Mustafa Tanim	NA	Done		PASS	Rashed Zahan

TC_061	TS_010 (Station-4A)	Validate the functionality of checkbox	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Now check the "Station-4A" page 7. Scroll down to the page and click the "Current Medication Taken"	NA	1. The web application should display on the browser properly. 2. The "checkbox" should be clickable and should work properly	1. The web application is displayed on the browser properly. 2. The "checkbox" is clickable and its working properly	PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_062	TS_010 (Station-4A)	Validate the required medicine name in "Current Medication Taken" under "Station-4A".	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Now check the "Station-4A" page 7. Scroll down to the page and click the "Current Medication Taken"	NA	1. The web application should display on the browser properly. 2. Required medicine name should display and could select any medicine	1. The web application is displayed on the browser properly. 2. All medicine name is displayed and can select any medicine	PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_063	TS_010 (Station-4A)	Validate the dropdown functionality in "Current Medication Taken" section	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Now check the "Station-4A" page 7. Scroll down to the page and click the "Current Medication Taken" 8. Click on "Add" button (ER 02)	NA	1. The web application should display on the browser properly. 2. The dropdown functionality should work properly.	1. The web application is displayed on the browser properly. 2. The dropdown functionality is working properly.	PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_064	TS_010 (Station-4A)	Validate that when Clicking on the dropdown list (value of dropdown) showing as per requirement	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Now check the "Station-4A" page 7. Scroll down to the page and click the "Current Medication Taken"	NA	1. The web application should display on the browser properly. 2. After clicking on the dropdown list, the value should show.	1. The web application is displayed on the browser properly. 2. After clicking on the dropdown list, the value is showed.	PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_065	TS_010 (Station-4A)	Validate to update or edit the information of a patient in "Current Medication taken" under Station 4C section	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Scroll down to the page and click the "Current Medication taken" 7. Now check the "Station-4A" page (ER 02)	NA	1. The web application should display on the browser properly. 2. The application should have the option to update/edit for a registered patient	1. The web application is displayed on the browser properly. 2. We didn't find any option to update/edit	FAIL	Mustafa Tanim	NA	It was not specified in the requirements. To be discussed in phase 2.2	Out of Scope	Rashed Zahan
TC_066	TS_010 (Station-4A)	Validate that the user is able to mark the dropdown by the "tab & arrow" button from the keyboard.	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Now check the "Station-4A" page 7. Scroll down to the page and click the "Current Medication Taken"	NA	1. The web application should display on the browser properly. 2. The user should be able to select the dropdown by the "tab & arrow" button from the keyboard.	1. The web application is displayed on the browser properly. 2. The user is able to select the dropdown by the "tab & arrow" button from the keyboard.	PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_067	TS_010 (Station-4A)	Validate the functionality of "Save" button	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Now check the "Station-4A" page 7. Scroll down to the page and click the "Current Medication Taken"	NA	1. The web application should display on the browser properly. 2. The "Save" button should work properly and display the information in "Current Medication Taken" section	1. The web application should display on the browser properly. 2. The "Save" button is working properly and displayed the information in "Current Medication Taken" section	PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_068	TS_010 (Station-4A)	Validate the functionality of "Cancel" button	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Now check the "Station-4A" page 7. Scroll down to the page and click the "Current Medication Taken"	NA	1. The web application should display on the browser properly. 2. The "Cancel" button should work properly and close the popup window	1. The web application is displayed on the browser properly. 2. The "Cancel" button working properly and popup window has been closed as expected.	PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_069	TS_010 (Station-4A)	Check when we click the "Cancel" button and re-click the "Add" button to add the data again	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Now check the "Station-4A" page 7. Scroll down to the page and click the "Current Medication Taken" 8. Click on "Add" button. 9. Add some value in every fields and dropdown options 10. Click the "Cancel" button(ER 02) 11. Re-click the "Add" button again(ER 03)	Medicine name: Topiramate 50 mg Tablet Frequency hours: 12 Dos: 20 / Unit: mg Duration: 3 / Unit: day	1. The web application should display on the browser properly. 2. When click "Cancel" button, the popup window should be closed. 3. After re-click the "Add" button again, the popup window should open without previous data.	1. The web application is displayed on the browser properly. 2. When click "Cancel" button, the popup window has closed. 3. After re-click the "Add" button, the popup window opened with some previous data. (Medicine name: Topiramate 50 mg Tablet Frequency hours: null Dos: 20 / Unit: null Duration: 3 / Unit: null)	FAIL	Mustafa Tanim	NA	To be discussed in phase 2.2	Out of Scope	Rashed Zahan
TC_070	TS_010 (Station-4A)	Validate the functionality of "Cross" button	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Now check the "Station-4A" page 7. Scroll down to the page and click the "Current Medication Taken" 8. Click "Add" button and fillup the text field 9. Click "Save" button and the updated row display in this section(ER 02)	NA	1. The web application should display on the browser properly. 2. The "Cross" button should be clickable and work properly	1. The web application is displayed on the browser properly. 2. The "Cross" button is clickable and its working properly	PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_071	TS_010 (Station-4A)	Validate the functionality of "Switch" button	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Now check the "Station-4A" page 7. Scroll down to the page and click the "Patient Mental Health"	NA	1. The web application should display on the browser properly. 2. The "Switch" button should be clickable and should work properly	1. The web application is displayed on the browser properly. 2. The "Switch" button is clickable and its working properly	PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan

Test Case ID	Test Scenario	Test Case Description	Pre-condition	Test Steps		Expected Result	Actual Result	Status	Tested By				Reviewed By
TC_072	TS_010 (Station-4A)	Validate that the radio buttons are selectable or unselectable.	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Now check the "Station-4A" page 7. Scroll down to the page and click the "Patient Mental Health" (ER 02)	NA	1. The web application should display on the browser properly. 2. The radio buttons should be selectable.	1. The web application is displayed on the browser properly. 2. The radio buttons are selectable.	PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_073	TS_010 (Station-4A)	Validate that the radio buttons are clickable by using the tab on the keyboard	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Now check the "Station-4A" page 7. Scroll down to the page and click the "Patient Mental Health" (ER 02)	NA	1. The web application should display on the browser properly. 2. The radio buttons should be clickable by using the tab on the keyboard	1. The web application is displayed on the browser properly. 2. The radio buttons are clickable by using the tab on the keyboard	PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_074	TS_010 (Station-4A)	Check if the user can select multiple radio buttons	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Now check the "Station-4A" page 7. Scroll down to the page and click the "Patient Mental Health" (ER 02)	NA	1. The web application should display on the browser properly. 2. The user should not select multiple radio buttons	1. The web application is displayed on the browser properly. 2. The user can't select multiple radio buttons	PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_075	TS_010 (Station-4A)	Validate that the alignment of the radio button in all browsers.	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Now check the "Station-4A" page 7. Scroll down to the page and click the "Patient Mental Health" (ER 02)	NA	1. The web application should display on the browser properly. 2. The alignment of the radio button should same in all browsers.	1. The web application is displayed on the browser properly. 2. The alignment of the radio button is same in all browsers.	PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_076	TS_010 (Station-4A)	Validate the functionality of "Switch" button	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Now check the "Station-4A" page 7. Scroll down to the page and click the "Child Vaccination" (ER 02)	NA	1. The web application should display on the browser properly. 2. The "Switch" button should be clickable and should work properly	1. The web application is displayed on the browser properly. 2. The "Switch" button is clickable and its working properly	PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_077	TS_010 (Station-4A)	Validate that the radio buttons are selectable or unselectable.	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Now check the "Station-4A" page 7. Scroll down to the page and click the "Child Vaccination" (ER 02)	NA	1. The web application should display on the browser properly. 2. The radio buttons should be selectable.	1. The web application is displayed on the browser properly. 2. The radio buttons are selectable.	PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_078	TS_010 (Station-4A)	Validate that the radio buttons are clickable by using the tab on the keyboard	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Now check the "Station-4A" page 7. Scroll down to the page and click the "Child Vaccination" (ER 02)	NA	1. The web application should display on the browser properly. 2. The radio buttons should be clickable by using the tab on the keyboard	1. The web application is displayed on the browser properly. 2. The radio buttons are clickable by using the tab on the keyboard	PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_079	TS_010 (Station-4A)	Check if the user can select multiple radio buttons	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Now check the "Station-4A" page 7. Scroll down to the page and click the "Child Vaccination" (ER 02)	NA	1. The web application should display on the browser properly. 2. The user should not select multiple radio buttons	1. The web application is displayed on the browser properly. 2. The user can't select multiple radio buttons	PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_080	TS_010 (Station-4A)	Validate that the alignment of the radio button in all browsers.	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Now check the "Station-4A" page 7. Scroll down to the page and click the "Child Vaccination" (ER 02)	NA	1. The web application should display on the browser properly. 2. The alignment of the radio button should same in all browsers.	1. The web application is displayed on the browser properly. 2. The alignment of the radio button is same in all browsers.	PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_081	TS_010 (Station-4A)	Validate the functionality of checkbox	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Now check the "Station-4A" page 7. Scroll down to the page and click the "Child Vaccination" (ER 02)	NA	1. The web application should display on the browser properly. 2. The "checkbox" should be clickable and should work properly	1. The web application is displayed on the browser properly. 2. The "checkbox" is clickable and its working properly	PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_082	TS_010 (Station-4A)	Validate the functionality of "Switch" button	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Now check the "Station-4A" page 7. Scroll down to the page and click the "Adult Vaccination" (ER 02)	NA	1. The web application should display on the browser properly. 2. The "Switch" button should be clickable and should work properly	1. The web application is displayed on the browser properly. 2. The "Switch" button is clickable and its working properly	PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_083	TS_010 (Station-4A)	Validate that the radio buttons are selectable or unselectable.	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Now check the "Station-4A" page 7. Scroll down to the page and click the "Adult Vaccination" (ER 02)	NA	1. The web application should display on the browser properly. 2. The radio buttons should be selectable.	1. The web application is displayed on the browser properly. 2. The radio buttons are selectable.	PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan

TC_084	TS_010 (Station-4A)	Validate that the radio buttons are clickable by using the tab on the keyboard	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Now check the "Station-4A" page 7. Scroll down to the page and click the "Adult Vaccination" (ER 02)	NA	1. The web application should display on the browser properly. 2. The radio buttons should be clickable by using the tab on the keyboard	1. The web application is displayed on the browser properly. 2. The radio buttons are clickable by using the tab on the keyboard		PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_085	TS_010 (Station-4A)	Check if the user can select multiple radio buttons	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Now check the "Station-4A" page 7. Scroll down to the page and click the "Adult Vaccination" (ER 02)	NA	1. The web application should display on the browser properly. 2. The user should not select multiple radio buttons	1. The web application is displayed on the browser properly. 2. The user can't select multiple radio buttons		PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_086	TS_010 (Station-4A)	Validate that the alignment of the radio button in all browsers.	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Now check the "Station-4A" page 7. Scroll down to the page and click the "Adult Vaccination" (ER 02)	NA	1. The web application should display on the browser properly. 2. The alignment of the radio button should same in all browsers.	1. The web application is displayed on the browser properly. 2. The alignment of the radio button is same in all browsers.		PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_087	TS_010 (Station-4A)	Validate the functionality of checkbox	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Now check the "Station-4A" page 7. Scroll down to the page and click the "Adult Vaccination" (ER 02)	NA	1. The web application should display on the browser properly. 2. The "checkbox" should be clickable and should work properly	1. The web application is displayed on the browser properly. 2. The "checkbox" is clickable and its working properly		PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_088	TS_010 (Station-4A)	Validate the 'Save & Next' button functionality under the bottom section in the application	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Now check the "Station-4A" page (ER 02)	NA	1. The web application should display on the browser properly. 2. "Save & next" button should be clickable and should work properly	1. The web application is displayed on the browser properly. 2. "Save & next" button is clickable and working properly		PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_089	TS_010 (Station-4A)	Validate the 'Home' button functionality under the bottom section in the application	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Now check the "Station-4A" page (ER 02)	NA	1. The web application should display on the browser properly. 2. "Home" button should be clickable and should work properly	1. The web application is display on the browser properly. 2. "Home" button is clickable and is working properly		PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_090	TS_010 (Station-4A)	Validate 'Profile' button functionality under the bottom section in the application	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Now check the "Station-4A" page (ER 02)	NA	1. The web application should display on the browser properly. 2. "Profile" button should be clickable and should work properly	1. The web application is display on the browser properly. 2. "Profile" button is clickable and is working properly		PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_091	TS_010 (Station-4A)	Validate the 'History' button functionality under the bottom section in the application	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Now check the "Station-4A" page 7. Click on "History" button (ER 02)	NA	1. The web application should display on the browser properly. 2. "History" button should be clickable and should work properly	1. The web application is displayed on the browser properly. 2. "History" button is clickable and working properly		PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_092	TS_010 (Station-4A)	Validate the functionality of "Back" button of the "Prescription Preview" page	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Now check the "Station-4A" page 7. Click on "History" button to get in "Prescription preview" page and press "Back" button(ER 02)	NA	1. The web application should display on the browser properly. 2. "Back" button should be clickable and should work properly	1. The web application is displayed on the browser properly. 2. "Back" button is clickable and working properly		PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_093	TS_010 (Station-4A)	Validate the history of "Current Medication Taken" in the "Prescription Preview" page	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Now check the "Station-4A" page 7. Click on "History" button to get in "Prescription preview" page(ER 02)	NA	1. The web application should display on the browser properly. 2. The value of "Current Medication Taken" should display on the screen	1. The web application is displayed on the browser properly. 2. The value of "Current Medication Taken" is not displayed on the screen		FAIL	Mustafa Tanim	TC_095	Done	PASS	Rashed Zahan
TC_094	TS_010 (Station-4A)	Validate the UI design of "Station-4A" page	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Now check the "Station-4A" page (ER 02)	NA	1. The web application should display on the browser properly. 2. The UI design should not overlap any other elements and not to go out of the screen.	1. The web application is displayed on the browser properly. 2. The UI design is not overlapping any other elements and not to go out of the screen.		PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_095	TS_010 (Station-4A)	Validate the Station-4A page functionality in all the supported environments	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Now check the "Station-4A" page (ER 02)	Google Chrome, Mozilla Firefox, Microsoft Edge,	1. The web application should display on the browser properly. 2. This link should work in all environments.	1. The web application is displayed on the browser. 2. This link is working in all environment.		PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan

PASS	38
ISSUE	1
Not Executed	0
Out of Scope	0
Total	39
Checked by	Rashed Zahan

Test Case Id	Test Scenario	Test Case Title	Pre-Requisites	Test Steps	Test Data	Expected Result (ER)	Actual Result	Priority	Result	Tested by	Remarks/Screen shot	Dev. Status	Regression Testing	Tested by
Scenarios>>														
TC_001	TS_011 (Station-4B)	Validate the page header in the "Station-4B" page	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Fillup all the text field of "Station-4A" and click "Save & Next" button. 7. Now check the "Station-4B" page (ER 02)	NA	1. The web application should display on the browser properly. 2. Page heading of "Station-4B" should be as per requirement	1. The web application is displayed on the browser properly. 2. Page heading of "Station-4B" is displayed as per requirement.		PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_002	TS_011 (Station-4B)	Validate the page title in the "Station-4B" page	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section (ER 01) 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Fillup all the text field of "Station-4A" and click "Save & Next" button. 7. Now check the "Station-4B" page (ER 02)	NA	1. The web application should display on the browser properly. 2. Page title of "Station-4B" should display on the screen	1. The web application is displayed on the browser properly. 2. Page title of "Station-4B" is displayed on the screen		PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_003	TS_011 (Station-4B)	Validate the page url in the "Station-4B" page	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Fillup all the text field of "Station-4A" and click "Save & Next" button. 7. Now check the "Station-4B" page (ER 02)	NA	1. The web application should display on the browser properly. 2. Page url of "Station-4B" should display on the screen	1. The web application is displayed on the browser properly. 2. Page url of "Station-4B" is displayed on the screen		PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_004	TS_011 (Station-4B)	Validate that the history section showing all information of patient	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Fillup all the text field of "Station-4A" and click "Save & Next" button. 7. Now check the "Station-4B" page (ER 02)	NA	1. The web application should display on the browser properly. 2. The history should display on the screen	1. The web application is displayed on the browser properly. 2. The history is displayed all details on the screen		PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_005	TS_011 (Station-4B)	Validate the text alignment of the"Station-4B" page	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Fillup all the text field of "Station-4A" and click "Save & Next" button. 7. Now check the "Station-4B" page (ER 02)	NA	1. The web application should display on the browser properly. 2. The text alignment of "Station-4B" should same on the screen	1. The web application should display on the browser properly. 2. The text alignment of "Station-4B" is same on the screen		PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_006	TS_011 (Station-4B)	Validate the text field is allowing copy-paste.	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Fillup all the text field of "Station-4A" and click "Save & Next" button. 7. Now check the "Station-4B" page (ER 02)	NA	1. The web application should display on the browser properly. 2. Copy-paste functionality should work properly in text field	1. The web application should display on the browser properly. 2. Copy-paste functionality is working properly in text field		PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_007	TS_011 (Station-4B)	Validate the placeholder in the text field of "Station-4B" page.	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Fillup all the text field of "Station-4A" and click "Save & Next" button. 7. Now check the "Station-4B" page (ER 02)	NA	1. The web application should display on the browser properly. 2. There should have placeholder in every text field	1. The web application is displayed on the browser properly. 2. There have placeholder in every text field		PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_008	TS_011 (Station-4B)	Validate the spelling accuracy of "Station-4B" page.	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Fillup all the text field of "Station-4A" and click "Save & Next" button. 7. Now check the "Station-4B" page (ER 02)	NA	1. The web application should display on the browser properly. 2. Spelling accuracy should be mispelled	1. The web application is displayed on the browser properly. 2. Some words must be spelled correctly		FAIL	Mustafa Tanim	TC_008	Done	FAIL	Rashed Zahan
TC_009	TS_011 (Station-4B)	Validate that user is able to delete text by pressing the backspace key on the keyboard in the text field.	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Fillup all the text field of "Station-4A" and click "Save & Next" button. 7. Now check the "Station-4B" page (ER 02)	NA	1. The web application should display on the browser properly. 2. The user should able to delete by pressing the backspace key on keyboard.	1. The web application is displayed on the browser properly. 2. The user is able to delete by pressing the backspace key on the keyboard.		PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_010	TS_011 (Station-4B)	Validate that the dropdown filed is clickable or not	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Fillup all the text field of "Station-4A" and click "Save & Next" button. 7. Now check the "Station-4B" page (ER 02)	NA	1. The web application should display on the browser properly. 2. The dropdown filed should be clickable and it should work	1. The web application is displayed on the browser properly. 2. The dropdown filed is clickable and it's working properly		PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_011	TS_011 (Station-4B)	Validate that when Clicking on the dropdown list (value of dropdown) showing or not.	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Fillup all the text field of "Station-4A" and click "Save & Next" button. 7. Now check the "Station-4B" page (ER 02)	NA	1. The web application should display on the browser properly. 2. After clicking on the dropdown list, the value should display.	1. The web application is displayed on the browser properly. 2. After clicking on the dropdown list, the value is displayed.		PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_012	TS_011 (Station-4B)	Validate that the dropdown can be scrolled down by clicking the down arrow	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Fillup all the text field of "Station-4A" and click "Save & Next" button. 7. Now check the "Station-4B" page (ER 02)	NA	1. The web application should display on the browser properly. 2. The dropdown should be scrolled down by clicking the down arrow	1. The web application is displayed on the browser properly. 2. The dropdown can be scrolled down by clicking the down arrow		PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan

TC ID	TS ID	Description	Precondition	Test Steps		Expected Result	Actual Result		Status	Tester				Reviewer
TC_013	TS_011 (Station-4B)	Validate that the user is able to select the dropdown by the "tab" key from the keyboard.	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Fillup all the text field of "Station-4A" and click "Save & Next" button. 7. Now check the "Station-4B" page (ER 02)	NA	1. The web application should display on the browser properly. 2. The user should be able to select the dropdown by the "tab" key from the keyboard.	1. The web application is displayed on the browser properly. 2. The user is able to select the dropdown by the "tab" key from the keyboard.		PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_014	TS_011 (Station-4B)	Validate that user is able to save the details with entering data on mandatory fields.	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Fillup all the text field of "Station-4A" and click "Save & Next" button. 7. Now check the "Station-4B" page (ER 02)	NA	1. The web application should display on the browser properly. 2. The user should be able to save the details with entering data on mandatory fields.	1. The web application is displayed on the browser properly. 2. The user is able to save the details with entering data on mandatory fields.		PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_015	TS_011 (Station-4B)	Validate the alert message shows when the user save data without the mandatory field.	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Fillup all the text field of "Station-4A" and click "Save & Next" button. 7. Now check the "Station-4B" page (ER 02)	NA	1. The web application should display on the browser properly. 2. The alert message should shows when the user save data without the mandatory field	1. The web application is displayed on the browser properly. 2. The alert message had shown when the user save data without the mandatory field		PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_016	TS_011 (Station-4B)	Validate that the mandatory fields of the application are marked with a special character like a red star icon (*).	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Fillup all the text field of "Station-4A" and click "Save & Next" button. 7. Now check the "Station-4B" page (ER 02)	NA	1. The web application should display on the browser properly. 2. The mandatory fields of the application should be marked with a special character like a red star icon (*).	1. The web application is displayed on the browser properly. 2. The mandatory fields of the application has marked with a special character like a red star icon (*).		PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_017	TS_011 (Station-4B)	Validate that user is not able to save the details without entering data on mandatory fields.	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Fillup all the text field of "Station-4A" and click "Save & Next" button. 7. Now check the "Station-4B" page (ER 02)	NA	1. The web application should display on the browser properly. 2. The user should not able to save the details without entering data on mandatory fields	1. The web application is displayed on the browser properly. 2. The user is not able to save the details without entering data on mandatory fields.		PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_018	TS_011 (Station-4B)	Validate that the radio buttons are selectable or unselectable.	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Fillup all the text field of "Station-4A" and click "Save & Next" button. 7. Now check the "Station-4B" page (ER 02)	NA	1. The web application should display on the browser properly. 2. The radio buttons should be selectable.	1. The web application is displayed on the browser properly. 2. The radio buttons are selectable.		PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_019	TS_011 (Station-4B)	Validate that the radio buttons are clickable by using the tab on the keyboard	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Fillup all the text field of "Station-4A" and click "Save & Next" button. 7. Now check the "Station-4B" page (ER 02)	NA	1. The web application should display on the browser properly. 2. The radio buttons should be clickable by using the tab on the keyboard	1. The web application is displayed on the browser properly. 2. The radio buttons are clickable by using the tab on the keyboard		PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_020	TS_011 (Station-4B)	Check if the user can select multiple radio buttons	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Fillup all the text field of "Station-4A" and click "Save & Next" button. 7. Now check the "Station-4B" page (ER 02)	NA	1. The web application should display on the browser properly. 2. The user should not select multiple radio buttons	1. The web application is displayed on the browser properly. 2. The user can't select multiple radio buttons		PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_021	TS_011 (Station-4B)	Validate that the alignment of the radio button in all browsers.	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Fillup all the text field of "Station-4A" and click "Save & Next" button. 7. Now check the "Station-4B" page (ER 02)	NA	1. The web application should display on the browser properly. 2. The alignment of the radio button should same in all browsers.	1. The web application is displayed on the browser properly. 2. The alignment of the radio button is same in all browsers.		PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_022	TS_011 (Station-4B)	Validate that the date of LMP calender is enabled or not	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Fillup all the text field of "Station-4A" and click "Save & Next" button. 7. Now check the "Station-4B" page 8. Scroll down to "Menstrual History" and click the calender (ER-02)	NA	1. The web application should display on the browser properly. 2. The date of LMP field's calender should be enabled.	1. The web application is displayed on the browser properly. 2. The date of LMP field's calender is enabled.		PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_023	TS_011 (Station-4B)	Validate that the user is able to click on the date field or not.	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Fillup all the text field of "Station-4A" and click "Save & Next" button. 7. Now check the "Station-4B" page 8. Scroll down to "Menstrual History" and click the calender (ER-02)	NA	1. The web application should display on the browser properly. 2. The user should be able to click on the date field	1. The web application is displayed on the browser properly. 2. The user is able to click on the date field		PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_024	TS_011 (Station-4B)	Validate the date picker functionality (next, previous, day months year), the user is able to change and selected the date accordingly or not.	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Fillup all the text field of "Station-4A" and click "Save & Next" button. 7. Now check the "Station-4B" page 8. Scroll down to "Menstrual History" and click the calender (ER-02)	NA	1. The web application should display on the browser properly. 2. The user should be able to change and selected (date picker functionality) the date accordingly	1. The web application is displayed on the browser properly. 2. The user is able to change and selected (date picker functionality) the date accordingly		PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_025	TS_011 (Station-4B)	Validate the month and day only accept two digits in the 'LMP'	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Fillup all the text field of "Station-4A" and click "Save & Next" button. 7. Now check the "Station-4B" page 8. Scroll down to "Menstrual History" and click the calender (ER-02)	NA	1. The web application should display on the browser properly. 2. The month and day should accept two digits in the 'LMP'	1. The web application is displayed on the browser properly. 2. The month and day can accept two digits in the 'LMP'		PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan

TC_026	TS_011 (Station-4B)	Validate the year only accepts four digits in the 'LMP'.	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Fillup all the text field of "Station-4A" and click "Save & Next" button. 7. Now check the "Station-4B" page 8. Scroll down to "Menstrual History" and click the calender (ER-02)	NA	1. The web application should display on the browser properly. 2. The year should accepts four digits in the 'LMP'.	1. The web application is displayed on the browser properly. 2. The year can accepts four digits in the 'LMP'.		PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_027	TS_011 (Station-4B)	Validate the input field does not accept special characters in the 'LMP'.	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Fillup all the text field of "Station-4A" and click "Save & Next" button. 7. Now check the "Station-4B" page 8. Scroll down to "Menstrual History" and click the calender (ER-02)	NA	1. The web application should display on the browser properly. 2. The input field should not accept special characters in the 'LMP'.	1. The web application is displayed on the browser properly. 2. The input field is not accept special characters in the 'LMP'.		PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_028	TS_011 (Station-4B)	Validate leap year dates are accepted in the 'LMP'.	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Fillup all the text field of "Station-4A" and click "Save & Next" button. 7. Now check the "Station-4B" page 8. Scroll down to "Menstrual History" and click the calender (ER-02)	NA	1. The web application should display on the browser properly. 2. The leap year dates should be accepted in the 'LMP'.	1. The web application is displayed on the browser properly. 2. The leap year dates can be accepted in the 'LMP'.		PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_029	TS_011 (Station-4B)	Validate the dropdown values of "How often do you change/replace" in "Menstrual History" under statio-4B	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Fillup all the text field of "Station-4A" and click "Save & Next" button. 7. Now check the "Station-4B" page (ER-02) 8. Scroll down to "Menstrual History" and click dropdown of "How often do you change/replace" section (ER-03)	NA	1. The web application should display on the browser properly. 2. Dropdown button should work properly and display the values. 3. Should check every values for validation.	1. The web application is displayed on the browser properly. 2. Dropdown button is work properly and displayed the values. 3. Found some validation problems of values. 4. Values are: Three times daily, Fourth times daily, Fifth times daily, Twice daily, Seven times daily, Sixth times daily, Once daily	FAIL	Mustafa Tanim	Values should be : Three time daily, Four times daily, Five times daily, Two times daily/Twice a day, Seven times daily, Six times daily, One time daily	Done	PASS	Rashed Zahan
TC_030	TS_011 (Station-4B)	Validate the functionality of "Save & next" button.	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Fillup all the text field of "Station-4A" and click "Save & Next" button. 7. Now check the "Station-4B" page 8. Scroll down to bottom of the application and click "Save & next" button (ER-02)	NA	1. The web application should display on the browser properly. 2. "Save & next" button should be clickable and it should work properly	1. The web application is displayed on the browser properly. 2. "Save & next" button is clickable and it is working properly		PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_031	TS_011 (Station-4B)	Validate the hover effect of "Save & next" button.	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Fillup all the text field of "Station-4A" and click "Save & Next" button. 7. Now check the "Station-4B" page 8. Scroll down to bottom of the application and click the "Save & next" button (ER-02)	NA	1. The web application should display on the browser properly. 2. "Save & next" button should be hover effect	1. The web application is displayed on the browser properly. 2. "Save & next" button is hover effected		PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_032	TS_011 (Station-4B)	Validate that when the user clicks on "Save & next "button without entering data in the mandatory field then the error message for the mandatory field shows or not.	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Fillup all the text field of "Station-4A" and click "Save & Next" button. 7. Now check the "Station-4B" page 8. Scroll down to bottom of the application and click "Save & next" button (ER-02)	NA	1. The web application should display on the browser properly. 2. After clicking on "Save & next" button without entering data in the mandatory field, there should be shown an error message for the mandatory field.	1. The web application is displayed on the browser properly. 2. After clicking on "Save & next" button without entering data in the mandatory field, the error message displayed. Message: "This field can not be empty!"		PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_033	TS_011 (Station-4B)	Validate the 'History' button functionality under the bottom section in the application	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Fillup all the text field of "Station-4A" and click "Save & Next" button. 7. Now check the "Station-4B" page 8. Scroll down to bottom of the application and click the "History" button (ER-02)	NA	1. The web application should display on the browser properly. 2. "History" button should be clickable and it should work properly	1. The web application is displayed on the browser properly. 2. "History" button is clickable and it is working properly		PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_034	TS_011 (Station-4B)	Validate the functionality of "Back" button of the "Prescription Preview" page	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Fillup all the text field of "Station-4A" and click "Save & Next" button. 7. Now check the "Station-4B" page 8. Scroll down to bottom of the application and click the "History" button 9. Click the "Back" button (ER-02)	NA	1. The web application should display on the browser properly. 2. "Back" button should be clickable and it should work properly	1. The web application is displayed on the browser properly. 2. "Back" button is clickable and it is working properly		PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_035	TS_011 (Station-4B)	Validate the 'Home' button functionality under the bottom section in the application	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Fillup all the text field of "Station-4A" and click "Save & Next" button. 7. Now check the "Station-4B" page 8. Scroll down to bottom of the application and click the "Home" button (ER-02)	NA	1. The web application should display on the browser properly. 2. "Home" button should be clickable and should work properly	1. The web application is display on the browser properly. 2. "Home" button is clickable and is working properly		PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_036	TS_011 (Station-4B)	Validate 'Profile' button functionality under the bottom section in the application	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Fillup all the text field of "Station-4A" and click "Save & Next" button. 7. Now check the "Station-4B" page 8. Scroll down to bottom of the application and click the "Profile" button (ER-02)	NA	1. The web application should display on the browser properly. 2. "Profile" button should be clickable and should work properly	1. The web application is display on the browser properly. 2. "Profile" button is clickable and is working properly		PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan

TC_037	TS_011 (Station-4B)	Validate the 'Skip' button functionality under the bottom section in the application	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Fillup all the text field of "Station-4A" and click "Save & Next" button. 7. Now check the "Station-4B" page 8. Scroll down to bottom of the application and click the "Skip" button (ER-02)	NA	1. The web application should display on the browser properly. 2. "Skip" button should be clickable and should work properly	1. The web application is display on the browser properly. 2. "Skip" button is clickable and is working properly		PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_038	TS_011 (Station-4B)	Validate the UI design of "Station-4B" page	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Fillup all the text field of "Station-4A" and click "Save & Next" button. 7. Now check the "Station-4B" page (ER 02)	NA	1. The web application should display on the browser properly. 2. The UI design should not overlap any other elements and not to go out of the screen.	1. The web application is displayed on the browser properly. 2. The UI design is not overlapping any other elements and not to go out of the screen.		PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_039	TS_011 (Station-4B)	Validate the "Station-4B" page functionality in all the supported environments	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Fillup all the text field of "Station-4A" and click "Save & Next" button. 7. Now check the "Station-4B" page (ER 02)	Google Chrome, Mozilla Firefox, Microsoft Edge,	1. The web application should display on the browser properly. 2. This link should work in all environments.	1. The web application is displayed on the browser. 2. This link is working in all environment.		PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan

Station 4C Test Report

PASS	77
ISSUE	3
Not Executed	0
Out of Scope	0
Total	80

Checked by: Rashed Zahan

Test Case Id	Test Scenario	Test Case Title	Pre-Requisites	Test Steps	Test Data	Expected Result (ER)	Actual Result	Priority	Result	Tested by	Remarks/ Screenshot	Dev. Status	Regression Testing	Tested by
Scenarios>>														
TC_001	TS_012 (Station-4C)	Validate the page header in the "Station-4C" page	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url '"http://localhost/"' into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Fillup all the text field of "Station-4A" AND "Station-4B" and click "Save & Next" button. 7. Now check the "Station-4C" page (ER 02)	NA	1. The web application should display on the browser properly. 2. Page heading of "Station-4C" should be as per requirement.	1. The web application is displayed on the browser properly. 2. Page heading of "Station-4C" is displayed as per requirement.		PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_002	TS_012 (Station-4C)	Validate the page title in the "Station-4C" page	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url '"http://localhost/"' into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Fillup all the text field of "Station-4A" AND "Station-4B" and click "Save & Next" button. 7. Now check the "Station-4C" page (ER 02)	NA	1. The web application should display on the browser properly. 2. Page title of "Station-4C" should display on the screen	1. The web application is displayed on the browser properly. 2. Page title of "Station-4C" is displayed on the screen		PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_003	TS_012 (Station-4C)	Validate the page url in the "Station-4C" page	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url '"http://localhost/"' into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Fillup all the text field of "Station-4A" AND "Station-4B" and click "Save & Next" button. 7. Now check the "Station-4C" page (ER 02)	NA	1. The web application should display on the browser properly. 2. Page url of "Station-4C" should display on the screen	1. The web application is displayed on the browser properly. 2. Page url of "Station-4C" is displayed on the screen		PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_004	TS_012 (Station-4C)	Validate that the history section showing all information of patient	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url '"http://localhost/"' into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Fillup all the text field of "Station-4A" AND "Station-4B" and click "Save & Next" button. 7. Now check the "Station-4C" page (ER 02)	NA	1. The web application should display on the browser properly. 2. The history should display on the screen	1. The web application is displayed on the browser properly. 2. The history is displayed on the screen.		PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_005	TS_012 (Station-4C)	Validate that the dropdown arrow button is clickable and check the functionality	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url '"http://localhost/"' into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Fillup all the text field of "Station-4A" AND "Station-4B" and click "Save & Next" button. 7. Now check the "Station-4C" page (ER 02)	NA	1. The web application should display on the browser properly. 2. The dropdown filed should be clickable and it should work	1. The web application is displayed on the browser properly. 2. The dropdown filed is clickable and it's working properly		PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_006	TS_012 (Station-4C)	Validate the dropdown value is showing by clicking dropdown button	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url '"http://localhost/"' into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Fillup all the text field of "Station-4A" AND "Station-4B" and click "Save & Next" button. 7. Now check the "Station-4C" page (ER 02)	NA	1. The web application should display on the browser properly. 2. After clicking on the dropdown list, the value should display.	1. The web application is displayed on the browser properly. 2. After clicking on the dropdown list, the value is displayed.		PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_007	TS_012 (Station-4C)	Validate the functionality of "Add" button	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url '"http://localhost/"' into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Fillup all the text field of "Station-4A" AND "Station-4B" and click "Save & Next" button. 7. Now check the "Station-4C" page 8. Scroll down to "Provisional Diagnosis" and Check this part (ER-02)	NA	1. The web application should display on the browser properly. 2. The "Add" button should be clickable and display a pop-up window	1. The web application is displayed on the browser properly. 2. The "Add" button is clickable and displayed a pop-up window		PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_008	TS_012 (Station-4C)	Validate the placeholder in the text field of "Station-4C" under "Provisional Diagnosis"	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url '"http://localhost/"' into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Fillup all the text field of "Station-4A" AND "Station-4B" and click "Save & Next" button. 7. Now check the "Station-4C" page 8. Scroll down to "Provisional Diagnosis" and Check this part (ER-02)	NA	1. The web application should display on the browser properly. 2. Placeholder should be in the text field of "Station 4C" under "Provisional Diagnosis".	1. The web application should display on the browser properly. 2. Placeholder is in the text field of "Station 4C" under "Provisional Diagnosis".		PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_009	TS_012 (Station-4C)	Validate previous all common terms are displayed in "Provisional Diagnosis" under "Station-4C".	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url '"http://localhost/"' into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Fillup all the text field of "Station-4A" AND "Station-4B" and click "Save & Next" button. 7. Now check the "Station-4C" page 8. Scroll down to "Provisional Diagnosis" and Check this part (ER-02)	NA	1. The web application should display on the browser properly. 2. All previous common terms should be displayed in "Provisional Diagnosis" section	1. The web application is displayed on the browser properly. 2. All previous common terms should be displayed in "Provisional Diagnosis" section		PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_010	TS_012 (Station-4C)	Validate the disease code as per requirement of "Provisional Diagnosis" under "Station-4C".	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url '"http://localhost/"' into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Fillup all the text field of "Station-4A" AND "Station-4B" and click "Save & Next" button. 7. Now check the "Station-4C" page 8. Scroll down to "Provisional Diagnosis" and Check this part (ER-02)	NA	1. The web application should display on the browser properly. 2. The disease code should be visible as per requirement.	1. The web application is displayed on the browser properly. 2. The disease code is not visible in this section.		FAIL	Mustafa Tanim	TC_010	Done	PASS	Rashed Zahan
TC_011	TS_012 (Station-4C)	Validate the spelling accuracy of "Provisional Diagnosis" title under "Station-4C"	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url '"http://localhost/"' into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Fillup all the text field of "Station-4A" AND "Station-4B" and click "Save & Next" button. 7. Now check the "Station-4C" page 8. Scroll down to "Provisional Diagnosis" and Check this part (ER-02)	NA	1. The web application should display on the browser properly. 2. Spelling accuracy should be misspled	1. The web application is displayed on the browser properly. 2. Spelling accuracy is mispelled.		PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_012	TS_012 (Station-4C)	Validate to update or edit the information of a patient in "Provisional Diagnosis" under Station 4C section	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url '"http://localhost/"' into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Fillup all the text field of "Station-4A" AND "Station-4B" and click "Save & Next" button. 7. Now check the "Station-4C" page 8. Scroll down to "Provisional Diagnosis" and Check this part (ER-02)	NA	1. The web application should display on the browser properly. 2. The application should have the option to update/edit for a registered patient	1. The web application is displayed on the browser properly. 2. We didn't find any option to update/edit		FAIL	Mustafa Tanim	NA	Done	FAIL	Rashed Zahan
TC_013	TS_012 (Station-4C)	Validate to accept string and integer value in the "Disease" section under "Provisional Diagnosis" of "Station-4C"	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url '"http://localhost/"' into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Fillup all the text field of "Station-4A" AND "Station-4B" and click "Save & Next" button. 7. Now check the "Station-4C" page 8. Scroll down to "Provisional Diagnosis" and Check this part (ER-02)	NA	1. The web application should display on the browser properly. 2. The application should accept integer and string value in this section	1. The web application should display on the browser properly. 2. The application accept integer and string value in this section		PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_014	TS_012 (Station-4C)	Validate the radio button's functionality in "Provisional Diagnosis" section	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url '"http://localhost/"' into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Fillup all the text field of "Station-4A" AND "Station-4B" and click "Save & Next" button. 7. Now check the "Station-4C" page 8. Scroll down to "Provisional Diagnosis" and Check this part (ER-02)	NA	1. The web application should display on the browser properly. 2. The radio buttons should work properly	1. The web application is displayed on the browser properly. 2. The radio buttons are working properly.		PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan

TC ID	Test Suite	Description	Pre-condition	Test Steps		Expected Result	Actual Result		Status	Tester	Bug ID			Result	Reviewer
TC_015	TS_012 (Station-4C)	Validate that the radio buttons are clickable by using the tab on the keyboard	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Fillup all the text field of "Station-4A" AND "Station-4B" and click "Save & Next" button. 7. Now check the "Station-4C" page 8. Scroll down to "Provisional Diagnosis" and Check this part (ER-02)	NA	1. The web application should display on the browser properly. 2. The radio buttons should be clickable by using the tab and arrow button on the keyboard	1. The web application is displayed on the browser properly. 2. The radio buttons are clickable by using the tab and arrow button on the keyboard		PASS	Mustafa Tanim	NA	Done		PASS	Rashed Zahan
TC_016	TS_012 (Station-4C)	Check if the user can select multiple radio buttons	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Fillup all the text field of "Station-4A" AND "Station-4B" and click "Save & Next" button. 7. Now check the "Station-4C" page 8. Scroll down to "Provisional Diagnosis" and Check this part (ER-02)	NA	1. The web application should display on the browser properly. 2. The user should not select multiple radio buttons	1. The web application is displayed on the browser properly. 2. The user can't select multiple radio buttons		PASS	Mustafa Tanim	NA	Done		PASS	Rashed Zahan
TC_017	TS_012 (Station-4C)	Validate that the alignment of the radio button in all browsers.	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Fillup all the text field of "Station-4A" AND "Station-4B" and click "Save & Next" button. 7. Now check the "Station-4C" page 8. Scroll down to "Provisional Diagnosis" and Check this part (ER-02)	NA	1. The web application should display on the browser properly. 2. The alignment of the radio button should same in all browsers.	1. The web application is displayed on the browser properly. 2. The alignment of the radio button is same in all browsers.		PASS	Mustafa Tanim	NA	Done		PASS	Rashed Zahan
TC_018	TS_012 (Station-4C)	Validate the functionality of "Save" button	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Fillup all the text field of "Station-4A" AND "Station-4B" and click "Save & Next" button. 7. Now check the "Station-4C" page 8. Scroll down to "Provisional Diagnosis" and Check this part (ER-02)	NA	1. The web application should display on the browser properly. 2. The "Save" button should be clickable and should work properly	1. The web application is displayed on the browser properly. 2. The "Save" button is clickable and its working properly		PASS	Mustafa Tanim	NA	Done		PASS	Rashed Zahan
TC_019	TS_012 (Station-4C)	Validate the functionality of "Cancel" button	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Fillup all the text field of "Station-4A" AND "Station-4B" and click "Save & Next" button. 7. Now check the "Station-4C" page 8. Scroll down to "Provisional Diagnosis" and Check this part (ER-02)	NA	1. The web application should display on the browser properly. 2. The "Cancel" button should be clickable and should work properly	1. The web application is displayed on the browser properly. 2. The "Cancel" button is clickable and its working properly		PASS	Mustafa Tanim	NA	Done		PASS	Rashed Zahan
TC_020	TS_012 (Station-4C)	Check when we click the "Cancel" button and re-click the "Add" button to add the data again	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Fillup all the text field of "Station-4A" AND "Station-4B" and click "Save & Next" button. 7. Now check the "Station-4C" page 8. Scroll down to "Provisional Diagnosis" and Check this part (ER-02)	NA	1. The web application should display on the browser properly. 2. When click "Cancel" button, the popup window should be closed. 3. After re-click the "Add" button again, the popup window should open without previous data."	"1. The web application is displayed on the browser properly. 2. When click ""Cancel"" button, the popup window has closed. 3. After re-click the ""Add"" button again, the popup window has opened with some previous data. (Code/common term: Unspecified intracapsular fracture of right femur, initial encounter for open fracture type I or II, Insect bite (nonvenomous) of nose, subsequent encounter		FAIL	Mustafa Tanim	TC_020	Next phase	Next phase		Rashed Zahan
TC_021	TS_012 (Station-4C)	Validate the functionality of "Cross" button in "Provisional Diagnosis" section	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Fillup all the text field of "Station-4A" AND "Station-4B" and click "Save & Next" button. 7. Now check the "Station-4C" page 8. Scroll down to "Provisional Diagnosis" and Check this part (ER-02)	NA	1. The web application should display on the browser properly. 2. The "Cross" button should be clickable and should remove from this section	1. The web application is displayed on the browser properly. 2. The "Cross" button is working properly and removed from this section		PASS	Mustafa Tanim	NA	Done		PASS	Rashed Zahan
TC_022	TS_012 (Station-4C)	Validate the functionality of "Add" button	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Fillup all the text field of "Station-4A" AND "Station-4B" and click "Save & Next" button. 7. Now check the "Station-4C" page 8. Scroll down to "Lab Investigations" and Check this part (ER-02)	NA	1. The web application should display on the browser properly. 2. The "Add" button should be clickable and display a pop-up window	1. The web application is displayed on the browser properly. 2. The "Add" button is clickable and displayed a pop-up window		PASS	Mustafa Tanim	NA	Done		PASS	Rashed Zahan
TC_023	TS_012 (Station-4C)	Validate the placeholder in the text field of "Station-4C" under "Lab Investigations"	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Fillup all the text field of "Station-4A" AND "Station-4B" and click "Save & Next" button. 7. Now check the "Station-4C" page 8. Scroll down to "Lab Investigations" and Check this part (ER-02)	NA	1. The web application should display on the browser properly. 2. Placeholder should be in the text field of "Station 4C" under "Lab Investigations".	1. The web application should display on the browser properly. 2. Placeholder is in the text field of "Station 4C" under "Lab Investigations".		PASS	Mustafa Tanim	NA	Done		PASS	Rashed Zahan
TC_024	TS_012 (Station-4C)	Validate to update or edit the information of a patient in "Lab Investigations" under Station 4C section	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Fillup all the text field of "Station-4A" AND "Station-4B" and click "Save & Next" button. 7. Now check the "Station-4C" page 8. Scroll down to "Lab Investigations" and Check this part (ER-02)	NA	1. The web application should display on the browser properly. 2. The application should have the option to update/edit for a registered patient	1. The web application is displayed on the browser properly. 2. We didn't find any option to update/edit		FAIL	Mustafa Tanim	NA	On Process	Done from Client		Rashed Zahan
TC_025	TS_012 (Station-4C)	Validate previous all lab investigations terms are displayed in "Lab Investigations" under "Station-4C".	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Fillup all the text field of "Station-4A" AND "Station-4B" and click "Save & Next" button. 7. Now check the "Station-4C" page 8. Scroll down to "Lab Investigations" and Check this part (ER-02)	NA	1. The web application should display on the browser properly. 2. All previous Lab Investigations terms should be displayed in "Lab Investigations" section	1. The web application is displayed on the browser properly. 2. All previous Lab Investigations terms should be displayed in "Lab Investigations" section		PASS	Mustafa Tanim	NA	Done		PASS	Rashed Zahan
TC_026	TS_012 (Station-4C)	Validate to accept string and integer value in comment section under "Lab Investigations" of "Station-4C"	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Fillup all the text field of "Station-4A" AND "Station-4B" and click "Save & Next" button. 7. Now check the "Station-4C" page 8. Scroll down to "Lab Investigations" and Check this part (ER-02)	NA	1. The web application should display on the browser properly. 2. The application should accept integer and string value in this section	1. The web application should display on the browser properly. 2. The application accept integer and string value in this section		PASS	Mustafa Tanim	NA	Done		PASS	Rashed Zahan
TC_027	TS_012 (Station-4C)	Validate the radio button's functionality in "Lab Investigations" section	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Fillup all the text field of "Station-4A" AND "Station-4B" and click "Save & Next" button. 7. Now check the "Station-4C" page 8. Scroll down to "Lab Investigations" and Check this part (ER-02)	NA	1. The web application should display on the browser properly. 2. The radio buttons should work properly	1. The web application is displayed on the browser properly. 2. The radio buttons are working properly.		PASS	Mustafa Tanim	NA	Done		PASS	Rashed Zahan

Test Case ID	Test Scenario	Description	Pre-condition	Test Steps	Expected Result	Actual Result		Status	Tested By		Execution	Result	Reviewed By
TC_028	TS_012 (Station-4C)	Validate that the radio buttons are clickable by using the tab on the keyboard	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url '"http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Fillup all the text field of "Station-4A" AND "Station-4B" and click "Save & Next" button. 7. Now check the "Station-4C" page 8. Scroll down to "Lab Investigations" and Check this part (ER-02)	1. The web application should display on the browser properly. 2. The radio buttons should be clickable by using the tab and arrow button on the keyboard	1. The web application is displayed on the browser properly. 2. The radio buttons are clickable by using the tab and arrow button on the keyboard	NA	PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_029	TS_012 (Station-4C)	Check if the user can select multiple radio buttons	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url '"http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Fillup all the text field of "Station-4A" AND "Station-4B" and click "Save & Next" button. 7. Now check the "Station-4C" page 8. Scroll down to "Lab Investigations" and Check this part (ER-02)	1. The web application should display on the browser properly. 2. The user should not select multiple radio buttons	1. The web application is displayed on the browser properly. 2. The user can't select multiple radio buttons	NA	PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_030	TS_012 (Station-4C)	Validate that the alignment of the radio button in all browsers.	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url '"http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Fillup all the text field of "Station-4A" AND "Station-4B" and click "Save & Next" button. 7. Now check the "Station-4C" page 8. Scroll down to "Lab Investigations" and Check this part (ER-02)	1. The web application should display on the browser properly. 2. The alignment of the radio button should same in all browsers.	1. The web application is displayed on the browser properly. 2. The alignment of the radio button is same in all browsers.	NA	PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_031	TS_012 (Station-4C)	Validate the functionality of "Save" button	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url '"http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Fillup all the text field of "Station-4A" AND "Station-4B" and click "Save & Next" button. 7. Now check the "Station-4C" page 8. Scroll down to "Lab Investigations" and Check this part (ER-02)	1. The web application should display on the browser properly. 2. The "Save" button should be clickable and should work properly	1. The web application is displayed on the browser properly. 2. The "Save" button is clickable and its working properly	NA	PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_032	TS_012 (Station-4C)	Validate the functionality of "Cancel" button	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url '"http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Fillup all the text field of "Station-4A" AND "Station-4B" and click "Save & Next" button. 7. Now check the "Station-4C" page 8. Scroll down to "Lab Investigations" and Check this part (ER-02)	1. The web application should display on the browser properly. 2. The "Cancel" button should be clickable and should work properly	1. The web application is displayed on the browser properly. 2. The "Cancel" button is clickable and its working properly	NA	PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_033	TS_012 (Station-4C)	Check when we click the "Cancel" button and re-click the "Add" button to add the data again	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url '"http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Fillup all the text field of "Station-4A" AND "Station-4B" and click "Save & Next" button. 7. Now check the "Station-4C" page 8. Scroll down to "Lab Investigations" and Check this part (ER-02)	1. The web application should display on the browser properly. 2. When click "Cancel" button, the popup window should be closed. 3. After re-click the "Add" button again, the popup window should open without previous data."	1. The web application is displayed on the browser properly. 2. When click "Cancel" button, the popup window has closed. 3. After re-click the "Add" button again, the popup window has opened with some previous data. (Search lab investigation: X-Ray12, X-Ray16, X-Ray15)	NA	FAIL	Mustafa Tanim	TC_034	Next Phase	Next Phase	Rashed Zahan
TC_034	TS_012 (Station-4C)	Validate the functionality of "Cross" button in "Lab Investigations" section	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url '"http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Fillup all the text field of "Station-4A" AND "Station-4B" and click "Save & Next" button. 7. Now check the "Station-4C" page 8. Scroll down to "Lab Investigations" and Check this part (ER-02)	1. The web application should display on the browser properly. 2. The "Cross" button should be clickable and should remove from this section	1. The web application is displayed on the browser properly. 2. The "Cross" button is working properly and removed from this section	NA	PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_035	TS_012 (Station-4C)	Validate the functionality of "Add" button	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url '"http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Fillup all the text field of "Station-4A" AND "Station-4B" and click "Save & Next" button. 7. Now check the "Station-4C" page 8. Scroll down to "Treatment Suggestions" and Check this part (ER-02)	1. The web application should display on the browser properly. 2. The "Add" button should be clickable and display a pop-up window	1. The web application is displayed on the browser properly. 2. The "Add" button is clickable and displayed a pop-up window	NA	PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_036	TS_012 (Station-4C)	Validate the placeholder in the text field of "Station-4C" under "Treatment Suggestions"	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url '"http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Fillup all the text field of "Station-4A" AND "Station-4B" and click "Save & Next" button. 7. Now check the "Station-4C" page 8. Scroll down to "Treatment Suggestions" and Check this part (ER-02)	1. The web application should display on the browser properly. 2. Placeholder should be in the text field of "Station 4C" under "Treatment Suggestions".	1. The web application should display on the browser properly. 2. Placeholder is in the text field of "Station 4C" under "Treatment Suggestions".	NA	PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_037	TS_012 (Station-4C)	Validate to update or edit the information of a patient in "Treatment Suggestions" under Station 4C section	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url '"http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Fillup all the text field of "Station-4A" AND "Station-4B" and click "Save & Next" button. 7. Now check the "Station-4C" page 8. Scroll down to "Treatment Suggestions" and Check this part (ER-02)	1. The web application should display on the browser properly. 2. The application should have the option to update/edit for a registered patient	1. The web application is displayed on the browser properly. 2. We didn't find any option to update/edit	NA	FAIL	Mustafa Tanim	NA	Next Phase		Rashed Zahan
TC_038	TS_012 (Station-4C)	Validate the spelling accuracy of dropdown section (Unit) "Treatment Suggestions" title under "Station-4C"	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url '"http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Fillup all the text field of "Station-4A" AND "Station-4B" and click "Save & Next" button. 7. Now check the "Station-4C" page 8. Scroll down to "Treatment Suggestions" and Check this part (ER-02)	1. The web application should display on the browser properly. 2. Spelling accuracy should not be misspelled	1. The web application is displayed on the browser properly. 2. Spelling accuracy is okay.		PASS	Mustafa Tanim		Done	PASS	Rashed Zahan
TC_039	TS_012 (Station-4C)	Validate previous all drugs name are displayed in "Treatment Suggestions" under "Station-4C".	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url '"http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Fillup all the text field of "Station-4A" AND "Station-4B" and click "Save & Next" button. 7. Now check the "Station-4C" page 8. Scroll down to "Treatment Suggestions" and Check this part (ER-02)	1. The web application should display on the browser properly. 2. All previous drugs name should be displayed in "Treatment Suggestions" section	1. The web application is displayed on the browser properly. 2. All previous drugs name should be displayed in "Treatment Suggestions" section	NA	PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_040	TS_012 (Station-4C)	Validate to accept string and integer value in the text field under "Treatment Suggestions" of "Station-4C"	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url '"http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Fillup all the text field of "Station-4A" AND "Station-4B" and click "Save & Next" button. 7. Now check the "Station-4C" page 8. Scroll down to "Treatment Suggestions" and Check this part (ER-02)	1. The web application should display on the browser properly. 2. The application should accept integer and string value in this section	1. The web application should display on the browser properly. 2. The application accept integer and string value in this section	NA	PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_041	TS_012 (Station-4C)	Validate the dropdown functionality in "Treatment Suggestions" section	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url '"http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Fillup all the text field of "Station-4A" AND "Station-4B" and click "Save & Next" button. 7. Now check the "Station-4C" page 8. Scroll down to "Treatment Suggestions" and Check this part (ER-02)	1. The web application should display on the browser properly. 2. The dropdown filed should be clickable and it should work	1. The web application is displayed on the browser properly. 2. The dropdown filed is clickable and it's working properly		PASS	Mustafa Tanim		Done	PASS	Rashed Zahan

Test Case ID	Ref	Description	Pre-condition	Test Steps		Expected Result	Actual Result	Result	Tester		Status			Approver
TC_042	TS_012 (Station-4C)	Validate that showing dropdownlist value by clicking on dropdown	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Fillup all the text field of "Station-4A" AND "Station-4B" and click "Save & Next" button. 7. Now check the "Station-4C" page 8. Scroll down to "Treatment Suggestions" and Check this part (ER-02)	NA	1. The web application should display on the browser properly. 2. After clicking on the dropdown list, the value should display.	1. The web application is displayed on the browser properly. 2. After clicking on the dropdown list, the value is displayed.	PASS	Mustafa Tanim	NA	Done		PASS	Rashed Zahan
TC_043	TS_012 (Station-4C)	Validate that the user is able to select the dropdown by the "tab" key from the keyboard.	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Fillup all the text field of "Station-4A" AND "Station-4B" and click "Save & Next" button. 7. Now check the "Station-4C" page 8. Scroll down to "Treatment Suggestions" and Check this part (ER-02)	NA	1. The web application should display on the browser properly. 2. The user should be able to select the dropdown by the "tab" key from the keyboard.	1. The web application is displayed on the browser properly. 2. The user is able to select the dropdown by the "tab" key from the keyboard.	PASS	Mustafa Tanim	NA	Done		PASS	Rashed Zahan
TC_044	TS_012 (Station-4C)	Validate the functionality of "Save" button	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Fillup all the text field of "Station-4A" AND "Station-4B" and click "Save & Next" button. 7. Now check the "Station-4C" page 8. Scroll down to "Treatment Suggestions" and Check this part (ER-02)	NA	1. The web application should display on the browser properly. 2. The "Save" button should be clickable and should work properly	1. The web application is displayed on the browser properly. 2. The "Save" button is clickable and its working properly	PASS	Mustafa Tanim	NA	Done		PASS	Rashed Zahan
TC_045	TS_012 (Station-4C)	Validate the functionality of "Cancel" button	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Fillup all the text field of "Station-4A" AND "Station-4B" and click "Save & Next" button. 7. Now check the "Station-4C" page 8. Scroll down to "Treatment Suggestions" and Check this part (ER-02)	NA	1. The web application should display on the browser properly. 2. The "Cancel" button should be clickable and should work properly	1. The web application is displayed on the browser properly. 2. The "Cancel" button is clickable and its working properly	PASS	Mustafa Tanim	NA	Done		PASS	Rashed Zahan
TC_046	TS_012 (Station-4C)	Check when we click the "Cancel" button and re-click the "Add" button to add the data again	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Fillup all the text field of "Station-4A" AND "Station-4B" and click Save & Next" button. 7. Now check the "Station-4C" page 8. Scroll down to "Treatment Suggestions" and Check this part (ER-02)	NA	1. The web application should display on the browser properly. 2. When click "Cancel" button, the popup window should be closed. 3. After re-click the "Add" button again, the popup window should open without previous data."	"1. The web application is displayed on the browser properly. 2. When click ""Cancel"" button, the popup window has closed. 3. After re-click the ""Add"" button again, the popup window has opened with some previous data. (Drug: Granisetron 1 mg/ml Injection, Lomefloxacin 400 mg Tablet)	FAIL	Mustafa Tanim	TC_048	Next Phase	Next Phase		Rashed Zahan
TC_047	TS_012 (Station-4C)	Validate the functionality of "Cross" button in "Treatment Suggestions" section	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Fillup all the text field of "Station-4A" AND "Station-4B" and click "Save & Next" button. 7. Now check the "Station-4C" page 8. Scroll down to "Treatment Suggestions" and Check this part (ER-02)	NA	1. The web application should display on the browser properly. 2. The "Cross" button should be clickable and should remove from this section	1. The web application is displayed on the browser properly. 2. The "Cross" button is working properly and removed from this section	PASS	Mustafa Tanim	NA	Done		PASS	Rashed Zahan
TC_048	TS_012 (Station-4C)	Validate the placeholder in the text field of "Station-4C" under "Follow up Advice"	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Fillup all the text field of "Station-4A" AND "Station-4B" and click "Save & Next" button. 7. Now check the "Station-4C" page 8. Scroll down to "Follow up Advice" and Check this part (ER-02)	NA	1. The web application should display on the browser properly. 2. Placeholder should be in the text field of "Station 4C" under "Follow up Advice".	1. The web application should display on the browser properly. 2. Placeholder is in the text field of "Station 4C" under "Follow up Advice".	PASS	Mustafa Tanim	NA	Done		PASS	Rashed Zahan
TC_049	TS_012 (Station-4C)	Validate that the date of "Follow up Advice" calender is enabled or not	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Fillup all the text field of "Station-4A" AND "Station-4B" and click "Save & Next" button. 7. Now check the "Station-4C" page 8. Scroll down to "Follow up Advice" and Check this part (ER-02)	NA	1. The web application should display on the browser properly. 2. The date of "Follow up Advice" field's calender should be enabled.	1. The web application is displayed on the browser properly. 2. The date of "Follow up Advice" field's calender is enabled.	PASS	Mustafa Tanim	NA	Done		PASS	Rashed Zahan
TC_050	TS_012 (Station-4C)	Validate that the user is able to click on the date field or not.	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Fillup all the text field of "Station-4A" AND "Station-4B" and click "Save & Next" button. 7. Now check the "Station-4C" page 8. Scroll down to "Follow up Advice" and Check this part (ER-02)	NA	1. The web application should display on the browser properly. 2. The user should be able to click on the date field	1. The web application is displayed on the browser properly. 2. The user is able to click on the date field	PASS	Mustafa Tanim	NA	Done		PASS	Rashed Zahan
TC_051	TS_012 (Station-4C)	Validate the date picker functionality (next, previous, day months year), the user is able to change and selected the date accordingly or not.	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Fillup all the text field of "Station-4A" AND "Station-4B" and click "Save & Next" button. 7. Now check the "Station-4C" page 8. Scroll down to "Follow up Advice" and Check this part (ER-02)	NA	1. The web application should display on the browser properly. 2. The user should be able to change and selected (date picker functionality) the date accordingly	1. The web application is displayed on the browser properly. 2. The user is able to change and selected (date picker functionality) the date accordingly	PASS	Mustafa Tanim	NA	Done		PASS	Rashed Zahan
TC_052	TS_012 (Station-4C)	Validate the month and day only accept two digits in the "Follow up Advice"	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Fillup all the text field of "Station-4A" AND "Station-4B" and click "Save & Next" button. 7. Now check the "Station-4C" page 8. Scroll down to "Follow up Advice" and Check this part (ER-02)	NA	1. The web application should display on the browser properly. 2. The month and day should accept two digits in the "Follow up Advice"	1. The web application is displayed on the browser properly. 2. The month and day can accept two digits in the "Follow up Advice"	PASS	Mustafa Tanim	NA	Done		PASS	Rashed Zahan
TC_053	TS_012 (Station-4C)	Validate the year only accepts four digits in the "Follow up Advice"	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Fillup all the text field of "Station-4A" AND "Station-4B" and click "Save & Next" button. 7. Now check the "Station-4C" page 8. Scroll down to "Follow up Advice" and Check this part (ER-02)	NA	1. The web application should display on the browser properly. 2. The year should accepts four digits in the "Follow up Advice"	1. The web application is displayed on the browser properly. 2. The year can accepts four digits in the "Follow up Advice"	PASS	Mustafa Tanim	NA	Done		PASS	Rashed Zahan
TC_054	TS_012 (Station-4C)	Validate the input field does not accept special characters in the "Follow up Advice" in the calender	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Fillup all the text field of "Station-4A" AND "Station-4B" and click "Save & Next" button. 7. Now check the "Station-4C" page 8. Scroll down to "Follow up Advice" and Check this part (ER-02)	NA	1. The web application should display on the browser properly. 2. The input field should not accept special characters in the "Follow up Advice"	1. The web application is displayed on the browser properly. 2. The input field is not accept special characters in the "Follow up Advice".	PASS	Mustafa Tanim	NA	Done		PASS	Rashed Zahan
TC_055	TS_012 (Station-4C)	Validate leap year dates are accepted in the "Follow up Advice"	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Fill up all the text field of "Station-4A" AND "Station-4B" and click "Save & Next" button. 7. Now check the "Station-4C" page 8. Scroll down to "Follow up Advice" and Check this part (ER-02)	NA	1. The web application should display on the browser properly. 2. The leap year dates should be accepted in the "Follow up Advice"	1. The web application is displayed on the browser properly. 2. The leap year dates can be accepted in the "Follow up Advice"	PASS	Mustafa Tanim	NA	Done		PASS	Rashed Zahan

Test Case ID	TS ID (Station)	Description	Pre-Condition	Test Steps		Expected Result	Actual Result		Status	Tester				Reviewer
TC_056	TS_012 (Station-4C)	Validate the dropdown functionality in "Follow up Advice" section	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Fillup all the text field of "Station-4A" AND "Station-4B" and click "Save & Next" button. 7. Now check the "Station-4C" page 8. Scroll down to "Follow up Advice" and Check this part (ER-02)	NA	1. The web application should display on the browser properly. 2. The dropdown filed should be clickable and it should work	1. The web application is displayed on the browser properly. 2. The dropdown filed is clickable and it's working properly		PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_057	TS_012 (Station-4C)	Validate that showing dropdownlist value by clicking on dropdown	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Fillup all the text field of "Station-4A" AND "Station-4B" and click "Save & Next" button. 7. Now check the "Station-4C" page 8. Scroll down to "Follow up Advice" and Check this part (ER-02)	NA	1. The web application should display on the browser properly. 2. After clicking on the dropdown list, the value should display.	1. The web application is displayed on the browser properly. 2. After clicking on the dropdown list, the value is displayed.		PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_058	TS_012 (Station-4C)	Validate that the user is able to select the dropdown by the "tab" key from the keyboard.	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Fillup all the text field of "Station-4A" AND "Station-4B" and click "Save & Next" button. 7. Now check the "Station-4C" page 8. Scroll down to "Follow up Advice" and Check this part (ER-02)	NA	1. The web application should display on the browser properly. 2. The user should be able to select the dropdown by the "tab" key from the keyboard.	1. The web application is displayed on the browser properly. 2. The user is able to select the dropdown by the "tab" key from the keyboard.		PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_059	TS_012 (Station-4C)	Validate to accept string and integer value in the text field under "Follow up Advice" of "Station-4C"	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Fillup all the text field of "Station-4A" AND "Station-4B" and click "Save & Next" button. 7. Now check the "Station-4C" page 8. Scroll down to "Follow up Advice" and Check this part (ER-02)	NA	1. The web application should display on the browser properly. 2. The application should accept integer and string value in this section	1. The web application should display on the browser properly. 2. The application accept integer and string value in this section		PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_060	TS_012 (Station-4C)	Validate to update or edit the information of a patient in "Advice" under Station 4C section	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Fillup all the text field of "Station-4A" AND "Station-4B" and click "Save & Next" button. 7. Now check the "Station-4C" page 8. Scroll down to "Advice" and Check this part (ER-02)	NA	1. The web application should display on the browser properly. 2. The application should have the option to update/edit for a registered patient	1. The web application is displayed on the browser properly. 2. We didn't find any option to update/edit		FAIL	Mustafa Tanim	NA	Next Phase	Next Phase	Rashed Zahan
TC_061	TS_012 (Station-4C)	Validate the functionality of "Add" button	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Fillup all the text field of "Station-4A" AND "Station-4B" and click "Save & Next" button. 7. Now check the "Station-4C" page 8. Scroll down to "Advice" and Check this part (ER-02)	NA	1. The web application should display on the browser properly. 2. The "Add" button should be clickable and display a pop-up window	1. The web application is displayed on the browser properly. 2. The "Add" button is clickable and displayed a pop-up window		PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_062	TS_012 (Station-4C)	Validate the dropdown functionality in "Advice" section	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Fillup all the text field of "Station-4A" AND "Station-4B" and click "Save & Next" button. 7. Now check the "Station-4C" page 8. Scroll down to "Advice" and Check this part (ER-02)	NA	1. The web application should display on the browser properly. 2. The dropdown filed should be clickable and it should work	1. The web application is displayed on the browser properly. 2. The dropdown filed is clickable and it's working properly		PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_063	TS_012 (Station-4C)	Validate that showing dropdownlist value by clicking on dropdown	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Fillup all the text field of "Station-4A" AND "Station-4B" and click "Save & Next" button. 7. Now check the "Station-4C" page 8. Scroll down to "Advice" and Check this part (ER-02)	NA	1. The web application should display on the browser properly. 2. After clicking on the dropdown list, the value display.	1. The web application is displayed on the browser properly. 2. After clicking on the dropdown list, the value is displayed.		PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_064	TS_012 (Station-4C)	Validate that the user is able to select the dropdown by the "tab" key from the keyboard.	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Fillup all the text field of "Station-4A" AND "Station-4B" and click "Save & Next" button. 7. Now check the "Station-4C" page 8. Scroll down to "Advice" and Check this part (ER-02)	NA	1. The web application should display on the browser properly. 2. The user should be able to select the dropdown by the "tab" key from the keyboard.	1. The web application is displayed on the browser properly. 2. The user is able to select the dropdown by the "tab" key from the keyboard.		PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_065	TS_012 (Station-4C)	Validate the functionality of "Save" button	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Fillup all the text field of "Station-4A" AND "Station-4B" and click "Save & Next" button. 7. Now check the "Station-4C" page 8. Scroll down to "Advice" and Check this part (ER-02)	NA	1. The web application should display on the browser properly. 2. The "Save" button should be clickable and should work properly	1. The web application is displayed on the browser properly. 2. The "Save" button is clickable and its working properly		PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_066	TS_012 (Station-4C)	Validate the functionality of "Cancel" button	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Fillup all the text field of "Station-4A" AND "Station-4B" and click "Save & Next" button. 7. Now check the "Station-4C" page 8. Scroll down to "Advice" and Check this part (ER-02)	NA	1. The web application should display on the browser properly. 2. The "Cancel" button should be clickable and should work properly	1. The web application is displayed on the browser properly. 2. The "Cancel" button is clickable and its working properly		PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_067	TS_012 (Station-4C)	Validate the functionality of "Cross" button in "Advice" section	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Fillup all the text field of "Station-4A" AND "Station-4B" and click "Save & Next" button. 7. Now check the "Station-4C" page 8. Scroll down to "Advice" and Check this part (ER-02)	NA	1. The web application should display on the browser properly. 2. The "Cross" button should be clickable and should remove from this section	1. The web application is displayed on the browser properly. 2. The "Cross" button is working properly and removed from this section		PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_068	TS_012 (Station-4C)	Validate the functionality of "Add" button	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Fillup all the text field of "Station-4A" AND "Station-4B" and click "Save & Next" button. 7. Now check the "Station-4C" page 8. Scroll down to "Referral Section" and Check this part (ER-02)	NA	1. The web application should display on the browser properly. 2. The "Add" button should be clickable and display a pop-up window	1. The web application is displayed on the browser properly. 2. The "Add" button is clickable and displayed a pop-up window		PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan

TC ID	TS	Description	Pre-condition	Test Steps	Expected Result	Actual Result		Status	Tester		Status	Phase	Result	Reviewer
TC_069	TS_012 (Station-4C)	Validate to update or edit the information of a patient in "Referral Section" under Station 4C section	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Fillup all the text field of "Station-4A" AND "Station-4B" and click "Save & Next" button. 7. Now check the "Station-4C" page 8. Scroll down to "Referral Section" and Check this part (ER-02)	1. The web application should display on the browser properly. 2. The application should have the option to update/edit for a registered patient	1. The web application is displayed on the browser properly. 2. We didn't find any option to update/edit		FAIL	Mustafa Tanim	NA	Next Phase	FAIL	Rashed Zahan
TC_070	TS_012 (Station-4C)	Validate the dropdown functionality in "Referral Section" section	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Fillup all the text field of "Station-4A" AND "Station-4B" and click "Save & Next" button. 7. Now check the "Station-4C" page 8. Scroll down to "Referral Section" and Check this part (ER-02)	1. The web application should display on the browser properly. 2. The dropdown filed should be clickable and it should work	1. The web application is displayed on the browser properly. 2. The dropdown filed is clickable and it's working properly	NA	PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_071	TS_012 (Station-4C)	Validate that showing dropdownlist value by clicking on dropdown	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Fillup all the text field of "Station-4A" AND "Station-4B" and click "Save & Next" button. 7. Now check the "Station-4C" page 8. Scroll down to "Referral Section" and Check this part (ER-02)	1. The web application should display on the browser properly. 2. After clicking on the dropdown list, the value should display.	1. The web application is displayed on the browser properly. 2. After clicking on the dropdown list, the value is displayed.	NA	PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_072	TS_012 (Station-4C)	Validate that the user is able to select the dropdown by the "tab" key from the keyboard.	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Fillup all the text field of "Station-4A" AND "Station-4B" and click "Save & Next" button. 7. Now check the "Station-4C" page 8. Scroll down to "Referral Section" and Check this part (ER-02)	1. The web application should display on the browser properly. 2. The user should be able to select the dropdown by the "tab" key from the keyboard.	1. The web application is displayed on the browser properly. 2. The user is able to select the dropdown by the "tab" key from the keyboard.	NA	PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_073	TS_012 (Station-4C)	Validate the placeholder in the text field of "Station-4C" under "Referral Section"	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Fillup all the text field of "Station-4A" AND "Station-4B" and click "Save & Next" button. 7. Now check the "Station-4C" page 8. Scroll down to "Referral Section" and Check this part (ER-02)	1. The web application should display on the browser properly. 2. Placeholder should be in the text field of "Station 4C" under "Referral Section".	1. The web application should display on the browser properly. 2. Placeholder is in the text field of "Station 4C" under "Referral Section".	NA	PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_074	TS_012 (Station-4C)	Validate previous all "Health Center" names are displayed in "Referral Section" under "Station-4C".	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Fillup all the text field of "Station-4A" AND "Station-4B" and click "Save & Next" button. 7. Now check the "Station-4C" page 8. Scroll down to "Referral Section" and Check this part (ER-02)	1. The web application should display on the browser properly. 2. All previous "Health Center" name should be displayed in "Referral Section" section	1. The web application is displayed on the browser properly. 2. All previous "Health Center" name should be displayed in "Referral Section" section	NA	PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_075	TS_012 (Station-4C)	Validate the functionality of "Save" button	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Fillup all the text field of "Station-4A" AND "Station-4B" and click "Save & Next" button. 7. Now check the "Station-4C" page 8. Scroll down to "Referral Section" and Check this part (ER-02)	1. The web application should display on the browser properly. 2. The "Save" button should be clickable and should work properly	1. The web application is displayed on the browser properly. 2. The "Save" button is clickable and its working properly	NA	PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_076	TS_012 (Station-4C)	Validate the functionality of "Cancel" button	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Fillup all the text field of "Station-4A" AND "Station-4B" and click "Save & Next" button. 7. Now check the "Station-4C" page 8. Scroll down to "Referral Section" and Check this part (ER-02)	1. The web application should display on the browser properly. 2. The "Cancel" button should be clickable and should work properly	1. The web application is displayed on the browser properly. 2. The "Cancel" button is clickable and its working properly	NA	PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_077	TS_012 (Station-4C)	Check when we click the "Cancel" button and re-click the "Add" button to add the data again	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Fillup all the text field of "Station-4A" AND "Station-4B" and click "Save & Next" button. 7. Now check the "Station-4C" page 8. Scroll down to "Referral Section" and Check this part (ER-02)	1. The web application should display on the browser properly. 2. When click "Cancel" button, the popup window has closed. 3. After re-click the "Add" button again, the popup window should open without previous data."	"1. The web application is displayed on the browser properly. 2. When click ""Cancel"" button, the popup window has closed. 3. After re-click the ""Add"" button again, the popup window has opened with some previous data. (Health Center: Moheskhali Upazila Health Complex,Coat Bazar Community Clinic)	NA	FAIL	Mustafa Tanim	TC_081	Next Phase	FAIL	Rashed Zahan
TC_078	TS_012 (Station-4C)	Validate the functionality of "Cross" button in "Referral Section" section	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Fillup all the text field of "Station-4A" AND "Station-4B" and click "Save & Next" button. 7. Now check the "Station-4C" page 8. Scroll down to "Referral Section" and Check this part (ER-02)	1. The web application should display on the browser properly. 2. The "Cross" button should be clickable and should remove from this section	1. The web application is displayed on the browser properly. 2. The "Cross" button is working properly and removed from this section	NA	PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_079	TS_012 (Station-4C)	Validate the functionality of "Save & next" button.	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Fillup all the text field of "Station-4A" AND "Station-4B" and click "Save & Next" button. 7. Now check the "Station-4C" page 8. Scroll down to botton of the page and Check this button (ER-02)	1. The web application should display on the browser properly. 2. "Save & next" button should be clickable and should work properly	1. The web application is displayed on the browser properly. 2. "Save & next" button is clickable and working properly	NA	PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_080	TS_012 (Station-4C)	Validate the hover effect of "Save & next" button.	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Fillup all the text field of "Station-4A" AND "Station-4B" and click "Save & Next" button. 7. Now check the "Station-4C" page 8. Scroll down to botton of the page and Check this button (ER-02)	1. The web application should display on the browser properly. 2. There should have hover effect of "Save & next" button	1. The web application is displayed on the browser properly. 2. There have hover effect of "Save & next" button	NA	PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_081	TS_012 (Station-4C)	Validate the "History" button functionality under the bottom section in the application	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Fillup all the text field of "Station-4A" AND "Station-4B" and click "Save & Next" button. 7. Now check the "Station-4C" page 8. Scroll down to botton of the page and Check this button (ER-02)	1. The web application should display on the browser properly. 2. "History" button should be clickable and should work properly	1. The web application is displayed on the browser properly. 2. "History" button is clickable and working properly	NA	PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_082	TS_012 (Station-4C)	Validate the functionality of "Back" button of the "Prescription Preview" page	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Fillup all the text field of "Station-4A" AND "Station-4B" and click "Save & Next" button. 7. Now check the "Station-4C" page 8. Scroll down to botton of the page and Check this button (ER-02)	1. The web application should display on the browser properly. 2. "Back" button should be clickable and should work properly	1. The web application is displayed on the browser properly. 2. "Back" button is clickable and working properly	NA	PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan

TC_083	TS_012 (Station-4C)	Validate the 'Home' button functionality under the bottom section in the application	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Fillup all the text field of "Station-4A" AND "Station-4B" and click "Save & Next" button. 7. Now check the "Station-4C" page 8. Scroll down to botton of the page and Check this button (ER-02)	NA	1. The web application should display on the browser properly. 2. "Home" button should be clickable and should work properly	1. The web application is display on the browser properly. 2. "Home" button is clickable and is working properly		**PASS**	**Mustafa Tanim**	**NA**	**Done**	**PASS**	**Rashed Zahan**
TC_084	TS_012 (Station-4C)	Validate 'Profile' button functionality under the bottom section in the application	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Fillup all the text field of "Station-4A" AND "Station-4B" and click "Save & Next" button. 7. Now check the "Station-4C" page 8. Scroll down to botton of the page and Check this button (ER-02)	NA	1. The web application should display on the browser properly. 2. "Profile" button should be clickable and should work properly	1. The web application is display on the browser properly. 2. "Profile" button is clickable and is working properly		**PASS**	**Mustafa Tanim**	**NA**	**Done**	**PASS**	**Rashed Zahan**
TC_085	TS_012 (Station-4C)	Validate the UI design of "Station-4C" page	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Fillup all the text field of "Station-4A" AND "Station-4B" and click "Save & Next" button. 7. Now check the "Station-4C" page (ER-02)	NA	1. The web application should display on the browser properly. 2. The UI design should not overlap any other elements and not to go out of the screen.	1. The web application is displayed on the browser properly. 2. The UI design is not overlapping any other elements and not to go out of the screen.		**PASS**	**Mustafa Tanim**	**NA**	**Done**	**PASS**	**Rashed Zahan**
TC_086	TS_012 (Station-4C)	Validate the "Station-4C" page functionality in all the supported environments	1. Make sure the device has internet connection. 2. Confirm the application url	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Fillup all the text field of "Station-4A" AND "Station-4B" and click "Save & Next" button. 7. Now check the "Station-4C" page (ER-02)	Google Chrome, Mozilla Firefox, Microsoft Edge,	1. The web application should display on the browser properly. 2. This link should work in all environments.	1. The web application is displayed on the browser. 2. This link is working in all environment.		**PASS**	**Mustafa Tanim**	**NA**	**Done**	**PASS**	**Rashed Zahan**

Station 4D Test Report

PASS	18
FAIL	0
Not Executed	0
Out of Scope	0
Total	18
Checked by	Rashed Zahan

Test Case Id	Test Scenario	Test Case Title	Pre-Requisites	Test Steps	Test Data	Expected Result (ER)	Actual Result	Priority	Result	Tested by	Remarks/Screenshot	Dev. Status	Regression Testing	Tested by
Scenarios>>														
TC_001	(TS_013) Station 4D Functionality	Validate the page header in the "Station-4D" page	1. Make sure the device has internet connection. 2. Confirm the url of this application 3. Register a patient name "Ananta"	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Click Enter button (ER 01) 4. Login to doctor's profile and go to "Station-4A" page 5. Search with patient name "Ananta" and click arrow button to enter station 4A 6. Fillup the text field or click "Skip" button 7. Click "Save & Next" button 8. Repeat 6 & 7 steps again, until reach to "Station-4D"	Search name: Ananta	1. The web application should display on the browser properly. 2. Page header should be as per requirements.	1. The web application is displayed on the browser properly. 2. Page header is showing as per requirements.		PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_002	(TS_013) Station 4D Functionality	Validate the page title in the "Station-4D" page	1. Make sure the device has internet connection. 2. Confirm the url of this application 3. Register a patient name "Ananta"	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Click Enter button (ER 01) 4. Login to doctor's profile and go to "Station-4A" page 5. Search with patient name "Ananta" and click arrow button to enter station 4A 6. Fillup the text field or click "Skip" button 7. Click "Save & Next" button 8. Repeat 6 & 7 steps again, until reach to "Station-4D"	Search name: Ananta	1. The web application should display on the browser properly. 2. Page title should be as per requirements.	1. The web application is displayed on the browser properly. 2. Page title is showing as per requirements.		PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_003	(TS_013) Station 4D Functionality	Validate the page url in the "Station-4D" page	1. Make sure the device has internet connection. 2. Confirm the url of this application 3. Register a patient name "Ananta"	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Click Enter button (ER 01) 4. Login to doctor's profile and go to "Station-4A" page 5. Search with patient name "Ananta" and click arrow button to enter station 4A 6. Fillup the text field or click "Skip" button 7. Click "Save & Next" button 8. Repeat 6 & 7 steps again, until reach to "Station-4D"	Search name: Ananta	1. The web application should display on the browser properly. 2. Page url should be as per requirements.	1. The web application is displayed on the browser properly. 2. Page url is showing as per requirements.		PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_004	(TS_013) Station 4D Functionality	Validate the text field UI design and text field alignment in CRA section under "Station 4D"	1. Make sure the device has internet connection. 2. Confirm the url of this application 3. Register a patient name "Ananta"	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Click Enter button (ER 01) 4. Login to doctor's profile and go to "Station-4A" page 5. Search with patient name "Ananta" and click arrow button to enter station 4A 6. Fillup the text field or click "Skip" button 7. Click "Save & Next" button 8. Repeat 6 & 7 steps again, until reach to "Station-4D"	Search name: Ananta	1. The web application should display on the browser properly. 2. UI design and text field should be user friendly and follow the requirement list.	1. The web application should display on the browser properly. 2. The application followed the requirement list and UI design.		PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_005	(TS_013) Station 4D Functionality	Validate the placeholder of every text field in this section	1. Make sure the device has internet connection. 2. Confirm the url of this application 3. Register a patient name "Ananta"	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Click Enter button (ER 01) 4. Login to doctor's profile and go to "Station-4A" page 5. Search with patient name "Ananta" and click arrow button to enter station 4A 6. Fillup the text field or click "Skip" button 7. Click "Save & Next" button 8. Repeat 6 & 7 steps again, until reach to "Station-4D"	NA	1. The web application should display on the browser properly. 2. The placeholder in the text field should display properly as per requirement.	1. The web application should display on the browser properly. 2. The placeholder in the text field is displayed properly.		PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_006	(TS_013) Station 4D Functionality	Validate the dropdown button functionality with valid data in this section	1. Make sure the device has internet connection. 2. Confirm the url of this application 3. Register a patient name "Ananta"	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Click Enter button (ER 01) 4. Login to doctor's profile and go to "Station-4A" page 5. Search with patient name "Ananta" and click arrow button to enter station 4A 6. Fillup the text field or click "Skip" button 7. Click "Save & Next" button 8. Repeat 6 & 7 steps again, until reach to "Station-4D"	NA	1. The web application should display on the browser properly. 2. The dropdown button should work properly and displayed the valid data as per requirement.	1. The web application should display on the browser properly. 2. The dropdown button is working properly and displaying the valid data as per requirement.		PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_007	(TS_013) Station 4D Functionality	Validate the text field accept age between 40-74 in this section	1. Make sure the device has internet connection. 2. Confirm the url of this application 3. Register a patient name "Ananta"	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Click Enter button (ER 01) 4. Login to doctor's profile and go to "Station-4A" page 5. Search with patient name "Ananta" and click arrow button to enter station 4A 6. Fillup the text field or click "Skip" button 7. Click "Save & Next" button 8. Repeat 6 & 7 steps again, until reach to "Station-4D" 9. Click on "Age" section under CRA	Age value: 40, 41, 60, 73, 74	1. The web application should display on the browser properly. 2. The text field should accept the age value between 40-74 years old.	1. The web application should display on the browser properly. 2. The text field is accepted the age value between 40-74 years old.		PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_008	(TS_013) Station 4D Functionality	Validate the minimum age of the patient under 40 years	1. Make sure the device has internet connection. 2. Confirm the url of this application 3. Register a patient name "Ananta"	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Click Enter button (ER 01) 4. Login to doctor's profile and go to "Station-4A" page 5. Search with patient name "Ananta" and click arrow button to enter station 4A 6. Fillup the text field or click "Skip" button 7. Click "Save & Next" button 8. Repeat 6 & 7 steps again, until reach to "Station-4D" 9. Click on "Age" section under CRA	Age value: 30,31,39	1. The web application should display on the browser properly. 2. The text field should not accept the age value under 40 years old.	1. The web application should display on the browser properly. 2. The text field is not accepted the age value under 40 years old.		PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_009	(TS_013) Station 4D Functionality	Validate the maximum age of the patient above 74 years	1. Make sure the device has internet connection. 2. Confirm the url of this application 3. Register a patient name "Ananta"	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Click Enter button (ER 01) 4. Login to doctor's profile and go to "Station-4A" page 5. Search with patient name "Ananta" and click arrow button to enter station 4A 6. Fillup the text field or click "Skip" button 7. Click "Save & Next" button 8. Repeat 6 & 7 steps again, until reach to "Station-4D" 9. Click on "Age" section under CRA	Age value: 75,80,90	1. The web application should display on the browser properly. 2. The text field should not accept the age value above 75 years old.	1. The web application should display on the browser properly. 2. The text field is not accepted the age value above 75 years old.		PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_010	(TS_013) Station 4D Functionality	Check the "BMI" data in dropdown list	1. Make sure the device has internet connection. 2. Confirm the url of this application 3. Register a patient name "Ananta"	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Click Enter button (ER 01) 4. Login to doctor's profile and go to "Station-4A" page 5. Search with patient name "Ananta" and click arrow button to enter station 4A 6. Fillup the text field or click "Skip" button 7. Click "Save & Next" button 8. Repeat 6 & 7 steps again, until reach to "Station-4D" 9. Click on "BMI" section under CRA	NA	1. The web application should display on the browser properly. 2. The "BMI" dropdown list should display the value and one value should not be repeated again.	1. The web application is displayed on the browser properly. 2. The "BMI" dropdown list is displayed the value but one value is repeated again.		FAIL	Mustafa Tanim	TC_010	Done	PASS	Rashed Zahan
TC_011	(TS_013) Station 4D Functionality	Validate the "Systolic Blood Pressure" text field only accept integer number	1. Make sure the device has internet connection. 2. Confirm the url of this application 3. Register a patient name "Ananta"	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Click Enter button (ER 01) 4. Login to doctor's profile and go to "Station-4A" page 5. Search with patient name "Ananta" and click arrow button to enter station 4A 6. Fillup the text field or click "Skip" button 7. Click "Save & Next" button 8. Repeat 6 & 7 steps again, until reach to "Station-4D" 9. Click on "Systolic Blood Pressure" section under CRA	NA	1. The web application should display on the browser properly. 2. "Systolic Blood Pressure" text field should accept only integer number.	1. The web application is displayed on the browser properly. 2. "Systolic Blood Pressure" text field is accepted only integer number but it also accept "e" alphabet and negative number		FAIL	Mustafa Tanim	TC_011		ISSUE	Rashed Zahan
TC_012	(TS_013) Station 4D Functionality	Check the result calculation in percentage(%) of result section	1. Make sure the device has internet connection. 2. Confirm the url of this application 3. Register a patient name "Ananta"	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Click Enter button (ER 01) 4. Login to doctor's profile and go to "Station-4A" page 5. Search with patient name "Ananta" and click arrow button to enter station 4A 6. Fillup the text field or click "Skip" button 7. Click "Save & Next" button 8. Repeat 6 & 7 steps again, until reach to "Station-4D" 9. Fillup the required data in this section	NA	1. The web application should display on the browser properly. 2. The result calculation in percentage (%) should be accurated by the CRA infromation.	1. The web application is displayed on the browser properly. 2. The result calculation in percentage (%) is accurated by the CRA infromation.		PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan

TC_013	(TS_013) Station 4D Functionality	Validate the "Save & Next" button functionality	1. Make sure the device has internet connection. 2. Confirm the url of this application 3. Register a patient name "Ananta"	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Click Enter button (ER 01) 4. Login to doctor's profile and go to "Station-4A" page 5. Search with patient name "Ananta" and click arrow button to enter station 4A 6. Fillup the text field or click "Skip" button 7. Click "Save & Next" button 8. Repeat 6 & 7 steps again, until reach to "Station-4D" 9. Fillup the required data in this section 10. Click on "Save & Next" button	NA	1. The web application should display on the browser properly. 2. The "Save & Next" button should work properly and send to the next page.	1. The web application should display on the browser properly. 2. The "Save & Next" button is working properly and send to the next page.		PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_014	(TS_013) Station 4D Functionality	Validate the "History" button functionality in this section	1. Make sure the device has internet connection. 2. Confirm the url of this application 3. Register a patient name "Ananta"	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Click Enter button (ER 01) 4. Login to doctor's profile and go to "Station-4A" page 5. Search with patient name "Ananta" and click arrow button to enter station 4A 6. Fillup the text field or click "Skip" button 7. Click "Save & Next" button 8. Repeat 6 & 7 steps again, until reach to "Station-4D" 9. Click on "History" button	NA	1. The web application should display on the browser properly. 2. The "History" button should work properly and display the patient history page.	1. The web application should display on the browser properly. 2. The "History" button is working properly and displayed the patient history page.		PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_015	(TS_013) Station 4D Functionality	Validate the "Skip" button functionality	1. Make sure the device has internet connection. 2. Confirm the url of this application 3. Register a patient name "Ananta"	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Click Enter button (ER 01) 4. Login to doctor's profile and go to "Station-4A" page 5. Search with patient name "Ananta" and click arrow button to enter station 4A 6. Fillup the text field or click "Skip" button 7. Click "Save & Next" button 8. Repeat 6 & 7 steps again, until reach to "Station-4D" 9. Click on "Skip" button	NA	1. The web application should display on the browser properly. 2. The "Skip" button should work properly and sent to the next page.	1. The web application should display on the browser properly. 2. The "Skip" button is working properly and sent to the next page.		PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_016	(TS_013) Station 4D Functionality	Validate the "Home" button and "Profile" button functionality in this section	1. Make sure the device has internet connection. 2. Confirm the url of this application 3. Register a patient name "Ananta"	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Click Enter button (ER 01) 4. Login to doctor's profile and go to "Station-4A" page 5. Search with patient name "Ananta" and click arrow button to enter station 4A 6. Fillup the text field or click "Skip" button 7. Click "Save & Next" button 8. Repeat 6 & 7 steps again, until reach to "Station-4D" 9. Click on "Home" and "Profile" button	NA	1. The web application should display on the browser properly. 2. The "Home" and "Profile" button should work properly and home button should take us to the home page and "Profile" button should take to the doctor's profile page.	1. The web application should display on the browser properly. 2. The "Home" and "Profile" button is working properly and home button took us the home page and "Profile" button didn't take us to any page but open logout option		FAIL	Mustafa Tanim	TC_016		ISSUE	Rashed Zahan
TC_017	(TS_013) Station 4D Functionality	Check the presence of "Logout" functionality in this page to logout.	1. Make sure the device has internet connection. 2. Confirm the url of this application 3. Register a patient name "Ananta"	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Click Enter button (ER 01) 4. Login to doctor's profile and go to "Station-4A" page 5. Search with patient name "Ananta" and click arrow button to enter station 4A 6. Fillup the text field or click "Skip" button 7. Click "Save & Next" button 8. Repeat 6 & 7 steps again, until reach to "Station-4D" 9. Click on "Profile" button to display "Logout" option	NA	1. The web application should display on the browser properly. 2. The "Logout" button should work properly and sould logout from the application.	1. The web application should display on the browser properly. 2. The "Logout" button is working properly and logout from the application.		PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_018	(TS_013) Station 4D Functionality	Validate the popup window displayed with proper message	1. Make sure the device has internet connection. 2. Confirm the url of this application 3. Register a patient name "Ananta"	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Click Enter button (ER 01) 4. Login to doctor's profile and go to "Station-4A" page 5. Search with patient name "Ananta" and click arrow button to enter station 4A 6. Fillup the text field or click "Skip" button 7. Click "Save & Next" button 8. Repeat 6 & 7 steps again, until reach to "Station-4D"	NA	1. The web application should display on the browser properly. 2. After saving all info, the popup window should display with proper message	1. The web application is displayed on the browser properly. 2. After saving all info, the popup window is displayed with proper message		PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_019	(TS_013) Station 4D Functionality	Check the spelling mistake of text in this section	1. Make sure the device has internet connection. 2. Confirm the url of this application 3. Register a patient name "Ananta"	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Click Enter button (ER 01) 4. Login to doctor's profile and go to "Station-4A" page 5. Search with patient name "Ananta" and click arrow button to enter station 4A 6. Fillup the text field or click "Skip" button 7. Click "Save & Next" button 8. Repeat 6 & 7 steps again, until reach to "Station-4D"	NA	1. The web application should display on the browser properly. 2. Spelling mistake should not be misspelled	1. The web application is displayed on the browser properly. 2. Spelling mistake is not be misspelled		PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TS_020	(TS_013) Station 4D Functionality	Validate the cross browser functionality in this section	1. Make sure the device has internet connection. 2. Confirm the url of this application 3. Register a patient name "Ananta"	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Click Enter button (ER 01) 4. Login to doctor's profile and go to "Station-4A" page 5. Search with patient name "Ananta" and click arrow button to enter station 4A 6. Fillup the text field or click "Skip" button 7. Click "Save & Next" button 8. Repeat 6 & 7 steps again, until reach to "Station-4D"	Google Chrome, Mozilla Firefox, Microsoft Edge,	1. The web application should display on the browser properly. 2. This link should work in all environments.	1. The web application is displayed on the browser. 2. This link is working in all environment.		PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan

PASS	18
FAIL	2
Not Executed	0
Out of scope	0
Total	20
Checked by	Rashed Zahan

Test Case Id	Test Scenario	Test Case Title	Pre-Requisites	Test Steps	Test Data	Expected Result (ER)	Actual Result	Priority	Result	Tested by	Remarks/ Screenshot	Dev. Status	Regression Testing	Tested by
Scenarios>>														
TC_001	(TS_014) Station 4E Functionality	Validate the page title in the "Station-4E" page	1. Make sure the device has internet connection. 2. Confirm the url of this application 3. Register a patient name "Ananta"	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Click Enter button (ER 01) 4. Login to doctor's profile and go to "Station-4A" page 5. Search with patient name "Ananta" and click arrow button to enter station 4A 6. Fillup the text field or click "Skip" button 7. Click "Save & Next" button 8. Repeat 6 & 7 steps again, until	Search name: Ananta	1. The web application should display on the browser properly. 2. Page title should be as per requirements.	1. The web application is displayed on the browser properly. 2. Page title is showing as per requirements.		PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_002	(TS_014) Station 4E Functionality	Validate the page url in the "Station-4E" page	1. Make sure the device has internet connection. 2. Confirm the url of this application 3. Register a patient name "Ananta"	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Click Enter button (ER 01) 4. Login to doctor's profile and go to "Station-4A" page 5. Search with patient name "Ananta" and click arrow button to enter station 4A 6. Fillup the text field or click "Skip" button 7. Click "Save & Next" button 8. Repeat 6 & 7 steps again, until	Search name: Ananta	1. The web application should display on the browser properly. 2. Page url should be as per requirements.	1. The web application is displayed on the browser properly. 2. Page url is showing as per requirements.		PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_003	(TS_014) Station 4E Functionality	Validate the text field UI design and text field alignment in CRA section under "Station 4E"	1. Make sure the device has internet connection. 2. Confirm the url of this application 3. Register a patient name "Ananta"	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Click Enter button (ER 01) 4. Login to doctor's profile and go to "Station-4A" page 5. Search with patient name "Ananta" and click arrow button to enter station 4A 6. Fillup the text field or click "Skip" button 7. Click "Save & Next" button 8. Repeat 6 & 7 steps again, until	Search name: Ananta	1. The web application should display on the browser properly. 2. UI design and text field should be user friendly and follow the requirement list.	1. The web application should display on the browser properly. 2. The application followed the requirement list and UI design.		PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_004	(TS_014) Station 4E Functionality	Validate the placeholder of every text field in this section	1. Make sure the device has internet connection. 2. Confirm the url of this application 3. Register a patient name "Ananta"	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Click Enter button (ER 01) 4. Login to doctor's profile and go to "Station-4A" page 5. Search with patient name "Ananta" and click arrow button to enter station 4A 6. Fillup the text field or click "Skip" button 7. Click "Save & Next" button 8. Repeat 6 & 7 steps again, until	Search name: Ananta	1. The web application should display on the browser properly. 2. The placeholder in the text field should display properly as per requirement.	1. The web application should display on the browser properly. 2. The placeholder in the text field is displayed properly.		PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_005	(TS_014) Station 4E Functionality	Validate the dropdown button functionality with valid data in this section	1. Make sure the device has internet connection. 2. Confirm the url of this application 3. Register a patient name "Ananta"	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Click Enter button (ER 01) 4. Login to doctor's profile and go to "Station-4A" page 5. Search with patient name "Ananta" and click arrow button to enter station 4A 6. Fillup the text field or click "Skip" button 7. Click "Save & Next" button 8. Repeat 6 & 7 steps again, until	NA	1. The web application should display on the browser properly. 2. The dropdown button should work properly and displayed the valid data as per requirement.	1. The web application should display on the browser properly. 2. The dropdown button is working properly and displaying the valid data as per requirement.		PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_006	(TS_014) Station 4E Functionality	Validate the text field accept age between 40-74 in this section	1. Make sure the device has internet connection. 2. Confirm the url of this application 3. Register a patient name "Ananta"	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Click Enter button (ER 01) 4. Login to doctor's profile and go to "Station-4A" page 5. Search with patient name "Ananta" and click arrow button to enter station 4A 6. Fillup the text field or click "Skip" button 7. Click "Save & Next" button 8. Repeat 6 & 7 steps again, until reach to "Station-4E"	Age value: 40, 41, 60, 73, 74	1. The web application should display on the browser properly. 2. The text field should accept the age value between 40-74 years old.	1. The web application should display on the browser properly. 2. The text field is accepted the age value between 40-74 years old.		PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_007	(TS_014) Station 4E Functionality	Validate the minimum age of the patient under 40 years	1. Make sure the device has internet connection. 2. Confirm the url of this application 3. Register a patient name "Ananta"	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Click Enter button (ER 01) 4. Login to doctor's profile and go to "Station-4A" page 5. Search with patient name "Ananta" and click arrow button to enter station 4A 6. Fillup the text field or click "Skip" button 7. Click "Save & Next" button 8. Repeat 6 & 7 steps again, until reach to "Station-4E"	Age value: 30,31,39	1. The web application should display on the browser properly. 2. The text field should not accept the age value under 40 years old.	1. The web application should display on the browser properly. 2. The text field is not accepted the age value under 40 years old.		PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_008	(TS_014) Station 4E Functionality	Validate the maximum age of the patient above 74 years	1. Make sure the device has internet connection. 2. Confirm the url of this application 3. Register a patient name "Ananta"	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Click Enter button (ER 01) 4. Login to doctor's profile and go to "Station-4A" page 5. Search with patient name "Ananta" and click arrow button to enter station 4A 6. Fillup the text field or click "Skip" button 7. Click "Save & Next" button 8. Repeat 6 & 7 steps again, until reach to "Station-4E"	Age value: 75,80,90	1. The web application should display on the browser properly. 2. The text field should not accept the age value above 74 years old.	1. The web application should display on the browser properly. 2. The text field is not accepted the age value above 74 years old.		PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_009	(TS_014) Station 4E Functionality	Check the "BMI" data in dropdown list	1. Make sure the device has internet connection. 2. Confirm the url of this application 3. Register a patient name "Ananta"	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Click Enter button (ER 01) 4. Login to doctor's profile and go to "Station-4A" page 5. Search with patient name "Ananta" and click arrow button to enter station 4A 6. Fillup the text field or click "Skip" button 7. Click "Save & Next" button 8. Repeat 6 & 7 steps again, until reach to "Station-4E"	NA	1. The web application should display on the browser properly. 2. The "BMI" dropdown list should display the value and one value should not be repeated again.	1. The web application is displayed on the browser properly. 2. The "BMI" dropdown list is displayed the value but one value is repeated again.		FAIL	Mustafa Tanim	TC_009		PASS	Rashed Zahan
TC_010	(TS_014) Station 4E Functionality	Validate the "Systolic Blood Pressure" text field only accept integer number	1. Make sure the device has internet connection. 2. Confirm the url of this application 3. Register a patient name "Ananta"	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Click Enter button (ER 01) 4. Login to doctor's profile and go to "Station-4A" page 5. Search with patient name "Ananta" and click arrow button to enter station 4A 6. Fillup the text field or click "Skip" button 7. Click "Save & Next" button 8. Repeat 6 & 7 steps again, until reach to "Station-4E" 9. Click on "Systolic Blood Pressure"	120,e	1. The web application should display on the browser properly. 2. "Systolic Blood Pressure" text field should accept only integer number	1. The web application is displayed on the browser properly. 2. "Systolic Blood Pressure" text field is accepted only integer number but it also accept "e" alphabet		FAIL	Mustafa Tanim	TC_010		FAIL	Rashed Zahan

TC ID	Test Suite	Title	Pre-conditions	Test Steps	Test Data	Expected Result	Actual Result	Status	Tester	Link		Result	Reviewer
TC_011	(TS_014) Station 4E Functionality	Validate the "Total Cholesterol In Mg/Dl" text field only accept integer number	1. Make sure the device has internet connection. 2. Confirm the url of this application 3. Register a patient name "Ananta"	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Click Enter button (ER 01) 4. Login to doctor's profile and go to "Station-4A" page 5. Search with patient name "Ananta" and click arrow button to enter station 4A 6. Fillup the text field or click "Skip" button 7. Click "Save & Next" button 8. Repeat 6 & 7 steps again, until reach to "Station-4E"	120,e	1. The web application should display on the browser properly. 2. "Total Cholesterol In Mg/Dl" text field should accept only integer number	1. The web application is displayed on the browser properly. 2. "Total Cholesterol In Mg/Dl" text field is accepted only integer number but it also accept "e" alphabet and negative number.	FAIL	Mustafa Tanim	TC_011		ISSUE	Rashed Zahan
TC_012	(TS_014) Station 4E Functionality	Validate the "HDL Cholesterol In Mg/Dl" text field only accept integer number	1. Make sure the device has internet connection. 2. Confirm the url of this application 3. Register a patient name "Ananta"	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Click Enter button (ER 01) 4. Login to doctor's profile and go to "Station-4A" page 5. Search with patient name "Ananta" and click arrow button to enter station 4A 6. Fillup the text field or click "Skip" button 7. Click "Save & Next" button 8. Repeat 6 & 7 steps again, until reach to "Station-4E"	120,e	1. The web application should display on the browser properly. 2. "HDL Cholesterol In Mg/Dl" text field should accept only integer number	1. The web application is displayed on the browser properly. 2. "HDL Cholesterol In Mg/Dl" text field is accepted only integer number but it also accept "e" alphabet and negative number.	FAIL	Mustafa Tanim	TC_012		FAIL	Rashed Zahan
TC_013	(TS_014) Station 4E Functionality	Check the result calculation in percentage(%) of result section	1. Make sure the device has internet connection. 2. Confirm the url of this application 3. Register a patient name "Ananta"	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Click Enter button (ER 01) 4. Login to doctor's profile and go to "Station-4A" page 5. Search with patient name "Ananta" and click arrow button to enter station 4A 6. Fillup the text field or click "Skip" button 7. Click "Save & Next" button 8. Repeat 6 & 7 steps again, until reach to "Station-4E" 9. Fillup the required data in this	NA	1. The web application should display on the browser properly. 2. The result calculation in percentage (%) should be accurated by the CRA (LAB) infromation.	1. The web application is displayed on the browser properly. 2. The result calculation in percentage (%) is accurated by the CRA (LAB) infromation.	PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_014	(TS_014) Station 4E Functionality	Validate the "Save & Next" button functionality	1. Make sure the device has internet connection. 2. Confirm the url of this application 3. Register a patient name "Ananta"	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Click Enter button (ER 01) 4. Login to doctor's profile and go to "Station-4A" page 5. Search with patient name "Ananta" and click arrow button to enter station 4A 6. Fillup the text field or click "Skip" button 7. Click "Save & Next" button 8. Repeat 6 & 7 steps again, until reach to "Station-4D" 9. Fillup the required data in this section	NA	1. The web application should display on the browser properly. 2. The "Save & Next" button should work properly and send to the next page.	1. The web application should display on the browser properly. 2. The "Save & Next" button is working properly and send to the next page.	PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_015	(TS_014) Station 4E Functionality	Validate the "History" button functionality in this section	1. Make sure the device has internet connection. 2. Confirm the url of this application 3. Register a patient name "Ananta"	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Click Enter button (ER 01) 4. Login to doctor's profile and go to "Station-4A" page 5. Search with patient name "Ananta" and click arrow button to enter station 4A 6. Fillup the text field or click "Skip" button 7. Click "Save & Next" button 8. Repeat 6 & 7 steps again, until reach to "Station-4E"	NA	1. The web application should display on the browser properly. 2. The "History" button should work properly and display the patient history page.	1. The web application should display on the browser properly. 2. The "History" button is working properly and displayed the patient history page.	PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_016	(TS_014) Station 4E Functionality	Validate the "Skip" button functionality	1. Make sure the device has internet connection. 2. Confirm the url of this application 3. Register a patient name "Ananta"	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Click Enter button (ER 01) 4. Login to doctor's profile and go to "Station-4A" page 5. Search with patient name "Ananta" and click arrow button to enter station 4A 6. Fillup the text field or click "Skip" button 7. Click "Save & Next" button 8. Repeat 6 & 7 steps again, until reach to "Station-4E"	NA	1. The web application should display on the browser properly. 2. The "Skip" button should work properly and sent to the next page.	1. The web application should display on the browser properly. 2. The "Skip" button is working properly and sent to the next page.	PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_017	(TS_014) Station 4E Functionality	Validate the "Home" button button functionality in this section	1. Make sure the device has internet connection. 2. Confirm the url of this application 3. Register a patient name "Ananta"	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Click Enter button (ER 01) 4. Login to doctor's profile and go to "Station-4A" page 5. Search with patient name "Ananta" and click arrow button to enter station 4A 6. Fillup the text field or click "Skip" button 7. Click "Save & Next" button 8. Repeat 6 & 7 steps again, until reach to "Station-4E" 9. Click on "Home" and "Profile"	NA	1. The web application should display on the browser properly. 2. The "Home" and "Profile" button should work properly and home button should take to the home page and "Profile" button should take to the doctor's profile page.	1. The web application should display on the browser properly. 2. The "Home" and "Profile" button is working properly and home button took us the home page and "Profile" button didn't take to any page but open logout option	FAIL	Mustafa Tanim	TC_017		PASS	Rashed Zahan
TC_018	(TS_014) Station 4E Functionality	Check the presence of "Logout" functionality in this page to logout.	1. Make sure the device has internet connection. 2. Confirm the url of this application 3. Register a patient name "Ananta"	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Click Enter button (ER 01) 4. Login to doctor's profile and go to "Station-4A" page 5. Search with patient name "Ananta" and click arrow button to enter station 4A 6. Fillup the text field or click "Skip" button 7. Click "Save & Next" button 8. Repeat 6 & 7 steps again, until reach to "Station-4E" 9. Click on "Profile" button to display	NA	1. The web application should display on the browser properly. 2. The "Logout" button should work properly and sould logout from the application.	1. The web application should display on the browser properly. 2. The "Logout" button is working properly and logout from the application.	PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_019	(TS_014) Station 4E Functionality	Validate the popup window displayed with proper message	1. Make sure the device has internet connection. 2. Confirm the url of this application 3. Register a patient name "Ananta"	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Click Enter button (ER 01) 4. Login to doctor's profile and go to "Station-4A" page 5. Search with patient name "Ananta" and click arrow button to enter station 4A 6. Fillup the text field or click "Skip" button 7. Click "Save & Next" button 8. Repeat 6 & 7 steps again, until	NA	1. The web application should display on the browser properly. 2. After saving all info, the popup window should display with proper message	1. The web application is displayed on the browser properly. 2. After saving all info, the popup window is displayed with proper message	PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_020	(TS_014) Station 4E Functionality	Check the spelling mistake of text in this section	1. Make sure the device has internet connection. 2. Confirm the url of this application 3. Register a patient name "Ananta"	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Click Enter button (ER 01) 4. Login to doctor's profile and go to "Station-4A" page 5. Search with patient name "Ananta" and click arrow button to enter station 4A 6. Fillup the text field or click "Skip" button 7. Click "Save & Next" button 8. Repeat 6 & 7 steps again, until	NA	1. The web application should display on the browser properly. 2. Spelling mistake should not be misspelled	1. The web application is displayed on the browser properly. 2. Spelling mistake is not be misspelled	PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_021	(TS_014) Station 4E Functionality	Validate the cross browser functionality in this section	1. Make sure the device has internet connection. 2. Confirm the url of this application 3. Register a patient name "Ananta"	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Click Enter button (ER 01) 4. Login to doctor's profile and go to "Station-4A" page 5. Search with patient name "Ananta" and click arrow button to enter station 4A 6. Fillup the text field or click "Skip" button 7. Click "Save & Next" button 8. Repeat 6 & 7 steps again, until	Google Chrome, Mozilla Firefox, Microsoft Edge,	1. The web application should display on the browser properly. 2. This link should work in all environments.	1. The web application is displayed on the browser. 2. This link is working in all environment.	PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan

PASS	16
FAIL	2
Not Executed	0
Out of Scope	0
Total	18

Checked by: Rashed Zahan

Test Case Id	Test Scenario	Test Case Title	Pre-Requisites	Test Steps	Test Data	Expected Result (ER)	Actual Result	Priority	Result	Tested by	Remarks/ Screenshot	Dev. Status	Regression Testing	Tested by
Scenarios>>														
TC_001	(TS_015) Prescription Page	Validate the page title in the "Prescription Page" page	1. Make sure the device has internet connection. 2. Confirm the url of this application 3. Register a patient name "Salma Islam"	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Fillup all the text field of "Station-4A", "Station-4B", Station-4C, Station-4D and Station-4E and click "Save & Next"/"Skip" button. 7. Now check the "Prescription" page (ER 02)	Search name: Ananta	1. The web application should display on the browser properly. 2. Page title should be as per requirements.	1. The web application is displayed on the browser properly. 2. Page title is showing as per requirements.		PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_002	(TS_015) Prescription Page	Validate the page url in the "Prescription Page" page	1. Make sure the device has internet connection. 2. Confirm the url of this application 3. Register a patient name "Salma Islam"	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Fillup all the text field of "Station-4A", "Station-4B", Station-4C, Station-4D and Station-4E and click "Save & Next"/"Skip" button. 7. Now check the "Prescription" page (ER 02)	Search name: Ananta	1. The web application should display on the browser properly. 2. Page url should be as per requirements.	1. The web application is displayed on the browser properly. 2. Page url is showing as per requirements.		PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_003	(TS_015) Prescription Page	Validate the text field UI design of "Prescription Page"	1. Make sure the device has internet connection. 2. Confirm the url of this application 3. Register a patient name "Salma Islam"	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Fillup all the text field of "Station-4A", "Station-4B", Station-4C, Station-4D and Station-4E and click "Save & Next"/"Skip" button. 7. Now check the "Prescription" page (ER 02)	Search name: Ananta	1. The web application should display on the browser properly. 2. UI design and text field should be user friendly and follow the requirement list.	1. The web application should display on the browser properly. 2. The application followed the requirement list and UI design.		PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_004	(TS_015) Prescription Page	Validate that the application allows healthcare providers to create a new patient record with all necessary demographic data and contact information.	1. Make sure the device has internet connection. 2. Confirm the url of this application 3. Register a patient name "Salma Islam"	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Fillup all the text field of "Station-4A", "Station-4B", Station-4C, Station-4D and Station-4E and click "Save & Next"/"Skip" button. 7. Now check the "Prescription" page (ER 02)		1. The web application should display on the browser properly. 2. The application allows to create a new patient record with all necessary demographic data and contact information.	1. The web application is displayed on the browser properly. 2. The application is allowed to create a new patient record with all necessary demographic data and contact information.		PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_005	(TS_015) Prescription Page	Validate that the application allows healthcare providers to add and manage clinical notes for each patient and that authorized providers can access and update these notes.	1. Make sure the device has internet connection. 2. Confirm the url of this application 3. Register a patient name "Salma Islam"	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Fillup all the text field of "Station-4A", "Station-4B", Station-4C, Station-4D and Station-4E and click "Save & Next"/"Skip" button. 7. Now check the "Prescription" page (ER 02)		1. The web application should display on the browser properly. 2. The application should allows healthcare providers to add and manage clinical notes for each patient and that authorized providers should access and update these notes.	1. The web application is displayed on the browser properly. 2. The application is allowed healthcare providers to add and manage clinical notes for each patient and that authorized providers is access and update these notes.		PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_006	(TS_015) Prescription Page	Validate that the application allows healthcare providers to update patient information such as an address, location, and insurance information.	1. Make sure the device has internet connection. 2. Confirm the url of this application 3. Register a patient name "Salma Islam"	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Fillup all the text field of "Station-4A", "Station-4B", Station-4C, Station-4D and Station-4E and click "Save & Next"/"Skip" button. 7. Now check the "Prescription" page (ER 02)		1. The web application should display on the browser properly. 2. The application should allows healthcare providers to update patient information such as an address, location, and insurance information	1. The web application should display on the browser properly. 2. The healthcare providers cannot update patient information such as an address, location, and insurance information		FAIL	Mustafa Tanim	NA	Phase 2.2		Rashed Zahan
TC_007	(TS_015) Prescription Page	Validate that the application can generate and print patient summaries, clinical notes, and other medical records as needed.	1. Make sure the device has internet connection. 2. Confirm the url of this application 3. Register a patient name "Salma Islam"	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Fillup all the text field of "Station-4A", "Station-4B", Station-4C, Station-4D and Station-4E and click "Save & Next"/"Skip" button. 7. Now check the "Prescription" page (ER 02)		1. The web application should display on the browser properly. 2. The application should generate and print patient summaries, clinical notes, and other medical records as needed.	1. The web application is displayed on the browser properly. 2. The application is generated and printed patient summaries, clinical notes, and other medical records as needed.		PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_008	(TS_015) Prescription Page	Validate that the application allows healthcare providers to order lab tests that the results are accurately recorded in the patient record	1. Make sure the device has internet connection. 2. Confirm the url of this application 3. Register a patient name "Salma Islam"	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Fillup all the text field of "Station-4A", "Station-4B", Station-4C, Station-4D and Station-4E and click "Save & Next"/"Skip" button. 7. Now check the "Prescription" page (ER 02)		1. The web application should display on the browser properly. 2. The application allows healthcare providers to order lab tests that the results are accurately recorded in the patient record	1. The web application is displayed on the browser properly. 2. The application is allowed healthcare providers to order lab tests that the results are accurately recorded in the patient record		PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_009	(TS_015) Prescription Page	Validate the prescription code	1. Make sure the device has internet connection. 2. Confirm the url of this application 3. Register a patient name "Salma Islam"	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Fillup all the text field of "Station-4A", "Station-4B", Station-4C, Station-4D and Station-4E and click "Save & Next"/"Skip" button. 7. Now check the "Prescription" page (ER 02)		1. The web application should display on the browser properly. 2. The application should display the precription code top of the page	1. The web application is displayed on the browser properly. 2. The application is displayed the precription code top of the page		PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_010	(TS_015) Prescription Page	Validate the data visibility check of station-1	1. Make sure the device has internet connection. 2. Confirm the url of this application 3. Register a patient name "Salma Islam"	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Fillup all the text field of "Station-4A", "Station-4B", Station-4C, Station-4D and Station-4E and click "Save & Next"/"Skip" button. 7. Now check the "Prescription" page (ER 02)	Height: 170 cm Weight: 65 kg BMI: 22.49	1. The web application should display on the browser properly. 2. The application should visible the data of "Station-1"	1. The web application is displayed on the browser properly. 2. The application is visible the data of "Station-1" as per requirement		PASS	Mustafa Tanim	But MUAC & Blood Group is missing	Done	PASS	Rashed Zahan

TC ID	Test Suite	Test Title	Pre-condition	Test Steps	Test Data	Expected Result	Actual Result	Status	Tester	Comments	Execution	Final Status	Reviewer
TC_011	(TS_015) Prescription Page	Validate the data visibility check of station-2	1. Make sure the device has internet connection. 2. Confirm the url of this application 3. Register a patient name "Salma Islam"	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Fillup all the text field of "Station-4A", "Station-4B", Station-4C, Station-4D and Station-4E and click "Save & Next"/"Skip" button. 7. Now check the "Prescription" page (ER 02)	Pulse: 100 beat/min Blood Pressure: 120 / 80 mmHg	1. The web application should display on the browser properly. 2. The application should visible the data of "Station-2"	1. The web application is displayed on the browser properly. 2. The application is visible the data of "Station-2" as per requirement	PASS	Mustafa Tanim	But Temperature, Respiratory & SpO2 is missing	Done	PASS	Rashed Zahan
TC_012	(TS_015) Prescription Page	Validate the data visibility check of station-3	1. Make sure the device has internet connection. 2. Confirm the url of this application 3. Register a patient name "Salma Islam"	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Fillup all the text field of "Station-4A", "Station-4B", Station-4C, Station-4D and Station-4E and click "Save & Next"/"Skip" button. 7. Now check the "Prescription" page (ER 02)	RBS: 3.2 mMol FBS: 1.2 mMol Hemoglobin: 13.8 g/dL	1. The web application should display on the browser properly. 2. The application should visible the data of "Station-3"	1. The web application is displayed on the browser properly. 2. The application is visible the data of "Station-3" as per requirement	PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_013	(TS_015) Prescription Page	Validate the data visibility check of station-4A	1. Make sure the device has internet connection. 2. Confirm the url of this application 3. Register a patient name "Salma Islam"	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Fillup all the text field of "Station-4A", "Station-4B", Station-4C, Station-4D and Station-4E and click "Save & Next"/"Skip" button. 7. Now check the "Prescription" page (ER 02)		1. The web application should display on the browser properly. 2. The application should visible the data of "Station-4A"	1. The web application is displayed on the browser properly. 2. The "Station-4A" data is not visible in prescription section.	FAIL	Mustafa Tanim	TC_13		PASS	Rashed Zahan
TC_014	(TS_015) Prescription Page	Validate the data visibility check of station-4C	1. Make sure the device has internet connection. 2. Confirm the url of this application 3. Register a patient name "Salma Islam"	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Fillup all the text field of "Station-4A", "Station-4B", Station-4C, Station-4D and Station-4E and click "Save & Next"/"Skip" button. 7. Now check the "Prescription" page (ER 02)		1. The web application should display on the browser properly. 2. The application should visible the data of "Station-4C"	1. The web application is displayed on the browser properly. 2. The application is visible the data of "Station-4C" as per requirement	PASS	Mustafa Tanim	NA	Done	PASS	Rashed Zahan
TC_015	(TS_015) Prescription Page	Validate the "Date & Time" alignment of "Provisional Dx" & "Lab Invenstigations" section	1. Make sure the device has internet connection. 2. Confirm the url of this application 3. Register a patient name "Salma Islam"	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Fillup all the text field of "Station-4A", "Station-4B", Station-4C, Station-4D and Station-4E and click "Save & Next"/"Skip" button. 7. Now check the "Prescription" page (ER 02)		1. The web application should display on the browser properly. 2. The application should display "date & time" after the "Provisional Dx" & "Lab Invenstigations" data	1. The web application is displayed on the browser properly. 2. The application is displayed "date & time" after the "Provisional Dx" & "Lab Invenstigations" data	FAIL	Mustafa Tanim	TC_015		PASS	Rashed Zahan
TC_016	(TS_015) Prescription Page	Validate the "Follow up" date in "Prescription" page	1. Make sure the device has internet connection. 2. Confirm the url of this application 3. Register a patient name "Salma Islam"	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Fillup all the text field of "Station-4A", "Station-4B", Station-4C, Station-4D and Station-4E and click "Save & Next"/"Skip" button. 7. Now check the "Prescription" page (ER 02)		1. The web application should display on the browser properly. 2. In the Prescription, The "follow-up" date always should be in the future from today.	1. The web application is displayed on the browser properly. 2. In the Prescription, The "follow-up" date also take the previous date from today.	FAIL	Mustafa Tanim	TC_016		FAIL	Rashed Zahan
TC_017	(TS_015) Prescription Page	Validate the time of full "prescription page"	1. Make sure the device has internet connection. 2. Confirm the url of this application 3. Register a patient name "Salma Islam"	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Fillup all the text field of "Station-4A", "Station-4B", Station-4C, Station-4D and Station-4E and click "Save & Next"/"Skip" button. 7. Now check the "Prescription" page (ER 02)		1. The web application should display on the browser properly. 2.The application should display the correct time of this page	1. The web application is displayed on the browser properly. 2.The application is displayed the incorrect time of this page	FAIL	Mustafa Tanim	TC_017		PASS	Rashed Zahan
TC_018	(TS_015) Prescription Page	Validate the "Lab Investigation" data.	1. Make sure the device has internet connection. 2. Confirm the url of this application 3. Register a patient name "Salma Islam"	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Fillup all the text field of "Station-4A", "Station-4B", Station-4C, Station-4D and Station-4E and click "Save & Next"/"Skip" button. 7. Now check the "Prescription" page (ER 02)		1. The web application should display on the browser properly. 2.The application should display the information from "Lab Investigation"	1. The web application is displayed on the browser properly. 2. Some data are missing from "Lab Investigation" (Missing Info: Status, Comment)	FAIL	Mustafa Tanim	TC_018		PASS	Rashed Zahan
TC_019	(TS_015) Prescription Page	Validate that we are getting the previous prescription as if we needed it for patient	1. Make sure the device has internet connection. 2. Confirm the url of this application 3. Register a patient name "Salma Islam"	1. Open the browser. 2. Write url ""http://localhost/"" into url section 3. Press Enter button or search this url (ER 01) 4. Click the "LogIn" button and then go to "Station-4" page after "Patient Registration". 5. Search any patient by Card/NID/Name/Mobile Number and click the "Action" button 6. Fillup all the text field of "Station-4A", "Station-4B", Station-4C, Station-4D and Station-4E and click "Save & Next"/"Skip" button. 7. Now check the "Prescription" page (ER 02)	NA	1. The web application should display on the browser properly. 2. The application should provide the previous prescription.	1. The web application is displayed on the browser properly. 2. We didn't get any options to find the previous prescription	FAIL	Mustafa Tanim	NA		FAIL	Rashed Zahan