

WeVote/routes/login.php:

```
php?>
;())session_start
} if (isset($_SESSION['index']))
} if ($_SESSION['index'] == true)
;username = $_SESSION['username']$
;password = $_SESSION['password']$
} else {
;" = username$
;" = password$
{
} else {
;" = username$
;" = password$
{
;SESSION['index'] = false_$
<?
<html>

<head>

<title>WeVote - Login</title>

<-- Google Fonts --!>

link>

href="https://fonts.googleapis.com/css2?family=Dosis:wght@200;300;400;500;600;700;800
&family=Raleway:ital,wght@0,100;0,200;0,300;0,400;0,500;0,600;0,700;0,800;0,900;1,100;1
,200;1,300;1,400;1,500;1,600;1,700;1,800;1,900&family=Roboto:ital,wght@0,100;0,300;0,40
"0;0,500;0,700;0,900;1,100;1,300;1,400;1,500;1,700;1,900&display=swap

<"rel="stylesheet

link href="https://fonts.googleapis.com/css2?family=Poppins:wght@500&display=swap" >
<"rel="stylesheet

link>
```

href="https://fonts.googleapis.com/css2?family=Fira+Sans&family=Germania+One&family=Playfair+Display:ital@0;1&family=Poppins:wght@500&family=Supermercado+One&family=Tajawal:wght@400;500;700&display=swap

<"rel="stylesheet

<-- Bootstrap --!>

<"link href="../../vendor/CSS/bootstrap.min.css" rel="stylesheet">

<-- Fontawesome --!>

<"link href="../../vendor/CSS/all.min.css" rel="stylesheet">

<--Custom CSS --!>

<"link rel="stylesheet" href="../../css/stylesheet.css">

<--Custom CSS --!>

<"link rel="stylesheet" href="../../css/sos.css">

<--Media CSS --!>

<"link href="../../css/media.css" rel="stylesheet">

<head/>

<body>

<"nav class="navbar navbar-expand-lg navbar-light pt-2 row fixed-top" id="navbar">

<"div class="navimg col-4 col-lg-6 row px-5">

<"/.."=a class="navbar-brand" href>

<"img src="../../img/logo-wevote-a-colores.png" alt="logo">

<a/>

<div/>

<"ul class="navbar-nav ms-auto mb-2 mb-lg-0 col-8 col-lg-6 row">

<div class="col-4"></div>

<div class="col-4"></div>

<"a href="../../" class="col-4">

div class="btn-hover color-7 rounded-pill px-2 py-2 mx-3 d-flex align-items-center >

<"justify-content-evenly

Home <i class="fa-solid fa-house"></i>

```

</div>
</a>
</ul>
</nav>
<div class="loginheader">
<div id="loginSection" class="d-flex vh-100">
<div class="container">
<br><br><br><br>
<form action="../api/login.php" method="POST" autocomplete="off">
<label>Username</label>
<div class="firstinput">
input id="username" type="text" placeholder="Type your username" >
'<? value='<?php echo $username

<name="username" class="logininput form-control" required
<span class="focus-100">
<i id="fa-user" class="fa-solid fa-user px-2 mx-2"></i>
<i id="fa-usercheck" class="fa-solid fa-user-check px-2 mx-2"></i>
<span/>
</div>
div class="small text-danger" id="userAlert">* Use 4 to 15 characters starting with a >
<small letter</div>
<br>
<label>Password</label>
<div class="firstinput">
input id="upass" type="password" placeholder="Type your password" >
'<? value='<?php echo $password

<name="password" class="logininput form-control" required
<span class="focus-100">
<i id="fa-lock" class="fa-solid fa-lock px-2 mx-2"></i>
<i id="fa-unlock" class="fa-solid fa-unlock px-2 mx-2"></i>
<span/>
</div>

```

```

div class="small text-danger" id="passwordAlert">* Use 6 to 25 characters starting >
<with a letter</div>

<div id="showHide">

    <i id="showIcon" class="fa-solid fa-eye-slash showhide"></i>

    <i id="hideIcon" class="fa-solid fa-eye showhide"></i>

<span id="showPass" class="showhide">Show Password</span>

<span id="hidePass" class="showhide">Hide Password</span>

</div>

<br><br>

button type="button" name="loginbtn" id="loginbtn" class="btn btn-outline->
"secondary

<disabled>Login</button><br><br>

<center>

<New user? <a href="register.php">Register here</a>

</center>

</form>

</div>

</div>

</div>

<script src="../../vendor/JS/login.js"></script>

</body>

</html>

```

:WeVote/routes/poll.php

```
<?php
```

```

session_start();
session_destroy();
header("location: login.php");
?>

```

```

})();
WeVote/vendor/JS/main.j function goBack
    ;"/.." = location
    {
        }()function gologin
        ;"location = "../routes/login.php
        {
            }()function reloadReg
            ;"location = "../routes/register.php
            {
                }()function reloadDash
                ;"location = "../routes/dashboard.php
                {
                    }()function goBackEdit
                    ;"location = "../routes/edit.php
                    {
                        }()function reloadpolls
                        ;"location = "../routes/polls.php
                        {
                            }()function reloadProf
                            ;"location = "../routes/profile.php
                            s:{

```

21 weVote/vendor/JS/main.js

```
...    @@ -0,0 +1,21 @@  
1 + function goBack(){  
2 +   location = "../";  
3 + }  
4 + function gologin(){  
5 +   location = "../routes/login.php";  
6 + }  
7 + function reloadReg(){  
8 +   location = "../routes/register.php";  
9 + }  
10 + function reloadDash(){  
11 +   location = "../routes/dashboard.php";  
12 + }  
13 + function goBackEdit(){  
14 +   location = "../routes/edit.php";  
15 + }  
16 + function reloadpolls(){  
17 +   location = "../routes/polls.php";  
18 + }  
19 + function reloadProf(){  
20 +   location = "../routes/profile.php";  
21 + }
```