

Cucumber Report

9 Aug 2024, 6:33:31 pm

Start : Aug 09, 6:33:29.922 pm

End : Aug 09, 6:33:30.150 pm

Duration : 0.228 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 0
FAILED - 6
SKIPPED - 0

PASSED - 0
FAILED - 0
SKIPPED - 35




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>SignIn</u>	0.228 s	6	0	6	0	35	0	0	35

#	Feature Name	Scenario Name
1	<u>SignIn</u>	<u>Validate that Sign-In page title is "Customer Login"</u>
2		<u>Validate that Sign-In page form contains below elements:-</u>
3		<u>Validate that user logs in successfully using valid credentials</u>
4		<u>Validate that user logs in successfully using valid credentials</u>
5		<u>Validate that user is not able to login using invalid credentials</u>
6		<u>Validate that user is not able to login using invalid credentials</u>

TAG	Scenario				Feature			
Name	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>
@Smoke	2	0	2	0	1	0	1	0
@tag2	2	0	2	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>SignIn</u>	6	0	6	0	0.228 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>SignIn</u>	<u>Validate that Sign-In page title is "Customer Login"</u>	3	0	0	3	0.056 s
2		<u>Validate that Sign-In page form contains below elements:-</u>	8	0	0	8	0.018 s
3		<u>Validate that user logs in successfully using valid credentials</u>	6	0	0	6	0.010 s
4		<u>Validate that user logs in successfully using valid credentials</u>	6	0	0	6	0.012 s
5		<u>Validate that user is not able to login using invalid credentials</u>	6	0	0	6	0.015 s
6		<u>Validate that user is not able to login using invalid credentials</u>	6	0	0	6	0.010 s

SignIn



FAILED	DURATION - 0.228 s	Scenarios Total - 6 Pass - 0 Fail - 6 Skip - 0		Steps Total - 35 Pass - 0 Fail - 0 Skip - 35	
/ 6:33:29.922 pm // 6:33:30.150 pm /					

Validate that Sign-In page title is "Customer Login"

FAILED	DURATION - 0.056 s		Steps Total - 3 Pass - 0 Fail - 0 Skip - 3	
/ 6:33:29.928 pm // 6:33:29.984 pm /				
SignIn				
@Smoke				



#	Step / Hook Details	Status	Duration
	BEFORE - hooks.AppHooks.Setup() java.lang.NullPointerException: Cannot invoke "java.util.Properties.getProperty(String)" because "this.prop" is null at utils.ConfigUtils.getBrowser(ConfigUtils.java:31) at hooks.AppHooks.Setup(AppHooks.java:26)	FAILED	0.014 s
1	Given User is on Sign-In page	SKIPPED	0.002 s
2	When User gets the page title	SKIPPED	0.000 s
3	Then title of the page is "Customer Login"	SKIPPED	0.001 s
	AFTER - hooks.AppHooks.FailedTestSS(io.cucumber.java.Scenario) java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.driver" is null at hooks.AppHooks.FailedTestSS(AppHooks.java:52)	FAILED	0.006 s
	AFTER - hooks.AppHooks.TearDown(io.cucumber.java.Scenario) java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "this.driver" is null at hooks.AppHooks.TearDown(AppHooks.java:32)	FAILED	0.001 s

Validate that Sign-In page form contains below elements:-

<div>FAILED</div> <div>DURATION - 0.018 s</div>		<div></div>	<div>Steps</div> <div>Total - 8</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 8</div>	<div></div>
<div>/ 6:33:30.007 pm // 6:33:30.025 pm /</div>				
<div>SignIn</div>				
<div>@Smoke</div>				



#	Step / Hook Details	Status	Duration
	BEFORE - hooks.AppHooks.Setup() java.lang.NullPointerException: Cannot invoke "java.util.Properties.getProperty(String)" because "this.prop" is null at utils.ConfigUtils.getBrowser(ConfigUtils.java:31) at hooks.AppHooks.Setup(AppHooks.java:26)	FAILED	0.003 s
1	Given User is on Sign-In page	SKIPPED	0.002 s
2	Then Email label is displayed on sign-in page	SKIPPED	0.000 s
3	And Email textbox is displayed on sign-in page	SKIPPED	0.000 s
4	And Password label is displayed on sign-in page	SKIPPED	0.001 s
5	And Password textbox is displayed on sign-in page	SKIPPED	0.001 s
6	And Forgot Password Link is displayed	SKIPPED	0.001 s
7	And Create An Account button is displayed	SKIPPED	0.001 s
8	And Sign-In button is displayed	SKIPPED	0.000 s
	AFTER - hooks.AppHooks.FailedTestSS(io.cucumber.java.Scenario) java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.driver" is null at hooks.AppHooks.FailedTestSS(AppHooks.java:52)	FAILED	0.001 s
	AFTER - hooks.AppHooks.TearDown(io.cucumber.java.Scenario) java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "this.driver" is null at hooks.AppHooks.TearDown(AppHooks.java:32)	FAILED	0.000 s

Validate that user logs in successfully using valid credentials

<div>FAILED</div> <div>DURATION - 0.010 s</div>		<div></div>	<div>Steps</div> <div>Total - 6</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 6</div>	<div></div>
<div>/ 6:33:30.045 pm // 6:33:30.055 pm /</div>				
<div>SignIn</div>				



#	Step / Hook Details	Status	Duration
	BEFORE - hooks.AppHooks.Setup() java.lang.NullPointerException: Cannot invoke "java.util.Properties.getProperty(String)" because "this.prop" is null at utils.ConfigUtils.getBrowser(ConfigUtils.java:31) at hooks.AppHooks.Setup(AppHooks.java:26)	FAILED	0.002 s
1	Given User is on Sign-In page	SKIPPED	0.001 s
2	When User enters "razdanamit51@gmail.com" in email textbox	SKIPPED	0.000 s
3	And User enters "Chericof1#" in password textbox	SKIPPED	0.000 s
4	And User clicks Sign-In button	SKIPPED	0.000 s
5	Then User gets the page title	SKIPPED	0.001 s
6	And title of the page is "Home Page"	SKIPPED	0.000 s
	AFTER - hooks.AppHooks.FailedTestSS(io.cucumber.java.Scenario) java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.driver" is null at hooks.AppHooks.FailedTestSS(AppHooks.java:52)	FAILED	0.000 s
	AFTER - hooks.AppHooks.TearDown(io.cucumber.java.Scenario) java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "this.driver" is null at hooks.AppHooks.TearDown(AppHooks.java:32)	FAILED	0.001 s

Validate that user logs in successfully using valid credentials

FAILED	DURATION - 0.012 s		<div>Steps</div> <div>Total - 6</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 6</div>	
/ 6:33:30.075 pm // 6:33:30.087 pm /				
SignIn				



#	Step / Hook Details	Status	Duration
	BEFORE - hooks.AppHooks.Setup() java.lang.NullPointerException: Cannot invoke "java.util.Properties.getProperty(String)" because "this.prop" is null at utils.ConfigUtils.getBrowser(ConfigUtils.java:31) at hooks.AppHooks.Setup(AppHooks.java:26)	FAILED	0.003 s
1	Given User is on Sign-In page	SKIPPED	0.001 s
2	When User enters "asas222222@gmail.com11" in email textbox	SKIPPED	0.000 s
3	And User enters "Chericof1#" in password textbox	SKIPPED	0.001 s
4	And User clicks Sign-In button	SKIPPED	0.001 s
5	Then User gets the page title	SKIPPED	0.001 s
6	And title of the page is "Home Page"	SKIPPED	0.000 s
	AFTER - hooks.AppHooks.FailedTestSS(io.cucumber.java.Scenario) java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.driver" is null at hooks.AppHooks.FailedTestSS(AppHooks.java:52)	FAILED	0.001 s
	AFTER - hooks.AppHooks.TearDown(io.cucumber.java.Scenario) java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "this.driver" is null at hooks.AppHooks.TearDown(AppHooks.java:32)	FAILED	0.001 s

Validate that user is not able to login using invalid credentials

<div>FAILED</div> <div>DURATION - 0.015 s</div>		<div></div>	<div>Steps</div> <div>Total - 6</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 6</div>	<div></div>
/ 6:33:30.106 pm // 6:33:30.121 pm /				
SignIn				
@tag2				

#	Step / Hook Details	Status	Duration
	BEFORE - hooks.AppHooks.Setup() java.lang.NullPointerException: Cannot invoke "java.util.Properties.getProperty(String)" because "this.prop" is null at utils.ConfigUtils.getBrowser(ConfigUtils.java:31) at hooks.AppHooks.Setup(AppHooks.java:26)	FAILED	0.002 s
1	Given User is on Sign-In page	SKIPPED	0.001 s
2	When User enters "razdanamit1151@gmail.com" in email textbox	SKIPPED	0.001 s
3	And User enters "Chericof1#" in password textbox	SKIPPED	0.000 s
4	And User clicks Sign-In button	SKIPPED	0.001 s
5	And User gets the page title	SKIPPED	0.001 s
6	Then title of the page is "Customer Login"	SKIPPED	0.000 s
	AFTER - hooks.AppHooks.FailedTestSS(io.cucumber.java.Scenario) java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.driver" is null at hooks.AppHooks.FailedTestSS(AppHooks.java:52)	FAILED	0.001 s
	AFTER - hooks.AppHooks.TearDown(io.cucumber.java.Scenario) java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "this.driver" is null at hooks.AppHooks.TearDown(AppHooks.java:32)	FAILED	0.001 s

Validate that user is not able to login using invalid credentials

<div>FAILED</div> <div>DURATION - 0.010 s</div>			<div>Steps</div> <div>Total - 6</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 6</div>	
/ 6:33:30.140 pm // 6:33:30.150 pm /				
SignIn				
@tag2				

#	Step / Hook Details	Status	Duration
	BEFORE - hooks.AppHooks.Setup() java.lang.NullPointerException: Cannot invoke "java.util.Properties.getProperty(String)" because "this.prop" is null at utils.ConfigUtils.getBrowser(ConfigUtils.java:31) at hooks.AppHooks.Setup(AppHooks.java:26)	FAILED	0.003 s
1	Given User is on Sign-In page	SKIPPED	0.000 s
2	When User enters "ushajain@gmail.com" in email textbox	SKIPPED	0.001 s
3	And User enters "Chericof1#11" in password textbox	SKIPPED	0.000 s
4	And User clicks Sign-In button	SKIPPED	0.000 s
5	And User gets the page title	SKIPPED	0.001 s
6	Then title of the page is "Customer Login"	SKIPPED	0.000 s
	AFTER - hooks.AppHooks.FailedTestSS(io.cucumber.java.Scenario) java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.driver" is null at hooks.AppHooks.FailedTestSS(AppHooks.java:52)	FAILED	0.001 s
	AFTER - hooks.AppHooks.TearDown(io.cucumber.java.Scenario) java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "this.driver" is null at hooks.AppHooks.TearDown(AppHooks.java:32)	FAILED	0.000 s