Duration : **0.213** s Start: Aug 09, 6:30:02.255 pm End: Aug 09, 6:30:02.468 pm Scenarios **Features** Steps PASSED - 0 PASSED - 0 PASSED - 0 SKIPPED - 0 SKIPPED - 0 SKIPPED - 35 6 35 40 50 60 40 50 60 40 50 60 30 Pass % 70 30 Pass % 70 30 Pass % 70 20 80 20 20 80 80 90 90 100


| Feature | | Scenario | | | | Step | | | |
|---------|----------|----------|---|---|---|------|---|---|----|
| Name | Duration | T | P | F | S | T | P | F | S |
| SignIn | 0.213 s | 6 | 0 | 6 | 0 | 35 | 0 | 0 | 35 |

FAIL & SKIP SCENARIOS -- 3 --

| # | Feature Name | Scenario Name |
|---|---------------|---|
| 1 | <u>SignIn</u> | Validate that Sign-In page title is "Customer Login" |
| 2 | | Validate that Sign-In page form contains below elements:- |
| 3 | | Validate that user logs in successfully using valid credentials |
| 4 | | Validate that user logs in successfully using valid credentials |
| 5 | | Validate that user is not able to login using invalid credentials |
| 6 | | Validate that user is not able to login using invalid credentials |


| TAG | | Scer | nario | | Feature | | | | |
|--------|---|------|-------|---|---------|---|---|---|--|
| Name | T | P | F | S | T | P | F | S | |
| @Smoke | 2 | 0 | 2 | 0 | 1 | 0 | 1 | 0 | |
| @tag2 | 2 | 0 | 2 | 0 | 1 | 0 | 1 | 0 | |

FEATURES SUMMARY -- 5 --



| # | Feature Name | T | P | F | S | Duration |
|---|---------------|---|---|---|---|----------|
| 1 | <u>SignIn</u> | 6 | 0 | 6 | 0 | 0.213 s |


SCENARIOS SUMMARY




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|--------------|---|---|---|---|---|----------|
| 1 | SignIn | Validate that Sign-In page title is "Customer Login" | 3 | 0 | 0 | 3 | 0.063 s |
| 2 | | Validate that Sign-In page form contains below elements:- | 8 | 0 | 0 | 8 | 0.019 s |
| 3 | | Validate that user logs in successfully using valid credentials | 6 | 0 | 0 | 6 | 0.009 s |
| 4 | | Validate that user logs in successfully using valid credentials | 6 | 0 | 0 | 6 | 0.012 s |
| 5 | | Validate that user is not able to login using invalid credentials | 6 | 0 | 0 | 6 | 0.010 s |
| 6 | | Validate that user is not able to login using invalid credentials | 6 | 0 | 0 | 6 | 0.008 s |

DETAILED SECTION -- 7 --

SignIn




Validate that Sign-In page title is "Customer Login"



| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| | BEFORE - hooks.AppHooks.Setup() | FAILED | 0.020 s |
| | java.lang.NullPointerException: Cannot invoke "java.util.Properties.getProperty(String)" because "utils.ConfigUtils.prop" is null at utils.ConfigUtils.getBrowser(ConfigUtils.java:31) at hooks.AppHooks.Setup(AppHooks.java:26) | | |
| 1 | Given User is on Sign-In page | SKIPPED | 0.002 s |
| 2 | When User gets the page title | SKIPPED | 0.001 s |
| 3 | Then title of the page is "Customer Login" | SKIPPED | 0.001 s |
| | AFTER - hooks.AppHooks.FailedTestSS(io.cucumber.java.Scenario) | FAILED | 0.007 s |
| | java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.driver" is null at hooks.AppHooks.FailedTestSS(AppHooks.java:52) | | |
| | AFTER - hooks.AppHooks.TearDown(io.cucumber.java.Scenario) | FAILED | 0.001 s |
| | java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "this.driver" is null at hooks.AppHooks.TearDown(AppHooks.java:32) | | |

DETAILED SECTION -- 8 --


Validate that Sign-In page form contains below elements:-



| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| | BEFORE - hooks.AppHooks.Setup() | FAILED | 0.002 s |
| | java.lang.NullPointerException: Cannot invoke "java.util.Properties.getProperty(String)" because "utils.ConfigUtils.prop" is null at utils.ConfigUtils.getBrowser(ConfigUtils.java:31) at hooks.AppHooks.Setup(AppHooks.java:26) | | |
| 1 | Given User is on Sign-In page | SKIPPED | 0.001 s |
| 2 | Then Email label is displayed on sign-in page | SKIPPED | 0.001 s |
| 3 | And Email textbox is displayed on sign-in page | SKIPPED | 0.001 s |
| 4 | And Password label is displayed on sign-in page | SKIPPED | 0.001 s |
| 5 | And Password textbox is displayed on sign-in page | SKIPPED | 0.001 s |
| 6 | And Forgot Password Link is displayed | SKIPPED | 0.001 s |
| 7 | And Create An Account button is displayed | SKIPPED | 0.000 s |
| 8 | And Sign-In button is displayed | SKIPPED | 0.000 s |
| | AFTER - hooks.AppHooks.FailedTestSS(io.cucumber.java.Scenario) | FAILED | 0.001 s |
| | java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.driver" is null at hooks.AppHooks.FailedTestSS(AppHooks.java:52) | | |
| | AFTER - hooks.AppHooks.TearDown(io.cucumber.java.Scenario) | FAILED | 0.001 s |
| | java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "this.driver" is null at hooks.AppHooks.TearDown(AppHooks.java:32) | | |

Validate that user logs in successfully using valid credentials


DETAILED SECTION -- 9 --



| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| | BEFORE - hooks.AppHooks.Setup() | FAILED | 0.002 s |
| | java.lang.NullPointerException: Cannot invoke "java.util.Properties.getProperty(String)" because "utils.ConfigUtils.prop" is null at utils.ConfigUtils.getBrowser(ConfigUtils.java:31) at hooks.AppHooks.Setup(AppHooks.java:26) | | |
| 1 | Given User is on Sign-In page | SKIPPED | 0.000 s |
| 2 | When User enters "razdanamit51@gmail.com" in email textbox | SKIPPED | 0.000 s |
| 3 | And User enters "Chericof1#" in password textbox | SKIPPED | 0.001 s |
| 4 | And User clicks Sign-In button | SKIPPED | 0.001 s |
| 5 | Then User gets the page title | SKIPPED | 0.000 s |
| 6 | And title of the page is "Home Page" | SKIPPED | 0.000 s |
| | AFTER - hooks.AppHooks.FailedTestSS(io.cucumber.java.Scenario) | FAILED | 0.001 s |
| | java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.driver" is null at hooks.AppHooks.FailedTestSS(AppHooks.java:52) | | |
| | AFTER - hooks.AppHooks.TearDown(io.cucumber.java.Scenario) | FAILED | 0.001 s |
| | java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "this.driver" is null at hooks.AppHooks.TearDown(AppHooks.java:32) | | |

Validate that user logs in successfully using valid credentials


DETAILED SECTION -- 10 --



| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| | BEFORE - hooks.AppHooks.Setup() | FAILED | 0.002 s |
| | java.lang.NullPointerException: Cannot invoke "java.util.Properties.getProperty(String)" because "utils.ConfigUtils.prop" is null at utils.ConfigUtils.getBrowser(ConfigUtils.java:31) at hooks.AppHooks.Setup(AppHooks.java:26) | | |
| 1 | Given User is on Sign-In page | SKIPPED | 0.001 s |
| 2 | When User enters "asas222222@gmail.com11" in email textbox | SKIPPED | 0.001 s |
| 3 | And User enters "Chericof1#" in password textbox | SKIPPED | 0.001 s |
| 4 | And User clicks Sign-In button | SKIPPED | 0.001 s |
| 5 | Then User gets the page title | SKIPPED | 0.001 s |
| 6 | And title of the page is "Home Page" | SKIPPED | 0.000 s |
| | AFTER - hooks.AppHooks.FailedTestSS(io.cucumber.java.Scenario) | FAILED | 0.002 s |
| | java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.driver" is null at hooks.AppHooks.FailedTestSS(AppHooks.java:52) | | |
| | AFTER - hooks.AppHooks.TearDown(io.cucumber.java.Scenario) | FAILED | 0.001 s |
| | java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "this.driver" is null at hooks.AppHooks.TearDown(AppHooks.java:32) | | |


Validate that user is not able to login using invalid credentials

DETAILED SECTION -- 11 --



| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| | BEFORE - hooks.AppHooks.Setup() | FAILED | 0.003 s |
| | java.lang.NullPointerException: Cannot invoke "java.util.Properties.getProperty(String)" because "utils.ConfigUtils.prop" is null at utils.ConfigUtils.getBrowser(ConfigUtils.java:31) at hooks.AppHooks.Setup(AppHooks.java:26) | | |
| 1 | Given User is on Sign-In page | SKIPPED | 0.001 s |
| 2 | When User enters "razdanamit1151@gmail.com" in email textbox | SKIPPED | 0.001 s |
| 3 | And User enters "Chericof1#" in password textbox | SKIPPED | 0.000 s |
| 4 | And User clicks Sign-In button | SKIPPED | 0.000 s |
| 5 | And User gets the page title | SKIPPED | 0.001 s |
| 6 | Then title of the page is "Customer Login" | SKIPPED | 0.000 s |
| | AFTER - hooks.AppHooks.FailedTestSS(io.cucumber.java.Scenario) | FAILED | 0.001 s |
| | java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.driver" is null at hooks.AppHooks.FailedTestSS(AppHooks.java:52) | | |
| | AFTER - hooks.AppHooks.TearDown(io.cucumber.java.Scenario) | FAILED | 0.001 s |
| | java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "this.driver" is null at hooks.AppHooks.TearDown(AppHooks.java:32) | | |

Validate that user is not able to login using invalid credentials



| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| | BEFORE - hooks.AppHooks.Setup() | FAILED | 0.001 s |
| | java.lang.NullPointerException: Cannot invoke "java.util.Properties.getProperty(String)" because "utils.ConfigUtils.prop" is null at utils.ConfigUtils.getBrowser(ConfigUtils.java:31) at hooks.AppHooks.Setup(AppHooks.java:26) | | |
| 1 | Given User is on Sign-In page | SKIPPED | 0.000 s |
| 2 | When User enters "ushajain@gmail.com" in email textbox | SKIPPED | 0.000 s |
| 3 | And User enters "Chericof1#11" in password textbox | SKIPPED | 0.000 s |
| 4 | And User clicks Sign-In button | SKIPPED | 0.000 s |
| 5 | And User gets the page title | SKIPPED | 0.000 s |
| 6 | Then title of the page is "Customer Login" | SKIPPED | 0.001 s |
| | AFTER - hooks.AppHooks.FailedTestSS(io.cucumber.java.Scenario) | FAILED | 0.001 s |
| | java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.driver" is null at hooks.AppHooks.FailedTestSS(AppHooks.java:52) | | |
| | AFTER - hooks.AppHooks.TearDown(io.cucumber.java.Scenario) | FAILED | 0.000 s |
| | java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "this.driver" is null at hooks.AppHooks.TearDown(AppHooks.java:32) | | |