

Project: MicroPad - Text Editor (Week 1 Skeleton)

Description

The initial phase of a fully functional GUI-based desktop text processing utility. This phase focuses exclusively on establishing the core application window layout and building the primary menu bar structure containing standard file operations, editing triggers, and assistance menus without any functional menu items inside.

Tools / Resources

- **Language:** Java, HTML, CSS
- **Libraries:** javax.swing (JFrame, JTextArea, JMenuBar, JMenu), java.awt (for basic layout)
- **IDE:** Any standard Java IDE

Features

- **File:** Structure for standard file operations (e.g., Open, Save).
- **Edit:** Triggers for text editing actions.
- **Help:** Assistance and documentation menus.

Workflow (Steps)

1. Construct the main application framework using a standard JFrame window.
2. Embed a central scrollable JTextArea inside the frame to act as the future text input container.
3. Initialize a master top application menu bar (JMenuBar).
4. Create three distinct top-level menus: "**File**", "**Edit**", and "**Help**".
5. Attach these three main menus directly to the master menu bar in sequential order.
6. Leave the dropdown structures of File, Edit, and Help completely empty (no subitems/menu items added yet).

- Set the frame visibility to true to verify the structural layout and empty menu alignment.

Architecture

Menu Skeleton Architecture:




Fig:01

System Architecture Flowchart

Text Editor V0.1 System Architecture




Fig:02

Result

A clean, visual structural skeleton of the text editor that successfully establishes the core desktop GUI interface and menu placement before implementing deep logic or item actions.

