PRISMA 2020 Identification Stage

Report prepared 23 July 2026

1. Source of the Records

The records screened at the identification stage of this systematic literature review were retrieved from two bibliographic databases, namely Scopus and Web of Science (WoS). Search results were exported in Research Information Systems (RIS) format across 24 files in total, comprising 12 files from Scopus and 12 files from WoS. This even split reflects the parallel search strategy applied across both databases, whereby corresponding search queries were run separately on each platform to capture the full breadth of relevant records prior to any filtering. Of these 24 files, 22 report the native output of the Boolean queries reproduced in the Appendix, one for each of the eleven thematic subsections per database. The remaining two files, Scopus_manual.ris and WoS_manual.ris, contain 18 foundational studies dated before 2020, identified through the reference lists of retrieved papers and selected for their foundational contribution to individual sections of this review. These 18 studies were not returned by any Boolean query. Fifteen are indexed in both Scopus and WoS and therefore appear in both manual files, and three are indexed in Scopus only and appear in Scopus_manual.ris alone.

2. Raw Import Counts per Source File

Table 1 and Table 2 report the raw record counts extracted from each exported file. These counts constitute the identification-stage figures that feed directly into the PRISMA 2020 flow diagram for this review. No deduplication, screening or other filtering had been applied to the records at the point these counts were taken. The 22 query-output files report only records returned by their respective Boolean query with no additions. The two manual files, Scopus_manual.ris and WoS_manual.ris, are listed separately in Table 1 and Table 2 and are described further in Section 5.

2.1 Scopus Exports

Table 1. Raw record counts from Scopus export files

File name	Database	Records identified (n)
Scopus_1.ris	Scopus	238
Scopus_3(A).ris	Scopus	681
Scopus_3(B).ris	Scopus	74
Scopus_3(C).ris	Scopus	49
Scopus_4(A).ris	Scopus	53

File name	Database	Records identified (n)
Scopus_4(B).ris	Scopus	376
Scopus_4(C).ris	Scopus	142
Scopus_5(A).ris	Scopus	61
Scopus_5(B).ris	Scopus	492
Scopus_5(C).ris	Scopus	586
Scopus_6.ris	Scopus	142
Scopus_manual.ris	Scopus	18
Scopus subtotal (12 files)		**2,912**

2.2 Web of Science Exports

Table 2. Raw record counts from Web of Science export files

File name	Database	Records identified (n)
WoS_1.ris	Web of Science	257
WoS_3(A).ris	Web of Science	297
WoS_3(B).ris	Web of Science	50
WoS_3(C).ris	Web of Science	49
WoS_4(A).ris	Web of Science	51
WoS_4(B).ris	Web of Science	286
WoS_4(C).ris	Web of Science	112
WoS_5(A).ris	Web of Science	48
WoS_5(B).ris	Web of Science	422
WoS_5(C).ris	Web of Science	245
WoS_6.ris	Web of Science	54
WoS_manual.ris	Web of Science	15
Web of Science subtotal (12 files)		**1,886**

3. Identification Totals

Combining the record counts from all 24 exported files yields the totals reported in Table 3 for the identification stage of the PRISMA 2020 protocol. The 22 query-output files returned 4,765 records across the eleven thematic subsections, comprising 2,894 from Scopus and 1,871 from Web of Science. The two manual files, Scopus_manual.ris and WoS_manual.ris, contributed a further 33 entries for the 18 studies described in Section 5. The combined total across all 24 files stood at 4,798 records identified prior to deduplication.

Table 3. Summary of records identified by database

Section	Scopus (query)	Scopus (manual)	Scopus (total)	WoS (query)	WoS (manual)	WoS (total)	Combined
I	238	2	240	257	2	259	499
III-A	681	3	684	297	3	300	984
III-B	74	3	77	50	3	53	130
III-C	49	3	52	49	1	50	102
IV-A	53	0	53	51	0	51	104
IV-B	376	0	376	286	0	286	662
IV-C	142	1	143	112	0	112	255
V-A	61	3	64	48	3	51	115
V-B	492	3	495	422	3	425	920
V-C	586	0	586	245	0	245	831
VI	142	0	142	54	0	54	196
Total	**2,894**	**18**	**2,912**	**1,871**	**15**	**1,886**	**4,798**

This combined figure of 4,798 records represents the input to Step 2 of the screening protocol, in which duplicate records are identified and removed prior to title and abstract screening against the inclusion and exclusion criteria. The 33 manually added entries represent 18 unique studies; fifteen are listed in both the Scopus and Web of Science manual files, and three are indexed in Scopus only and appear in Scopus_manual.ris alone: two supporting Section III-C and one supporting Section IV-C. Table 4 in Section 5 lists all 18 studies individually.

4. Data Integrity Notes

No records were removed, merged, or otherwise altered within any of the 24 export files during the identification stage. The 22 query-output files report exactly what each Boolean query returned, with no additions or removals. The two manual files were compiled separately and added to the identification stage alongside the 22 query-output files. Consistent with the PRISMA 2020 protocol, this step served solely to establish an accurate, auditable count of records identified from all sources prior to any filtering. Deduplication, the next step in the pipeline, will operate on the combined set of 4,798 records reported above.

5. Manually Selected Foundational Studies

Table 4 lists the 18 studies identified through means other than the Boolean queries, together with the section each supports and whether it is also indexed in Web of Science. All 18 are recorded in Scopus_manual.ris, and those also indexed in Web of Science are additionally recorded in

WoS_manual.ris. These studies are held in the two files named in Table 1 and Table 2 and were not extracted from or inserted into any of the 22 query-output files.

Table 4. Manually selected foundational studies, by year and supported section

Year	Title	DOI	Section	In WoS?
1948	Table for estimating the goodness of fit of empirical distributions	10.1214/aoms/1177730256	III-C	Yes
1961	Multiple Comparisons among Means	10.1080/01621459.1961.10482090	III-C	No
2000	Improving predictive inference under covariate shift by weighting the log-likelihood function	10.1016/s0378-3758(00)00115-4	III-A	Yes
2004	Learning with drift detection	10.1007/978-3-540-28645-5_29	III-C	No
2008	Evolving fuzzy-rule-based classifiers from data streams	10.1109/tfuzz.2008.925904	V-A	Yes
2010	A survey on transfer learning	10.1109/tkde.2009.191	III-A	Yes
2010	MOA: Massive online analysis	(no DOI)	IV-C	No
2010	The impact of diversity on online ensemble learning in the presence of concept drift	10.1109/tkde.2009.156	V-A	Yes
2012	A unifying view on dataset shift in classification	10.1016/j.patcog.2011.06.019	III-A	Yes
2014	A survey on concept drift adaptation	10.1145/2523813	III-B	Yes
2016	Characterizing concept drift	10.1007/s10618-015-0448-4	III-B	Yes
2017	Overcoming catastrophic forgetting in neural networks	10.1073/pnas.1611835114	V-B	Yes
2018	Incremental on-line learning: A review and comparison of state of the art algorithms	10.1016/j.neucom.2017.06.084	V-A	Yes
2018	Learning without Forgetting	10.1109/tpami.2017.2773081	V-B	Yes
2019	Continual lifelong learning with neural networks: A review	10.1016/j.neunet.2019.01.012	V-B	Yes
2019	Internet of Things: A survey on machine learning-based intrusion detection approaches	10.1016/j.comnet.2019.01.023	I	Yes
2019	Learning under Concept Drift: A Review	10.1109/tkde.2018.2876857	III-B	Yes
2019	Network Intrusion Detection for IoT Security Based on Learning Techniques	10.1109/comst.2019.2896380	I	Yes

Fifteen of the 18 studies listed above are recorded in both Scopus_manual.ris and WoS_manual.ris, since they are indexed in both databases. The remaining three are indexed in Scopus only and appear in Scopus_manual.ris alone: two supporting Section III-C and one supporting Section IV-C.

6. Document Verification

This report has been prepared, checked, and approved in accordance with the review team's internal quality assurance procedure prior to proceeding to Step 2.

Prepared by	Checked by	Approved by
Name: RAZIMAN ZAKARIA	Name: NOOR HAYATI MOHD ZAIN	Name: MOHD MURTADHA MOHAMAD