

Finavig ☒ Launch Playbook

> How to start Finavig and get your first users. **October 2026.**

> Companion to feasibility-study.md (§7 is the go/no-go gate), market-study.md (§2.1 is who you're selling to) and [PRE_DEPLOYMENT_CHECKLIST.md](../PRE_DEPLOYMENT_CHECKLIST.md) (product polish before release).

TL;DR

1. **Start it:** ``flutter pub get`` ☒ run the Supabase SQL files in order ☒ `deploy `groq-proxy`` ☒ put your project URL + anon key in ``lib/config/app_credentials.dart`` ☒ ``flutter run``.
 2. **Ship it:** version bump ☒ signing ☒ privacy policy + data-safety forms ☒ real-device notification QA ☒ store listing.
 3. **Grow it:** 20☒50 hand-held pilot users from UAE founder/PRO circles, recruited with the validation form, measured for 30 days on four numbers. No paid marketing until those hold.
-

Part 1 ☒ Start the app (local)

1.1 Prerequisites

Need	Why
[Flutter SDK](https://docs.flutter.dev/get-started/install) (Dart `^3.11.0`)	The app is Flutter; ``pubspec.yaml`` pins the SDK
Xcode (iOS) and/or Android Studio + SDK	Simulator/emulator or a real device
A [Supabase](https://supabase.com) project	Postgres + Auth + Edge Functions
Supabase CLI (optional but recommended)	Deploying the ``groq-proxy`` function and secrets
A Groq API key	Only for AI features; the app degrades gracefully without it

1.2 Clone and install

```
```bash
git clone https://github.com/razique20/finavig.git
cd finavig
flutter pub get
```
```

1.3 Backend ☒ run the SQL in this order

Supabase Dashboard ☒ **SQL Editor**, one file at a time (all are idempotent, safe to re-run):

| # | File | What it adds |

|---|---|---|

| 1 | `supabase/schema.sql` | Collections, documents, reminders, custom types, RLS, `pg\_cron` reminder scan |

| 2 | `supabase/finance\_schema.sql` | Transactions, budgets, envelopes, recurring + the credit-link columns |

| 3 | `supabase/credit\_schema.sql` | `credit\_entries` + indexes |

| 4 | `supabase/user\_tiers\_schema.sql` | Subscription tier per user (read by `EntitlementService`) |

| 5 | `supabase/ai\_quota\_schema.sql` | Monthly AI counters |

| 6 | `supabase/ai\_quota\_proxy\_schema.sql` | `consume\_ai\_quota()` ☒ the server-side quota check the proxy calls |

| 7 | `supabase/support\_requests\_schema.sql` | In-app support / upgrade tickets |

| 8 | `supabase/user\_dob\_schema.sql` | Date of birth captured at signup |

| 9 | `supabase/app\_version\_schema.sql` | Splash update-check table + **the v1.0.0 seed** |

| 10 | `supabase/migrate\_documents\_local\_only\_fields.sql` | `location`, `renewal\_history`, `custom\_reminder\_days` |

| 11 | `supabase/gcc\_migration.sql` | `collections.country\_code` (GCC support) |

| 12 | `supabase/migrate\_companies\_to\_collections.sql` | Only for a legacy single-company database |

| ☒ | `supabase/delete\_account\_function.sql` | Required by "Delete account" in Profile |

> **Order matters for 5 ☒ 6** (`consume\_ai\_quota` reads the tables created in 5) and for `support\_requests` before you use the in-app support form.

1.4 Deploy the AI proxy (keeps the Groq key off the client)

```
```bash
```

```
supabase secrets set GROQ_API_KEY=gsk_your_real_key
```

```
supabase functions deploy groq-proxy
```

```
```
```

Without this, shared-key AI calls return an error ☒ user-supplied Gemini keys still work. Rotate the key with `supabase/functions/groq-proxy/rotate-key.sh`. Full runbook: [\[../supabase/functions/groq-proxy/README.md\]\(../supabase/functions/groq-proxy/README.md\)](#).

1.5 Point the app at your project

Edit `lib/config/app\_credentials.dart`:

```
```dart
```

```
static const String supabaseUrl = 'https://YOUR-PROJECT-ref.supabase.co';
```

```
static const String supabaseAnonKey = 'YOUR_PUBLISHABLE_ANON_KEY';
```

```
```
```

Security note. These values are compiled into the binary, so **only the anon/publishable key may live here** ☒ never a `service\_role` key. That safety depends entirely on **RLS being enabled on every table** (the SQL files above do this); the anon key is designed to be public. The Groq key deliberately lives server-side in the Edge Function.

1.6 Run it

```
```bash
flutter run # pick your device when prompted
flutter devices # list what's available
```
```

Notes:

- ❑ **iOS** needs a signing team in Xcode for a *device* run; a simulator works out of the box.
- ❑ **Web** (`flutter run -d chrome`) is a docs/demo surface ❑ OCR and local notifications degrade there by design. Don't demo the alert promise on web.
- ❑ Local-only mode works without a backend (that's how the test suite runs), so you can explore the UI before Supabase is ready.

1.7 Your first 10 minutes in the app (the demo script)

Use this exact path when a new user ❑ or you ❑ opens the app for the first time:

1. **Welcome** ❑ **Continue to Login** (blue copy, six-flag country pill) ❑ pick *New to Finavig* ❑ email, password, DOB, country, phone.
2. **Home** ❑ tap **Try a demo document** in the empty state. You now have "Demo: Sample Trade Licence" with a fee and an amber urgency band ❑ the whole value proposition in one screen.
3. **Documents** ❑ open it ❑ see the urgency timeline (90 · 60 · 30 · 7), renewal checklist and the spend nudge.
4. **Money** ❑❑❑ type `"Paid 450 AED for DEWA yesterday"` and confirm the parsed transaction.
5. **Money** ❑ **Credit** ❑ add a small borrowed/lent entry and note the **Credit** chip keeping it out of your totals.
6. **Profile** ❑ **Security & App Lock** ❑ set a 6-digit passcode (biometric unlock offered).
7. **Profile** ❑ **Appearance** ❑ flip themes (the whole app cross-fades) and check the dark mode.

That path is also the pitch demo. If a step confuses a real user, fix the step ❑ not the script.

1.8 Verify before you call a build good

```
```bash
flutter analyze # CI fails on errors
dart run tool/perf_budget_check.dart # file-size ratchet
flutter test # 54 suites / 525 tests, must be green
bash tool/capture_docs_shots.sh # refresh docs/screenshots after UI changes
```
```

CI (`.github/workflows/ci.yml`) runs the first three on every push and PR ❑ green locally and green in CI should mean the same thing.

Part 2 ☒ Ship it

2.1 Version

Bump ``version:`` in ``pubspec.yaml`` (``1.0.0+1`` ☒ ``1.0.1+2``, etc.). Then update the ``app_versions`` seed so the splash gate knows about it:

```
```sql
```

```
update public.app_versions set latest_version = '1.0.1', min_required_version = '1.0.0' where platform = 'android';
```

```
```
```

Set ``min_required_version`` to the current version only when you need to **force** the update (a data-loss or security fix).

2.2 Signing & distribution

- ☒ **Android:** create the release keystore, wire ``android/key.properties``, and ``flutter build appbundle --release``. Play Console ☒ internal testing track first, then closed, then production.
- ☒ **iOS:** Xcode ☒ signing team ☒ ``flutter build ipa`` ☒ Transporter/TestFlight. TestFlight internal testers are the cheapest pilot distribution that exists ☒ use them for the first 20 users on iOS.
- ☒ **Icons/splash:** ``bash tool/generate_app_icons.sh`` (icons), ``python3 tool/generate_splash_bg.py`` (splash). Store art already lives in ``assets/store/``.

2.3 Store listing (one day of work, don't leave it to launch day)

- ☒ [] Privacy policy **live** (already wired as ``AppLinks.privacy``) ☒ and update it to cover **GCC data residency** and **AI processing** (prompts leave the device when AI assists).
- ☒ [] Data-safety / app-privacy forms ☒ declare document metadata, files (stored on device) and account data.
- ☒ [] Title/subtitle with the wedge keywords (\$3.6), 6☒8 screenshots from ``docs/screenshots/`` (they're 1080×2400 and current), short + long description.
- ☒ [] Support email + in-app support form destination.
- ☒ [] Content rating questionnaire.

2.4 Prove the update path (an hour, before you need it)

Run ``supabase/app_version_schema.sql`` on the production project, then verify the dialog appears on an older build and that a **force** update halts navigation. Your first hotfix will depend on this working.

2.5 Crash reporting & analytics

``ErrorCaptureService`` already hooks ``FlutterError.onError`` + ``PlatformDispatcher.onError`` and persists the last 20 errors ☒ forward from ``record()`` to Sentry (half a day). Add only the funnel events you will actually read at pilot: onboarding completed, document added, first alert fired, alert ☒ renewal marked done.

2.6 Real-device notification QA ☒ the one non-negotiable

A missed renewal alert is the product's core promise broken. Before the pilot, test on **Samsung + Xiaomi + iOS at minimum** (Huawei if you can), with the screen off, after a reboot, and after a battery-saver has had a chance to kill the app. Then:

- ☑ [] Onboarding pre-permission explainer shows **before** the OS prompt.
- ☑ [] Alert taps deep-link to the document, including from a cold start.
- ☑ [] The Profile ☑ "Ensure reminders work" guidance tile opens OEM instructions.
- ☑ [] Record what you saw per device; put the list in the release notes.

2.7 Post-release runbook

| Situation | Action |

|---|---|

| Crash affecting many users | Raise `min\_required\_version` in `app\_versions` ☑ forced update dialog; ship the fix behind it |

| Sync/billing bug | The app is offline-first, so users keep working; fix, release, and tell pilot users in your feedback channel |

| Cold-start jank | `PerfTracingService` + DevTools sections record it; compare against your baseline |

Part 3 ☑ Get your first users (0 ☑ 100)

3.1 The pilot has exactly one goal

Not installs. The goal is to answer: *does a UAE solo founder, handed this app, keep the documents in it, act on the alert, and still be using it on day 30?*

Everything below serves one number ☑ **D7 retention toward 30-day retention** ☑ with three supporting numbers from the feasibility study:

| Metric | Target (30-day pilot) | How you measure it |

|---|---|---|

| D7 retention | **> 25%** | Analytics event on app open (or a weekly check-in message for the first pilot) |

| Users with ☑1 tracked document who received an alert | ☑ **40%** | Alert-fired + document-added events |

| Alert ☑ renewal completed inside the window | ☑ **25%** | "Mark renewed" action after an alert |

| Uninstall within 48h of an alert | **< 2%** | Store-console stats + check-in messages |

3.2 Who to recruit (and where they are)

Recruit 20☑50 **design partners**, hand-held, in this priority order:

| Priority | Who | Where they hang out | Why they say yes |

|---|---|---|---|

| 1 | **Solo founders / free-zone licence holders** | Free-zone community Slack/WhatsApp groups, incubators (in5, Dubai SME, Hub71 for KSA later), coworking spaces (AstroLabs, Nook, Letswork) | They pay real fines and can try an app the same day |

| 2 | **PRO agents / corporate services firms** | LinkedIn, free-zone partner lists, Google Maps for the small ones | Multi-client pain; a built-in Business-tier lead |

| 3 | **Expat households** | Your own network, building WhatsApp groups, school-parent groups, r/dubai | Visa/ID/insurance cycles are universal |

| 4 | **Adjacent service providers** | Accountants, insurance brokers, car-rental/fleet SMEs | They hear "I forgot to renew" all day |

Trade for participation: **founding-user pricing**, a direct line to the founder, and their requested feature shipped. Never pay for the pilot users ☒ you want people who feel the pain, not people who like free stuff.

3.3 The recruitment funnel (ship it Monday)

There is already a ready-made instrument: ``tool/finavig_validation_form.gs`` generates a 14-question Google Form (pain validation, concept test, feature priorities, willingness to pay, discovery).

1. Open `<https://script.google.com>` ☒ New project ☒ paste the file ☒ run ``createFinavigValidationForm`` ☒ copy the published form URL.

2. Post it where §3.2 says people are, with one line of copy: `""2-minute survey for UAE founders: how do you currently keep track of licence/visa/insurance renewals? Building something, want your take (and founding-user perks).""`

3. For everyone who finishes the form **and** leaves an email ☒ send the TestFlight/Play-internal invite **the same day**, in one personal message. Speed here is the whole funnel.

4. For everyone who says "I'd pay" ☒ book a 20-minute call (the concierge session below). That call is your demand signal, your feature roadmap and your testimonial, all at once.

Batching beats broadcasting: aim for **10 personal conversations per week**, not 200 impressions.

3.4 The 20-minute design-partner session (concierge onboarding)

Do it on a call, screen shared, with **their real documents** ☒ never a fictional demo:

| Minutes | Do | Watch for |

|---|---|---|

| 0☒3 | Ask how they track renewals today. Write down the exact tools and the last time they got burned | The words they use ("Ejari", "Mulkiya", "Iqama") ☒ those become your copy |

| 3☒6 | Get their real licence + visa + insurance into the app **while they watch** | Every hesitation is an onboarding bug |

| 6☒10 | Walk the urgency ladder and their next 90 days of renewal outflows | The "oh, that's the number" moment is the aha ☒ record it |

| 10☒13 | Show Ask Finavig with their own sentence, and the credit book | Does capture feel faster than a form? |

| 13☒17 | Set the alerts up, explain the OEM battery step, add a second collection if it's a business | Do they trust it enough to install on their main phone? |

| 17☒20 | Ask the three questions: what's missing, what would make you pay, who else has this problem | **The referral is the deliverable** |

Log every output in a one-line CRM (a spreadsheet is fine): name · channel · documents added · felt pain · will pay (Y/N/?) · referral given · follow-up date.

3.5 Channels, in the order they'll actually work

1. **Founder's own network + hand-held outreach** ☑ highest signal, lowest volume. Do this first; it fills the pilot.
2. **Community posts** (r/dubai, r/UAE, UAE founder/expats Facebook groups, free-zone WhatsApp groups) ☑ post the *problem*, not the app. e.g. *"I built a free tool that tells you what renewals are coming and how much they'll cost" ☑ currently track 15 document types. Want 20 people to break it."* Answer every comment.
3. **PRO / corporate-services relationships** ☑ one friendly PRO who onboards 5 clients is worth 5 Pro users *and* your Business-tier design partner. Offer to white-label their client workflow later.
4. **LinkedIn** ☑ slow but credible for the SME angle; post the "renewal cash-flow" number ("your next 90 days of renewals"), not downloads.
5. **ASO** (see §3.6) ☑ accumulates for free while you do the above.
6. **Communities around the moment** ☑ new-licence events (free-zone onboarding sessions), new-in-Dubai groups, insurance brokers' client lists.
7. **Content** ☑ one genuinely useful piece ("UAE renewal deadlines calendar 2026", "what happens if your trade licence expires") earns links and search traffic for years.

3.6 ASO starter keywords

Primary (high intent, ownable): **document expiry reminder UAE, trade licence renewal reminder, visa expiry tracker, Emirates ID reminder, renewal tracker Dubai, Ejari reminder**. Secondary (GCC expansion): **Iqama expiry reminder, CR renewal Saudi, QID / Civil ID reminder**. Put the wedge in the store subtitle, not just the description: *"Never pay a late renewal fine again."*

3.7 Referral mechanic (simple, no code needed at pilot)

Give each founding user a reason to bring one peer: *say the word and I'll set up their workspace for them.* Track referrals in the same spreadsheet. A 20-user pilot with 30% referral rate doubles to 26 without a single ad dirham.

3.8 What NOT to do before product-market fit

- ☑ ☑ **Paid ads**. You'd be buying installs for an app whose retention you haven't measured yet.
- ☑ ☑ **Chasing installs in other GCC countries** before UAE retention holds ☑ the product is ready, the support economics aren't.
- ☑ ☑ **Building the payments/concierge features** (see feasibility §5) ☑ that changes your regulatory envelope.
- ☑ ☑ **Bulk-importing contacts or cold WhatsApp blasts** ☑ Meta bans, reputations burn, and you'll get survey responses from people who don't have the problem.
- ☑ ☑ **Arabic localization, team collaboration, push notifications** ☑ all deliberately out of pilot scope.

Part 4 ☑ The 30-day pilot cadence

Assume ~1 hour a day. Consistency beats intensity.

| Day | Focus | Deliverable by end of day |

|---|---|---|

| 1 | Generate the validation form; prepare TestFlight/Play internal build | Form link + installable build in 3 hands |

| 2-5 | 10 personal outreach conversations; 20-minute session with each interested pair | 8-10 users with **real documents** loaded |

| 6-7 | Watch them use it; fix the top 3 onboarding frictions | Small UX fixes shipped, or logged for the next build |

| 8-14 | Second wave (PRO agents + referrals); one community post | 20-30 users; first real alerts firing |

| 15 | Mid-pilot review against the §3.1 numbers | Written note: which metric is off and why |

| 16-21 | Interview every user who dropped; double down on the channel with the best retention | Retention plan for the second half |

| 22-28 | One content piece + ASO pass; ask every happy user for a store review | Reviews + improved title/subtitle |

| 29-30 | Review, decide, write it down | Go / iterate / stop with the numbers attached |

Weekly dashboard (fill the same table every week; the trend matters more than the absolute):

| Week | New users | Users with 1 doc | Alerts fired | Renewals marked done | Active on day 7 | Uninstalls 48h after alert | Notes / quotes |

|---|---|---|---|---|---|---|

| 1 | | | | | | |

| 2 | | | | | | |

| 3 | | | | | | |

| 4 | | | | | | |

Day-30 decision rules

☑ **Hit the numbers** ☑ keep onboarding by hand, then (only then) consider a small paid test in one channel, and start the Storage/attachment work that removes the top cancellation reason.

☑ **Retention low, alerts firing** ☑ the problem is the value moment, not the audience: fix onboarding/how the aha is delivered, re-run for 2 weeks.

☑ **Alerts not firing** ☑ stop everything and fix notification reliability; you are not testing the product yet.

☑ **Users love it but never add a second document** ☑ the wedge is wrong for that segment; switch to PRO agents (the multi-collection model is the natural fit).

Part 5 ☑ First 90 days

| Window | Objective | Exit criteria |

|---|---|---|

| Week 1-2 | Get the app into 20-50 real hands (Part 1-3) | Build shipped, 20+ users with real documents |

| Week 3 ~~6~~ | Run the pilot (Part 4), fix frictions weekly | 4 weeks of dashboard data; first testimonial |
| Week 7 ~~10~~ | Hold the numbers; fill pre-launch gaps (Sentry, Storage or documented limitation, notification QA on more OEMs) | Store submission-ready; retention flat or rising |
| Week 11 ~~13~~ | Public listing (Play/App Store), ASO, PRO partnerships, decide on the first paid tier | Store live, first organic installs, go/no-go on monetization |

Appendix ~~1~~ Command reference

```
```bash
```

### run

```
flutter pub get
```

```
flutter run
```

```
flutter devices
```

### quality gates (same as CI)

```
flutter analyze
```

```
dart run tool/perf_budget_check.dart
```

```
flutter test
```

### docs & marketing assets

```
bash tool/capture_docs_shots.sh # refresh docs/screenshots (integration tour)
```

```
bash tool/capture_pitch_shots.sh # pitch-deck shots
```

```
bash tool/generate_app_icons.sh
```

```
python3 tool/generate_splash_bg.py
```

### backend

```
supabase secrets set GROQ_API_KEY=gsk_
```

```
supabase functions deploy groq-proxy
```

```
```
```

Remaining limitation of this document: the launch plan is a plan, not a result. The numbers in §3.1 are targets from the feasibility study; replace them with your real dashboard data as soon as the pilot's first week is in ~~1~~ and update this file when a target turns out to be wrong.