HP Color LaserJet Managed MFP E87640



Premium color value, maximum uptime, and the strongest security from a smart, streamlined MFP.

Businesses that stay ahead don't slow down. It's why HP built the next generation of HP Color LaserJet MFPs—to power productivity with a streamlined design that delivers premium color value, maximum uptime, and the strongest security.



HP Color LaserJet Managed MFP E87640dn

HP Color LaserJet Managed Flow MFP E87640z

*Purchase of optional paper trays and output accessory availability varied by device

Big color. Small cost.

- Print premium, professional-quality documents with vivid color images and graphics for a low cost.
- Get consistent, professional quality and performance you count on with Original HP toner cartridges and drums.
- Choose from a range of modular accessories designed to adapt to the needs of workgroups of all sizes.

Minimal interruptions. Maximum uptime.

- Avoid interruptions with an HP LaserJet Managed MFP designed to be streamlined for maximum productivity.
- Tailor this MFP to the needs of your business with a wide range of paper-handling accessories.
- Scan files directly to Microsoft® Office 365 and SharePoint, plus email, USB, and network folders ²
- Grab pages and go, without waiting. This HP LaserJet wakes up quickly and prints fast up to 40 ppm.³

The world's most secure printing

- With HP Sure Start, each printer regularly checks its operating code and repairs itself from attempted hacks.
- Help protect information on your MFP and in transit over the network—store data on the encrypted hard disk.⁴
- Continually monitor to detect and stop attacks, then automatically reboot with run-time intrusion detection.
- Whitelisting checks firmware during startup to help ensure it's authentic, good code—digitally signed by HP.

Give workgroups the speed they need

- Help workgroups capture every page easily and detect potential errors or missed pages—every time.
- Enter data more quickly and accurately using the pull-out keyboard.
- Help ensure every scanned document is properly oriented, cropped to size, and grayscale-optimized.
- Load up to 250 pages into the automatic document feeder for fast, unattended scanning.

Product walkaround

- . 250-sheet automatic document feeder supports media up to 11×17 inches (A3)
- . Flatbed scanner handles sheets up to 11.7 x 17 inches (297 x 432 mm)
- . 8.0 inch (20.3 cm) color touchscreen control panel tilts up for easier viewing
- 4. Pull-out keyboard
- 5. Right door (access to the print path)
- 6. 100-sheet multipurpose tray 1 supports media up to 11 \times 17 inches (A3)
- 7. Front door access to toner cartridges
- . Hardware Integration Pocket (for connecting accessory and third-party devices)¹
- . Easy-access USB port²
- . 500-sheet output bin
- . Automatic two-sided printing
- . HP Secure High-Performance Hard Disk
- . 520-sheet tray 2 supports media up to letter (A4)
- 4. 520-sheet tray 3 supports media up to 11 x 17 (A3)
- 5. Slot for cable-type security lock
- 6. 2 Hi-Speed USB 2.0 Host ports
- 7. Gigabit Ethernet port
- . Hi-Speed USB 2.0 Device port



HP Color LaserJet Managed Flow MFP E87640z



Series at a glance





Model	HP Color LaserJet Managed MFP E87640dn	HP Color LaserJet Managed Flow MFP E87640z
Product number	Z8Z12A	Z8Z13A
Functions	Print, copy, and scan (fax and wireless optional)	Same as E87640dn
Print speed (black and color) ³	Up to 40 pages per minute (ppm), letter and A4	Same as E87640dn
ADF capacity	250 sheets, supports media up to 11 x 17 inches (A3)	Same as E87640dn
Scan speeds (black and color)4	Simplex/duplex: 90 ipm/180 ipm (letter and A4)	Simplex/duplex: 120 ipm/240 ipm (letter and A4)
Advanced workflow features	Send to Microsoft® SharePoint®	Same as E87640dn, plus: HP EveryPage technology, pull-out keyboard, auto-tone, auto orientation, auto-page-crop, embedded OCR
Optional input accessories	2 x 520-sheet Paper Feeder, 2,000-sheet HCl Feeder, 3,000-sheet side-mount HCl Feeder, Printer Cabinet	Same as E87640dn
Optional output accessories	Stapler/Stacker, Inner Finisher, Hole Punch (2/3, 2/4, and Swedish), Booklet Maker	Same as E87640dn

HP Services

Downtime can have serious consequences, so HP provides support beyond the standard warranty. You benefit from reduced risk, maximized uptime, predictable service delivery and no unbudgeted repair costs.

Choose from:

Optimized Care (optimum performance and stability):

4 hour Onsite Support, Maintenance Kit Replacement Service, Installation with Network Configuration Service

Standard Care (high level of uptime):

Next Business Day Onsite Support, Maintenance Kit Replacement Service, Installation with Network Configuration Service

Basic Care (minimum recommended support):

Next Business Day Onsite Support

4 hour Onsite Support:

Onsite support within four hours after a service call received within the coverage window

Next Business Day Onsite Support:

Onsite service the next business day after the service call is received

Maintenance Kit Replacement Service:

Onsite replacement of your printer's maintenance kit including parts, materials, and labor

Installation with Network Configuration Service:

Assembly, network configuration, and basic administrator familiarization. For more information about HP Care Pack, HP Contractual, or HP Managed Print Services, visit hp.com/go/printservices













Top Features

Quality color printing for a great value is a smart choice for any business. Produce premium, professional-quality color documents at a competitive low cost with an HP Color LaserJet MFP built to make your work—and your business—look its best.

Annoying interruptions and complex maintenance can slow down printing, and ultimately, the pace of business. Avoid pauses in productivity with an HP LaserJet MFP designed for maximum uptime, so you can count on reliable results day in and day out.

Only HP Enterprise printers repair themselves from attacks in real time, with built-in security to help keep your network safe. Automatically monitor threats, detect intrusions, and validate operating software with security offered only by HP.

Accelerate workflow, improve accuracy, and easily connect people throughout your organization. Complete high-volume scan jobs super-fast—up to 180 ipm—and avoid extra steps with a Flow MFP designed for maximum productivity.

Product

Z8Z12A HP Color LaserJet Managed MFP E87640dn **Z8Z13A** HP Color LaserJet Managed Flow MFP E87640z

Accessories

B5L29A HP High-Performance Secure Hard Disk CC487A HP LaserJet MFP Analog Fax Accessory 500 **Y1F98A** HP LaserJet Dual Cassette Department Feeder **Y1G01A** HP LaserJet Department Job Separator Y1G03A HP LaserJet Inner Finisher Hole 2/4 Punch HP LaserJet Inner Finisher Swedish Punch **Y1G04A Y1G07A** HP Laser let Booklet Finisher Y1G12A HP LaserJet Hole Punch Swedish Accessory **Y1G20A** HP LaserJet 3000 Sheet HCI Dept Tray Y1G21A HP LaserJet 2000-sheet HCI Input Tray

Supplies

W9050MC
 W9050MC Black Managed LaserJet Toner (54,000 pages)
 W9051MC
 W9051MC Cyan Managed LaserJet Toner (52,000 pages)
 W9052MC
 W9053MC
 HP W9053MC Magenta Managed LaserJet Toner (52,000 pages)
 HP W9053MC Magenta Managed LaserJet Toner (52,000 pages)

HP Care Packs

U9LS7E HP 1 yr Next Business Day Svc w/Defective Media Retention for Color LaserJet E876xx MFP Managed U9LS8E HP 3 yr Next Business Day Svc w/Defective Media Retention for Color LaserJet E876xx MFP Managed **U9LS9E** HP 4 yr Next Business Day Svc w/Defective Media Retention for Color LaserJet E876xx MFP Managed **U9LT0E** HP 5 yr Next Business Day Svc w/Defective Media Retention for Color LaserJet E876xx MFP Managed U9LT1E HP 3 yr 4 hour 9x5 Svc w/Defective Media Retention for Color LaserJet E876xx MFP Managed U9LT2E HP 4 yr 4 hour 9x5 Svc w/Defective Media Retention for Color LaserJet E876xx MFP Managed U9LT3E HP 5 yr 4 hour 9x5 Svc w/Defective Media Retention for Color LaserJet E876xx MFP Managed U9LT4E HP 1 yr Next Business Day Parts Exch Svc for Color LaserJet E876xx MFP Managed (Channel Only) U9LT5E HP 3 yr Next Business Day Parts Exch Svc for Color LaserJet E876xx MFP Managed (Channel Only) U9LT6E HP 4 yr Next Business Day Parts Exch Svc for Color LaserJet E876xx MFP Managed (Channel Only) HP 5 yr Next Business Day Parts Exch Svc for Color LaserJet E876xx MFP Managed (Channel Only) U9LT7E U9LT8PE HP 1 yr Post Warranty NBD Svc w/Defective Media Retention for Color LaserJet E876xx MFP Managed HP 2 yr Post Warranty NBD Svc w/Defective Media Retention for Color LaserJet E876xx MFP Managed **U9LT9PE** USI UOPF HP 1 yr Post Wty 4 hour 9x5 Svc w/Defective Media Retention for Color Laseret E876xx MFP Managed

Protect your investment with HP Care Pack. Let HP certified engineers resolve your technical issues. For more details on HP Care Pack, go to hp.com/go/cpc

Paper

Contact HP via phone: Asia: 65 6253 8500

Solutions

HP Web Jetadmin: hp.com/go/wja HP Universal Print Driver: hp.com/go/upd HP Imaging and Printing Security Center: hp.com/go/ipsc

HP Color LaserJet Managed MFP E87640

Product number	HP Color Laser Jet Managed MFP E87640dn HP Color Laser Jet Managed Flow MFP E87640z Z8Z12A Z8Z13A	
roduct number unctions	ZSC1ZA ZSC1ZA ZSC1SA STRIP STR	
rint	Thin, copy, son load in writess optorally	
uplex print options	Automatic (standard)	
Print speed	Black (A4, normal): Up to 40 ppm; Black (letter, normal): Up to 40 ppm; Black (letter, normal): Up to 40 ppm; Black (A3, normal): Up to 20 ppm; Black (tabloid, normal): Up to 40 ppm; Black (A4, duplex): Up to 40 ipm; Black (letter, duplex): Up to	
First page out ²	ipm; Black (tabloid, duplex): Up to 20 ipm; Color (A4, normal): Up to 40 ppm; Color (Draft, A4): Up to 40 ppm; Color (A4, Duplex): Up to 40 ipm; Color (letter, Duplex): Up to 40 ipm; Color (A4, Sleep): A5 fast as 8.1 sec; Black (A4, sleep): A5 fast as 8.2 sec; Black (letter, ready): A5 fast as 8.2 sec; Black (letter, sleep): A5 fast as 9.3 sec; Black (letter, sleep):	
Print technology	Laser	
rint resolution	Black (best): Up to 1200 x 1200 dpi reduced speed; Black (normal): Up to 600 x 600 dpi reduced speed; Color (best): Up to 1200 x 1200 dpi reduced speed; Color (normal): Up to 600 x 600 dpi reduced speed 4 (1 each black, cyan, magenta, yellow)	
rint cartridges number tandard print languages	4 (1 eact rolact, year, inagenta, yeuwy) H P PCL 6. HP PCL 5c. HP Posscrib Level 3 emulation. PDF (v 1.7). AirPrint™ compatible	
Printer management	Printer Administrator Resource Kit for HP Universal Print Driver (UPD Active Directory Administrator Template, Add Print Model to Comments, AutoUpgradeUPD, Driver Configuration Utility, Driver Deployment Utility, HP Managed Printing Administration, PRNCON.EXE, HPPRLOG, Migrate-Server-Tools, UpdateNow, Remove Plug and Play Drivers); HP Web Jetadmin Software; Resource Kit for HP Web Jetadmin (HP SNMP Proxy Agent, HP Pro Proxy Agent); HP JetAdvantage Security Manager	
ican		
can technology	Type: Flatbed, ADF; Technology: Platen Scanner CCD Digital-CIS	
can speed ⁸	Normal, A4: Up to 90 ppm/180 ipm (b&w), up to 90 ppm/180 ipm (color) Normal, A4: Up to 120 ppm/240 ipm (b&w), up to 120 ppm/240 ipm (color)	
can resolution	Enhanced: Up to 600 x 600 dpt; Hardware: Up to 600 x 600 dpt	
Digital sending starndard features	Scan to E-mail; Save-to-Network Folder; Save-to-USB drive; Send to Sharepoint; Send to FTP; Send to SFTP; Send to LAN Fax; Send to Internet Fax; Local Address Book; SMTP over SSL; Blank Page Removal; Edge Erass Auto Color Sense; Auto Crop To Content; Compact PDF; Auto Tonescale; Auto Orientation; Multi-Pick Detect; Auto Straighten; Auto Crop To Page Flatbed: 105 x 148 mm; ADF scan size: 109.22 x 1397 mm	
ican size ican input modes	Front panel applications: Copy, E-mail; Fax; Save to Network Folder; Save to USB; Save to Device Memory; Open Extensibility Platform (0XP) applications	
ican file format	Digital Send: PDF, H-Compression PDF, IPEG, TIFF, MTIFF, XPS, PDF/A; Scan to easy access USB: PDF, IPEG. i Digital Send: PDF, H-Compression PDF, IPEG, TIFF, MTIFF, XPS, PDF/A, TEXT (OCR), Unicode TEXT (OCR), RT	
	TIFF, MTIFF, XPS, PDF/A; Print from easy access USB: PDF, PS, Print Ready files (.pm., .pcl, .cht) (OCR), Searchable PDF (OCR), Searchable PDF/A (OCR), HTML (OCR), CSV (OCR); Scan to easy access USB: PDF, PS, Print Ready files (.pm., .pcl, .cht) (OCR), Searchable PDF (OCR), Searchable PDF/A (OCR), HTML (OCR), CTV (OCR); PTINT (OCR), Searchable PDF/A (OCR), HTML (OCR), CSV (OCR); PTINT (From easy access USB: PDF, PS, Print Ready files (.pm., .pcl, .cht)	
Copy Copy smart software features	Better remote diagnosis and repair, Higher first time fix rates; Full toner, LLC utilization; Capture un-billed pages from reconnected network devices, personal printers; On-site access to service training; A3 Laser Jets and	
Copy speed	designed for fewer LLC replacements and faster repairs. Black (A4, normal): Up to 40 cpm; Black (letter, normal): Up to 40 cpm; Color (A4, normal): Up to 40 cpm; Color (letter, normal): Up to 40 cpm; Black (letter, duplex): Up to 40 cpm; Black (letter, duplex): Up to 40 cpm; Color (letter, normal): Up to 40 cpm; Black (letter, duplex): Up to 40 cpm; Black (letter, duplex	
	cpm; Color (A4, Duplex): Up to 40 cpm; Color (letter, duplex): Up to 40 cpm	
First copy out	Black (A4): As fast as 6.3 sec; Color (A4): As fast as 7.4 sec; Black (A4, sleep): As fast as 20.5 sec; Color (A4, sleep): As fast as 20.5 sec; Black (letter): As fast as 6.4 sec; Black (letter, sleep): As fast as 20.5 sec Black (text and graphics): Up to 600 x 600 dpi; Color (text and graphics): Up to 600 x 600 dpi	
Copy resolution Max. number of copies	Up to 999 copies	
nax. number of copies Copier resize	Up to 999 copies 25 to 400%	
Copier settings	Two-sided copying; scalability; image adjustments (darkness, contrast, background cleanup, sharpness); optimized text/picture (text, mixed, printed picture, photograph); N-Up; N or Z-ordering; content orientation;	
copier sectings	I wo-sieet copyings, Skadanium, on build; job Storage; watermark; stamps; book onder scene edges; autoritient (ext., imixeo, printed picture, protograph); n-up, n or z-droening, content onentation; collation; booklet, ID Scara; job build; job Storage; watermark; stamps; book onder scans; erase edges; automatically detect color/mono; image Preview	
Fax		
ax speed	33.6 kbps	
ax resolution	Up to 300 x 300 dpi (400 x 400 dpi for received faxes only)	
ax features	Auto fax reduction supported: Yes; Auto-redialing: Yes; Fax delayed sending: No; Distinctive ring detection supported: No; Fax forwarding supported: Yes; Junk barrier supported: Yes; Maximum speed dialing numbers: Up to 1000 numbers (each with 210 destinations); PC interface supported: Yes; Fax polling supported: Yes; (poll to receive only)	
ax memory	Fax memory (A4): Up to 500 pages; Fax memory (letter): Up to 500 pages	
Connectivity Standard connectivity	2 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Gigabit Ethernet 10/100/1000T network; 1 Hardware Integration Pocket; 1 Fax modem port	
Nobile printing capability ³	The precious and the pr	
Network ready	Standard (built-in Gigabit 10/100/1000T Ethernet)	
Vireless capability	No wireless capabilities standard. There are optional accessories (common to all current Jedi products) that support wireless. These are listed in the connectivity section, above.	
Network Capabilities	Standard (built-in Gigabit 10/100/1000T Ethernet)	
Memory	Standard: 7 GB; Maximum: 7 GB	
Hard Disk	Two 320 GB Standard, embedded HP High-Performance Secure Hard Disk, Total 640GB; AES 256 hardware encryption or greater; Secure erase capabilities (Secure File Erase-Temporary Job Files, Secure Erase-Job Data, Secure ATA Erase-Disk). Note: U.S. government SKU uses 500GB FIPS 140-2 validated hard disk instead.	
Processor speed	1.2 GHz	
Duty cycle (monthly)	Up to 300,000 pages; Recommended monthly page volume: Up to 50,000	
Paper handling	100-sheet multi-purpose tray, 2 x 520-sheet input tray, 520-sheet input tray, 250 sheet ADF; Optional 2150 sheet tray; Optional 3000 sheet tray	
nput	100-sneet muur-purpose tray, 2 x 520-sneet input tray, 520-sneet input tray, 250 sneet ADF, Optional 2150 sneet tray, Optional 3000 sneet tray 500 sheet face-down output bin	
Output Media type	300 sineer race-rusum routput: um Plain, HP EcoEPTICENT, IP Matte 90g, Light 60-74g, Bond, Recycled, HP Matte 105g, HP Matte 120g, HP Soft Gloss 120g, HP Glossy 120g, Mid-Weight 96-110g, Heavy 111-130g, Mid-WtGlossy 96-110g, Hvy Glossy	
reuia type	111-130g, HP Matte 150g, HP Glossy 150g, Extra Heavy 131-175g, HP Wolforsy 131-175g, HP Wolforsy 131-175g, HP Wolforsy 131-175g, HP Matte 200g, HP Glossy 200g, Carstock 176-220g, Card Glossy 176-220g, Light Paperboard 221-255g, Paperboard 256-300g, Heavy Paperboard, Color Transparency, Labels, Letterhead, Envelope, Heavy Envelope, Preprinted, Prepunched, Colored	
Media weight	Tray 1, 2, 3: 60 to 300 g/m ²	
ledia sizes custom	Tray 1: 98 x 139.7 to 320 to 457.2 mm; Tray 2: 98 x 139.7 to 297 to 390 mm; Tray 3: 140 x 182 to 320 x 457.2 mm	
imensions (W x D x H)	565 x 771.1 x 932.2 mm	
Veight	131.6 kg 113.1 kg Engine; TCU; Drums; Assy-Color WG Nameplate and Label; Power Cords; Assembly-CD WW; Hardware install and setup documentation; Support flyers (DOES NOT INLCLUDE TONER)	
Vhat's in the box	Engine; T.U.; Drums; Assy-Color WG Nameplate and Label; Power Cords; Assembly-LD WW; Hardware Install and Setup documentation; Support Tiyers (DUES NOT INCLLUDE TUNEN) 90 day parts only. Extended Warranty and support options vary by product, country and local legal requirements. Go to http://www.hp.com/support to learn about HP award winning service and support options in you	
Narranty features	so day parts only. Extended warranty and support opinions vary by product, country and local legal requirements, so to http://www.np.com/support to learn about HP award winning service and support opinions in your region.	
Systems		
Compatible operating systems	Android, Linux Boss (5.0), Linux Debian (7.0, 7.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 7.9, 8.0, 8.1, 8.2, 8.3, 8.4, 8.5, 8.6), Linux Fedora (22, 23, 24), Linux Mint (17, 17.1, 17.2, 17.3, 18), Linux Red Hat Enterprise (6.0, 7.0), Lir SUSE (13.2, 42.1), Linux Ubuntu (12.04, 14.04, 15.10, 16.04, 16.10), OS macOS 10.12 Sierra, OS X 10.10 Yosemite, OS X 10.11 El Capitan, UNIX, Windows 10 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows 7 all 32- & 64-bit editions, Windows 8/8.1 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows Vista all 32bit editions (Home Basic, Premium, Professional, etc.), Windows XP SP3 32-bit editions (Windows Vista all 32bit ed	
Minimum system requirements	PC: 2 GB available hard disk space; OS hardware requirements see microsoft.com Mac: 1.3 GB available hard drive space; Internet; OS hardware requirements see Apple.com for more info	
Security management	Management security: SNMPv3, SSL/TLS, WPA2-Enterprise, 802.1X authentication (EAP- PEAP, EAP-TLS), IPP over TLS, IPsec/Firewall with Certificate, Pre-Shared Key Authentication, and Kerberos Authentication; Support for WIA-10 IPsec Configuration using IPsec Pluq-in	
Fonts and Typefaces	84 scalable TrueType fonts	
Control panel	8.0-in (20.3 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; Illuminated Home button (for quick return to the Home menu); USB High-speed 2.0 port; Hardware Integration Pocket	
Display	8.0-in (20.3 cm) touchscreen, SVGA Color Graphic Display (CGD)	
Power	Power supply type: Internal (Built-in) power supply; Power supply required: Input voltage: 110 to 127Vac (+/- 10%), 220 to 240Vac (+/- 10%), 50/60 Hz (+/- 3%)	
oftware included	HP Connected, HP Device Experience (DXP), HP PCL 6 Printer Driver, HP Software Installer/Uninstaller, Mac 05 Welcome Screen (Directs users to 123.HP.com or 05 App Source for printer software), Online user manuals	
Acoustics	Acoustic power emissions: 6.5 B(A) printing color simplex using A4 paper at 40 ppm; Acoustic power emissions (ready): Inaudible; Acoustic pressure emissions bystander (active, printing): 49 dB(A) printing col	
Environmental ranges	simplex using A4 paper at 40 ppm; Acoustic pressure emissions bystander (ready): Inaudible Operating temperature range: 15 to 30°C; Recommended operating temperature: 15 to 30°C; Non-operating humidity range: 10 to 80% RH; Operating humidity range: 20 to 80% RH; Recommended operating	
Safety approvals and requirements	humidity range: 20 to 80% RH IEC 60950-1:2005 +A1:2009 +A2:2013 (International); EN60950-1:2006 +A11:2009 +A1:2010 +A12:2011 +A2:2013 (EU; EN 60825-1:2014 / IEC 60825-1:2014 (Class 1 Laser Product); EN 62479:2010 / IEC 62479:2010; EN 62471-1:2008 / IEC 62471-1:2006; Low Voltage Directive 2014/35/EU with CE Mark (Europe); GS Certificate (Germany, Europe); UL/UL Listed and UC CoC (US/Canada); CAN/CSA C22.2 No. 60950-1-07	
	2nd Ed. 2011-12; Compliance with Laser safety standards 21 CFR 1040.10 and 1040.11 except for deviations pursuant to Laser notice No. 50, Dated June 24, 2007. Other safety approvals as required by individual	
Supported network protocols	countries IPv4/IPv6: Apple Bonjour Compatible (Mac OS 10.2.4 or higher), SNMPv1/v2c/v3, HTTP, HTTPS, FTP, TFTP, Port 9100, LPD, WS Discovery, IPP, Secure-IPP, IPsec/Firewall; IPv6: DHCPv6, MLDv1, ICMPv6; IPv4: Auto-IP, SLP, SLP, SLP, SLP, SLP, SLP, SLP, SL	

Footnotes

- ¹ Based on HP review of 2016 published security features of competitive in-class printers. Only HP offers a combination of security features that can monitor to detect and automatically stop an attack then
- self-validate software integrity in a reboot. For a list of printers, visit http://www.hp.com/go/PrintersThatProtect. For more information: http://www.hp.com/go/printersecurityclaims

 Requires an Internet connection to the printer. Services may require registration. App availability varies by country, language, and agreements. For details, see http://www.hp.connected.com
- ³ Measured using ISO/IEC 24734, excludes first set of test documents. For more information, see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
- Some features require additional purchase. A FutureSmart service pack update may be required to activate security features. Learn more at http://www.hp.com/go/printsecurity
- 5 Scan speed measured from ADF at default 300 dpi (black-and-white, grayscale, and color). Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and

Product walkaround disclaimers

- ¹ Solutions deployed through the Hardware Integration Pocket (HIP) may require additional purchase.
- ² An administrator must enable the easy-access USB port before use.
 ³ Measured using ISO/IEC 24734, excludes first set of test documents. For more information, see hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

 Scan speed measured from ADF at default 300 dpi (black-and-white, grayscale, and color). Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and
- application software.

Technical specifications disclaimers

- 1 Based on standard ITU-T test image #1 at standard resolution and MMR encoding, the HP fax device can transmit at 3 sec/page for V.34 and 6 sec/page for V.17
 2 Measured using ISO/IEC 17629. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
- ³ Optional Wireless Direct and Wireless
- Declared yield value in accordance with ISO/IEC 19752. Actual yields vary considerably based on images printed and other factors. For more information, visit http://www.hp.com/go/learnaboutsupplies. Actual yields vary considerably based on images printed and other factors. For details see http://www.hp.com/go/learnaboutsupplies
- ⁵ Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. ⁶ Measured using ISO/IEC 24734, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software
- application, driver, and document complexity.

 Average color composite (C/M/Y) and black declared yields based on ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see
- http://www.hp.com/go/learnaboutsupplies
- 8 Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.

To learn more, visit hp.com