HP Color LaserJet Managed MFP E77822



Premium color value, maximum uptime, and the strongest security from a smart, streamlined MFP.

Businesses that stay ahead don't slow down. It's why HP built the next generation of HP Color LaserJet MFPs—to power productivity with a streamlined design that delivers premium color value, maximum uptime, and the strongest security.



HP Color LaserJet Managed MFP E77822dn



HP Color LaserJet Managed Flow MFP E77822z

*Purchase of optional paper trays and output accessory availability varied by

Big color. Small cost.

- Print premium, professional-quality documents with vivid color images and graphics for a low cost.
- Get consistent, professional quality and performance you count on with Original HP toner cartridges and drums.
- Choose from a range of modular accessories designed to adapt to the needs of workgroups of all sizes.

Minimal interruptions. Maximum uptime.

- Avoid interruptions with an HP LaserJet Managed MFP designed to be streamlined for maximum productivity.
- Tailor this MFP to the needs of your business with a wide range of paper-handling accessories.
- Scan files directly to Microsoft® Office 365 and SharePoint, plus email, USB, and network folders.²
- Grab pages and go, without waiting. This HP LaserJet wakes up quickly and prints fast up to 22 ppm.³

The world's most secure printing

- With HP Sure Start, each printer regularly checks its operating code and repairs itself from attempted hacks.
- Help protect information on the MFP and in transit over the network. Store data on the encrypted hard disk.⁴
- Continually monitor to detect and stop attacks, then automatically reboot with run-time intrusion detection.
- Whitelisting checks firmware during startup to help ensure it's authentic, good code—digitally signed by HP.

Give workgroups the speed they need

- Help workgroups capture every page easily and detect potential errors or missed pages—every time.
- Enter data more quickly and accurately using the pull-out keyboard.
- Help ensure every scanned document is properly oriented, cropped to size, and grayscale-optimized.
- Load up to 250 pages into the automatic document feeder for fast, unattended scanning.(For Z models only)

Product walkaround

- 1. 250-sheet automatic document feeder supports media up to 11 x 17 inches (A3)1
- 2. Flatbed scanner handles sheets up to 11.7 x 17 inches (297 x 432 mm)
- 3. 8.0 inch (20.3 cm) color touchscreen control panel tilts up for easier viewing
- 4. Pull-out keyboard
- 5. Right door (access to the print path)
- 6. 100-sheet multipurpose tray 1 supports media up to 11 x 17 inches (A3)
- 7. Front door access to toner cartridges
- 8. Hardware Integration Pocket (for connecting accessory and third-party devices)2
- 9. Easy-access USB port³
- 10. 500-sheet output bin
- 11. Automatic two-sided printing
- 12. HP Secure High-Performance Hard Disk
- 13. 520-sheet tray 2 supports media up to letter (A4) 14. 520-sheet tray 3 supports media up to 11 x 17 (A3)
- 15. Slot for cable-type security lock
- 16. 2 Hi-Speed USB 2.0 Host ports
- 17. Gigabit Ethernet port
- 18. Hi-Speed USB 2.0 Device port



Series at a glance





Model	HP Color LaserJet Managed MFP E77822dn	HP Color LaserJet Managed Flow MFP E77822z
Product number	Z8Z00A	Z8Z01A
Functions	Print, copy, and scan (fax and wireless optional)	Same as E77822dn
Print speed (black and color)4	Up to 22 pages per minute (ppm), letter and A4	Same as E77822dn
ADF capacity	100 sheets, supports media up to 11 x 17 inches (A3)	250 sheets, supports media up to 11 x 17 inches (A3)
Scan speeds (black and color) ⁵	Simplex/duplex: 80 ipm/160 ipm (letter and A4)	Simplex/duplex: 120 ipm/240 ipm (letter and A4)
Advanced workflow features	Send to Microsoft® SharePoint®	Same as E77822dn, plus: HP EveryPage technology, pull-out keyboard, auto-tone, auto orientation, auto-page-crop, embedded OCR
Optional input accessories	2 x 520-sheet Paper Feeder, 2,000-sheet HCI Feeder, Printer Cabinet	Same as E77822dn
Optional output accessories	Stapler/Stacker, Inner Finisher, Hole Punch (2/3, 2/4, and Swedish), Booklet Maker	Same as E77822dn

HP Services

Downtime can have serious consequences, so HP provides support beyond the standard warranty. You benefit from reduced risk, maximized uptime, predictable service delivery and no unbudgeted repair costs.

Choose from:

Optimized Care (optimum performance and stability):

4 hour Onsite Support, Maintenance Kit Replacement Service, Installation with Network Configuration Service

Standard Care (high level of uptime):

Next Business Day Onsite Support, Maintenance Kit Replacement Service, Installation with Network Configuration Service

Basic Care (minimum recommended support):

Next Business Day Onsite Support

4 hour Onsite Support:

Onsite support within four hours after a service call received within the coverage window

Next Business Day Onsite Support:

Onsite service the next business day after the service call is received

Maintenance Kit Replacement Service:

Onsite replacement of your printer's maintenance kit including parts, materials, and labor

Installation with Network Configuration Service:

Assembly, network configuration, and basic administrator familiarization. For more information about HP Care Pack, HP Contractual, or HP Managed Print Services, visit hp.com/go/printservices













Top Features

Quality color printing for a great value is a smart choice for any business. Produce premium, professional-quality color documents at a competitive low cost with an HP Color LaserJet MFP built to make your work—and your business—look its best.

Annoying interruptions and complex maintenance can slow down printing, and ultimately, the pace of business. Avoid pauses in productivity with an HP LaserJet MFP designed for maximum uptime, so you can count on reliable results day in and day out.

Only HP Enterprise printers repair themselves from attacks in real time, with built-in security to help keep your network safe. Automatically monitor threats, detect intrusions, and validate operating software with security offered only by HP.

Accelerate workflow, improve accuracy, and easily connect people throughout your organization. Complete high-volume scan jobs super-fast—up to 180 ipm—and avoid extra steps with a Flow MFP designed for maximum productivity.

Product

Z8Z00A HP Color LaserJet Managed MFP E77822dn **Z8Z01A** HP Color LaserJet Managed Flow MFP E77822z

Accessories

B5L29A HP High-Performance Secure Hard Disk CC487A HP LaserJet MFP Analog Fax Accessory 500 Y1F97A HP LaserJet Dual Cassette Workgroup Feeder **Y1F99A** HP LaserJet 2000-sheet HCI Input Trav **Y1G02A** HP LaserJet Inner Finisher Hole 2/3 Punch HP LaserJet Inner Finisher Hole 2/4 Punch Y1G03A **Y1G04A** HP LaserJet Inner Finisher Swedish Punch HP LaserJet Booklet Finisher Y1G07A **Y1G12A** HP Laser let Hole Punch Swedish Accessory **Y1G22A** HP LaserJet Paper Tray Heaters Accessory

Supplies

W9040MC
 HP W9040MC Black Managed LaserJet Toner (34,000 pages)
 W9041MC
 W9041MC Cyan Managed LaserJet Toner (32,000 pages)
 W9042MC
 W9042MC Yellow Managed LaserJet Toner (32,000 pages)
 HP W9043MC Magenta Managed LaserJet Toner (32,000 pages)

HP Care Packs

U9LP3E HP 1 yr Next Business Day Svc w/Defective Media Retention for Color LaserJet E778xx MFP Managed U9LP4E HP 3 yr Next Business Day Svc w/Defective Media Retention for Color LaserJet E778xx MFP Managed U9LP5E HP 4 yr Next Business Day Svc w/Defective Media Retention for Color LaserJet E778xx MFP Managed U9LP6E HP 5 yr Next Business Day Svc w/Defective Media Retention for Color LaserJet E778xx MFP Managed **U9LP7E** HP 3 yr 4 hour 9x5 Svc w/Defective Media Retention for Color LaserJet E778xx MFP Managed U9LP8E HP 4 yr 4 hour 9x5 Svc w/Defective Media Retention for Color LaserJet E778xx MFP Managed U9LP9E HP 5 yr 4 hour 9x5 Svc w/Defective Media Retention for Color LaserJet E778xx MFP Managed **U9LQ0E** HP 1 yr Next Business Day Parts Exch Svc for Color LaserJet E778xx MFP Managed (Channel Only) U9LQ1E HP 3 yr Next Business Day Parts Exch Svc for Color LaserJet E778xx MFP Managed (Channel Only) U9LQ2E HP 4 yr Next Business Day Parts Exch Svc for Color LaserJet E778xx MFP Managed (Channel Only) U9LQ3E HP 5 yr Next Business Day Parts Exch Svc for Color LaserJet E778xx MFP Managed (Channel Only) U9LQ4PE HP 1 yr Post Warranty NBD Svc w/Defective Media Retention for Color LaserJet E778xx MFP Managed U9L05PE HP 2 yr Post Warranty NBD Svc w/Defective Media Retention for Color LaserJet E778xx MFP Managed U9LQ6PE HP 1 yr Post Wty 4 hour 9x5 Svc w/Defective Media Retention for Color Laseret E778xx MFP Managed

Protect your investment with HP Care Pack. Let HP certified engineers resolve your technical issues. For more details on HP Care Pack, go to hp.com/go/cpc

Paper

Contact HP via phone: Asia: 65 6253 8500

Solutions

HP Web Jetadmin: hp.com/go/wja HP Universal Print Driver: hp.com/go/upd HP Imaging and Printing Security Center: hp.com/go/ipsc

HP Color LaserJet Managed MFP E77822

Model Product number	HP Color Laser Jet Managed MFP E77822dn Z8Z00A	HP Color Laser Jet Managed Flow MFP E77822z Z8Z01A
unctions	Print, Copy, Scan (fax and wireless optional)	2020111
rint		
uplex print options	Automatic (standard)	
rint speed	ipm; Black (A3, duplex): Up to 8 ipm; Black (tabloid, duplex): Up to 8 ipm; Color (A4, normal): Up to	1 ppm; Black (tabloid, normal): Up to 22 ppm; Black (A4, duplex): Up to 17 ipm; Black (letter, duplex): Up t 22 ppm; Color (Draft, A4): Up to 22 ppm; Color (A4, Duplex): Up to 17 ipm; Color (letter, Duplex): Up to 17 ip
rst page out ³	fast as 20 sec; Color (letter, ready): As fast as 12.3 sec; Color (letter, sleep): As fast as 20 sec	as 12.2 sec; Color (A4, sleep): As fast as 20 sec; Black (letter, ready): As fast as 10.1 sec; Black (letter, sleep
int technology	Laser Plant (hand) the ta 1300 of 1300 drived and the Plant (name). The ta 1300 of 1300 drived and the Plant (hand) the ta 1300 of 1300 drived and the Plant (hand) the ta 1300 of 1300 drived and the Plant (hand) the ta 1300 of 1300 drived and the Plant (hand) the ta 1300 of 1300 drived and the Plant (hand) the ta 1300 of 1300 drived and the Plant (hand) the ta 1300 of 1300 drived and the Plant (hand) the ta 1300 of 1300 drived and the Plant (hand) the ta 1300 of 1300 drived and the Plant (hand) the table (hand	Color (book) 11s to 1700 1700 doi: 10.100 doi: 10.
nt resolution nt cartridges number	4 (1 each black, cyan, magenta, yellow)	peed; Color (best): Up to 1200 x 1200 dpi reduced speed; Color (normal): Up to 600 x 600 dpi reduced speed
andard print languages	HP PCL 6, HP PCL 5c, HP Postscript level 3 emulation, PDF (v 1.7), AirPrint™ compatible	
inter management		plate, Add Print Model to Comments, AutoUpgradeUPD, Driver Configuration Utility, Driver Deployment Utility, H Plug and Play Drivers); HP Web Jetadmin Software; Resource Kit for HP Web Jetadmin (HP SNMP Proxy Agent, H
an technology	Type: Flatbed, ADF; Technology: Platen Scanner CCD Digital-CIS	
an speed ⁹	Normal, A4: Up to 80 ppm/160 ipm (b&w), up to 80 ppm/160 ipm (color)	Normal, A4: Up to 120 ppm/240 ipm (b&w), up to 120 ppm/240 ipm (color)
an resolution	Enhanced: Up to 600 x 600 dpi; Hardware: UP to 600 x 600 dpi	
gital sending starndard features an size	Scan to E-mail; Save-to-Network Folder; Save-to-USB drive; Send to Sharepoint; Send to FTP; Send to s Auto Color Sense; Auto Crop To Content; Compact PDF; Auto Tonescale; Auto Orientation; Multi-Pick Det Flatbed: 297 x 432 mm; ADF scan size: 297 x 432 mm	FTP; Send to LAN Fax; Send to Internet Fax; Local Address Book; SMTP over SSL; Blank Page Removal; Edge Era ect; Auto Straighten; Auto Crop To Page
an input modes	Front panel applications: Copy; E-mail; Fax; Save to Network Folder; Save to USB; Save to Device Memor	y; Open Extensibility Platform (OXP) applications
an file format	Digital Send: PDF, Hi-Compression PDF, JPEG, TIFF, MTIFF, XPS, PDF/A; Scan to easy access USB: PDF, JPEI TIFF, MTIFF, XPS, PDF/A; Print from easy access USB: PDF, PS, Print Ready files (.prn, .pcl, .cht)	
ру	Patter remote dispensis and repair Higher first time for rates; Full taper LLC utilization: Capture up hills	d pages from recognisted naturally devices, personal printers; On site assess to service training; A2 Large late.
py smart software features	Better remote diagnosis and repair; Higher first time fix rates; Full toner, LLC utilization; Capture un-bille designed for fewer LLC replacements and faster repairs.	d pages from reconnected network devices, personal printers; On-site access to service training; A3 LaserJets a
py speed	Black (A4, normal): Up to 22 cpm; Black (letter, normal): Up to 22 cpm; Color (A4, normal): Up to 22 cpm; Color (letter, normal): Up to 22 cpm; Black Duplex (A4): Up to 17 cpm; Black (letter, duplex): Up to 17 cpm; Color (A4, Duplex): Up to 17 cpm; Color (letter, duplex): Up to 17 cpm; Color (Better, duplex): Up to 17 cpm; Color (Bett	
st copy out		or (A4, sleep): As fast as 21.5 sec; Black (letter): As fast as 9.3 sec; Black (letter, sleep): As fast as 21.5 sec
py resolution x. number of copies	Black (text and graphics): Up to 1200 x 1200 dpi; Color (text and graphics): Up to 600 x 600 dpi Up to 999 copies	
pier resize	25 to 400%	
pier settings	Two-sided copying; scalability; image adjustments (darkness, contrast, background cleanup, sharpness); optimized text/picture (text, mixed, printed picture, photograph); N-Up; N or Z-ordering; content orientation;	
,	collation; booklet; ID Scan; job build; job Storage; watermark; stamps; book mode scans; erase edges; automatically detect color/mono; image Preview	
x	Tascu	
x speed	33.6 kbps Up to 300 x 300 dpi (400 x 400 dpi for received faxes only)	
x resolution x features		detection supported: No: Fax forwarding supported: Yes: Junk barrier supported: Yes: Maximum speed
. reactives	Auto fax reduction supported: Yes; Auto-redialing: Yes; Fax delayed sending: No; Distinctive ring detection supported: No; Fax forwarding supported: Yes; Junk barrier supported: Yes; Maximum speed dialing numbers: Up to 1000 numbers (each with 210 destinations); PC interface supported: Yes; Fax polling supported: Yes; (poll to receive only)	
x memory	Fax memory (A4): Up to 500 pages; Fax memory (letter): Up to 500 pages	
nnectivity	2 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Gigabit Ethernet 10/100/1000T network; 1 Harr	turns Integration Declett 1 Fay modern part
andard connectivity obile printing capability ⁴		3), IPP over TLS, IPsec/Firewall with Certificate, Pre-Shared Key Authentication, and Kerberos Authentication;
etwork ready	Standard (built-in Gigabit 10/100/1000T Ethernet)	
reless capability	No wireless capabilities standard. There are optional accessories (common to all current Jedi products)	that support wireless. These are listed in the connectivity section, above.
twork Capabilities	Standard (built-in Gigabit 10/100/1000T Ethernet) Standard: 6 GB: Maximum: 6 GB	Standard: 7 GB; Maximum: 7 GB
rd Disk		vare encryption or greater; Secure erase capabilities (Secure File Erase-Temporary Job Files, Secure Erase-Job I
ocessor speed	1.2 GHz	
rty cycle (monthly)	Up to 300,000 pages; Recommended monthly page volume: Up to 30,000 pages	
per handling		
out	sheet tray	2000 100-sheet multi-purpose tray, 2 x 520-sheet input tray, 520-sheet input tray, 250 sheet ADF; Optional sheet tray
rtput odia typo	500 sheet face-down output bin Plain HP FcoFFICIENT HP Matte 90g Light 60-74g Bond Recycled HP Matte 105g HP Matte 120g HP	Soft Gloss 120g, HP Glossy 120g, Mid-Weight 96-110g, Heavy 111-130g, Mid-WtGlossy 96-110g, Hvy Glossy
dia type	111-130g, HP Matte 150g, HP Glossy 150g, Extra Heavy 131-175g, XHvyGlossy 131-175g, HP Matte	
dia weight	Tray 1: 60 to 175 g/m²; Tray 2, 3: 60 to 220 g/m²	
dia sizes custom	Tray 1: 98 x 148 mm to 297 x 432 mm; Tray 2: 139.7 x 210 mm to 297 x 364 mm; Tray 3: 139.7 x 210	
mensions (W x D x H)	566 x 724.3 x 879 mm	585 x 775.9 x 927.5 mm
eight	89.55 kg Engine; TCU; Drums; Assy-Color WG Nameplate and Label; Power Cords; Assembly-CD WW; Hardware in	stall and setun documentation: Support fluers (DOES NOT INLCLLIDE TONER)
hat's in the box ¹ arranty features		irements. Go to http://www.hp.com/support to learn about HP award winning service and support options in y
	region.	
ystems ompatible operating systems	Android, Linux Boss (5.0), Linux Debian (7.0, 7.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 7.9, 8.0, 8.1, 8.2, 8.3, 8.4, 8.5, 8.6), Linux Fedora (22, 23, 24), Linux Mint (17, 17.1, 17.2, 17.3, 18), Linux Red Hat Enterprise (6.0, 7.0), SUSE (13.2, 42.1), Linux Ubuntu (12.04, 14.04, 15.10, 16.04, 16.10), Os macOS 10.12 Sierra, OS X 10.10 Vosemite, OS X 10.11 El Capitan, UNIX, Windows 10 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows 7 all 32- & 64-bit editions, Windows 8/8.1 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows Vista all 32bit editions (Home Basic, Premium, Professional, etc.), Windows XP SP3 32-bit editions (Home, XP Pro, etc.)	
nimum system requirements	PC: 2 GB available hard disk space; OS hardware requirements see microsoft.com Mac: 1.3 GB available hard drive space; Internet; OS hardware requirements see Apple.com for more info	
curity management	Management security: SNMPv3, SSL/TLS, WPA2-Enterprise, 802.1X authentication (EAP- PEAP, EAP-TLS), IPP over TLS, IPsec/Firewall with Certificate, Pre-Shared Key Authentication, and Kerberos Authentication; Support for WJA-10 IPsec Configuration using IPsec Plug-in	
nts and Typefaces ntrol panel	84 scalable TrueType fonts 8.0-in (20.3 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display;	8.0-in (20.3 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display;
ntrol panel	o.v-in (20.5 of the Country Country) (Country)	o.v-in (20.3 cm) color draphics orspany (cdd) with food is een, foreign gaglostatic anger disprey, illuminated Home button (for quick return to the Home menu); USB High-speed 2.0 port; Hardware Integration Pocket; Extended Keyboard
	8.0-in (20.3 cm) touchscreen, SVGA Color Graphic Display (CGD)	
play		71. (-) 4.00() 220. (-) 4.01((-) 4.00() 50.00() (-) 2.00()
	Power supply type: Internal (Built-in) power supply; Power supply required: Input voltage: 110 to 12	
isplay ower oftware included coustics	Power supply type: Internal (Built-in) power supply; Power supply required: Input voltage: 110 to 12 HP Connected, HP Device Experience (DXP), HP PCL 6 Printer Driver, HP Software Installer/Uninstaller, Ma Acoustic power emissions: 6.3 B(A), printing color simplex A4 at 22 ppm; Acoustic power emissions	ac OS Welcome Screen (Directs users to 123.HP.com or OS App Source for printer software), Online user manual Acoustic power emissions: 6.4 B(A), printing color simplex A4 at 22 ppm; Acoustic power emissions
ower oftware included coustics	Power supply type: Internal (Built-in) power supply: Power supply required: Input voltage: 110 to 12 HP Connected, HP Device Experience (DXP), HP PCL 6 Printer Driver, HP Software Installer/Uninstaller, M: Acoustic power emissions: 6.3 B(A), printing color simplex A4 at 22 ppm; Acoustic power emissions (ready): Inaudible: Acoustic pressure emissions bystander (active, printing): 48 dB(A), printing color simplex A4 at 22 ppm; Acoustic pressure emissions bystander (active, printing): A9 dB(A), printing color simplex A4 at 22 ppm; Acoustic pressure emissions bystander (ready): Inaudible	ac OS Welcome Screen (Directs users to 123.HP.com or OS App Source for printer software), Online user manual Acoustic power emissions: 6.4 B(A), printing color simplex A4 at Z2 ppm; Acoustic power emissions (ready): Inaudible; Acoustic pressure emissions bystander (active, printing): 49 dB(A), printing color simplex A4 at Z2 ppm; Acoustic pressure emissions bystander (ready): inaudible
ower oftware included	Power supply type: Internal (Built-in) power supply: Power supply required: Input voltage: 110 to 12 HP Connected, HP Device Experience (DXP), HP PCL 6 Printer Driver, HP Software Installer/Uninstaller, M: Acoustic power emissions: 6.3 B(A), printing color simplex A4 at 22 ppm; Acoustic power emissions (ready): Inaudible: Acoustic pressure emissions bystander (active, printing): 48 dB(A), printing color simplex A4 at 22 ppm; Acoustic pressure emissions bystander (active, printing): A9 dB(A), printing color simplex A4 at 22 ppm; Acoustic pressure emissions bystander (ready): Inaudible	ac OS Welcome Screen (Directs users to 123.HP.com or OS App Source for printer software), Online user manua: Acoustic power emissions: 6.4 B(A), printing color simplex A4 at 22 ppm; Acoustic power emissions (ready): Inaudible; Acoustic pressure emissions bystander (active, printing): 49 dB(A), printing color
wer oftware included oustics	Power supply type: Internal (Built-in) power supply: Power supply required: Input voltage: 110 to 12 HP Connected, HP Device Experience (DXP), HP PCL 6 Printer Driver, HP Software Installer/Uninstaller, M. Acoustic power emissions: 6.3 B(A), printing color simplex Ad at 22 ppm; Acoustic power emissions (ready): Inaudible; Acoustic pressure emissions bystander (active, printing): 48 dB(A), printing color simplex Ad at 22 ppm; Acoustic pressure emissions bystander (ready): Inaudible operating temperature range: 15 to 30°C; Recommended operating temperature: 15 to 30°C; Nonhumidity range: 20 to 80% RH	ac OS Welcome Screen (Directs users to 123.HP.com or OS App Source for printer software), Online user manu Acoustic power emissions: 6.4 B(A), printing color simplex A4 at 22 ppm; Acoustic power emissions (ready): inaudible; Acoustic pressure emissions bystander (active, printing): 49 dB(A), printing color simplex A4 at 22 ppm; Acoustic pressure emissions bystander (ready): Inaudible -operating humidity range: 10 to 80% RH; Operating humidity range: 20 to 80% RH; Recommended operating humidity range: 20 to 80% RH; Cabor 11 + A2:2013 (EU); EN 60825-1:2014 / IEC 60825-1:2014 (Class 1 Laser Product); EN 62479:2010 / IEC b); UL/CUL Listed and UC CoC (US/Canada); CAN/CSA C22.2 No. 60950-1-07 2nd Ed. 2011-12; Compliance with

Footnotes

- ¹ Based on HP review of 2016 published security features of competitive in-class printers. Only HP offers a combination of security features that can monitor to detect and automatically stop an attack then
- self-validate software integrity in a reboot. For a list of printers, visit http://www.hp.com/go/PrintersThatProtect. For more information: http://www.hp.com/go/printersecurityclaims

 Requires an Internet connection to the printer. Services may require registration. App availability varies by country, language, and agreements. For details, see http://www.hp.connected.com
- ³ Measured using ISO/IEC 24734, excludes first set of test documents. For more information, see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
- Some features require additional purchase. A FutureSmart service pack update may be required to activate security features. Learn more at http://www.hp.com/go/printsecurity
- 5 Scan speed measured from ADF at default 300 dpi (black-and-white, grayscale, and color). Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and

Product walkaround disclaimers

- $^{\rm 1}$ The 250-sheet ADF is included on the Flow MFP E77822z only. The MFP E77822dn has a 100-sheet ADF.
- 2 Solutions deployed through the Hardware Integration Pocket (HIP) may require additional purchase 3 An administrator must enable the easy-access USB port before use.
- 4 Measured using ISO/IEC 24734, excludes first set of test documents. For more information, see hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
- 5 Scan speed measured from ADF at default 300 dpi (black-and-white, grayscale, and color). Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.

Technical specifications disclaimers

- No, please purchase USB cable separately (EMEA, Americas; AP) (Service Technician must install units)
- ² Based on standard ITU-T test image #1 at standard resolution and MMR encoding, the HP fax device can transmit at 3 sec/page for V.34 and 6 sec/page for V.17
- ³ Measured using ISO/IEC 17629. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity. ⁴ Optional Wireless Direct and Wireless
- Declared yield value in accordance with ISO/IEC 19752. Actual yields vary considerably based on images printed and other factors. For more information, visit http://www.hp.com/go/learnaboutsupplies Actual yields vary considerably based on images printed and other factors. For more information, visit http://www.hp.com/go/learnaboutsupplies Actual yields vary considerably based on images printed and other factors. For details see http://www.hp.com/go/learnaboutsupplies
- 6 Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty.

 7 Measured using ISO/IEC 24734, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software
- ⁸ Average color composite (C/M/Y) and black declared yields based on ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see http://www.hp.com/go/learnaboutsupplies.
- 9 Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software

To learn more, visit hp.com