


HTML - Basics

Introduction

- The `<!DOCTYPE html>` declaration defines that this document is an HTML5 document
- The `<html>` element is the root element of an HTML page
- The `<head>` element contains meta information about the HTML page
- The `<title>` element specifies a title for the HTML page (which is shown in the browser's title bar or in the page's tab)
- The `<body>` element defines the document's body, and is a container for all the visible contents, such as headings, paragraphs, images, hyperlinks, tables, lists, etc.
- The `<h1>` element defines a large heading
- The `<p>` element defines a paragraph

HTML Page Structure



1. HTML Headings

- Headings are used to define the structure and hierarchy of content on a webpage.
- HTML provides six levels of headings, from `<h1>` to `<h6>`.
 - `<h1>` is the most important (largest and boldest).
 - `<h6>` is the least important (smallest).
- Example:

```
<h1>Main Heading</h1>
<h2>Subheading</h2>
<h3>Smaller Subheading</h3>
```

- Headings are block-level elements and should be used semantically (e.g., `<h1>` for the main title).

2. HTML Paragraphs

- Paragraphs are used to group blocks of text.
- Defined using the `<p>` tag.
- Example:

```
<p>This is a paragraph.</p>  
<p>This is another paragraph.</p>
```

- Browsers automatically add some margin (space) before and after paragraphs.
- Use `<br>` for line breaks within a paragraph:

```
<p>This is a line.<br>This is a new line.</p>
```

- Use `<hr>` to create a horizontal rule (a thematic break):

```
<p>This is a paragraph.</p>  
<hr>  
<p>This is another paragraph.</p>
```

3. HTML Links

- Links are used to navigate between pages or sections.
- Defined using the `<a>` tag with the `href` attribute.
- Example:

```
<a href="https://www.w3schools.com">Visit W3Schools</a>
```

- **Attributes:**

- `href` : Specifies the URL or destination.
- `target` : Defines where to open the link (e.g., `_blank` opens in a new tab).

```
<a href="https://www.w3schools.com" target="_blank">Open in New Tab</a>
```

- `title` : Adds a tooltip when hovering over the link.

```
<a href="https://www.w3schools.com" title="Go to W3Schools">Visit W3Schools</a>
```

- **Linking to Sections:**

- Use the `id` attribute to link to specific sections within a page.

```
<a href="#section1">Go to Section 1</a>  
<h2 id="section1">Section 1</h2>
```

- **Email Links:**

- Use `mailto:` to create a link that opens the user's email client.

```
<a href="mailto:example@example.com">Send Email</a>
```

4. HTML Images

- Images are added to web pages using the `<img>` tag.
- The `<img>` tag is self-closing and requires two main attributes:
 - `src` : Specifies the path to the image file.

- `alt` : Provides alternative text for screen readers or if the image fails to load.

- Example:

```

```

- **Additional Attributes:**

- `width` and `height` : Set the dimensions of the image (in pixels or percentages).

```

```

- `title` : Adds a tooltip when hovering over the image.

```

```

- **Linking Images:**

- Wrap the `<img>` tag inside an `<a>` tag to make the image clickable.

```
<a href="https://www.example.com">  
    
</a>
```