First Name Last Name

Review: SORTING

First Name Last Name

1. What is the efficiency of the following sorting algorithms?

| Insertion Sort | Bubble Sort |
|----------------|-------------|
| Selection Sort | Shell Sort |
| Quick Sort | Heap Sort |

2. Below is given a version of the Quick Sort Algorithm. There are two improvements added to this algorithm. Choose one of them and briefly explain it.

```
void quickSort( int a[], int first, int last )
{
    int pivotLoc;
    if( first < last )
    {
        pivotLoc = partition( a, first, last );
        quickSort( a, first, pivotLoc - 1 );
        quickSort( a, pivotLoc + 1, last );
    }
}</pre>
```

3. An array contains the elements shown below. Using shell sort with increment k = 4, show the contents of the array after one pass. Sort Order: DESCENDING.

```
70, 40, 34, 16, 90, 22, 25, 5, 59, 70, 87, 11, 17, 71
```

CIS 22C 2

Review: SORTING

4. A file of 1400 records that needs to be sorted is given. Assume that the record size and the memory available for our sort program allow a maximum sort array size for 300 records. Explain how the natural two-way merge sort works to sort the given file. Repeat the exercise using balanced two-way merge then poly-phase merge.

5. Explain how the merge algorithm works on the following two files. What is its efficiency?

FILE 1 10 30 50 60 FILE 2 20 22 24 26 28 40