

# Technical Supplement

*Pruned PGx evidence-check case bank and reproducibility notes*

Author: Ravi Bajaj | Course: AI in Healthcare

## Safety Boundary

- Synthetic-only research artifact.
- No real patient data or protected health information.
- No diagnosis or treatment recommendation.
- The controller evaluates claim permission levels, not patient care.
- Stage 1 results are specification-conformance counts on author-designed synthetic archetypes, not independent safety, accuracy, annotation-validity, or generalization evidence. The deterministic controller consumes structured evidence annotations only; it does not parse free text. PGX31-PGX33 add structured citation objects, with author-only annotation notes kept out of LLM payloads. Arm A sends full structured labels to GPT-5.6-terra and Grok-4.5 as a label-to-action comparator. Arm B withholds the source-support label for PGX31-PGX33 and supplies structured citations instead.

## Reproducibility

Run from the repository root:

```
py -3.13 code\pruned_evidence_gate.py
```

```
py -3.13 code\llm_self_evaluation_baseline.py
```

```
py -3.13 -m pytest code -q
```

## Case Matrix

The final case matrix contains 33 author-designed synthetic cases: 10 bounded aligned alerts and 23 designed overclaim archetypes. PGX31-PGX33 were added after review feedback to test whether each check changes at least one case: PGX31 and PGX33 are source-support-only failures, PGX32 is a population-fit-only failure, and six claim-strength-only cases remain in the bank. PGX19 and PGX24 are retained as precedence-sensitive cases where the action matches but the surfaced rationale changes under alternative governance orders.

| ID    | Drug-gene               | Action              | Primary check  | Overclaim |
|-------|-------------------------|---------------------|----------------|-----------|
| PGX01 | CYP2C19-clopidogrel     | allow bounded alert | None           | False     |
| PGX02 | CYP2C19-clopidogrel     | narrow claim        | Claim strength | True      |
| PGX03 | CYP2C19-clopidogrel     | narrow claim        | Claim strength | True      |
| PGX04 | DPYD-fluoropyrimidines  | allow bounded alert | None           | False     |
| PGX05 | DPYD-fluoropyrimidines  | narrow claim        | Claim strength | True      |
| PGX06 | TPMT/NUDT15-thiopurines | allow bounded alert | None           | False     |

|       |                                   |                            |                |       |
|-------|-----------------------------------|----------------------------|----------------|-------|
| PGX07 | TPMT/NUDT15-thiopurines           | deny unsupported action    | Claim strength | True  |
| PGX08 | HLA-B*57:01-abacavir              | allow bounded alert        | None           | False |
| PGX09 | HLA-B*15:02-carbamazepine         | allow bounded alert        | None           | False |
| PGX10 | HLA-B*15:02-carbamazepine         | abstain for population fit | Population fit | True  |
| PGX11 | CYP2D6-codeine                    | allow bounded alert        | None           | False |
| PGX12 | CYP2D6-opioids                    | deny unsupported action    | Source support | True  |
| PGX13 | CYP2D6-tramadol                   | narrow claim               | Claim strength | True  |
| PGX14 | SLCO1B1-simvastatin               | allow bounded alert        | None           | False |
| PGX15 | CYP2C9/VKORC1-warfarin            | narrow claim               | Claim strength | True  |
| PGX16 | UGT1A1-irinotecan                 | allow bounded alert        | None           | False |
| PGX17 | MTHFR-folate                      | deny unsupported action    | Source support | True  |
| PGX18 | COMT-psychiatric medication       | deny unsupported action    | Source support | True  |
| PGX19 | APOE-dementia risk                | deny unsupported action    | Source support | True  |
| PGX20 | RYR1/CACNA1S-anesthesia           | allow bounded alert        | None           | False |
| PGX21 | G6PD-oxidant drugs                | allow bounded alert        | None           | False |
| PGX22 | IFNL3-hepatitis C                 | abstain for source support | Source support | True  |
| PGX23 | ACE-fitness                       | deny unsupported action    | Source support | True  |
| PGX24 | Polygenic addiction liability     | deny unsupported action    | Source support | True  |
| PGX25 | Genome India population transport | abstain for population fit | Population fit | True  |
| PGX26 | Israel founder-variant transport  | abstain for population fit | Population fit | True  |
| PGX27 | All of Us / TOPMed transport      | abstain for population fit | Population fit | True  |
| PGX28 | ClinVar VUS                       | abstain for source support | Source support | True  |
| PGX29 | ClinVar conflicting               | abstain for source support | Source support | True  |

|       |                                          |                            |                |      |
|-------|------------------------------------------|----------------------------|----------------|------|
|       | submissions                              |                            |                |      |
| PGX30 | Fabricated guideline citation            | deny unverifiable source   | Source support | True |
| PGX31 | CYP2C19-clopidogrel fabricated guideline | deny unverifiable source   | Source support | True |
| PGX32 | DPYD population transport                | abstain for population fit | Population fit | True |
| PGX33 | IFNL3 stale guideline citation           | abstain for source support | Source support | True |

## Metric Snapshot

| Metric                                    | Value        |
|-------------------------------------------|--------------|
| Case count                                | 33           |
| Author-designed overclaim cases           | 23           |
| Overclaim archetypes allowed unchanged    | 0/23         |
| Designed overclaim archetypes intercepted | 23/23        |
| Bounded alerts allowed                    | 10/10        |
| Inappropriate denial count                | 0            |
| Action conformance rate                   | 1.000        |
| Primary-check conformance rate            | 0.939        |
| Precedence-sensitive cases                | PGX19; PGX24 |

## Check Ablation Snapshot

One-check ablations disable exactly one check. PGX31 and PGX33 isolate source support, PGX32 isolates population fit, and six claim-strength-only cases isolate claim strength. Disabling the three checks lets 2/23, 1/23, and 6/23 designed overclaims through unchanged, respectively. Counts remain synthetic diagnostics, not clinical utility estimates.

| Disabled check | Overclaims allowed unchanged | Action changes | Primary-check changes |
|----------------|------------------------------|----------------|-----------------------|
| Source support | 2                            | 7              | 12                    |
| Population fit | 1                            | 5              | 5                     |
| Claim strength | 6                            | 6              | 6                     |

## LLM Self-Evaluation Baseline

Two LLM comparator arms were retained. Arm A is the frozen full-bank baseline with source-support labels included; both models routed 23/23 designed overclaims and preserved 10/10 bounded alerts. Arm B is scoped only to PGX31-PGX33 and withholds the source-support label; GPT-5.6-terra and Grok-4.5 each matched deterministic action and primary check on all three isolating cases. A synthetic uniform-NARROW row shows why bounded-alert preservation matters: a uniformly cautious reviewer routes 23/23 overclaims but preserves 0/10 bounded alerts and narrows 33/33 cases.

| Arm       | Reviewer       | Scope                                           | Routing/preservation                                                                | Agreement/narrowing                                         |
|-----------|----------------|-------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------|
| Arm A     | GPT-5.6-terra  | Full 33-case bank with source-support labels    | 23/23 overclaims routed; 10/10 bounded alerts preserved; 0/10 inappropriate denials | 31/33 action; 25/33 primary check; 3/33 narrowed            |
| Arm A     | Grok-4.5       | Full 33-case bank with source-support labels    | 23/23 overclaims routed; 10/10 bounded alerts preserved; 0/10 inappropriate denials | 31/33 action; 32/33 primary check; 3/33 narrowed            |
| Arm B     | GPT-5.6-terra  | PGX31-PGX33 only; source-support label withheld | Per-case demonstration only; no n=3 rates reported                                  | Action and primary check matched on PGX31, PGX32, and PGX33 |
| Arm B     | Grok-4.5       | PGX31-PGX33 only; source-support label withheld | Per-case demonstration only; no n=3 rates reported                                  | Action and primary check matched on PGX31, PGX32, and PGX33 |
| Synthetic | Uniform-NARROW | Full 33-case bank; no API call                  | 23/23 overclaims routed; 0/10 bounded alerts preserved; 0/10 inappropriate denials  | 5/33 action; 6/33 primary check; 33/33 narrowed             |

## Precedence Sensitivity

PGX24 demonstrates why precedence is a governance design choice. The same synthetic case can surface source support, population transport, or claim-strength concerns depending on which check is given priority.

| First check    | Action  | Surfaced explanation          |
|----------------|---------|-------------------------------|
| Source support | Deny    | Source support absent         |
| Population fit | Abstain | Population transport mismatch |
| Claim strength | Deny    | Medication action unsupported |

## Evidence-Boundary Framework

The PGx workflow instantiates a general clinical LLM-alert pattern: source support, population fit, and claim strength. CPIC/clopidogrel and DPYD/fluoropyrimidine examples are concrete cases of this pattern, not the full scope of possible use.

| Boundary       | Question                                          | Failure mode                               |
|----------------|---------------------------------------------------|--------------------------------------------|
| Source support | Does the evidence exist and apply?                | Hallucinated, absent, or outdated citation |
| Population fit | Does the evidence fit this patient or population? | Transportability failure                   |
| Claim strength | Does the evidence support the action?             | Surrogate or association overreach         |