General Programming Standards and Guidelines Code Review Checklist

Project Name	Class Attendance Mobile App	Project ID	
Reviewer's Name	Oliver Atienza	Sprint No.	5
Review Date	15/04/2018		
File Name (Source Code)	activity_view_class.xml		

This checklist is to be used to assess source code during a peer review. Items which represent the code being reviewed should be checked off.

Place a check mark if the code complies with the criteria. If not, place comments at the remarks column.

1. License

Criteria	Comply		Remarks
	Yes	No	
License exists at the top of the code	✓		
License contains the name of the author	✓		
License contains the following: "This is a course requirement for CS 192 Software Engineering II under the supervision of Asst. Prof. Ma. Rowena C. Solamo of the Department of Computer Science, College of Engineering, University of the Philippines, Diliman for the AY 2015-2016".			

2. Code History

Criteria	Comply		Remarks	
	Yes	No		
Code History appears after the license of the source code.	✓			
Code History has been updated accordingly based on name of programmer, change date and change description.				

3. Internal Documentation

Criteria	Comply		Remarks	
	Yes	No		
A comment block exists after the Code History containing the following information: file creation date, development group, client group and a brief statement of the purpose of the software in the file.	✓		Add: each variable would have a corresponding descriptions variable_name; #description	
Each method in the file is preceded by a comment block which provides the following information: method name, routine's creation date, purpose of the routine, a list of the calling arguments (their types and what they do), a list of required files and/or database tables, and return value.			No methods in XML files	
Indentions are 5 spaces. TABS ARE NOT USED.	✓			
Inline comments are found at the top of the statement using '/*' and '*/'.			comment - is used since it is an XML file	
Bracketing of block statements follows the following format:			No block statements in XML	
<pre>if () { statements; }</pre>				
Exceptions are being handled appropriately.			No need for exception handling in XML files	
Meaningful variable names are used.			No variables in XML files	
Variable are initialized prior to use.			No variables in XML files	
Program statements are limited to one per line.			No program statements in XML files	
Parenthesis are used to remove operator precedence ambituity and improve code readability.			No operators in XML files	
Meaningful error messages are used.			No need for error messages in XML files	

Design Principles (Modularity, Cohesion, Coupling). Place a check mark if the method complies with Coupling and Cohesion. If not, leave it blank.

List of Method Sign	ature Modularity	Remarks

Software Engineering II

	Coupling	Cohesion	
<no in="" methods="" xml=""></no>			

Reviewer's Comments: