ISTA 130 Strings II Worksheet

Given a variable `word` that holds a string, write a line of code that prints the string without its first and last characters. Write a line of code that prints the string in uppercase. Write a line of code that prints a string consisting of the first two and the last two characters in the string. Write a line of code that prints a similar string, but the first pair of letters is repeated three times. Write a line of code that prints the string and then on the next line prints a dash underneath each letter of the string.

Convert this `for` loop, which traverses by element, into a `for` loop that traverses by index. Then convert it into a `while` loop. You will have to use string indexing.

```
for ch in word:
    print(ch * n)
```

(Continued on other side)

Write a function called `last_3` that takes one string argument and returns a new string containing the argument's last 3 characters. If the argument doesn't have 3 characters, return it. Use string slicing.

Write a function called `dashes` that takes one string argument and returns a new string that has the characters of the argument separated by dashes. `dashes('dog')` returns `'d-o-g'`. Write it two ways, using different types of loops. Can you traverse by element?

Write a function called `full_name` whose string argument has format `"last, first"` (letters may be upper or lowercase) and returns the string `"First Last"`. Examples:

```
full_name("fudd, elmer") -> "Elmer Fudd"
full_name("DUCK, donald") -> "Donald Duck"
```

There is more than one way to do this, but the `find` method may be helpful.

Write a Boolean function called `is_num` that takes a string and returns `True` if the string can safely be passed to the `float` typecasting function (or `int`), `False` otherwise. The `isdigit` string method will be helpful.