ISTA 130 Lists and Strings Worksheet

Revisit the function called `time_to_seconds`. It has one string parameter representing a time in format `"hours:minutes:seconds"` (e.g. `"10:3:7"`), and returns the equivalent number of seconds. This time, implement it using `split`.

Revisit the function called `full_name` whose string argument has format `"last, first"` (letters may be upper or lowercase) and returns the string `"First Last"`. Examples:

```
full_name("fudd, elmer") -> "Elmer Fudd"
full_name("DUCK, donald") -> "Donald Duck"
```

Use `split`.

Write a function called `word_lengths`. This function takes a string argument and returns a list containing the length of each word (including punctuation). You will need to build the list by starting with an empty list and adding to it in a `for` loop using the `append` method. Use the `split` method to extract the words from your string. For example:

```
word_lengths('I heart Rocket.')    -->    [1, 5, 7]
```

Write a function called `third`. It takes one list argument and replaces every third element with the number `3`. It returns `None` (why?). For example:

```
third(['you', 77, True, 0.5, 'me', 'hmm'])   -->
['you', 77, 3, 0.5, 'me', 3]
```

Write a function called `separator` that takes two string arguments. It returns a new string that has the whitespace between words in the first argument replaced by the second argument. Use `split`, `join`. Assume no leading or trailing whitespace. E.g.:

```
third('I heart Rocket', '---')   -->   'I---heart---Rocket'
```

Write a function called `phone_nums` that takes one string argument, a filename, and returns a list of all of the phone numbers in the file. Assume phone numbers are in format ddd-ddd-dddd. (Hint: use `split` twice. Remember `isdigit`).

Write a function called `r_words` that takes a filename argument and returns a list of all of the words that start with `'r'` or `'R'` in the file. Include duplicates and punctuation.