



Using the docker registry

To provide your own docker images for condor on the cluster, we have a local docker registry. Before using it for push and pull of images, you have to first login there and create a project. To do so go to <https://docker.coli.uni-saarland.de> (<https://docker.coli.uni-saarland.de>) and login there with your usual LST credentials (those you use for LST mail or logging into login.lst.uni-saarland.de).




After login you'll see the projects page.



Here is always a template project. This cannot be used. You have to create your project. To do so click on the "+ NEW PROJECT" button. This opens the project wizard.

A screenshot of the "New Project" wizard form. It has a dark blue background. The title "New Project" is at the top. Below it, there is a "Project Name" field with a red asterisk indicating it is required. Underneath, there is an "Access Level" section with a help icon and a "Public" checkbox. At the bottom right, there are two buttons: "CANCEL" and "OK".

Give your project a name, let's say "myproject" (in production your username would be a better choice to avoid naming conflicts), tick the public box and click on "OK". The new project is now created. Ticking the public box allows pulling the image without authentication, which is especially helpful when using the image through htcondor.



You have your new project created. To add other users to the project, so that they can access your images, click on the project name and in the project details page click on the "Members" tab. Here you can add other users. To do so click on "+ USER". This opens the new member wizard.

In the name field enter the LST username of the member you want to add (LST username is the part before @lst.. in the users mail LST adress) and select which role the member should have. If the member should only be able to pull your image, guest role is enough.

Now that you created your project and maybe added members you can start to fill your project with repositories/images.

To do so, you have to first login to the registry via docker:

```
docker login docker.coli.uni-saarland.de
```



Enter your credentials.

After creating a new image it must follow certain naming convention. To rename and re-tag we execute a docker command. The syntax of tagging command is as follows

```
docker tag [old_image_name]:[old_tag] [new_image_name]:[new_tag]
```



Let us assume you built the image with `hello-world` name and tagged it as `latest`. To push it to the server you have to rename it and re-tag it. the name must be in the form `docker.coli.uni-saarland.de/[project_name]/[image_name]:[new_tag]`. Since we have chosen the project name as `myproject`, if we want our image to be called `testing` with tag `v1` we would run the following command.

```
docker tag hello-world:latest docker.coli.uni-saarland.de/myproject/testing:v1
```



Remember `[project_name]` must match with the project name we created via the user interface that we started with.

you can now push it to the registry:

```
docker push docker.coli.uni-saarland.de/myproject/testing:v1
```



To use it in a condor submit file just replace `docker_image = [1st_docker_server]/[img_name]:[tag]` in the example submit file with the tag details you entered above. In the context of our running example, the change would be:

```
docker_image          = docker.coli.uni-saarland.de/myproject/testing:v1
```



 user/cluster/d_docker_registry.txt  Last modified: 2026/01/28 13:22 by nlouis