Manual Test Plan — CLI Agent v0.4 + HOL Registry Agent

Pre-requisites:

- `.env` configured with `HEDERA_TESTNET_ACCOUNT_ID` and `HEDERA_TESTNET_PRIVATE_KEY`
- HOL agent registered (`deployments/hol-agent.json` exists)
- Agent account: `0.0.8218785` , Inbound topic: `0.0.8218788`

Part A — CLI Agent: Annuity Lifecycle (Local Hardhat)

Start the local stack: `./start.sh`

#	Step	Command / Action	Expected Result
1	Health check	Type `health`	Output includes `API Health: OK` and `RPC Listening: true`
2	Help menu	Type `help`	Output shows four sections: **Lifecycle**, **Inspection**, **HCS-10 Agent Network**, **System**
3	Create deal	Type `create a deal with 3 coupons and face value 1000000`	Output shows a Correlation ID (e.g. `deal-17...`), an Annuity Contract address, a Stablecoin address, and Status: `created`
4	Execute deal	Type `execute the deal`	Output shows 3 coupon payment confirmations and final status `executed`
5	Transfer deal	Type `transfer the deal`	Output shows a secondary buyer address, a transfer price, and status `transferred`
6	Redeem deal	Type `redeem the deal`	Output shows redemption complete and status `redeemed`
7	List deals	Type `list deals`	The deal from step 3 appears with its correlation ID, current status, face value, and coupon count
8	Show transactions	Type `show transactions`	Tx log lists entries with hashes for create, execute, transfer, and redeem operations

---

Part B — HOL Registry Agent (Hedera Testnet)

#	Step	Command / Action	Expected Result
9	Agent status	Run `node agent/hol-registry.js status`	Output shows account `0.0.8218785` , inbound topic `0.0.8218788` , outbound topic ID, profile topic ID, and 7 registered skills
10	Agent on-chain verification	Run `node agent/hol-registry.js status` and confirm the inbound topic exists on HashScan: `https://hashscan.io/testnet/topic/0.0.8218788`	HashScan shows the topic with messages (profile, skills). Note: the HOL Portal REST search does not index

#	Step	Command / Action	Expected Result
			on-chain HCS-10 registrations — our agent won't appear there.

Part C — CLI Agent: HCS-10 Commands (Hedera Testnet)

Start the CLI agent: `node agent/cli-agent.js --network hedera-testnet`

#	Step	Command / Action	Expected Result
11	Verify banner	Observe the startup banner	Banner shows `v0.4`, `HCS-10 Agent: 0.0.8218785`, and `Inbound: 0.0.8218788`
12	List all agents	Type `list agents`	Output shows a table of agents from the HOL Registry (default query `agent`), each with name, registry source, and description
13	Search agents	Type `list agents imperium`	Output shows agents matching "imperium" (results from moltbook registry) with name, registry, and description. Note: our on-chain agent won't appear — the REST index doesn't crawl HCS-10 registrations.
14	Start listener	Type `listen`	Output shows `HCS-10 listener started` with 5-second polling interval
15	Stop listener	Type `stop listening`	Output shows `HCS-10 listener stopped`

Note: The `connect to` and `show connections` commands are tested end-to-end in Part D, which requires a second terminal running the test requester agent to accept the connection.

Part D — Agent-to-Agent Round-Trip (Hedera Testnet)

Open **two terminals** (T1 and T2).

#	Step	Command / Action	Expected Result
16	Start CLI listener	**T1:** Run `node agent/cli-agent.js --network hedera-testnet`, then type `listen`	T1 shows `HCS-10 listener started`
17	Run test requester	**T2:** Run `node agent/test-a2a.js`	T2 shows it is connecting to the Imperium agent and sending a skill request
18	Verify inbound reception	**T1:** Watch the listener output	T1 shows: (1) `Connection request from ...` auto-accepted, (2) `Skill request: annuity.status` received, (3) execution result displayed, (4) response sent confirmation

#	Step	Command / Action	Expected Result
19	Verify requester response	**T2:** Watch the output	T2 shows the skill response received with status and result data
20	Send outbound skill	**T1:** Type `send annuity.status`	T1 sends the skill request and shows `Skill request sent. Polling for response...`. Note: the test requester has already exited, so no response will arrive — verify the message was submitted successfully, then Ctrl+C the poll. A full bidirectional test requires two CLI agent instances (future).
21	Show connections	**T1:** Type `show connections`	The connection from step 17 appears with its Connection Topic ID and remote agent account

---

Quick Smoke (4 tests, < 5 min)

1. **Step 1** — Health check (local API works)
2. **Step 3** — Create deal (core lifecycle works)
3. **Step 9** — Agent status (HOL registration intact)
4. **Step 12** — List agents (HCS-10 discovery works)