

Assignment 1: Write a program to print given string in number of times.

Steps:
1.Start visual Studio 2008.
2.Create a Console file:-File->New->Project->Console Application.

```
Class String
{
Static void Main(string[] args)
{
int i,j;
Console.WriteLine("Enter the string: ");
string s1 = Console.ReadLine();
Console.WriteLine("How many times to print");
j = Convert.ToInt32(Console.ReadLine());
for (i = 1; i<=j ;i++)
{
Console.WriteLine(" " + s1);
}
Console.ReadKey();
}
}
}
```

Output:



Assignment 2: Write a program to show use of different operators.

Steps:
1.Start visual Studio 2008.
2.Create a Console file:-File->New->Project->Console Application.

---

a) Arithmetic Operator

```
Class Program
{
Static void Main(string[] args)
{
int a, b, c;
Console.WriteLine("----------Arithmetic Operator----------");
Console.WriteLine("Enter the 1st Number: ");
            a = Convert.ToInt32(Console.ReadLine());
Console.WriteLine("Enter the 2nd Number: ");
            b = Convert.ToInt32(Console.ReadLine());
Console.WriteLine("----------ArithematicOperaction are----------
");
            c = a + b;
Console.WriteLine("Addition is: " + c);
            c = a - b;
Console.WriteLine("Substraction is: " + c);
            c = a * b;
Console.WriteLine("Multiplication is: " + c);
            c = a / b;
Console.WriteLine("division is " + c);
Console.ReadKey();
}
}
}
```

/*Output:


```
----------Arithmetic Operator----------
Enter the 1st Number:
5
Enter the 2nd Number:
5
----------ArithmeticOperation are----------
Addition is: 10
Subtraction is: 0
Multiplication is: 25
Division is 1
*/
```

b) All Operators

```
-------------------------------------------------------------------------------
------Steps:
1.Start visual Studio 2008.
2.Create a Console file:-File->New->Project->Console Application.
-------------------------------------------------------------------------------
------

class Program
{
static void Main(string[] args)
{
int a = 10, b = 20;
int number = 10;
bool result;
string result1;
Console.WriteLine("a=" + a);
Console.WriteLine("b=" + b);
Console.WriteLine("1.Arithmetic Operators");
Console.WriteLine("\n");
Console.WriteLine("(a+b)=" + (a + b));
Console.WriteLine("(a-b)=" + (a - b));
Console.WriteLine("(a/b)=" + (a / b));
Console.WriteLine("(a*b)=" + (a * b));
Console.WriteLine("(a%b)=" + (a % b));
Console.WriteLine("_____________________________");
Console.WriteLine("2.Relational Operators");
Console.WriteLine("\n");
Console.WriteLine("(a==b)=" + (a == b));
Console.WriteLine("(a<b)=" + (a < b));
Console.WriteLine("(a>b)=" + (a > b));
Console.WriteLine("(a>=b)=" + (a >= b));
Console.WriteLine("(a<=b)=" + (a <= b));
Console.WriteLine("(a!=b)=" + (a != b));
Console.WriteLine("_____________________________");
Console.WriteLine("3.Logical Operators");
Console.WriteLine("\n");
Console.WriteLine("a==b || a>b", result = (a == b) || (a > b));
Console.WriteLine(result);
Console.WriteLine("a==b && a>b",result = (a == b) && (a > b));
Console.WriteLine(result);
Console.WriteLine("_____________________________");
Console.WriteLine("4.Bitwise Operators");
Console.WriteLine("\n");
Console.WriteLine("(a&b)=" + (a & b));
Console.WriteLine("(a|b)=" + (a | b));
Console.WriteLine("(a^b)=" + (a ^ b));
Console.WriteLine("(a<<b)=" + (a << b));
Console.WriteLine("(a>>b)=" + (a >> b));
Console.WriteLine("_____________________________");
Console.WriteLine("5.Ternary Operator");
Console.WriteLine("\n");
Console.WriteLine("{0} is {1}", number,result1 = (number % 2 == 0)
? "Even Number" : "Odd Number");
Console.WriteLine("_____________________________");
Console.ReadLine();
}
}
```

/*Output:


file:///C:/Users/IMRD/AppData/Local/Temporary Projects/ConsoleAp...
a=10
b=20
1.Arithmetic Operators
(a+b)=30
(a-b)=-10
(a/b)=0
(a*b)=200
(a%b)=10
2.Relational Operators
(a==b)=False
(a<b)=True
(a>b)=False
(a>=b)=False
(a<=b)=True
(a!=b)=True
3.Logical Operators
a==b || a>b
False
a==b && a>b
False
4.Bitwise Operators
(a&b)=0
(a|b)=30
(a^b)=30
(a<<b)=10485760
(a>>b)=0
5.Ternary Operator
10 is Even Number

Assignment 3: Write a program to show use of Lopping Constructs.

Steps:

1.Start visual Studio 2008.

2.Create a Console file:-File->New->Project->Console Application.

---

a) Multiplication Table using For loop.

```
Class Program
{
Static void Main(string[] args)
{
int i, n;
Console.WriteLine("Enter the number: ");
            n = Convert.ToInt32(Console.ReadLine());
Console.WriteLine ("Multiplication are");
for (i = 0; i<= 10; ++i)
            {
Console.WriteLine(" " +n*i);
            }
Console.ReadLine();
}

/*
```




b) Program for Nested For Loop.

Steps:
1.Start visual Studio 2008.
2.Create a Console file:-File->New->Project->Console Application.

```
class Program
   {
      static void Main(string[] args)
       {
          for (int i = 1; i <= 5; i++)
           {
              for (int j = 1; j <= i; j++)
               {
                  Console.Write(j);
               }
               Console.WriteLine();
            }
           Console.ReadLine();
       }
   }
}
```

/*Output:



C) Program for While loop.

Steps:


1.Start visual Studio 2008.

2.Create a Console file:-File->New->Project->Console Application.

```
class Program
{
        static void Main(string[] args)
        {
            int a = 10;

            /* while loop execution */
            while (a < 20)
            {
                Console.WriteLine("value of a: {0}", a);
                a++;
            }
            Console.ReadLine();
     }
}
```

Output:




D) Program for Nested While Loop.

Steps:
1.Start visual Studio 2008.
2.Create a Console file:-File->New->Project->Console Application.

```
class Program
   {
      static void Main(string[] args)
       {
         int i = 5;
         while (i >= 1)
          {
            int j = 5;
            while (j >= i)
             {
              Console.Write(j);
                j--;
             }
             i--;
            Console.WriteLine();
          }
         Console.Read();
      }
   }

/*Output:
```




E) Program for do-while loop

Steps:
1.Start visual Studio 2008.
2.Create a Console file:-File->New->Project->Console Application.

```
    class Program
    {
        static void Main(string[] args)
        {
            /* local variable definition */
            int a = 10;

            /* do loop execution */
            do
            {
                Console.WriteLine("value of a: {0}", a);
                a = a + 1;
            }
            while (a < 20);
            Console.ReadLine();
        }
    }
```

Output:



F) Program for nested do-while loop.

Steps:
1.Start visual Studio 2008.
2.Create a Console file:-File->New->Project->Console Application.

```
class Program
{
        static void Main(string[] args)
{
            int i = 0;

            do
{
                Console.WriteLine("Value of i: {0}", i);
                int j = i;


                i++;

                do
{
                Console.WriteLine("Value of j: {0}", j);
                j++;

} while (j < 2);

} while (i < 2);
Console.ReadKey();
}
}
```

/*Output:



G) Program for Forech loop.

Steps:
1.Start visual Studio 2008.
2.Create a Console file:-File->New->Project->Console Application.

```
class Program
{
static void Main(string[] args)
{
int[] arraylnt = { 11, 22, 33, 44 };
foreach (int m in arraylnt)
{
Console.Write("  " + m);
}
Console.WriteLine();
Console.ReadKey();
}
}
```

Output:

```
11 22 33 44
```

Assignment 4: Write a program to show use of Constructor.

Steps:

1.Start visual Studio 2008.

2.Create a Console file:-File->New->Project->Console Application.

---

a) Zero argument

```
Public class Taxi
{
        public bool islnitalized;
        public Taxi()
{
            islnitalized = true;
}
}
class TextTaxi
{
static void Main(string[] args)
{
            Taxi t = new Taxi();
            Console.WriteLine(t.islnitalized);
            Console.ReadKey();
}
}
}
```

/*Output*/

```
True
```

b) Two argument.

Steps:
1.Start visual Studio 2008.
2.Create a Console file:-File->New->Project->Console Application.

```
Class Rectangle
{
Public int length, width;
Public Rectangle(int x, int y)
{
            length = x;
            width = y;
}
Public int rectarea()
{
return (length * width);
}
}
Class rectarea
{
Public static void Main()
{
Rectangle r = newRectangle(15, 10);
int a = r.rectarea();
Console.WriteLine("Area of rectangle is" + a);
Console.ReadKey();
}
}
}
```

/*Output */


```
Area of rectangle is 150
```

c) Constructor with multiple Arguments.

Steps:
1.Start visual Studio 2008.
2.Create a Console file:-File->New->Project->Console Application.

```
Class demo
{
Public int a, b, c;
public demo()
{
Console.WriteLine("\nThe Constructor with no Parameter:");
Console.WriteLine("_____________________________________________");
}
public demo(int a)
{
int x = a;
Console.WriteLine("\nConstructor With One Parameter x="+a);
Console.WriteLine("Square of x is "+x*x);
Console.WriteLine("_____________________________________________");
}
public demo(int a, int b)
{
Console.WriteLine("\nConstructor With Two Parameter:");
Console.WriteLine("A=" + a);
Console.WriteLine("B=" + b);
int c = a + b;
Console.WriteLine("Addition is a+b="+c);
Console.WriteLine("_____________________________________________");
}
public demo(int a, int b, int c)
{
Console.WriteLine("\nConstructor With Three Parameter:");
Console.WriteLine("A=" + a);
Console.WriteLine("B=" + b);
Console.WriteLine("C=" + c);
int d = a + b + c;
Console.WriteLine("Addition is a+b+c="+d);
Console.WriteLine("_____________________________________________");
}
Class disp
{
Static void Main(string[] args)
{
demo d – newdemo();
demo d2 = newdemo(10);
demo d3 = newdemo(10, 20);
demo d4 = newdemo(10, 20, 30);
Console.WriteLine("Press any key....");
Console.ReadKey();
}
}
}
}
```

/*Output*/


file:///E:/Gaurav Mali/Constructor with multiple argument/Constructor with multiple argumer
The Constructor with no Parameter:
Constructor With One Parameter x=10
Square of x is 100
Constructor With Two Parameter:
A=10
B=20
Addition is a+b=30
Constructor With Three Parameter:
A=10
B=20
C=30
Addition is a+b+c=60
Press any key....

Assignment 5: Write a program to demonstrate inheritance.


Steps:
1.Start visual Studio 2008.
2.Create a Console file:-File->New->Project->Console Application.

---

a) Single inheritance.

```
Class item
{
Public void company()
{
Console.WriteLine("item code=XXX");
}
}
Class fan:item
{
Public void model()
{
Console.WriteLine("fan model:class");
}
}
Class simpleinheritance
{
staticvoid Main(string[] args)
{
item i = newitem();
fan f = newfan();
            i.company();
            f.company();
            f.model();
Console.ReadKey();
}
}
}
```

/*Output*/




b) Multilevel Inheritances

Steps:
1.Start visual Studio 2008.
2.Create a Console file:-File->New->Project->Console Application.

```
Class studscience
{
Public void marks()
{
Console.WriteLine("Marks of Student is: 60");
}
}
Class studcommarce:studscience
{
Public void rollno()
{
Console.WriteLine("Rollno of student is: 31");
}
}
Class stud:studcommarce
{
Public void percentage()
{
Console.WriteLine("Percentage of student is:70%");
}
}
Class display
{
staticvoid Main(string[] args)
{
studscience sci=newstudscience();
studcommarce com = newstudcommarce();
stud art = newstud();
            art.marks();
            art.rollno();
            art.percentage();
Console.ReadKey();
}
}
```

/*output*/



C) Multiple interface (inheritance)

Steps:
1.Start visual Studio 2008.
2.Create a Console file:-File->New->Project->Console Application.

```
-------   interface Info                    // Info interface is
define
    {
        void getinfo();                    // methos declare in
interface
    }

    interface Marks              // Marks interface is define
    {
        void getmarks();                // methos declare in
interface
    }
    class Student : Info, Marks
    {
        int rno, sub1, sub2;
        string name;
        public void getinfo()    //method of Info interface is
implemented
        {
            Console.WriteLine("Enter the Roll No: ");
            rno = int.Parse(Console.ReadLine());
            Console.WriteLine("Enter the Name: ");
            name =Console.ReadLine();
        }
        public void getmarks()  //method of marks interface is
implemented
        {
            Console.WriteLine("Enter the Marks of Subject 1: ");
            sub1 = int.Parse(Console.ReadLine());
            Console.WriteLine("Enter the Marks of Subject 1: ");
            sub2 = int.Parse(Console.ReadLine());
        }
        public void show()      // class methos is define
        {
            Console.WriteLine("Roll No is  : "+rno);
            Console.WriteLine("Name is     : " + name);
            Console.WriteLine("Subject 1 is: " + sub1);
            Console.WriteLine("Subject 2 is: " + sub2);
        }

    }
    class Program
    {
        static void Main(string[] args)
        {
            Student d = new Student();  //object of class
            d.getinfo();                //Info interface method
call
            d.getmarks();               //Marks interface method
call
            d.show();                   // class methos call
        }
```

```
    }
}
```

Output:

```
Enter the Roll No: 26
26
Enter the Name:
Pinkesh
Enter the Marks of Subject 1:
38
Enter the Marks of Subject 1:
39
Roll No is  : 26
Name is     : Pinkesh
Subject 1 is: 38
Subject 2 is: 39
Press any key to continue . . .
```

Assignment 6: Write a program to demonstrate the concept of boxing and unboxing.


Steps:

1.Start visual Studio 2008.

2.Create a Console file:-File->New->Project->Console Application.

```
class boxing
{
public void Boxing()
{
            int a = 10;
            object obj1 = a;
            a = 100;
            string str = "biral";
            object obj = str;
            Console.WriteLine("BOXING");
            Console.WriteLine("value type={0}", obj1);
            Console.WriteLine("object type value={0}", obj);
            Console.WriteLine("_____________________________");
}
}
class unboxing
{
public void Unboxing()
{
            Console.WriteLine("UNBOXING");
            int i = 50;
            object o = 30;
            i = (int)o;
            Console.WriteLine("value i={0}", i);
            int b = 100;
            object obj2 = 125;
            b = (int)obj2;
            Console.WriteLine("final b={0}", +b);
            Console.WriteLine("_____________________________");
}
}
class display
{
static void Main(string[] args)
{
            boxing b = new boxing();
            b.Boxing();
            unboxing u = new unboxing();
            u.Unboxing();
            Console.WriteLine("Press any key...");
            Console.ReadKey();
}
}
```

Output:


E:\Project of C#\ConsoleApplication13\Console
BOXING
value type=10
object type value=biral
UNBOXING
value i=30
final b=125
Press any key...

Assignment /: Write a program to demonstrate the concept of property and indexing.

Steps:


1.Start visual Studio 2008.

2.Create a Console file:-File->New->Project->Console Application.

```
class Indexing
{
        private string[] range = new string[5];
        public string this[int index]
{
            get
            {
                return range[index];
            }
            set
            {
                range[index] = value;
            }
}
}
class property
{
        private int x;
        public property(int i)
        {
            x = i;
        }
        public int z
        {
            get
            {
                return x;
            }
            set
            {
                x = value;
            }
        }
}
class disp
{
        static void Main(string[] args)
        {
            Indexing id = new Indexing();
            Console.WriteLine("INDEXING");
            Console.WriteLine("--------------------");
            id[0] = "Gaurav";
            id[1] = "Vikas";
            id[2] = "Ashish";
            id[3] = "Prabhat";
            id[4] = "Vickey";
            for (int i = 0; i < 5; i++)
            {
                Console.WriteLine(id[i]);
            }
```

```
            Console.WriteLine("----------------------");
            Console.WriteLine("PROPERTY");
            Console.WriteLine("----------------------");
            property p = new property(40);
            Console.WriteLine("p.z",p.z);
            Console.ReadKey();
        }
}
```

OUTPUT:



Assignment 8: Write a program to show use of Exception Handling.

Steps:
1.Start visual Studio 2008.
2.Create a Console file:-File->New->Project->Console Application.

---

a) One catch block

```
class Error3
{
        public static void Main(string[] args)
        {
            int a = 10;
            int b = 10;
            int c = 5;
            int x, y;
            try
            {
                x = a / (b - c);

            }
            catch (Exception e)
            {
                Console.WriteLine("divide by zero");
            }
            y = a / (b + c);
            Console.WriteLine("y = " + y);
            Console.ReadKey();
}
}
```

/*Output*/


y=0

b) Multiple catch block.

Steps:
1.Start visual Studio 2008.
2.Create a Console file:-File->New->Project->Console Application.

```
class Error4
{
        public static void Main(string[] args)
{
            int[] a = { 5, 10 };
            int b = 5;
            try
            {
                int x = a[2] / b - a[1];
            }
            catch (ArithmeticException)
            {
                Console.WriteLine("division by zero");
            }
            catch (ArrayTypeMismatchException)
            {
                Console.WriteLine("wrong data type");
            }
            catch (IndexOutOfRangeException E)
            {
                Console.WriteLine("ARRAY INDEX ERROR");
                int y = a[1] / a[0];
                Console.WriteLine("y=" + y);
                Console.ReadKey();
           }
}
}
```


/*Output*/



c) Exception Handling using Throw statement.

Steps:
1.Start visual Studio 2008.
2.Create a Console file:-File->New->Project->Console Application.

```
class Program
{
        static void Main(string[] args)
        {
            int a, b, c;
            Console.Write("Enter the first value=>");
            a = int.Parse(Console.ReadLine());
            Console.Write("Enter the Second value=>");
            b = int.Parse(Console.ReadLine());
            try
            {
                if (b == 0)
                {
                    throw new Exception("You can not Divid by
zero");
                }
                c = a / b;
                Console.WriteLine("Result is=>" + c);
            }
            catch (Exception obj)
            {
                Console.WriteLine(obj.Message);
                Console.WriteLine("Sorry, you enter wrong value");
            }
            Console.ReadKey();
        }
}
```



Assignment 9: Create a C# application using Label, Textbox, Button control.


Steps:
1.Start Visual Studio 2008
2.Creat Windows Form:- File->New->Project->WindowsFormsApplication.
4.Get Toolbox->Labe.
Toolbox->Button.

---

a) Change the Label Text using Button control.

Code for button-:

```
private void button1Click(object sender, EventArgs e)
{
    label1.Text = "Hello";
}
```




b) Change text and background colour using button Control.

Toolbox->Label.
Toolbox->button.

Code for button:-

```
        private void button1_Click(object sender, EventArgs e)
        {
            label1.BackColor = Color.Red;
        }
```



After click the button label color will be change

c)Change the label text and textbox text and Backcolor using button.


Toolbox->Label.
Toolbox->button.
Toolbox->Textbox.

Code:

```
private void button1_Click(object sender, EventArgs e)
{
        label1.Text = "hello";
        textBox1.Text = "hello";
        label1.BackColor = Color.Red;
        textBox1.BackColor = Color.Yellow;

}
```

Output:



Assignment 10: Create a c# application using List Box, combo box control.

Steps:
1.Start Visual Studio 2008
2.Creat Windows Form:- File->New->Project->WindowsFormsApplication.
4.Get Toolbox->ListBox.
  Get Toolbox->Button.
  Get Toolbox->Textbox.

---**a)**

Program for List Box.

Code-:

Form:

```
private void Form1_Load(object sender, EventArgs e)
  {
      listBox1.Items.Add("A");
      listBox1.Items.Add("B");
  }
```


Button:

```
private void button1_Click(object sender, EventArgs e)
{
    string var1;
    var1 = listBox1.Text;
    MessageBox.Show(var1);
}

private void button2_Click(object sender, EventArgs e)
{
    listBox1.Items.Add(textBox1.Text);
    textBox1.Text = "";
}

private void button3_Click(object sender, EventArgs e)
{
    int n = listBox1.SelectedIndex;
    listBox1.Items.RemoveAt(n);
}

private void button4_Click(object sender, EventArgs e)
{
    listBox1.BackColor = Color.Red;
}
private void button5_Click(object sender, EventArgs e)
{
    Application.Exit();
}
```


Form1
A
B
Hello
Hello
Display
ADD
Remove
Back-Color
Exit
A
OK

b) Program for Combo box

Steps:

1.Start Visual Studio 2008

2.Creat Windows Form:- File->New->Project->WindowsFormsApplication.

4.Get Toolbox->Combo Box.

Coding:-

Button:

```
        private void button1_Click(object sender, EventArgs e)
        {
            string var1;
            var1 = comboBox1.Text;
            MessageBox.Show(var1);
        }

        private void button2_Click(object sender, EventArgs e)
        {
            comboBox1.Items.Add(textBox1.Text);
            textBox1.Text = "";
        }


        private void button3_Click(object sender, EventArgs e)
        {
            int n = comboBox1.SelectedIndex;
            comboBox1.Items.RemoveAt(n);
        }


        private void button4_Click(object sender, EventArgs e)
        {
            comboBox1.BackColor = Color.Yellow;
        }
```

Form:

```
        private void Form1_Load(object sender, EventArgs e)
        {
            comboBox1.Items.Add("A");
            comboBox1.Items.Add("B");
        }
```

Output:





Assignment 11: Demonstrate the use of Timer control in c#

Steps:
1.Start Visual Studio 2008
2.Creat Windows Form:- File->New->Project->WindowsFormsApplication.
4.Get Toolbox->Labe.
Toolbox->Timer.

---

a) Show Date and Time Using timer control.

Coding-:

Form1:

```
    public partial class Form1 : Form
    {
        int second = 0;
        public Form1()
        {
            InitializeComponent();
        }


        private void Form1_Load(object sender, EventArgs e)
        {
            timer1.Interval = 1000;
            timer1.Start();

        }
```

Timer Control Coding-:

```
private void timer1_Tick(object sender, EventArgs e)
        {
            label1.Text = DateTime.Now.ToString();
            second = second + 1;
            if (second >= 10)
            {
                timer1.Stop();
                MessageBox.Show("Exiting form timer");
            }
        }
```

Output:



Assignment 12: Create a c# application using Picture box, Scrollbar Control.

Steps:
1.Start Visual Studio 2008
2.Creat Windows Form:- File->New->Project->WindowsFormsApplication.
4.Get Toolbox->Picture Box.


---

a)Picture Box.

Coding-:

```
        private void Form1_Load(object sender, EventArgs e)
        {
            pictureBox1 .Image =Image .FromFile
("C:\\Users\\Public\\Pictures\\Sample
Pictures\\Chrysanthemum.jpg");
            pictureBox1.SizeMode =
PictureBoxSizeMode.StretchImage;
            pictureBox1.Width = 400;
            pictureBox1.Height = 400;
            pictureBox1.Dock = DockStyle.Left;
        }
```

Output:



b) Scrollbar Control.

Steps:

1.Start Visual Studio 2008

2.Creat Windows Form:- File->New->Project->WindowsFormsApplication.

4.Get Toolbox-> Label.
  Get Toolbox-> 3vScrollBars.
  Get Toolbox-> TextBox.

5.Change vscrollbar property->value->25.

Coding-:

Form:

```
    public partial class Form1 : Form
    {
        int r, g, b;
        public Form1()
        {
            InitializeComponent();
        }
```

Vscrollbar:-

```
private void vScrollBar1_Scroll(object sender, ScrollEventArgs e)
        {
            textBox1.BackColor = Color.FromArgb(r, g, b);
            g = vScrollBar1.Value;


        }

private void vScrollBar2_Scroll(object sender, ScrollEventArgs e)
        {
            textBox1.BackColor = Color.FromArgb(r, g, b);
            r = vScrollBar2.Value;
```

```
        }

private void vScrollBar3_Scroll(object sender, ScrollEventArgs e)
        {
            textBox1.BackColor = Color.FromArgb(r,g,b);
            b = vScrollBar3.Value;
        }
```

Output:



c) scroll bar, Picture box.

```
-------------------------------------------------------------------------------
-------
1.Start Visual Studio 2008
2.Creat Windows Form:- File->New->Project-
>WindowsFormsApplication.
4.Get Toolbox-> Label.
  Get Toolbox-> 3vScrollBars.
  Get Toolbox-> TextBox.
  Get Toolbox-> PictureBox.
5.Change vscrollbar property->value->25.
-------------------------------------------------------------------------------
 public partial class Form1 : Form
    {
        int r, g, b;
        public Form1()
        {
            InitializeComponent();
        }

        private void Form1_Load(object sender, EventArgs e)
        {
pictureBox1.Image =
Image.FromFile("C:\\Users\\Public\\Pictures\\Sample
Pictures\\Chrysanthemum.jpg");
            pictureBox1.SizeMode =
PictureBoxSizeMode.StretchImage;
            pictureBox1.Width = 240;
            pictureBox1.Height = 240;
            pictureBox1.Dock = DockStyle.Left;
```


```
        }

private void vScrollBar1_Scroll(object sender, ScrollEventArgs e)
        {
            textBox1.BackColor = Color.FromArgb(r, g, b);
            r = vScrollBar1 .Value;
        }

private void vScrollBar2_Scroll(object sender, ScrollEventArgs e)
        {
            textBox1.BackColor = Color.FromArgb(r, g, b);
            g = vScrollBar2.Value;
        }

private void vScrollBar3_Scroll(object sender, ScrollEventArgs e)
        {
            textBox1.BackColor = Color.FromArgb(r, g, b);
            b = vScrollBar3.Value;
        }
    }
```

Output:



Assignment 13: Demonstrate simple Database Connectivity using Wizard.

Steps:


1.Start Visual Studio 2008

2.Creat Windows Form:- File->New->Project->WindowsFormsApplication.


Create a database file.

1 Open start bar.


2 search for the **Microsoft office Access.**




3. open **Microsoft office Access.**




4 Create a blank Database.




5 Change the name and create




6 Go to create tab and click Table design.



It well look like this



8 Now insert data




9 Save file and close it.

Now database file are created.

Now link the database file into Visual Studio

Steps:
1.Start Visual Studio 2008
2.Creat Windows Form:- File->New->Project->WindowsFormsApplication.
3.Toolbox->
Get: DataGridView.



Now add the Data file we created.
10) Click to **(Add Project Data Source..)**

