

लोकमंगल बायोटेक
Lokmangal Bio-Tech Pvt. Ltd.

Product catalogue

Balanced nutrition, richer harvests

To improve the productivity of agriculture by providing new research-based products.

Lokmangal Bio-Tech Pvt. Ltd.
A-61, M.I.D.C., Chincholi, Solapur - 413 255 (M.S.)
+91 99234 04591 · +91 99234 04580 · 0217-2357286 · info@lokmangalbiotech.com

NPK Mixture Fertilizers

Krishi Vardan grades that supply nitrogen, phosphorus and potassium for all crops, vegetables, fruits, cereals and pulses.



Krishi Vardan 18:18:10

NPK mixture fertilizer

Dose: 100 kg per acre

Packing: 50 kg

Contents: Total Nitrogen, N(T) 18%, Total Phosphorus, P(T) 18%, Citrate-soluble Phosphorus, P(CS) 18%, Water-soluble Phosphorus, P(WS) 9%, Total Potassium, K(T) 10%

How it is used: Soil application

Crops: All crops, vegetables, fruits, cereals and pulses



Krishi Vardan 20:20:00

NPK mixture fertilizer

Dose: 100 kg per acre

Packing: 50 kg

Contents: Total Nitrogen, N(T) 20%, Total Phosphorus, P(T) 20%, Citrate-soluble Phosphorus, P(CS) 20%, Water-soluble Phosphorus, P(WS) 10%, Total Potassium, K(T) 00

How it is used: Soil application

Crops: All crops, vegetables, fruits, cereals and pulses

Secondary Nutrient Mixture Fertilizers

Our own Magnet: calcium, magnesium and sulphur that keep soil fertile and productive alongside NPK.



Magnet 10:05:10

Calcium + Magnesium + Sulphur, granule and powder

Dose: 100 kg per acre

Packing: 25 kg, 50 kg

Contents: Calcium (Ca) 10, Magnesium (Mg) 05, Sulphur (S) 10

How it is used: Soil application

Crops: All crops, vegetables, fruits, cereals and pulses

Water Soluble Fertilizers

FASTER+ grades and Cannon calcium nitrate, 100% water soluble for foliar spray and drip fertigation.



FASTER+

100% water soluble NPK, for foliar spray and drip fertigation

Dose: As per the requirement of the crop

Packing: 1 kg, 25 kg

Grades: 19:19:19, 20:20:20, 13:00:45, 00:00:50, 00:52:34, 12:61:00, 13:40:13

How it is used: Foliar spray, Drip fertigation



Cannon

Calcium Nitrate, 100% water soluble

Dose: 1–10 gm per litre of water

Packing: 500 gm, 1000 gm

Contents: Nitrate Nitrogen, N-NO_3 14.4%, Ammonical Nitrogen, N-NH_4 1.1%, Total Nitrogen, N(T) 15.5%, Calcium (Ca) 18.8%

How it is used: Foliar spray, Drip fertigation

Crops: All crops, vegetables, fruits, cereals and pulses

Micronutrients

Lancer and Spark: iron, manganese, zinc, copper, molybdenum and boron in one mixture.



Lancer

Micronutrient mixture, liquid and soil application

Dose: Spray: 500 ml Lancer with 200 litres of water. Soil: 10 kg Lancer powder for 1 acre.

Packing: Liquid: 250 ml, 500 ml, 1000 ml, 5 litre. Powder: 5 kg, 10 kg, 25 kg.

Contents: Iron (Fe) 2.5%, Manganese (Mn) 1.0%, Zinc (Zn) 3.0%, Copper (Cu) 1.0%, Molybdenum (Mo) 0.1%, Boron (B) 0.5%

How it is used: Foliar spray, Soil application

Crops: All crops, vegetables, fruits, cereals and pulses



Spark

Chelated micronutrients with amino acid

Dose: Spray 250 gm of Spark with 200 litres of water

Packing: 250 gm, 500 gm

Contents: Iron (Fe) 2.5%, Manganese (Mn) 1.0%, Zinc (Zn) 3.0%, Copper (Cu) 1.0%, Molybdenum (Mo) 0.1%, Boron (B) 0.5%

How it is used: Foliar spray

Crops: All crops, vegetables, fruits, cereals and pulses

Straight Fertilizers

Single-nutrient products to recover a specific deficiency of zinc, iron, magnesium, manganese or boron.



Lancer-12 Zinc

Chelated Zinc, 12% water soluble

Dose: Spray 100 gm in 150–200 litres of water

Packing: 250 gm, 500 gm, 1000 gm

Contents: Water-soluble Zinc (Zn) 12%

How it is used: Foliar spray

Crops: All crops, vegetables, fruits, cereals and pulses



Lancer-12 Ferrous

Chelated Ferrous, 12% water soluble

Dose: Spray 100 gm in 150–200 litres of water

Packing: 250 gm, 500 gm, 1000 gm

Contents: Water-soluble Ferrous (Fe) 12%

How it is used: Foliar spray

Crops: All crops, vegetables, fruits, cereals and pulses



Flame

Ferrous Sulphate

Dose: 15 kg per acre

Packing: 5 kg, 10 kg, 25 kg

Contents: Ferrous Sulphate

How it is used: Soil application

Crops: All crops, vegetables, fruits, cereals and pulses



Grow Perfect

Magnesium Sulphate

Dose: Spray 3 gm per litre of water

Packing: 1 kg

Contents: Magnesium Sulphate ($MgSO_4$) 9.6%

How it is used: Foliar spray

Crops: All crops, vegetables, fruits, cereals and pulses



Manganese Sulphate

Manganese and sulphur

Dose: 3 gm per litre of water

Packing: 10 kg, 25 kg

Contents: Sulphur (S) 17%, Manganese (Mn) 30.5%

How it is used: Foliar spray

Crops: All crops, vegetables, fruits, cereals and pulses



Boro Plus

Boron

Dose: 2–3 gm per litre of water

Packing: 250 gm, 500 gm

Contents: Boron (B) 10.5%

How it is used: Soil application, Foliar spray

Crops: All crops, vegetables, fruits, cereals and pulses

Also in this range: Zordar

Organic Fertilizers

Champion, Neem and Magsil raise soil organic carbon, fertility and productivity.



Champion

Organic manure fertilizer

Dose: 200 kg per acre

Packing: 50 kg bags

Contents: Organic carbon 15%, Phosphorus 1%, Nitrogen 1%, Potash 1%, Moisture 25%, pH 6.5 – 7.5

How it is used: Soil application

Crops: All types of crops: sugarcane, cotton, pomegranate, banana, grapes, vegetables, fruits, cereals and pulses, polyhouse and horticulture crops



Neem

Organic product, especially for sugarcane and pomegranate

Dose: 50 to 100 kg per acre

Packing: 50 kg bags

Contents: Azadirachtin 200 – 300 PPM

How it is used: Soil application

Crops: All types of crops: sugarcane, cotton, pomegranate, banana, grapes, vegetables, fruits, cereals and pulses, polyhouse and horticulture crops



Magsil

Silicon-based product

Dose: 50 to 100 kg per acre

Packing: 50 kg bags

Contents: Silicon 30%

How it is used: Soil application

Crops: All types of crops: sugarcane, cotton, pomegranate, banana, grapes, vegetables, fruits, cereals and pulses, polyhouse and horticulture crops

Also in this range: Neemstar

Bio-Fertilizers

Azo, Rhizo, Phospho and Composter cultures for seed treatment and quality compost.



Azo

Azotobacter, nitrogen-fixing bacteria

Dose: Seed treatment: 500 gm for 10-15 kg of seed

Packing: 500 gm, 1 kg

Contents: Azotobacter

How it is used: Seed treatment

Crops: Sugarcane, wheat, sorghum, corn, cotton, turmeric, ginger, tobacco, brinjal, floriculture crops, greenhouse crops and more



Rhizo

Rhizobium culture

Dose: Seed treatment: 500 gm for 10-15 kg of seed

Packing: 500 gm, 1 kg

Contents: Rhizobium

How it is used: Seed treatment

Crops: Chawli, groundnut, tur, mug, wal, matki, udid, gawar, tag and other dicotyledon crops



Phospho

P.S.B., phosphate solubilizing bacteria

Dose: Seed treatment: 500 gm for 10-15 kg of seed

Packing: 500 gm, 1 kg

Contents: Phosphate Solubilizing Bacteria

How it is used: Seed treatment

Crops: Sugarcane, wheat, sorghum, corn, cotton, turmeric, ginger, tobacco, brinjal, grapes, pomegranate, coconut, other horticulture crops, floriculture crops, greenhouse crops and more



Composter

D.C., decomposing culture

Dose: 1 to 1.5 kg of Composter for 100 kg of cow dung and raw material

Packing: 1 kg

Contents: Decomposing culture

How it is used: Compost making

Also in this range: KSB

Growth Promoters

Humic Rich, Zicom, Sardar, Maxima, Tryzyme, Nitro Charge and Sulpho Plus for roots, flowering and yield.



Humic Rich

Plant growth promoter, liquid and granule

Dose: Liquid: 2–3 ml per litre of water. Granule: 10 kg per acre.

Packing: Liquid: 250 ml, 500 ml, 1000 ml. Granule: 5 kg, 10 kg.

Contents: Humic Acid 12%, Amino Acid 12%, Folic Acid 300 ppm

How it is used: Foliar spray, Soil application

Crops: All crops, vegetables, fruits, cereals and pulses



Maxima

Amino acid and phosphoric acid bio-stimulant

Dose: 2 ml per litre of water

Packing: 500 ml, 1000 ml, 5 litre

Contents: Amino acid 30%, Magnesium 0.7%, Phosphoric acid 30%

How it is used: Foliar spray



Tryzyme

Seaweed and protein based, for all crops

Dose: Spray 2 ml per litre of water

Packing: 500 ml, 1000 ml

Contents: Seaweed extracts 20%, Hydrolyzed protein 10%, Other 70%

How it is used: Foliar spray

Crops: All crops, vegetables, fruits, cereals and pulses



Sulpho Plus

Liquid sulphur solution

Dose: Spray 2 ml per litre of water

Packing: 500 ml, 1000 ml

Contents: Liquid Sulphur Solution

How it is used: Foliar spray

Crops: All crops, vegetables, fruits, cereals and pulses



Zicom

Soluble rooting stimulant

Dose: Field: mix 2 gm of Zicom with 1 litre of water and spray. First spray 20 days after sowing or transplanting, second spray 25 days after the first. Nursery: 10 ml per sq. ft. of soil or medium.

Packing: 250 gm, 500 gm

Contents: Humic acid 50%, Amino acid 20%, Ascorbic acid 20%, Vitamins Vitamin-A, Vitamin-E

How it is used: Foliar spray

Crops: Cotton, soybean, chilli, onion, tomato, cucumber, melon, gourds, cauliflower, cabbage, peas, potato, turmeric, ginger, banana, grapes, tea and more



Nitro Charge

Nitrobenzene 20% with natural amino acid

Dose: Apply 2–3 ml per litre of water and spray well on crops

Packing: 500 ml, 1000 ml

Contents: Nitrobenzene 20% w/w, Natural amino acid 12%, Solvent 38%, Emulsifier 30%

How it is used: Foliar spray

Crops: Cotton, soybean, rice, wheat, chillies, tomato, orange, pomegranate, banana, sugarcane, groundnut and all horticulture crops



Sardar

Humic and amino acid, granule and liquid

Dose: Liquid: 2 to 3 ml per litre of water. Granule: 10 kg per acre.

Packing: Liquid: 500 ml, 1000 ml. Granule: 10 kg.

Contents: Amino acid 12%, Nitrobenzene 12%, Humic acid 6%

How it is used: Soil application, Foliar spray

Also in this range: Himraj-98, Supersil

Bio-Stimulants

Speed and Growth Power reduce flower and fruit drop and improve nutrient uptake.



Speed

Balanced systemic bio-stimulant with silicon

Dose: 1–2 ml per litre of water

Packing: 250 ml, 500 ml, 1 litre

Contents: Silicon 30%, Amino acid 50%

How it is used: Foliar spray

Crops: All kinds of crops, vegetables and fruits



Growth Power

Protein hydrolysate and seaweed extract

Dose: 1–2 ml per litre of water

Packing: 250 ml, 500 ml, 1 litre

Contents: Protein hydrolyzed 10%, Seaweed extract 36%

How it is used: Foliar spray

Crops: All kinds of crops, vegetables and fruits

Bio-Fungicides

Blue Diamond, Blue Star and Bordo Max against rust, blight, downy mildew and other diseases.



Blue Diamond

Liquid copper

Dose: 2–3 ml per litre of water

Packing: 500 ml, 1000 ml

Contents: Liquid Copper

How it is used: Foliar spray

Crops: All crops, vegetables, fruits, cereals and pulses



Blue Star

Phosphorus and copper

Dose: 1 ml per litre of water

Packing: 500 ml, 1000 ml

Contents: P_2O_5 35%, Copper (Cu) 80%

How it is used: Foliar spray

Crops: All crops, vegetables, fruits, cereals and pulses



Bordo Max

Bordeaux mixture

Dose: 1 litre per 300 litres of water

Packing: 500 ml, 1000 ml

Contents: Bordeaux Mixture

How it is used: Foliar spray

Crops: All crops: cotton, pomegranate, banana, grapes, vegetables, fruits, cereals and pulses

Bio-Pesticides

Action controls Heliothis, Spodoptera and other larvae. Ben-10 controls thrips, mites and sucking pests.



Action

For Heliothis, Spodoptera and other larvae

Dose: Spray 1.3 ml to 1.5 ml per litre of water

Packing: 250 ml, 500 ml, 1 litre

Contents: Asafoetida 30%, Pongamia glabra 30%, Moringa oleifera 20%, Vitex negundo 20%

How it is used: Foliar spray

Crops: Any field crops, horticulture crops, vegetable crops and floriculture crops



Ben-10

For thrips, mites, white fly and sucking pests

Dose: Spray 1.3 ml to 1.5 ml per litre of water **Packing:** 250 ml, 500 ml, 1 litre

Contents: Calotropis gigantea 30%, Lantana camara 20%, Ipomoea crystolfa 20%

How it is used: Foliar spray

Crops: Any field crops, horticulture crops, vegetable crops and floriculture crops

Wetting & Spreading Agents

Stick Up helps sprays wet and spread evenly when mixed with crop protection and growth products.



Stick Up

Wetting agent, spreader and activator

Dose: 1 ml in 3-5 litres of water **Packing:** 500 ml, 1000 ml, 5 litre

How it is used: Tank mix with sprays

Crops: All types of crops

Contact

Factory & laboratory: Solapur, Maharashtra
A-61, M.I.D.C., Chincholi, Solapur – 413 255 (M.S.)

Corporate office: Lokmangal House, Solapur
“Lokmangal House”, 8536-A/11, Murarji Peth, Old Puna Naka, Solapur – 413 001 (M.S.)

Warehouse / office: Akola, Maharashtra
C/o. Kamal Industrial Corporation, Plot No. F-18, M.I.D.C. Phase – II, Akola (M.S.)

Warehouse / office: Anantapur, Andhra Pradesh
C/o Mr. S. Subhakar, Godown No. 39, Association of Dealer Canal, Near Chilli Market, Anantapur – 515 001

Production unit & office: Vadodara, Gujarat
Plot No. 515, A/p – Nanafofadia, Tal – Daboi, Dist – Baroda, Gujarat – 391 012