




# Challenges in forecasting peak electricity demand

Part 1



Rob J Hyndman

# Outline

**1 The problem**

**2 The model**

**3 Forecasts**

**4 Challenges and extensions**

**5 References**

# Outline

**1 The problem**

**2 The model**

**3 Forecasts**

**4 Challenges and extensions**

**5 References**

# The problem

- We want to forecast the peak electricity demand in a half-hour period in twenty years time.
- We have fifteen years of half-hourly electricity data, temperature data and some economic and demographic data.
- The location is South Australia: home to the most volatile electricity demand in the world.

Sounds impossible?


# The problem

- We want to forecast the peak electricity demand in a half-hour period in twenty years time.
- We have fifteen years of half-hourly electricity data, temperature data and some economic and demographic data.
- The location is South Australia: home to the most volatile electricity demand in the world.

**Sounds impossible?**


# South Australian demand data

South Australia state wide demand (summers only)



# South Australian demand data

South Australia state wide demand (summers only)



# The heatwave



# The heatwave




# The heatwave




# South Australian demand data

South Australia state wide demand (summer 10/11)



# South Australian demand data

South Australia state wide demand (January 2011)



# Demand boxplots (Sth Aust)

# Temperature data (Sth Aust)

# Demand densities (Sth Aust)

# Outline

**1 The problem**

**2 The model**

**3 Forecasts**

**4 Challenges and extensions**

**5 References**

# Predictors

- calendar effects
- prevailing and recent weather conditions
- climate changes
- economic and demographic changes
- changing technology

## Modelling framework

- **Semi-parametric additive models** with correlated errors.
- Each half-hour period modelled separately for each season.
- Variables selected to provide best out-of-sample predictions using cross-validation on each summer.

# Predictors

- calendar effects
- prevailing and recent weather conditions
- climate changes
- economic and demographic changes
- changing technology

## Modelling framework

- **Semi-parametric additive models** with correlated errors.
- Each half-hour period modelled separately for each season.
- Variables selected to provide best out-of-sample predictions using cross-validation on each summer.

# Monash Electricity Forecasting Model

$$y_t = \bar{y}_i \times y_t^*$$


- $y_t$  denotes per capita demand (minus offset) at time  $t$  (measured in half-hourly intervals);
- $\bar{y}_i$  is the average demand for year  $i$  where  $t$  is in year  $i$ .
- $y_t^*$  is the standardized demand for time  $t$ .

$$\log(y_t) = \log(\bar{y}_i) + \log(y_t^*)$$

$$\log(\bar{y}_i) = f(\text{GSP, price, HDD, CDD}) + \varepsilon_i$$


$$\log(y_t^*) = f(\text{calendar effects, temperatures}) + e_t$$

# Monash Electricity Forecasting Model



# Monash Electricity Forecasting Model

**South Australia state wide demand (summers only)**



# Annual model

$$\log(y_t) = \log(\bar{y}_i) + \log(y_t^*)$$

$$\log(\bar{y}_i) = f(\text{GSP, price, HDD, CDD}) + \varepsilon_i$$

$$\log(y_t^*) = f(\text{calendar effects, temperatures}) + e_t$$

$$\log(\bar{y}_i) = \log(\bar{y}_{i-1}) + \sum_j c_j(z_{j,i} - z_{j,i-1}) + \varepsilon_i$$

- First differences modelled to avoid non-stationary variables.
- Predictors: Per-capita GSP, Price, Summer CDD, Winter HDD.

# Annual model

$$\log(y_t) = \log(\bar{y}_i) + \log(y_t^*)$$

$$\log(\bar{y}_i) = f(\text{GSP, price, HDD, CDD}) + \varepsilon_i$$

$$\log(y_t^*) = f(\text{calendar effects, temperatures}) + e_t$$

$$\log(\bar{y}_i) = \log(\bar{y}_{i-1}) + \sum_j c_j(z_{j,i} - z_{j,i-1}) + \varepsilon_i$$

- First differences modelled to avoid non-stationary variables.
- Predictors: Per-capita GSP, Price, Summer CDD, Winter HDD.

# Annual model

$$\log(y_t) = \log(\bar{y}_i) + \log(y_t^*)$$

$$\log(\bar{y}_i) = f(\text{GSP, price, HDD, CDD}) + \varepsilon_i$$

$$\log(y_t^*) = f(\text{calendar effects, temperatures}) + e_t$$

$$\log(\bar{y}_i) = \log(\bar{y}_{i-1}) + \sum_j c_j(z_{j,i} - z_{j,i-1}) + \varepsilon_i$$

- First differences modelled to avoid non-stationary variables.
- Predictors: Per-capita GSP, Price, Summer CDD, Winter HDD.

$$z_{\text{CDD}} = \sum_{\text{summer}} \max(0, \bar{T} - 18.5)$$

$\bar{T}$  = daily mean

# Annual model

$$\log(y_t) = \log(\bar{y}_i) + \log(y_t^*)$$

$$\log(\bar{y}_i) = f(\text{GSP, price, HDD, CDD}) + \varepsilon_i$$

$$\log(y_t^*) = f(\text{calendar effects, temperatures}) + e_t$$

$$\log(\bar{y}_i) = \log(\bar{y}_{i-1}) + \sum_j c_j(z_{j,i} - z_{j,i-1}) + \varepsilon_i$$

- First differences modelled to avoid non-stationary variables.
- Predictors: Per-capita GSP, Price, Summer CDD, Winter HDD.

$$z_{\text{HDD}} = \sum_{\text{winter}} \max(0, 18.5 - \bar{T})$$

$\bar{T}$  = daily mean

# Annual model

<b>Variable</b>	<b>Coefficient</b>	<b>Std. Error</b>	<b>t value</b>	<b>P value</b>
$\Delta gsp.pc$	2.02	5.05	0.38	0.711
$\Delta price$	-1.67	0.68	-2.46	0.026
$\Delta scdd$	1.11	0.25	4.49	0.000
$\Delta whdd$	2.07	0.33	0.63	0.537

- GSP needed to stay in the model to allow scenario forecasting.
- All other variables led to improved AIC<sub>c</sub>.

# Annual model

Variable	Coefficient	Std. Error	t value	P value
$\Delta gsp.pc$	2.02	5.05	0.38	0.711
$\Delta price$	-1.67	0.68	-2.46	0.026
$\Delta scdd$	1.11	0.25	4.49	0.000
$\Delta whdd$	2.07	0.33	0.63	0.537


- GSP needed to stay in the model to allow scenario forecasting.
- All other variables led to improved  $AIC_C$ .

# Annual model

Variable	Coefficient	Std. Error	t value	P value
$\Delta gsp.pc$	2.02	5.05	0.38	0.711
$\Delta price$	-1.67	0.68	-2.46	0.026
$\Delta scdd$	1.11	0.25	4.49	0.000
$\Delta whdd$	2.07	0.33	0.63	0.537

- GSP needed to stay in the model to allow scenario forecasting.
- All other variables led to improved  $AIC_C$ .

# Annual model



# Monash Electricity Forecasting Model

$$\log(y_t) = \log(\bar{y}_i) + \log(y_t^*)$$

$$\log(\bar{y}_i) = f(\text{GSP, price, HDD, CDD}) + \varepsilon_i$$

$$\log(y_t^*) = f(\text{calendar effects, temperatures}) + e_t$$

## Calendar effects

- “Time of summer” effect (a regression spline)
- Day of week factor (7 levels)
- Public holiday factor (4 levels)
- New Year’s Eve factor (2 levels)

# Monash Electricity Forecasting Model

$$\log(y_t) = \log(\bar{y}_i) + \log(y_t^*)$$

$$\log(\bar{y}_i) = f(\text{GSP, price, HDD, CDD}) + \varepsilon_i$$

$$\log(y_t^*) = f(\text{calendar effects, temperatures}) + e_t$$

## Calendar effects

- “Time of summer” effect (a regression spline)
- Day of week factor (7 levels)
- Public holiday factor (4 levels)
- New Year’s Eve factor (2 levels)

# Monash Electricity Forecasting Model

$$\log(y_t) = \log(\bar{y}_i) + \log(y_t^*)$$

$$\log(\bar{y}_i) = f(\text{GSP, price, HDD, CDD}) + \varepsilon_i$$

$$\log(y_t^*) = f(\text{calendar effects, temperatures}) + e_t$$

## Calendar effects

- “Time of summer” effect (a regression spline)
- Day of week factor (7 levels)
- Public holiday factor (4 levels)
- New Year’s Eve factor (2 levels)

# Monash Electricity Forecasting Model

$$\log(y_t) = \log(\bar{y}_i) + \log(y_t^*)$$

$$\log(\bar{y}_i) = f(\text{GSP, price, HDD, CDD}) + \varepsilon_i$$




$$\log(y_t^*) = f(\text{calendar effects, temperatures}) + e_t$$

## Calendar effects

- “Time of summer” effect (a regression spline)
- Day of week factor (7 levels)
- Public holiday factor (4 levels)
- New Year’s Eve factor (2 levels)

# Fitted results (Summer 3pm)

Time: 3:00 pm



# Monash Electricity Forecasting Model

$$\log(y_t) = \log(\bar{y}_i) + \log(y_t^*)$$

$$\log(\bar{y}_i) = f(\text{GSP, price, HDD, CDD}) + \varepsilon_i$$

$$\log(y_t^*) = f(\text{calendar effects, temperatures}) + e_t$$

## Temperature effects

- Ave temp across two sites, plus lags for previous 3 hours and previous 3 days.
- Temp difference between two sites, plus lags for previous 3 hours and previous 3 days.
- Max ave temp in past 24 hours.
- Min ave temp in past 24 hours.
- Ave temp in past seven days.

# Monash Electricity Forecasting Model

$$\log(y_t) = \log(\bar{y}_i) + \log(y_t^*)$$

$$\log(\bar{y}_i) = f(\text{GSP, price, HDD, CDD}) + \varepsilon_i$$

$$\log(y_t^*) = f(\text{calendar effects, temperatures}) + e_t$$

## Temperature effects

- Ave temp across two sites, plus lags for previous 3 hours and previous 3 days.
- Temp difference between two sites, plus lags for previous 3 hours and previous 3 days.
- Max ave temp in past 24 hours.
- Min ave temp in past 24 hours.
- Ave temp in past seven days.

# Monash Electricity Forecasting Model

$$\log(y_t) = \log(\bar{y}_i) + \log(y_t^*)$$

$$\log(\bar{y}_i) = f(\text{GSP, price, HDD, CDD}) + \varepsilon_i$$

$$\log(y_t^*) = f(\text{calendar effects, temperatures}) + e_t$$

## Temperature effects

- Ave temp across two sites, plus lags for previous 3 hours and previous 3 days.
- Temp difference between two sites, plus lags for previous 3 hours and previous 3 days.
- Max ave temp in past 24 hours.
- Min ave temp in past 24 hours.
- Ave temp in past seven days.

# Monash Electricity Forecasting Model

$$\log(y_t) = \log(\bar{y}_i) + \log(y_t^*)$$

$$\log(\bar{y}_i) = f(\text{GSP, price, HDD, CDD}) + \varepsilon_i$$

$$\log(y_t^*) = f(\text{calendar effects, temperatures}) + e_t$$

## Temperature effects

- Ave temp across two sites, plus lags for previous 3 hours and previous 3 days.
- Temp difference between two sites, plus lags for previous 3 hours and previous 3 days.
- Max ave temp in past 24 hours.
- Min ave temp in past 24 hours.
- Ave temp in past seven days.

*Each function is smooth & estimated using regression splines.*

# Monash Electricity Forecasting Model

$$\log(y_t) = \log(\bar{y}_i) + \log(y_t^*)$$

$$\log(\bar{y}_i) = f(\text{GSP, price, HDD, CDD}) + \varepsilon_i$$

$$\log(y_t^*) = f(\text{calendar effects, temperatures}) + e_t$$

## Temperature effects

- Ave temp across two sites, plus lags for previous 3 hours and previous 3 days.
- Temp difference between two sites, plus lags for previous 3 hours and previous 3 days.
- Max ave temp in past 24 hours.
- Min ave temp in past 24 hours.
- Ave temp in past seven days.

*Each function is smooth & estimated using regression splines.*

# Monash Electricity Forecasting Model

$$\log(y_t) = \log(\bar{y}_i) + \log(y_t^*)$$

$$\log(\bar{y}_i) = f(\text{GSP, price, HDD, CDD}) + \varepsilon_i$$

$$\log(y_t^*) = f(\text{calendar effects, temperatures}) + e_t$$

## Temperature effects

- Ave temp across two sites, plus lags for previous 3 hours and previous 3 days.
- Temp difference between two sites, plus lags for previous 3 hours and previous 3 days.
- Max ave temp in past 24 hours.
- Min ave temp in past 24 hours.
- Ave temp in past seven days.

*Each function is smooth & estimated using regression splines.*

# Monash Electricity Forecasting Model

$$\log(y_t) = \log(\bar{y}_i) + \log(y_t^*)$$

$$\log(\bar{y}_i) = f(\text{GSP, price, HDD, CDD}) + \varepsilon_i$$


$$\log(y_t^*) = f(\text{calendar effects, temperatures}) + e_t$$

## Temperature effects

- Ave temp across two sites, plus lags for previous 3 hours and previous 3 days.
- Temp difference between two sites, plus lags for previous 3 hours and previous 3 days.
- Max ave temp in past 24 hours.
- Min ave temp in past 24 hours.
- Ave temp in past seven days.

*Each function is smooth & estimated using regression splines.*

# Fitted results (Summer 3pm)



# Half-hourly models

$$\log(y_t^*) = f(\text{calendar effects, temperatures}) + e_t$$

- Separate model for each half-hour.
- Same predictors used for all models.
- Predictors chosen by cross-validation on summer of 2007/2008 and 2009/2010.
- Each model is fitted to the data twice, first excluding the summer of 2009/2010 and then excluding the summer of 2010/2011. The average out-of-sample MSE is calculated from the omitted data for the time periods 12noon–8.30pm.
- Gradient boosting used to reduce variance.

# Half-hourly models

$$\log(y_t^*) = f(\text{calendar effects, temperatures}) + e_t$$

- Separate model for each half-hour.
- Same predictors used for all models.
- Predictors chosen by cross-validation on summer of 2007/2008 and 2009/2010.
- Each model is fitted to the data twice, first excluding the summer of 2009/2010 and then excluding the summer of 2010/2011. The average out-of-sample MSE is calculated from the omitted data for the time periods 12noon–8.30pm.
- Gradient boosting used to reduce variance.

# Half-hourly models

$$\log(y_t^*) = f(\text{calendar effects, temperatures}) + e_t$$

- Separate model for each half-hour.
- Same predictors used for all models.
- Predictors chosen by cross-validation on summer of 2007/2008 and 2009/2010.
- Each model is fitted to the data twice, first excluding the summer of 2009/2010 and then excluding the summer of 2010/2011. The average out-of-sample MSE is calculated from the omitted data for the time periods 12noon–8.30pm.
- Gradient boosting used to reduce variance.

# Half-hourly models

$$\log(y_t^*) = f(\text{calendar effects, temperatures}) + e_t$$

- Separate model for each half-hour.
- Same predictors used for all models.
- Predictors chosen by cross-validation on summer of 2007/2008 and 2009/2010.
- Each model is fitted to the data twice, first excluding the summer of 2009/2010 and then excluding the summer of 2010/2011. The average out-of-sample MSE is calculated from the omitted data for the time periods 12noon–8.30pm.
- Gradient boosting used to reduce variance.

# Half-hourly models


$$\log(y_t^*) = f(\text{calendar effects, temperatures}) + e_t$$

- Separate model for each half-hour.
- Same predictors used for all models.
- Predictors chosen by cross-validation on summer of 2007/2008 and 2009/2010.
- Each model is fitted to the data twice, first excluding the summer of 2009/2010 and then excluding the summer of 2010/2011. The average out-of-sample MSE is calculated from the omitted data for the time periods 12noon–8.30pm.
- Gradient boosting used to reduce variance.

# Half-hourly models


# Half-hourly models

R-squared



# Half-hourly models

South Australian demand (January 2011)



# Outline

**1 The problem**

**2 The model**

**3 Forecasts**

**4 Challenges and extensions**

**5 References**

# Peak demand forecasting

$$\log(y_t) = \log(\bar{y}_i) + \log(y_t^*)$$

$$\log(\bar{y}_i) = f(\text{GSP, price, HDD, CDD}) + \varepsilon_i$$

$$\log(y_t^*) = f(\text{calendar effects, temperatures}) + e_t$$

## Multiple alternative futures created:

- Calendar effects known;
- Future temperatures simulated  
(taking account of climate change);
- Assumed values for GSP, population and price;
- Residuals simulated

# Peak demand backcasting

$$\log(y_t) = \log(\bar{y}_i) + \log(y_t^*)$$

$$\log(\bar{y}_i) = f(\text{GSP, price, HDD, CDD}) + \varepsilon_i$$


$$\log(y_t^*) = f(\text{calendar effects, temperatures}) + e_t$$

## Multiple alternative pasts created:

- Calendar effects known;
- Past temperatures simulated;
- Actual values for GSP, population and price;
- Residuals simulated

# Peak demand backcasting

PoE (annual interpretation)



# Peak demand forecasting

$$\log(y_t) = \log(\bar{y}_i) + \log(y_t^*)$$


$$\log(\bar{y}_i) = f(\text{GSP, price, HDD, CDD}) + \varepsilon_i$$

$$\log(y_t^*) = f(\text{calendar effects, temperatures}) + e_t$$

## Multiple alternative futures created:

- Calendar effects known;
- Future temperatures simulated  
(taking account of climate change);
- Assumed values for GSP, population and price;
- Residuals simulated


# Peak demand forecasting



# Peak demand distribution

# Peak demand distribution

Annual POE levels



# Outline

**1 The problem**

**2 The model**

**3 Forecasts**

**4 Challenges and extensions**

**5 References**

# Challenges

## Weakest assumptions

- Temperature effects independent of day of week.
- Historical demand response to temperature will continue into the future.
- Climate change will have only a small additive increase in temperature levels.

## Further improvements

# Challenges

## Weakest assumptions

- Temperature effects independent of day of week.
- Historical demand response to temperature will continue into the future.
- Climate change will have only a small additive increase in temperature levels.

## Further improvements

# Challenges

## Weakest assumptions

- Temperature effects independent of day of week.
- Historical demand response to temperature will continue into the future.
- Climate change will have only a small additive increase in temperature levels.

## Further improvements

- We have a separate model for PV generation based on solar radiation and temperatures.

Other improvements to come:

# Challenges

## Weakest assumptions

- Temperature effects independent of day of week.
- Historical demand response to temperature will continue into the future.
- Climate change will have only a small additive increase in temperature levels.

## Further improvements

- We have a separate model for PV generation based on solar radiation and temperatures.
- Our annual model is now quarterly.

# Challenges

## Weakest assumptions

- Temperature effects independent of day of week.
- Historical demand response to temperature will continue into the future.
- Climate change will have only a small additive increase in temperature levels.

## Further improvements

- We have a separate model for PV generation based on solar radiation and temperatures.
- Our annual model is now quarterly.
- Our quarterly model is adjusted for autocorrelation.

# Challenges

## Weakest assumptions

- Temperature effects independent of day of week.
- Historical demand response to temperature will continue into the future.
- Climate change will have only a small additive increase in temperature levels.

## Further improvements

- We have a separate model for PV generation based on solar radiation and temperatures.
- Our annual model is now quarterly.
- Our quarterly model is adjusted for autocorrelation.

# Challenges

## Weakest assumptions

- Temperature effects independent of day of week.
- Historical demand response to temperature will continue into the future.
- Climate change will have only a small additive increase in temperature levels.

## Further improvements


- We have a separate model for PV generation based on solar radiation and temperatures.
- Our annual model is now quarterly.
- Our quarterly model is adjusted for autocorrelation.

# Implementation



Our model is used for long-term forecasting in:

- Victoria's Vision 2030 energy plan;
- all regions of the National Energy Market;
- South Western Interconnected System (WA);
- some local distributors.



**UNITED ENERGY**

# Implementation



Our model is used for long-term forecasting in:

- Victoria's Vision 2030 energy plan;
- all regions of the National Energy Market;
- South Western Interconnected System (WA);
- some local distributors.

It is also used for short-term forecasting comparisons in:

- all regions of the National Energy Market.

# Outline

**1 The problem**

**2 The model**

**3 Forecasts**

**4 Challenges and extensions**

**5 References**

# References

## Main papers

- Hyndman, R.J. and Fan, S. (2010) "Density forecasting for long-term peak electricity demand", *IEEE Transactions on Power Systems*, **25**(2), 1142–1153.
- Fan, S. and Hyndman, R.J. (2012) "Short-term load forecasting based on a semi-parametric additive model". *IEEE Transactions on Power Systems*, **27**(1), 134–141.
- Ben Taieb, S. and Hyndman, R.J. (2014) "A gradient boosting approach to the Kaggle load forecasting competition", *International Journal of Forecasting*, **30**(2), 382–394.