

Élément	Définition	Hiérarchie / agrégation
Date	calendrier	Année > Semestre > Trimestre > Mois > Semaine > Jour
↳ Année	calendrier	
↳ Semestre	calendrier	
↳ Trimestre	calendrier	
↳ Mois	calendrier	
↳ Semaine	calendrier	
↳ Jour	calendrier	
Temps	heure	Partie du jour > Heure > Minute > Seconde
↳ Heure	heure	
↳ Minute	heure	
↳ Seconde	heure	
Produit	product_id	Catégorie > Produit
↳ Catégorie	product_id	
↳ Produit	product_id	
Client	customer_unique_id	État > Ville > Client
↳ État	customer_unique_id	
↳ Ville	customer_unique_id	
↳ Client	customer_unique_id	
Vendeur	seller_id	État > Ville > Vendeur
↳ État	seller_id	
↳ Ville	seller_id	
↳ Client	seller_id	
Géographie	zip_code	État > Ville > Code postal
↳ État	zip_code	
↳ Ville	zip_code	
↳ Client	zip_code	

Dimension	Clé / définition	Hiérarchie
Date	calendrier	Année > Semestre > Trimestre > Mois > Semaine > Jour
Temps	heure	Partie du jour > Heure > Minute > Seconde
Client	customer_unique_id	État > Ville > Client
Produit	product_id	Catégorie > Produit
Vendeur	seller_id	État > Ville > Vendeur
Géographie	zip_code	État > Ville > Code postal

Élément	Type	Définition	Hiérarchie / agrégation
Prix produit	métrique additive	items.price	SUM
Fret	métrique additive	items.freight_value	SUM
GMV articles	KPI	SUM(price)	temps/produit/vendeur/client
Total ligne	métrique	price + freight_value	SUM
Paieement	métrique	payments.value	SUM
Panier moyen	KPI non additif	total commandes / nb commandes	recalcul par niveau
Nb commandes	KPI	COUNT(DISTINCT order_id)	recalcul
Nb articles	KPI	COUNT(*) FactOrderItem	SUM
Écart paiement	contrôle/KPI	paiement - (produits + fret)	SUM + distribution
Distance	métrique	Haversine en km	AVG/MIN/MAX
Délai total	métrique	livraison - achat	AVG/P50/P95
Retard vs estimation	métrique	livraison - estimation	AVG/P50/P95
Taux à l'heure	KPI	moyenne de delivered_on_time	ratio
Score avis	métrique	1..5	AVG + distribution
Délai réponse	métrique	réponse - création	AVG/P50/P95
Récence	RFM	référence - dernier achat	segmentation
Fréquence	RFM	commandes livrées distinctes	segmentation
Monetary	RFM	somme produits+fret livrés	segmentation

Étoile	Fait / Mart	Grain	Dimensions	Métriques
Ventes	fact_order_item	article de commande	Date, Temps, Client, Produit, Vendeur	prix, fret, total ligne, quantité
Commandes	fact_order	commande	Dates à rôles, Temps, Client, Statut	articles, produits, vendeurs, produits €, fret €, paiement €, écart
Finance	fact_payment	séquence paiement	Date, Temps, Client, Type	valeur, échéances, transactions
Logistique	fact_logistics	commande	Dates à rôles, Temps, Client, Vendeur, Géographie	distance, délais, retard, taux à l'heure
Satisfaction	fact_review	avis	Date, Temps, Client, Commande	score, présence texte, délai réponse
CRM/RFM	mart_customer_rfm	client unique	Client	récence, fréquence, monetary, panier moyen

Ventes

dim_date		
date_key	uint32	
date	date	
day	uint8	
day_name	lowcardinality(string)	
iso_week	uint8	
month	uint8	
month_name	lowcardinality(string)	
quarter	uint8	
semester	uint8	
year	uint16	
is_weekend	uint8	

dim_time		
time_key	uint32	
hour	uint8	
minute	uint8	
second	uint8	
day_part	lowcardinality(string)	

dim_customer		
customer_unique_id	string	
zip_code	int32	
city	lowcardinality(string)	
state	lowcardinality(string)	
name_state	lowcardinality(string)	

fact_order_item		
product_id	string	
seller_id	string	
price	float64	
freight_value	float64	
shipping_limit	datetime	
order_id	string	
order_item_id	uint16	
customer_unique_id	string	
purchase_timestamp	datetime	
status	lowcardinality(string)	
purchase_date_key	uint32	
purchase_time_key	uint32	
line_total	float64	

dim_product		
product_id	string	
name_length	float64	
description_lenght	float64	
photos_qty	float64	
weight_g	float64	
length_cm	float64	
height_cm	float64	
width_cm	float64	
category_name	lowcardinality(string)	

dim_seller		
seller_id	string	
zip_code	int32	
city	lowcardinality(string)	
state	lowcardinality(string)	
name_state	lowcardinality(string)	

dim_date		
date_key		uint32
date		date
day		uint8
day_name	lowcardinality(string)	
iso_week		uint8
month		uint8
month_name	lowcardinality(string)	
quarter		uint8
semester		uint8
year		uint16
is_weekend		uint8

dim_time		
time_key		uint32
hour		uint8
minute		uint8
second		uint8
day_part	lowcardinality(string)	

fact_order		
order_id		string
customer_unique_id		string
purchase_timestamp		datetime
approved_at		datetime
delivered_carrier		datetime
delivered_customer		datetime
estimated_delivery		datetime
status	lowcardinality(string)	
purchase_date_key		uint32
purchase_time_key		uint32
item_count		uint32
product_amount		float64
freight_amount		float64
payment_amount		float64
payment_records		uint16
payment_type_count		uint16
max_installments		uint16
order_total_items_freight		float64
payment_reconciliation_gap		float64

Commandes

dim_customer		
customer_unique_id		string
zip_code		int32
city	lowcardinality(string)	
state	lowcardinality(string)	
name_state	lowcardinality(string)	

Finance

dim_date

date_key	uint32
date	date
day	uint8
day_name	lowcardinality(string)
iso_week	uint8
month	uint8
month_name	lowcardinality(string)
quarter	uint8
semester	uint8
year	uint16
is_weekend	uint8

dim_time

time_key	uint32
hour	uint8
minute	uint8
second	uint8
day_part	lowcardinality(string)

fact_payment

type	lowcardinality(string)
installments	uint16
value	float64
order_id	string
sequential	uint16
customer_unique_id	string
purchase_timestamp	datetime
status	lowcardinality(string)
purchase_date_key	uint32
purchase_time_key	uint32
source_grain	string
int_source	float64

dim_customer

customer_unique_id	string
zip_code	int32
city	lowcardinality(string)
state	lowcardinality(string)
name_state	lowcardinality(string)

Logistique

dim_date

date_key	uint32
date	date
day	uint8
day_name	lowcardinality(string)
iso_week	uint8
month	uint8
month_name	lowcardinality(string)
quarter	uint8
semester	uint8
year	uint16
is_weekend	uint8

dim_time

time_key	uint32
hour	uint8
minute	uint8
second	uint8
day_part	lowcardinality(string)

dim_seller

seller_id	string
zip_code	int32
city	lowcardinality(string)
state	lowcardinality(string)
name_state	lowcardinality(string)

fact_logistics

order_id	string
customer_unique_id	string
seller_id	string
purchase_timestamp	datetime
approved_at	datetime
delivered_carrier	datetime
delivered_customer	datetime
estimated_delivery	datetime
status	lowcardinality(string)
distance_customer_seller_km	float64
approval_hours	float64
seller_dispatch_hours	float64
carrier_delivery_hours	float64
total_delivery_hours	float64
delivery_vs_estimate_hours	float64
delivered_on_time	uint8

dim_customer

customer_unique_id	string
zip_code	int32
city	lowcardinality(string)
state	lowcardinality(string)
name_state	lowcardinality(string)

dim_geography

zip_code	int32
city	lowcardinality(string)
state	lowcardinality(string)
lat	float64
lng	float64
lat_min	float64
lat_max	float64
lng_min	float64
lng_max	float64

dim_date

date_key	uint32
date	date
day	uint8
day_name	lowcardinality(string)
iso_week	uint8
month	uint8
month_name	lowcardinality(string)
quarter	uint8
semester	uint8
year	uint16
is_weekend	uint8

dim_time

time_key	uint32
hour	uint8
minute	uint8
second	uint8
day_part	lowcardinality(string)

fact_review

score	int8
comment_title	string
comment_message	string
creation_date	datetime
answer_timestamp	datetime
purchase_timestamp	datetime
creation	int32
answer	int32
comment	int32
review_id	string
order_id	string
customer_unique_id	string
review_date_key	uint32
review_time_key	uint32
has_title	uint8
has_comment	uint8
answer_delay_hours	float64
review_count	uint32
weighted_score	float64
source_grain	string
creation_numeric_source	float64
answer_numeric_source	float64
comment_numeric_source	float64

dim_customer

customer_unique_id	string
zip_code	int32
city	lowcardinality(string)
state	lowcardinality(string)
name_state	lowcardinality(string)

Satisfaction

CRM/RFM

dim_customer

 customer_unique_id	string
 zip_code	int32
 city	lowcardinality(string)
 state	lowcardinality(string)
 name_state	lowcardinality(string)

mart_customer_rfm

 customer_unique_id	string
 last_purchase	datetime
 frequency	uint32
 monetary	float64
 avg_basket	float64
 recency_days	uint32