Assistive Technology for the Visually Impaired

Robert Bobkoskie

Georgia Institute of Technology Atlanta, Georgia rbobkoskie3@gatech.edu

ABSTRACT

Digital media is becoming much more than a supplement in the field of educational technology. Online books, journals, collaboration, and even graduate degrees can be obtained exclusively through digital resources. Indeed, pedagogy has kept pace with advances in digital technology, and for most, the educational experience has been enhanced. However, for those with a visual impairment, the ability to travel unabated in a digital world is rife with restrictions that limit access to information and educational enrichment. Although assistive technologies such as screen readers (text to speech), magnifiers, and high contrast settings allow the visually impaired to ride this information superhighway, these tools are often difficult for the visually impaired to identify, locate, and administer. Even when configured, there are many differences in how assistive technologies are implemented. The current state of assistive technology is not progressive enough for alleviating the challenges inconsistencies the visually impaired face when accessing digital media. Introducing standard(s) for assistive technology would remove barriers to digital media, and open this autobahn to the visually impaired.

Another approach to convey visual information is to utilize a second sensory input. A technology known as auditory graphing, which is an application of sonification [3] shows promise as an assistive technology to enhance learning in geometry, which is a completely visual form of mathematics [7]. Sonification uses sound: frequency, amplitude and timbre to convey information. Auditory graphs can increase accessibility by allowing observable objects such as curves in a Euclidian plane can be visualized. Sonification and standardization of assistive technology are tractable, cost effective approaches to enhance pedagogy for the visually impaired.

Author Keywords

Accessibility, assistive technology; auditory graphing; digital media; educational technology; sonification; standards; special needs, visual impairment.

ACM Classification Keywords

Human-centered computing---Human computer interaction (HCI)---HCI design and evaluation methods;500, Human-centered computing---Human computer interaction (HCI)---Interaction paradigms---Graphical user interfaces;500, Human-centered computing---Human computer interaction (HCI)---Interaction paradigms---Web-based interaction;300, Human-centered computing---Human computer interaction (HCI)---Interaction devices---Displays and imagers;500, Human-centered computing---Human computer interaction (HCI)---Interaction devices---Sound-based input / output;500, Human-centered computing---Human computer interaction (HCI)---Interaction techniques---Auditory feedback;500.

INTRODUCTION

The world of digital media is vast and seemingly unbounded. However, for the visually impaired, it can be narrow and challenging to explore. In the context of this paper, visually impaired will refer to individuals with low vision that require special needs. According to the National Eye Institute, "low vision means that even with regular glasses, contact lenses, and medicine or surgery, people find everyday tasks difficult to do.

Education has become increasingly digitized. Research [4] presented in Table 1 shows that teachers (K-12) are heavy users of digital content in the classroom. Driving this shift to a digital pedagogy is the faith that society places on the inherent power of digital media to enhance teaching and learning practices [12]. Indeed, society has

driven electronic media in education, as policymakers have enacted laws [13, 14] supporting technology in the classroom. If this digital content is not accessible to the visually impaired, then a significant portion of their education is unapproachable.

%	Videos	Real	Online	Anima-	Virtual
	Found	Time	Textbook	tion	Labs
	Online	Data			
All	48	18	27	22	9
Sci	63	32	32	52	42

Table 1: Teachers' Use of Digital Content in the Classroom.

A very effective assistive technology for those with low vision are High Contrast Settings (HCS) available on most operating systems (OS), and applications such as Adobe Reader and various web browsers. HCS is freely available, both in cost and distribution, and will be the focus of my research. Fok, et al. [2] show that Adaptive Computer Technologies (ADT) such as HCS are used by 57.7% of their sample group. Although this seems high, the utilization of HCS can be expanded if this technology was standardized across platforms and applications. Phillips and Zhao [6] identified the ease of device procurement, and poor device performance as reasons why users disregard assistive technology. Although the scope of assistive devices in [6] is much larger, and includes physical aides such canes and wheelchairs, the rational for user abandonment can be extrapolated to ADTs. For example, procurement' can be translated to identifying and configuring HCS. Standardization of ADTs can abate procurement challenges while greatly improving the abandonment, Beyond performance of HCS. procurement challenges have a more impact on the usage of ADTs. Kapperman, et al. [11] discuss how the lack of technical knowledge by both educator and student limit the use of ADTs to less than half the students with visual impairments who could potentially benefit from assistive technology. Another approach is to provide a second (non-visual) modality to enhance pedagogy for the visually impaired. Auditory graphs using sonification provides an auricular method for the visually impaired to experience mathematics.

DISCUSSION OF {ROBLEM

In most cases, ADT and HCS grant the visually impaired access to digital media. However, at times, the user experience is inconsistent, and often dysfunctional.

This discussion will explore issues faced by visually impaired when accessing standard contrast digital media and limitations the current state of HCS.

Light Reading

Persons who are visually impaired due to retinal issues can benefit from HCS. Light of a sufficiently high intensity will compromise visual acuity in persons having conditions that affect the retina, such as: macular degeneration, diabetic retinopathy and even age. In persons without a visual impairment, visual acuity has a well-defined relationship with illumination. That is, visual acuity increases in proportion to the log of the light intensity [10]. The retina is a surface composed of discrete rods and cones, therefore its resolving power depends on the number of elements present in a unit area [10]. In persons with a compromised retina, this unit area is decreased, thus decreasing the amount of illumination the retina can process. Even the ubiquitous white (RGB: 255, 255, 255) background used under most standard contrast settings for electronic displays is sufficient to overwhelm the ability to process information for a person with a retinal issue. The retina as analogous to a sensor in a digital camera. Consider taking a photograph of the sun. Aside from potential sensor damage, capturing an image of the sun without moderating the irradiation would not produce a viable image. The intensity of the light would inundate the sensor, creating at best, a very noisy image.

Focus on High Contrast Settings

High contrast is defined as a large difference in magnitude and gradient between colors in an image. In the context of this paper HCS will refer to the difference in magnitude between the background, which typically constitutes the majority of the display area (>> 50%), and foreground (text, images, etc.) in digital media.



Figure 1: Windows high contrast theme, MS Word (left). Adobe Reader with high contrast colors (right).



Figure 2: Web browsers with high contrast: Internet Explorer (left), Mozilla Firefox (center), Google Chrome (right).

The images in Figures 1 and 2 show the HCS available embedded with the OS (High contrast theme on Windows) or application (Adobe Reader, Google Chrome, Mozilla Firefox). It should be noted that the high contrast theme on Windows not only supports Microsoft applications: Word, Excel, PowerPoint, etc., but also Mozilla Firefox, and perhaps others (that are beyond the scope of this paper). Windows does not natively support Google Chrome and Adobe Reader, and NCS must be configured independently. Both Windows and Adobe thoughtfully consider the need for HCS to provide a display with a high gradient between the background and foreground. More importantly, their HCS solutions invert the display from the typical light background, dark foreground (text) to dark background, light foreground. Recall that a white background has irradiance capable of decreasing acuity for the visually impaired.

Therefore, it is important to not only have a high gradient between background and foreground, the background should be dark, ideally RGB [0, 0, 0]

Where is the High Contrast

The images in Figure 3 expose HCS web browser inconsistencies. Each application has (dis)advantages. The text in the search results, and heading using Mozilla Firefox is difficult to read. Internet Explorer does a better job distinguishing the text by applying a higher contrast for the results headers, but could utilize a lighter color to the search results text for stronger differentiation. Google Chrome's HCS employs a high gradient between text and background, and thus offers a good solution for viewing text on screen. However, Chrome falls short in attempting to resolve images (pictures) with HCS, leading to a strange, negatively colored image.



Figure 3: Web browser display results from a query of the string 'Images for fred flintstone': Internet Explorer (left), Mozilla Firefox (center), Google Chrome (right).




Figure 4: Highlighting to make selection in web browsers: Internet Explorer (left), Google Chrome (right). The selection of the right most choice using Internet Explorer (IE) was not obvious to the user. Mozilla Firefox, like (IE), makes use of the Windows high contrast theme, looks like IE, and was omitted.

Text and image rendition are not the only shortfalls of web browser HCS. Highlighting (Figure 4), and form input collection methods (Figure 5) present even more adversity for those using HCS with IE or Firefox.




Figure 5: Radio buttons to make selection in web browsers: Internet Explorer (left), Google Chrome (right). The selection of the left most choices using Internet Explorer (IE) was not obvious to the user. Mozilla Firefox, like (IE), makes use of the Windows high contrast theme, looks like IE, and was omitted.

Fundamental attributes of usability, denoting selections are not possible unless HCS is disabled. This phenomenon is difficult to capture for this paper outside the application. That is, how can something that is not visible be depicted? Selections were made using IE in figures 4 and 5, however, the choices were not highlighted in way to make the choice obvious for the user, or in this case, the reader. Google chrome did not have this drawback, but was did not display a uniform dark background on the screen. The lighter colors could present issues for some visually impaired persons. The ideal scenario would have an unbroken dark background with a light-colored foreground; including those elements that allow for user selection, such as the fill

for radio buttons, tick boxes, and other widgets.

Lastly, some documents viewed using Adobe Reader are not compatible with Reader's HCS features [16]. These documents do not display some information with HCS. This missing information presents issues for the visually impaired reader [15]. Perfunctory research [17] indicates that these documents were created with settings incompatible with Reader's HCS standards.






Figure 6: Document in Adobe Reader viewed with standard contrast (top), The same document viewed with HCS.

The image at the top in Figure 6 shows graphs that are populated with data when viewed with standard contrast. The data is not visible when viewed under HCS as shown in the bottom image in Figure 6.

Inaccessible Accessibility

The ADTs offered on operating systems and applications are difficult to initially configure for the visually impaired. This discussion will explore the challenges of provisioning HCS at the OS (Windows) and application level.

Although setting up HCS on Windows is a direct procedure, this option remains unknown to many users. HCS is enabled by 'Personalizing' the desktop with a High Contrast theme. Once enabled, this setting applies HCS to all Microsoft applications, Mozilla Firefox, but not Google Chrome. As already discussed, Windows HCS performs reasonably well creating a display that allows those with low vision good visual perception of the media.

Adobe Reader's HCS is not covered under Window's HCS option, and must be configured separately. To set up HCS for Reader, the user must navigate to the preferences drop-down, and locate HCS in the (sub)tree of options. This path is not obvious, and could be moved to a more direct path for the user.

Like Reader, Google Chrome also lacks support under Window's HCS. Chrome is perhaps the most challenging application in this study to provision HCS. A user must use the Chrome browser, which is not initially set up for HCS, to acquire and configure HCS. The entire process is accomplished using standard contrast, which for those with low vision, presents a paradox. That is, a user with low vision experiences very low visual acuity under standard contrast, and depends on HCS, which is what the user is attempting to setup on Chrome.

Have You Heard About Sonification

Another ADT that has not been fully exploited is sonification. For this discussion, the term 'sonification' refers to the "use of non-speech audio to convey information or perceptualize data" [3]. Chew [1] assessed using auditory graphing systems for visually impaired middle school students in mathematics. Sonification can increase accessibility by allowing objects such as curves in a Euclidian plane to be perceived. Upson [7] discusses using sonification to

visualize geometry, which is a completely visual form of mathematics. Upson's proposes sonification as another vector for assimilating information, and targets middle school pupils. Essentially, using both sight and sound will increase the absorption of the material. Although Upson does not propose sonification for the visually impaired, others [8, 9] have. Studies in the field of ophthalmology have stressed the importance of assistive technology resources, such as learning tools for visually impaired students [5]. Sonification will be explored as a potential ADT for enhancing the pedagogy of mathematics for the visually impaired.

Sonification is not Widely Deployed

Sonification as an educational technology is not widely deployed. Upson [7] and Chew [1] discusses using sonification for middle school geometry. This is a narrow topic in a single subject over the pedantic universe, which does not justify development resources. Sonification is analogous to orphan drugs, a small market lacks economies of scale. Walker and Cothran [9] explore addition reasons why sonification is not widely used: "few sonification toolkits that have been developed are either proprietary, dependent on a specific hardware or software platform (e.g., SGI/Irix), or are built for the expert sonification designer, and not the schoolteacher or student. I propose a sonification solution for the visually impaired that extends the work of Walker and Cothran by including high contrast options in my sonification toolkit.

GOALS AND DESIGN

As discussed, an application designed for the visually impaired should have HCS as an option. Ideally, this would be through standards adopted by the development community. I designed an application to achieve two objectives: (1) evaluate the efficacy of sonification as an ADT for the visually impaired, (2) implement HCS best practices, thus enabling access to the sonification application by the visually impaired. The application is hosted on GitHub and can be accessed at the following link: https://rbobkoskie3.github.io/.

The user interface for the application is depicted with HCS in Figure 7, while Figure 8 shows the same page with standard contrast. Under either contrast option, the user experiences the same look and feel across the other pages that comprise this application.




Figure 7: Application User Interface (HCS Parabola).

Dynamic Web Page

The application runs as a client-side dynamic web page, driven by user selection. That is, web page processing utilizes HTML scripting running on the client (browser) as it loads. JavaScript and other scripting languages determine the way the HTML in the received page is parsed into the Document Object Model (DOM) that represents the loaded web page.

The math plots depicted on the web pages were created using Python and Matplotlib. Sonification was implemented with prerecorded tones that are typically associated with a hearing test. The user selects a math plot, and engages sonification by either clicking the image of the plot, or the sonification (play) button located under the plot (see Figures 7 and 8). When sonification is playing, the user will experience audio, and visual cues in synchronization with sonification.




Figure 8: Application User Interface (Parabola).

The user can pause and resume the application at any time by clicking either the image or the play button. To view the page in HCS, the user can click the HIGH CONTRAST button at the top of the page. A selection of STD CONTRST reverts to standard contrast.

Choosing to develop the application using client-side dynamic web page technologies was based on several factors:

- This approach accomplishes the two goals of this study: the evaluation of both sonification and HCS.
- 2. Adding additional client-server functionality would be superfluous, and perhaps confusing to the target audience and scope of this study.
- A strict and well defined timeframe to deliver the application and results of the evaluation.

A Standard Approach for High Contrast Settings

Research has shown the relationship between a compromised retina and a reduced ability to process light. This implies a reduction visual acuity under light of a sufficiently high intensity. Based on this research, I chose to have an option of displaying the application in high contrast. A user can toggle the entire page, including background and all foreground elements (tracer animation, buttons, images, text) between standard and high contrast (see Figures 6 and 7).

Auditory Graphing with Sonification

To achieve auditory graphing, a unique sound (tone) was developed, and applied to each function. This was accomplished using frequencies and waveforms that are unique for each plot:

- lines $\leq > \sim 300$ to 500 Hz, sine wave
- circles $\ll \sim 200$ to 400 Hz. square wave
- parabolas <=> ~400 to 600 Hz. sawtooth wave
- hyperbolas <=> ~400 to 600 Hz. triangle wave

Recall that sonification uses sound: frequency, amplitude, timbre, pitch, and duration to visualize object via an auditory pathway. To further enhance sonification, the duration and frequency were adjusted for each graph. That is, the duration of sonification is longer for a plot that has greater length or perimeter. Also, depending on the slope or shape of the plot, the frequency may remain constant, increase, or decrease. For example, a line may have positive, negative, zero, infinite slope. I chose to apply sonification to lines having positive, negative and zero slope by associating an increasing, decreasing or constant frequency respectively. For parabolas and circles, which are non-linear functions, the variation in frequency is not linear.

A user can play/pause sonification by clicking either the Sonification play button, or the plot. The user can adjust the sonification volume using the application buttons, or directly from their device. To reinforce the sonification, an animated element traces over the plot in sequence with the auditory stimuli.

IMPLIMENTATION ISSUES

As discussed, sonification is not widely deployed as an educational technology, therefore poetic license was used liberally to realize sonification. Lacking standards, HCS was developed with a similar approach. Research was used to provide high level direction; however, the

development was mostly my interpretation of the requirements. As for the development, these challenges had to be addressed to produce the application:

- 1. The synchronization of the sonification parameters: frequency, amplitude, timbre, pitch, and duration with the various math plots: lines, circles, parabolas, and hyperbolas.
- 2. Creating an animated element to trace the math plots in tandem with sonification.
- 3. One click functionality to toggle page display between standard and high contrast.
- 4. Creating a web page that scales for device resolution. That is, the application can run on a smart phone, up to a large computer monitor. The duration for sonification, and tracer path are dynamic under varying resolution, and unique for each math plot.
- 5. Three dimensional plots were included, and required scaling of the animation element to achieve perspective (see Figure 9).




Figure 9: Use of element scaling (round dot) to achieve perspective in three dimensional graphs.

RESULTS AND DISCUSSION

This study was primarily a quantitative effort. The application served as the independent variable, while a survey provided data that was quantitatively analyzed. The objective of the survey was to evaluate user response to the application. The link to the survey: https://docs.google.com/forms/d/e/1FAIpQLSc0ICzXvJjHwATkwU86fbXTqOgTGyMJfLvh73lRyYgIZT9Xg/viewform.

Quantitative Analysis

The intent was to expose student in schools for the visually impaired to the application and corresponding

survey. At the time of this writing, I did have receive confirmation from any of the schools affirming their participation in the study. However, I did receive feedback from my Georgia Tech cohort, which yielded some interesting results. Note that the results came from a group, which are mostly, if not exclusively, a population without low vision.




Figure 10: Rating user experience for practicality of assistive technology for viewing digital media.




Figure 11: Rating user experience for identifying, and configuring (setting up) assistive technology.

The results obtained from the survey shown in Figures 10 and 11 corroborate the prediction that HCS, although having good utilization, could have greater utilization if it were standardized for easier configuration. Figure 10 shows that HCS is deemed more useful than not, however, it is not identified as the most useful ADT. The results in Figure 11 allude to the reason, HCS was one of the most difficult to setup. Screen readers appeared to be the most challenging ADT to configure. Although screen readers were not the focus of my study, research [2] has shown screen reader applications to be less useful than built in computer accessibility, such as HCS. Less usage implies less awareness, less research, thus less experience. Users have no reason to explore this ADT, thus it may be difficult to configure if a user has no experience doing so. This is evident in Figure 10, as screen reader were clearly rated the least useful ADT in this study.

Qualitative Analysis

Although the data analysis of the survey was primarily quantitative in nature, there was the opportunity for

limited qualitative analysis by collecting user comments in the survey. User response alluded to an occupational correlation with HCS usage: "Like most people in our field, I spend a lot of time in front of a monitor. Any chance I get to use a dark'theme or effectively make the text the part that is illuminated, I will take it.". I had not considered this demographic for study, however, it seems appropriate for future research.

FUTURE WORK

More work is needed to expound on the work discussed in this paper. The project scope was constrained due to a well-defined schedule to deliver this work. My thoughts for additional research will be outlined below.

More Quantitative Analysis

Since I was not able to obtain results from students of visually impaired schools. Future work would include distributing the application and survey to this audience. In addition, some qualitative analysis pointed to age being a factor in the preference for HCS. Therefore, I would expand the scope to include older individuals, such as senior citizen communities. I would also like to consider elementary school students usage of sonification. To account for these demographics, I've modified the survey to capture the participants age range, and institution of learning. As mentioned in the previous section, occupational exposure might be another demographic to consider.

In additions, counters for web page buttons will be introduced to gather more empirical statistic. This data would identify user preference for events such as: sonification, and HCS vs. standard contrast.

More Qualitative Analysis

The duration of this study limited opportunities to perform more qualitative research. I would like to explore the usage of HCS and sonification in the field. For example, I'd like to conduct further research on the relationship between the extraneous variables obtained from the demographic information on the survey with the usage of HCS and sonification. This real-time observation and interaction has the potential to lead to more function development of protocols to improve accessibility to digital media for the visually impaired.

If future research indicates that HCS and sonification are indeed useful to the visually impaired community, I would transition the application from a client-side

dynamic web page to a client server model that is capable of plotting math function dynamically.

CONCLUSION

My goal is to improve assistive technology to improve access to digital media by the visually impaired community. Research has shown that digital media is ubiquitous in education, therefore, by extension, educational pedagogy for the visually impaired can be advanced.

This discussion highlights the need for additional, and a more comprehensive approach toward assistive technologies for the visually impaired. Moreover, I suggest that standardization of assistive technology, and sonification can fill gaps in existing ADTs, and allow for a more effective and rich experience with digital media for the visually impaired. Additional research outlined in the Future Work section of this paper will strengthen my argument for standardization and sonification. Until then, the development community should consider my recommendations for high contrast settings as a guideline for thoughtful access to digital media by the visually impaired.

ACKNOWLEDGEMENTS

The author would like to thank the following: My professor for this course, David Joyner. My mentor, Zach Hooks. My cohort who provided invaluable peer feedback throughout this project.

REFERENCES

- Yee Chieh Chew. 2014. Assessing the Use of Auditory Graphics for Middle School Mathematics. Ph.D. Dissertation. Georgia Institute of Technology, Atlanta, GA.
- Daniel Fok, Janice Miller Polgarb, Lynn Shawb and Jeffrey W. Jutai. 2011. Low vision assistive technology device usage and importance in daily occupations. IOS Press, Work 39 (2011) 37-48, DOI 10.3233/WOR20111149.
- G. Kramer (ed), 1994. Auditory Display: Sonification, Audification, and Auditory Interfaces. Santa Fe Institute Studies in the Sciences of Complexity. Proceedings volume XVIII. Addison-Wesley.
- 4. Project Tomorrow. 2014. The New Digital Playbook: Understanding the Spectrum of Students' Activities and Aspirations. Chart 2, Teachers' Use of Digital Content in the Classroom.

- Alves CC, Monteiro GB, Rabello S, Gasparetto ME, Carvalho KM. 2009. Assistive technology applied to education of students with visual impairment. Rev Panam Salud Publica, 148-52.
- B. Phillips and H. Zhao. 1993. *Predictors of* assistive technology abandonment, Assistive Technology. The Official Journal of RESNA, Volume 5, Issue 1, 36-45.
- Robert Upson. 2001. SONIFICATIONS AS MATHEMATICS TEACHING TOOLS. Proceedings of the 2001 International Conference on Auditory Display, Espoo, Finland, July 29-August 1, 2001.
- Lorna M. Brown and Stephen A. Brewster. 2003. DRAWING BY EAR: INTERPRETING SONIFIED LINE GRAPHS. Proceedings of the 2003 International Conference on Auditory Display, Boston, MA, USA, 6-9 July 2003.
- Bruce N. Walker and Joshua T. Cothran. 2003. SONIFICATION SANDBOX: A GRAPHICAL TOOLKIT FOR AUDITORY GRAPHS. Proceedings of the 2003 International Conference on Auditory Display, Boston, MA, USA, 6-9 July 2003 ICAD03-161.
- 10 Selig Hecht. 1927. THE RELATION BETWEEN VISUAL ACUITY AND ILLUMINATION. From the Laboratory of Biophysics, Columbia University, NY.
- G. Kapperman, J. Sticken, and T. Heinze. 2002. Survey of the Use of Assistive Technology by Illinois Students Who Are Visually Impaired. Journal of Visual Impairment & Blindness. v96 n2 p106-08.
- 12 Courtney K. Blackwell*, Alexis R. Lauricella, Ellen Wartella. 2014. Factors influencing digital technology use in early childhood education. Computers & Education, 82-90.
- 13 Florida. 2011. SB 2120: K-12 Education Funding, GENERAL BIL.
- California. 2009. BILL NUMBER: SB 48.
- 15 seattle_warrior. Reader Accessibility/High Contrast Problems. 2011. Posted January 13, 2011 from
 - https://forums.adobe.com/thread/777688
- 16 Adobe Acrobat User Guide. 2017. Accessibility features in PDFs. Retrieved November 12, 2017 from
 - https://helpx.adobe.com/acrobat/using/accessibi lity-features-
 - pdfs.html#accessibility features in pdfs
- 17 Adobe Acrobat User Guide. 2017. Workflow for creating accessible PDFs. Retrieved November 12, 2017 from https://helpx.adobe.com/acrobat/using/creatingaccessible-pdfs.html#creating_accessible_pdfs