



Four uniform-insert options

All travel as four folding cassettes. Cardstock stays loaded. Quarter / half / whole sheets versus exact metric sizing.




A / Quarter sheets

48 inserts | 36 cuts | pack 1079 mm




B / Half sheets

24 inserts | 12 cuts | pack 1079 mm



C / Whole sheets

12 inserts | 0 cuts | pack 715 mm



D / Exact-size metric

72 inserts | 90 cuts | pack 1050 mm

Small dimensional changes include 4 mm pitch allowance for channels and paper clearance. Color shows the four identical pinwheel cassettes.

A / Quarter sheets

48 identical inserts; one fold per cassette



355.6 x 279.4 mm

ONE INSERT SIZE

48 inserts / 12 sheets

36 straight cuts total

Outer: 2724.4 mm

Opening: 1590.8 mm

4 folded bundles

1079 x 567 mm

PETG planning: 3.1 kg

Face materials: ~\$74

Same single PVC backing concept; pipe splits at four midpoints for transport. Base/guys must follow the existing anchored or ballasted design.

B / Half sheets

24 identical inserts; one cut per stock sheet



355.6 x 558.8 mm

ONE INSERT SIZE

24 inserts / 12 sheets

12 straight cuts total

Outer: 2720.4 mm

Opening: 1594.8 mm

4 folded bundles

1079 x 563 mm

PETG planning: 2.6 kg

Face materials: ~\$63

Same single PVC backing concept; pipe splits at four midpoints for transport. Base/guys must follow the existing anchored or ballasted design.

C / Whole sheets

12 uncut inserts; two folds per cassette



711.2 x 558.8 mm

ONE INSERT SIZE

12 inserts / 12 sheets

0 straight cuts total

Outer: 2708.4 mm

Opening: 1582.8 mm

4 folded bundles

715 x 563 mm

PETG planning: 2.4 kg

Face materials: ~\$59

Same single PVC backing concept; pipe splits at four midpoints for transport. Base/guys must follow the existing anchored or ballasted design.

D / Exact-size metric

72 identical inserts; trim to 392 x 692, then quarter



346 x 196 mm

ONE INSERT SIZE

72 inserts / 18 sheets

90 straight cuts total

Outer: 2700.0 mm

Opening: 1500.0 mm

4 folded bundles

1050 x 600 mm


PETG planning: 3.8 kg

Face materials: ~\$94

Same single PVC backing concept; pipe splits at four midpoints for transport. Base/guys must follow the existing anchored or ballasted design.

Slide in. Click the cap back.

Remove the outer end-cap rail only. Feed the card through parallel side channels; stop against the fixed bottom channel.




0.8 mm slot

For nominal 0.4 mm card
Measure the actual stock first

1.2 mm lips + rear spine


One channel prints on its spine
Opposed channels share a node



Printed joints stay assembled


Let the dovetail carry the load

The replaceable spring only retains the slide. Press it sideways to clear the notch, then withdraw the shoe.



ASSEMBLED

Spring lies in print XY plane




EXPLODED

45-degree dovetail walls

Four bundles. No loose paper.


B / Half sheets: unfold each book, engage two fold locks, then join the four cassettes at their corners.



UNFOLDED

2158 x 563 mm per cassette

Six half-sheet inserts remain in place





TRANSPORT

About 1079 x 563 x 40 mm each

Four face bundles + a PVC parts bag

Uncut sheets need a third leaf


C / Two offset hinges fold the three rigid leaves into a roughly 715 x 563 mm bundle. Cardstock never folds.



HINGE PARTS

Two flat knuckles + removable pin


A separate bridge locks the leaf straight



Quarter and half sheets need one fold per cassette. Whole sheets need two: no hidden crease, slit or paper cutting is required.

Support-free print orientations


Seven fit coupons. Largest footprint 150 x 10 mm. No support structures modeled or required by the intended geometry.



Uniform inserts change the equation

Quarter: split both ways. Half: one crosscut. Whole: use as purchased. Metric: two trims, then split both ways.

A / Quarter sheets



3 cuts / sheet
12 sheets / gate
36 cuts total

B / Half sheets



1 cuts / sheet
12 sheets / gate
12 cuts total

C / Whole sheets



0 cuts / sheet
12 sheets / gate
0 cuts total

D / Exact-size metric



5 cuts / sheet
18 sheets / gate
90 cuts total

Cut counts are separate straight cuts without stacked cutting; repeated knife passes are not counted. Stock size and squareness must be checked.

Click the face onto one PVC frame

Sixteen docking positions. Saddles stay with the pipes; the four folded face bundles keep their low-profile receivers.



PVC / 33.4 mm OD

C-saddles print with pipe axis vertical
Provide a positive mouth keeper

RELEASE FROM THE REAR

Press latch, slide dock free
Fold only after detaching from PVC

FOUR CORNER BRACES

Retain the established anchoring
Clamps need support-free split bodies

PVC fitting envelopes and dock positions are schematic. Keeper and brace clamp interfaces need the next fit-prototype pass; no structural rating.