
2:18
TN State Parks
LOAD PARKS
Bicentennial Capitol Mall
Big Cypress Tree
Big Hill Pond
Big Ridge
Bledsoe Creek
Booker T. Washington
Burgess Falls
Cedars of Lebanon
Chickasaw
Cove Lake
Cumberland Mountain
David Crockett Birthplace
David Crockett
Dunbar Cave
Edgar Evins
Fall Creek Falls
Fort Loudoun
Fort Pillow
Frozen Head
Harpeth River
Harrison Bay
Henry Horton
Hiwassee Ocoee
Indian Mountain
Johnsonville
Long Hunter
Meeman-Shelby Forest


MainPage
ParkService
ParkService
HttpClient

```
2 usages  Ryan Payne
public class ParkService
{
    private readonly HttpClient _client;

    1 usage  Ryan Payne
    public ParkService()
    {
        _client = new HttpClient();
    }
```


MainPage
ParkService
ServiceLocator
Service
Container
ParkService
HttpClient
ServiceLocator

```
3 usages  Ryan Payne
public class ParkService
{
    private readonly HttpClient _client;

    Ryan Payne
    public ParkService()
    {
        _client = Dependencies.ServiceProvider.GetRequiredService<HttpClient>();
    }
```


MainPage
ParkService
Service
Container
ParkService
HttpClient

```
5 usages  Ryan Payne  1 exposing API
public class ParkService
{
    private readonly HttpClient _client;

    Ryan Payne
    public ParkService(HttpClient client)
    {
        _client = client;
    }
```


No dependency injection
MainPage
ParkService
ParkService
HttpClient
Service locator pattern
MainPage
ParkService
ServiceLocator
Service Container
ParkService
HttpClient
ServiceLocator
Dependency injection
MainPage
ParkService
Service Container
ParkService
HttpClient

No dependency injection

```
2 usages  Ryan Payne
public class ParkService
{
    private readonly HttpClient _client;

    1 usage  Ryan Payne
    public ParkService()
    {
        _client = new HttpClient();
    }
```

Service locator pattern

```
3 usages  Ryan Payne
public class ParkService
{
    private readonly HttpClient _client;

    Ryan Payne
    public ParkService()
    {
        _client = Dependencies.ServiceProvider.GetRequiredService<HttpClient>();
    }
```

Dependency injection

```
5 usages  Ryan Payne  1 exposing API
public class ParkService
{
    private readonly HttpClient _client;

    Ryan Payne
    public ParkService(HttpClient client)
    {
        _client = client;
    }
```