
## **EER Diagram**



## **Final Relational Schema**

```
account = (email, fname, lname, password)
admin = (admin\_email\_[fk1])
fk1: admin_email -> account (email)
client = (phone_number, client_email [fk2])
fk2: client email -> account (email)
owner = (\underline{\text{owner}} \underline{\text{email}} [fk3])
fk3: owner_email -> client (client_email)
customer = (credit_card_no, exp_date, cvv, current_location, customer_email [fk4])
fk4: customer_email -> client (client_email)
airline = (\underline{name}, rating)
airport = (airport id, name, street, city, state, zip, time_zone)
property = (<u>name</u>, <u>owner email</u> [fk5], street, city, state, zip, description,
cost_per_night_per_person, capacity)
fk5: owner_email -> owner (owner_email)
flight = (<u>airline_name</u> [fk6], <u>flight_num</u>, departure_time, arrival_time, date, cost_per_seat,
capacity, departure_airport_id, arrival_airport_id)
```

```
fk6: airline_name -> airline (name)
rates = (owner_email [fk7], customer_email [fk8], score)
fk7: owner_email -> owner (owner_email)
fk8: customer_email -> customer (customer_email)
is_rated_by = (owner_email [fk9], customer_email [fk10], score)
fk9: owner_email -> owner (owner_email)
fk10: customer_email -> customer (customer_email)
review = (property name [fk11], customer email [fk12], owner email [fk13], content, score)
fk11: property_name -> property (name)
fk12: customer email -> customer (customer email)
fk13: owner_email -> owner (owner_email)
reserve = (property_name [fk14], customer_email [fk15], owner_email [fk16], start_date,
end_date, num_guests)
fk14: property_name -> property (name)
fk15: customer_email -> customer (customer_email)
fk16: owner_email -> owner (owner_email)
is_close_to = (property_name [fk17], owner_email [fk18], airport_id [fk19], distance)
fk17: property_name -> property (name)
fk18: owner_email -> owner (owner_email)
fk19: airport_id -> airport (airport_id)
book = (airline_name [fk20], flight_num [fk21], customer_email [fk22], num_seats)
fk20: airline name -> flight (airline name)
fk21: flight_num -> flight (flight_num)
```

fk22: customer\_email -> customer (customer\_email)

property\_amenity = (property\_name [fk23], property\_owner [fk24], amenity\_name)

fk23: property\_name -> **property** (name)

fk24: property\_owner -> **property** (owner\_email)

 $\boldsymbol{airport\_attraction} = (\underline{airport\_id} \; [fk25], \, \underline{attraction\_name})$ 

fk25: airport\_id -> airport (airport\_id)