



SELECT "Hello World!"

sql\_select("Hello World!")

sql\_query() |> sql\_select("Hello World!")



SELECT p.mrn FROM patient p

p = sql\_alias("patient")  
sql\_join(p) |> sql\_select(p.mrn)

p = sql\_alias("patient")  
p |> sql\_select(p.mrn)

(p = sql\_from("patient")) |> sql\_select(p.mrn)



SELECT p.mrn, e.date  
FROM patient p  
JOIN encounter e ON (p.id = e.patient\_id)

p = sql\_alias("patient")  
e = sql\_alias("encounter")  
sql\_from(p) |> sql\_join(e, p.id, == e.patient\_id) |> sql\_select(p.mrn, e.date)

p = sql\_alias(catalog["public"]["patient"])  
e = sql\_alias(catalog["public"]["encounter"])  
sql\_from(p) |> sql\_join(e, autojoin=p) |> sql\_select(p.mrn, e.date)

p = sql\_alias("patient")  
e = sql\_alias("encounter")  
p |> sql\_join(e, p.id, == e.patient\_id) |> sql\_select(p.mrn, e.date)

p = sql\_alias("patient")  
e = sql\_alias("encounter")  
sql\_from(p) |> sql\_join(e, p.id, == e.patient\_id) |> sql\_select(p.mrn) |> sql\_select(e.date)



SELECT p.mrn, e.date  
FROM patient p  
JOIN encounter e ON (p.id = e.patient\_id)

p = From("patient")  
e = From("encounter")  
j = Join(p, e, p.id, == e.patient\_id)  
Select(j, p.mrn, e.date)

sql\_from((p = sql\_alias("patient")) |> sql\_join((e = sql\_alias("encounter")), p.id, == e.patient\_id) |> sql\_select(p.mrn, e.date))



SELECT p.sex, COUNT(p)  
FROM patient p  
GROUP BY p.sex

p = sql\_alias("patient")  
g = sql\_from(p) |> sql\_group(sex = p.sex)  
g |> sql\_select(g.sex, sql\_count(p))

p = From("patient")  
g = Group(p, sex = p.sex)  
Select(g, g.sex, Count(p))



SELECT p.mrn, COALESCE(g.n\_e, 0)  
FROM patient p  
LEFT JOIN (  
SELECT e.patient\_id, COUNT(e) AS n\_e  
FROM encounter e  
GROUP BY e.patient\_id) g ON (p.id = g.patient\_id)

p = From("patient")  
e = From("encounter")  
g = Group(e, patient\_id = e.patient\_id)  
j = LeftJoin(p, g, p.id, == g.patient\_id, omit\_if\_unused=true)  
Select(j, p.mrn, Coalesce(Count(e), 0))

p = From("patient")  
e = From("encounter")  
g = Group(e, patient\_id = e.patient\_id)  
gs = Select(g, patient\_id = g.patient\_id, n = Count(e))  
j = LeftJoin(p, gs, p.id, == gs.patient\_id)  
Select(j, p.mrn, Coalesce(gs.n, 0))

SELECT p.mrn  
FROM patient p  
WHERE p.sex = 'male'


p = From("patient")  
w = Where(p, p.sex, == "male")  
Select(w, p.mrn)

p = From("patient", columns=["mrn", "sex"])  
w = Where(p, Ref(1, 2), == "male", select=[Ref(1,1)])  
Select(w, select=[Ref(1,1)])

patient\_tbl = Table("patient", [{"id", Int}, {"sex", String}, {"mrn", String}])  
encounter\_tbl = Table("encounter", [{"id", Int}, {"patient\_id", Int}, {"date", Date}])


auto\_connect(patient\_tbl, encounter\_tbl, [{"id", "patient\_id"}])

p = From(patient\_tbl)  
e = From(encounter\_tbl)  
j = LeftJoin(p, e)  
Select(j, p.mrn, e.date)



SELECT p.mrn, EXTRACT(YEAR FROM e.date)  
FROM patient p  
JOIN encounter e  
ON (p.id = e.patient\_id)  
WHERE p.sex = 'male'

p = From(patient)  
e = From(encounter)  
j = Join(p, e, p.id, := e.patient\_id)  
w = Where(j, p.sex, := 'male')  
s = Select(w, mrn = p.mrn, year = Year(e.date))



p = From(patient)  
p\_ = Select(p, id = Const(:id), \_sex = Const(:sex), \_mrn = Const(:mrn))  
e = From(encounter)  
e\_ = Select(e, \_patient\_id = Const(:patient\_id), \_date = Const(:date))  
j = Join(p\_, e\_, p\_.id, := e\_.patient\_id)  
j\_ = Select(j, \_mrn = p\_.mrn, \_sex = p\_.sex, \_date = e\_.date)  
w = Where(j\_, j\_.sex, := 'male')  
w\_ = Select(w, mrn = j\_.mrn, \_date = j\_.date)  
s = Select(w\_, mrn = w\_.mrn, year = Year(w\_.date))



SELECT c.person\_id, c.peer\_id, c.timestamp, c.distance  
FROM contact c

For each pair of persons, find the contact interval when there were detected at least once in a minute in a distance of less than 5 meters.



SELECT p.mrn, e.date  
FROM patient p  
JOIN encounter e ON (p.id = e.patient\_id)  
WHERE p.sex = 'male'  
ORDER BY e.date






SELECT p.mrn  
FROM patient p



SELECT p.mrn, e.date  
FROM patient p  
JOIN encounter e  
ON (p.id = e.patient\_id)





SELECT ...  
FROM patient AS p  
JOIN encounter AS e ON ...



Clause  
:SELECT

Clause  
:FROM

Clause  
:JOIN





```
WITH RECURSIVE X AS (  
  SELECT 1 AS N  
  UNION ALL  
  SELECT ...  
  ...  
  FROM X  
  ...  
  FROM X)
```







SELECT ... FROM ( SELECT ... ... ) AS ...



SELECT ... FROM ( SELECT ... ) AS ... WHERE ...



SELECT ... FROM ( SELECT ... FROM ... ) AS ... WHERE ...






SELECT ... FROM ( SELECT ... WHERE ... ) AS ... WHERE ...



SELECT ... FROM ( SELECT ... JOIN ... ) AS ... WHERE ...





\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_