



Transformation




A transformation f
maps any input of type A
to the output of type B .

Composition



Transformations with compatible input and output
can be composed.

Composition is a Transformation




Crucially, composition of transformations is again a transformation.

Composition Combinator




Composition `chain_of(□, □)`
is a transformation combinator
with two arguments.

1. Transformation




2. Composition



Transformations with compatible input and output can be composed


3. Composition is a Transformation

4. Composition Combinator




Trivially (but crucially),
a composition of transformations
is again a transformation

chain_of(,)




Composition is a transformation combinator
with two placeholders



5. Example: Components of a Composition




Maps an employee to

6. Example: Composition








7. Counter-example: Plural Component



8. Counter-example: Optional




Component




Can we represent composition of these transformations with an intuitive diagrammatic notation?


9. Idea: Unbundle the Wire



10. Idea: Compose Using the



Object Wire




of output elements

transmits the output elements

Int
↓


Attaching a transformation to the object wire indicates that the transformation is applied to each element of the collection

11. Block Type



12. Cardinality


Cardinality is a constraint on the number of elements



ents in a block


At least 1

13. Unbundling



We can unbundle a wire of a block type into a functor and object components

14. Object Transformation




Then any compatible transformation can be applied to the object which indicates that the transformation is applied to every element of the block




)

t wire,
ent

13. Multiwired transformations




14. Example: Multiwired Trans




sformations

ers

14. Example: Multiwired Composition




Total sum of salaries in a given department



`chain_of(employee, with_elements(salary), sum)`

15. Example: Details



`chain_of(employee, with_elements(salary),`



Composition

sum)