



SELECT "Hello World!"

sql_select("Hello World!")

sql_query() |> sql_select("Hello World!")



SELECT p.mrn FROM patient p

p = sql_alias("patient")
sql_join(p) |> sql_select(p.mrn)


p = sql_alias("patient")
p |> sql_select(p.mrn)

(p = sql_from("patient")) |> sql_select(p.mrn)



SELECT p.mrn FROM patient p

(p = sql_from("patient")) |> sql_select(p.mrn)



SELECT p.mrn, e.date
FROM patient p
JOIN encounter e ON (p.id = e.patient_id)

p = sql_alias("patient")
e = sql_alias("encounter")
sql_from(p) |> sql_join(e, p.id, == e.patient_id) |> sql_select(p.mrn, e.date)

p = sql_alias(catalog["public"]["patient"])
e = sql_alias(catalog["public"]["encounter"])
sql_from(p) |> sql_join(e, autojoin=p) |> sql_select(p.mrn, e.date)

p = sql_alias("patient")
e = sql_alias("encounter")
p |> sql_join(e, p.id, == e.patient_id) |> sql_select(p.mrn, e.date)


p = sql_alias("patient")
e = sql_alias("encounter")
sql_from(p) |> sql_join(e, p.id, == e.patient_id) |> sql_select(p.mrn) |> sql_select(e.date)



SELECT p.mrn, e.date
FROM patient p
JOIN encounter e ON (p.id = e.patient_id)

p = From("patient")
e = From("encounter")
j = Join(p, e, p.id, == e.patient_id)
Select(j, p.mrn, e.date)


sql_from((p = sql_from("patient")) |> sql_join((e = sql_alias("encounter")), p.id, == e.patient_id) |> sql_select(p.mrn, e.date))



SELECT p.sex, COUNT(p)
FROM patient p
GROUP BY p.sex

p = sql_alias("patient")
g = sql_from(p) |> sql_group(sex = p.sex)
g |> sql_select(g.sex, sql_count(p))

p = From("patient")
g = Group(p, sex = p.sex)
Select(g, g.sex, Count(p))



SELECT p.mrn, COALESCE(g.n_e, 0)
FROM patient p
LEFT JOIN (
SELECT e.patient_id, COUNT(e) AS n_e
FROM encounter e
GROUP BY e.patient_id) g ON (p.id = g.patient_id)

p = From("patient")
e = From("encounter")
g = Group(e, patient_id = e.patient_id)
j = LeftJoin(p, g, p.id, == g.patient_id, omit_if_unused=true)
Select(j, p.mrn, Coalesce(Count(e), 0))

p = From("patient")
e = From("encounter")
g = Group(e, patient_id = e.patient_id)
gs = Select(g, patient_id = g.patient_id, n = Count(e))
j = LeftJoin(p, gs, p.id, == gs.patient_id)
Select(j, p.mrn, Coalesce(gs.n, 0))

SELECT p.mrn
FROM patient p
WHERE p.sex = 'male'


p = From("patient")
w = Where(p, p.sex, == "male")
Select(w, p.mrn)

p = From("patient", columns=["mrn", "sex"])
w = Where(p, Ref(1, 2), == "male", select=[Ref(1,1)])
Select(w, select=[Ref(1,1)])

patient_tbl = Table("patient", [{"id", Int}, {"sex", String}, {"mrn", String}])
encounter_tbl = Table("encounter", [{"id", Int}, {"patient_id", Int}, {"date", Date}])

auto_connect(patient_tbl, encounter_tbl, [{"id", "patient_id"}])

p = From(patient_tbl)
e = From(encounter_tbl)
j = LeftJoin(p, e)
Select(j, p.mrn, e.date)



SELECT p.mrn, EXTRACT(YEAR FROM e.date)
FROM patient p
JOIN encounter e
ON (p.id = e.patient_id)
WHERE p.sex = 'male'

p = From(patient)
e = From(encounter)
j = Join(p, e, p.id, := e.patient_id)
w = Where(j, p.sex, := 'male')
s = Select(w, mrn = p.mrn, year = Year(e.date))



p = From(patient)
p_ = Select(p, id = Const(:id), _sex = Const(:sex), _mrn = Const(mrn))
e = From(encounter)
e_ = Select(e, _patient_id = Const(patient_id), _date = Const(:date))
j = Join(p_, e_, p_.id, := e_.patient_id)
j_ = Select(j, _mrn = p_.mrn, _sex = p_.sex, _date = e_.date)
w = Where(j_, j_.sex, := 'male')
w_ = Select(w, mrn = j_.mrn, _date = j_.date)
s = Select(w_, mrn = w_.mrn, year = Year(w_.date))



SELECT c.person_id, c.peer_id, c.timestamp, c.distance
FROM contact c

For each pair of persons, find the contact interval when there were detected at least once in a minute in a distance of less than 5 meters.



SELECT p.mrn, e.date
FROM patient p
JOIN encounter e ON (p.id = e.patient_id)
WHERE p.sex = 'male'
ORDER BY e.date




SELECT p.mrn
FROM patient p



SELECT p.mrn, e.date
FROM patient p
JOIN encounter e
ON (p.id = e.patient_id)




SELECT ...
FROM patient AS p
JOIN encounter AS e ON ...



Clause
:SELECT

Clause
:FROM

Clause
:JOIN





```
WITH RECURSIVE X AS (  
  SELECT 1 AS N  
  UNION ALL  
  SELECT ...  
  ...  
  FROM X  
  ...  
  FROM X)
```





SELECT ... FROM (SELECT) AS ...



SELECT ... FROM (SELECT ...) AS ... WHERE ...



SELECT ... FROM (SELECT ... FROM ...) AS ... WHERE ...



SELECT ... FROM (SELECT ... WHERE ...) AS ... WHERE ...



SELECT ... FROM (SELECT ... JOIN ...) AS ... WHERE ...

