

1 INSERT

*INSERT [INTO] tbl_name [(col_name,...)] VALUES ({valor|expr | DEFAULT},...)
INSERT tbl_name SET col_name={valor|expr | DEFAULT}, ...*

2 UPDATE

*UPDATE tbl_name SET col_name1=expr1 [, col_name2=expr2 ...] [WHERE
where_definition] [ORDER BY ...] [LIMIT row_count]*

3 DELETE

*DELETE FROM tbl_name [WHERE where_definition] [ORDER BY ...] [LIMIT
row_count]*

4 DESHACER

*SET AUTOCOMMIT={0|1}
COMMIT
ROLLBACK
START TRANSACTION*

5 SELECT

*SELECT [ALL | DISTINCT]
expre_colum1, expre_colum2, ...
FROM [table_name1, table_name2, ...]
[WHERE where_definition]
[GROUP BY {col_name | expr | position}
[ASC | DESC], ... [WITH ROLLUP]]
[HAVING where_definition]
[ORDER BY {col_name | expr | position}
[ASC | DESC] , ...]
[LIMIT {[offset,] row_count | row_count OFFSET offset}]*

5.1 Otros Operadores de Comparación

*IS NULL|NOT NULL
[NOT] IN (Lista_Valores)
expr [NOT] BETWEEN min ADN max
Expr [NOT] LIKE 'Patrón_Búsqueda'*

5.2 Subconsultas

*SELECT Lista_Columnas FROM Lista_Tablas WHERE Columna
Operador_Comparacion (SELECT ... FROM ... WHERE ...)*

5.2.1 Test Comparación de las subconsultas

*(>, <, <>, <=, >=, =)
IN
EXISTS – NOT EXISTS
ANY – ALL*

5.3 Consultas Multitablas

SELECT Lista_Columnas FROM Tabla1, Tabla2, ... WHERE Tabla1.Columna = Tabla2.Columna

SELECT Lista_Columnas FROM Tabla1 JOIN Tabla2 {ON Tabla1.Columna = Tabla2.Columna | USING(Columna)}

SELECT Lista_Columnas FROM Tabla1 NATURAL JOIN Tabla2

SELECT Lista_columnas FROM Tabla1 LEFT JOIN Tabla2 {ON CondicionJoin | USING(Columna)}

SELECT Lista_columnas FROM Tabla1 NATURAL LEFT JOIN Tabla2

SELECT Lista_columnas FROM Tabla1 RIGHT JOIN Tabla2 {ON CondicionJoin | USING(Columna)}

SELECT Lista_columnas FROM Tabla1 NATURAL RIGHT JOIN Tabla2

6 UNIÓN

*SELECT ListaColumnas UNION [ALL | DISTINCT] SELECT ListaColumnas
[UNION [ALL | DISTINCT] SELECT ...]*

7 FUNCIONES AGREGACIÓN

*Count(), sum(), avg(), max(), min(), std(),
variance(), GROUP_CONCAT(DISTINCT test_score ORDER BY test_score
DESC SEPARATOR ' ')*

8 Agrupación de registros

*SELECT NombreColumna, FuncionAgregado(NombreColumna)
FROM table_name
WHERE Condición
GROUP BY ListaColumnas
HAVING FuncionAgregado(NombreColumna) Operador Valor*

9 VISTAS

*CREATE [OR REPLACE] VIEW nombre_vista [(columnas)] AS
sentencia_select*