

GR8: Hi-Fi Prototyping

Daniil Novak, Ved Pradhan, Rishik Buneti



The Team



Daniil Novak

'28
Santa Barbara, CA



Ved Pradhan

'26
Santa Clara, CA



Rishik Buneti

'26
Cupertino, CA

Problem / Solution Overview

College students and Gen Z shoppers often turn to online shopping as an emotional activity, but current platforms feel impersonal and overwhelming. This app introduces an AI shopping companion that holds a natural, supportive conversation with the user to understand their mood, context, and intent. Based on that interaction, the AI curates and presents products in a way that feels personal, low-pressure, and emotionally aligned.






TEXTURIE

Shopping that knows how you feel



Outline

1. Heuristic Evaluation Results
2. Major UI Revisions
3. Impact on Usability Goals



Heuristic Evaluation Results



Heuristic Evaluation Statistics


We had 3 HCI students evaluate our medium-fi prototype. Together, they found a total of 85 violations of Nielsen's ten heuristics from the NN Group.

The heuristic that was violated the most was H2: Match Between the System and the Real World. Our evaluators found 14 violations of H2.


Our evaluators judged these violations based on a severity metric from 0 to 4. The most common severity level was 2. Our evaluators found 32 violations at that severity level.

There were 27 violations with severity level 3. There were 8 violations with severity level 4.


of Violations per Heuristic



of Violations per Severity Level



of Violations per Heuristic and Severity Level



Trends

Although we saw a roughly similar amount of violations for each heuristic other than H2, the bar chart on the previous slide clearly shows that the most severe violations came up in H1 to H5 or H7. As such, when going through our revisions, we will attempt to prioritize addressing these heuristics.

However, we did get at least one severity level 3 violation in all heuristics, so we will need to address all heuristics during our revisions.



Our course of Action

In general we chose to identify worthy issues based on the amount of cognitive load it would add to the user, and how much unnecessary clutter it would add to our app.

We fixed the issues which we deemed crucial, such as ones that caused important data not be available to the user, such as [item price and a mass view list](#).

On the other hand, we ignored issues which were unnecessary and added no substance to the app. Such issues were the search bar for the discovery menu and protection against [duplicate additions](#) (Our prototype assumes we have filtered them out beforehand).





Major UI Revisions





Lack of Initial Guidance

Heuristic: H10: Help and Documentation
Severity Level: 4

When a user lands on our home page, there is very little indication as to what this app is for. All there is is a “Begin” button, but it does not tell what the user will be doing. If the user expected a shopping app, they will be surprised to see that the button leads to a questionnaire, not a shopping page.

To fix this issue, we added a label above our button on the home screen to clearly communicate that the user should click the button to answer a few questions, and they will get product recommendations based on their answers.

Before and After



Initially, our home page had a button that just say "Begin."
This does not make it obvious what is beginning.

Now, the button has a label above it that tells the user that
they will answer a few questions and discover new products!

Practical Shopping Questions

Heuristic: H2: Match Between the System and the Real World
Severity Level: 4

One evaluator was dissatisfied with the fact that while our questionnaire asked for mood and vibe, it did not ask any concrete shopping questions like which product to buy. We fundamentally disagree with this change. We think the evaluator misinterpreted the point of our app; it is not to search for a specific product you want to buy. It is for product discovery, kind of like social media.

Instead of going with the suggested fix, we aimed to fix this issue at its root, by making it obvious what this app is for. We believe that the change we made for the previous issue (adding clarity to the home page) also resolves this issue.



Shopping Cart Ease of Access



Heuristic: H7: Flexibility and Efficiency of Use

Severity Level: 3

There is no easy shortcut to access the shopping cart. Frequent users may want to have shortcuts they can use to get to the cart quickly.

We think that this was a great suggestion; we entertained the idea of swiping upwards as a way to access the cart. However, it is not feasible to implement right now because not all fixes to the prototype have been made, and we don't want it to be that some frames have this shortcut but not all, since that violates the consistency of H4. However, we did note that you can access the cart from every frame using at most two clicks (ignoring pop-ups), except for the home page, which we changed.

Before and After



Initially, there was no way to get from our home page directly to the shopping cart. Users may want to buy an item that they have already saved rather than look for new ones.

Now, the "see your cart" button lets users immediately jump to the cart.

Why the Questionnaire Matters


Heuristic: H2: Match Between the System and the Real World
Severity Level: 3

When filling out the questionnaire, users may be confused as to how their answers to these questions actually affects what products they will be shown.


To fix this, we added a help button on the questionnaire that, when clicked opens up a dialog with an explanation as to how answers affect product recommendations. This help button is accessible from all questions but is small enough that it does not distract users that don't need the help dialog.



Before and After



Initially, our questions had no clarification as to how the user's answers would affect product recommendations.



We now have a help dialog, seen on the top right frame, and we added a small help icon to each question, on the top right corner, right below the progress bar.


Voice Input Features

Heuristic: H5: Error Prevention


Severity Level: 3

We gave users the option to answer our questions via voice input. However, when implementing this on Figma, we made it so that tapping the voice input button immediately moves to the next frame. This is obviously not intended. Furthermore, if a user did not mean to click it, then this is a preventable error.


To fix this, we added an extra intermediate frame to show the user that we are listening and they should speak. The user is able to submit or cancel.



Before and After



Initially, we had a single voice input button per question, which transitions to the next immediately on tap.



We added a new frame to each question (the ones on top) that include a button to confirm that you are sending the voice input as well as a button to cancel this if it was clicked erroneously.

Generating Recommendations



Heuristic: H1: Visibility of System Status
Severity Level: 3

When submitting responses to the mood and vibe questionnaire, we instantly transitioned to the browsing page. This makes users doubt whether these recommendations are based on their answers. Users may not trust our recommendations if this is the case.


To fix this, we added an intermediate animation that tells the user that we are generating recommendations.



Before and After



Initially, we had an immediate transition between the questionnaire and the browsing screen.



Now, we added two extra frames to support a loading animation in between these frames. Once the animation finishes, the app automatically moves to the browsing page.

Answer Edit Confirmation

Heuristic: H9: Help Users Recognize, Diagnose, and Recover from Errors
Severity Level: 3

When users edit their answers and return to the browsing page, there was no confirmation from our system that their new answers were taken into account for regenerating recommendations. This makes users doubt whether these recommendations are based on their answers.

We believe that the generation animation we added to address the previous violation also solves this violation. This is because it shows the user, once again, that their answers are being processed. In practice, perhaps our app could keep track of whether this is the first time they are submitting the questionnaire or whether they are editing, and then say “generating” or “regenerating” depending on the case, but this is not that critical for our Figma prototype, which can’t store user state well.

Exiting the Questionnaire

Heuristic: H3: User Control and Freedom
Severity Level: 3

One evaluator pointed out that when doing the questionnaire, although there are options to move forward and back, there is no option to exit the questionnaire entirely. The evaluator suggested that we add a “skip for now” button.

However, we deem this violation to be not applicable. If a user wanted to skip the questionnaire, the only other places they would maybe want to go is the home screen or the browsing page. If they wanted to go the home screen, well, the only way forward from there is to go back to the questionnaire, which is how we start the app. If they wanted to go to the browsing page, well, the recommendations depend on the answers to the questionnaire, so clearly, the questionnaire must be answered before we can show any products that will actually match the user’s vibe (and thus solve the problem our app is focused for.) Hopefully, adding a help dialog for what this questionnaire is for fixes this misconception.


Receiving Feedback on the “Help Us” Page

Heuristic: H1: Visibility of System Status
Severity Level: 3


When submitting feedback on the “Help Us” page, where the user can explain why they didn’t like the products that were shown, there is no indication that the feedback was received. After the user inputted their feedback, the app immediately went back to the browsing screen, which makes users doubt whether the feedback was received, resulting in an unsatisfactory experience.

To fix this, we added an intermediate frame to tell the user that the product was received and offer information about customer support.

Before and After



Initially, the help us section only had these three frames. After it was complete, we transitioned immediately to the start of task 2.



Now, we added this extra frame that notifies the user that their feedback has been received! After this page, they will go back to browsing.

Inconsistency of Navigation Buttons

Heuristic: H4: Consistency and Standards
Severity Level: 3

One evaluator was dissatisfied with the fact that our navigation buttons behave differently depending on screen context, and this may disorient the user.

However, we chose not to fix this, because as far as we can see, all navigation buttons of the same type always go to the same screen, so we are unsure where the evaluator found this issue. The only exception is the back button, but that button is designed to go to the previous screen, not necessarily the same place all the time. We could potentially look into placing the back button somewhere else on the screen so users aren't confused by the difference in actions, but there are so many examples of real apps and interfaces that have back buttons in the navigation bar, so we don't imagine that many users will be confused by this. Plus, the benefit of having most buttons near the bottom is that the user will not have to strain their fingers to reach these buttons.



Unclear Indications of Clickability

Heuristic: H4: Consistency and Standards
Severity Level: 4

One evaluator made the point that it was unclear to the user which of the buttons were clickable. Only after the user clicks on something does the blue Figma indicators pop up. The evaluator wanted us to add labels to the app to tell the user which buttons are clickable.

We fundamentally disagree with this change. This is not an actual issue of our app, it is a limitation of our prototype medium. Figma is implemented such that you need to click to see what options are clickable. Furthermore, the assignment instructions and examples clearly communicated that we did not have to make each and every button clickable on our prototype. Last but not least, our prototype should look like the final app! If we tell users what is currently implemented in the prototype, this kind of message does not appear in the final app, so it does not give users a good sense of what the app will finally look like.



E-Commerce Terms and Conventions

Heuristic: H4: Consistency and Standards
Severity Level: 3

One evaluator told us that some terms we used were not consistent with how they are used in the larger e-commerce industry. Users come to our app with their expectations from other apps, and if we are not consistent, then users will not be satisfied with their experience in our app.

However, the evaluator did not tell us which terms were used incorrectly. Had we more time, we would have contacted the evaluator to get more clarification on what needs to be fixed, as we admit that this is a serious violation.


No List or Grid View Options for Browsing

Heuristic: H7: Flexibility & Efficiency of Use

Severity Level: 3


One evaluator told us it would be nice to introduce a menu that has all the options immediately, like some grid list. The current solution is infuriating to do, and for professionals can be a waste of their time.

To fix this, we added a button to each object in browsing mode, allowing to switch to a better gridview where every suggestion is visible.



Now the user can toggle between 2 views, with a grid view with all the recommendations.

Before and After



Initially we didn't have any way to access the list view from the item discovery.

Unintuitive Swipe Navigation

Heuristic: H3: User Control & Freedom Severity Level: 3

One evaluator noted that while browsing, swiping left shows a new item, but swiping right takes the user to the help/feedback page instead of returning to the previous product. This unintuitive behavior causes users to lose control of their browsing session and makes it hard to revisit items they liked.

To fix this, we made the swipe behavior easy to understand by removing right swipes and implementing a back button.



Before and After



Our swiping was not clear at first, with left and right swipes doing different things, but after we added a back button it became more clear and forced the right swipe to go to a previous item.


The back button goes to the previous Item

No “Vibe” Context


Heuristic: H6: Recognition not Recall Severity Level: 3

One evaluator told us that once the user reaches the browsing or comparison screens, the UI does not display their selected vibe or mood. Because of this, users are forced to rely on their memory to understand why certain products are being recommended to them.

To fix this, we added a small "Your feeling.." summary showing the user's selected mood at the center of the comparison screen.



Before and After



We identify the best attributes of the selected item, and select an appropriate emotion.




We predict the feeling of the user based off the item he is choosing to compare to others based off its best qualities.

Abstract "Motivation" Explanations



Heuristic: H2: Match b/w System & World Severity Level: 3

One evaluator found that the "Motivation" explanation provided under the recommended products is abstract. This makes it difficult for users to understand how the system's reasoning actually relates to their selected mood in the real world.

To fix this, we clarified these explanations using plain language. We extended the descriptions to clearly bridge the gap between the user's prompts and the product's features



Before and After



The old text is very minimal and hard to understand.

The new motivation text directly ties the motivation to the users prompts.

Missing Product Prices and Cart Totals

Heuristic: H2: Match b/w System & World Severity Level: 3

One evaluator highlighted that the browsing page and shopping cart do not clearly display individual product prices or a total price summary. Since price is a primary decision-making factor in online shopping, hiding it makes the experience feel unrealistic and incomplete.

To fix this, we displayed product prices directly on the product cards. We also included a subtotal section in the shopping cart to match standard e-commerce expectations.

We've added a subtotal to show the total of all items, as well as price tags on each item.

Before and After



The prices for the items were ambiguous at first.

Silent Failure on Self-Comparison

Heuristic: H5: Error Prevention
Severity Level: 3

One evaluator noted that if a user selects the exact same product to compare with itself, the system provides no visible response, warning, or next step. This silent failure makes the interface appear broken and leaves users stuck without a way to recover.

We chose not to fix this in order to not clutter the screen and break other heuristics regarding a streamlined experience. The issue is that if we showed the item itself on the compare other screen we would be confusing the user with unnecessary options. We chose instead to automatically filter out the item itself in the compare to other screen.



Inability to Remove Items from Cart

Heuristic: H3: User Control & Freedom
Severity Level: 3

Another evaluator found that the shopping cart does not provide a clear way for users to remove items once they have been saved. Since shoppers frequently change their minds, lacking a removal option severely restricts user control and flexibility.

To fix this, we added a clearly visible "Remove" button (and a trash icon) next to each product inside the shopping cart so users can easily manage their selected items.



Before and After



On delete



We had no way to delete the items initially and the items were stuck.

The items are now deletable and each item has a delete button.

"Save" vs. "Add to Cart" Terminology



Heuristic: H4: Consistency & Standards

Severity Level: 3


One evaluator pointed out that the app uses the word "Save" for the action of putting a product in the shopping cart. In standard e-commerce, "Save" implies wishlisting an item for later, while "Add to Cart" means preparing to buy it, which causes mental model confusion.

To fix this, we changed the primary button text from "Save" to "Add" to match common online shopping conventions and clarify the purchase flow.

Before and After



is across all 100 sizes to ensure the USI maintains strict contact with the rbone.



(SCREEN WAS NOT IN GR6)

We changed the wording of all of our buttons from “Save” to “Add” and added an appropriate symbol, so that the functionality of our shopping cart is super easy to understand.

No Protection Against Duplicate Adds

Heuristic: H5: Error Prevention

Severity Level: 3

One evaluator highlighted that the system does not prevent a user from adding the exact same product to their cart multiple times, nor does it indicate if an item is already in the cart. This can easily lead to accidental duplicate purchases.

This is a good idea, but it would create a non streamlined design. The functionality of our app assumes that while an item is in the cart it is no longer suggested to the user, creating a continuous stream of new content, similar to what the user would expect. This is rationalized by the usage of similar systems by apps such as Tiktok and Youtube shorts, which is the inspiration for our app.

Visually Dense AI Comparison Text

Heuristic: H8: Aesthetic & Minimalist Design

Severity Level: 3

One evaluator observed that on the comparison screen, the AI-generated explanation is presented as a large, dense paragraph of text. This makes it visually overwhelming and difficult for users to quickly scan for the key product differences they actually care about. To fix this, we broke the AI explanation down into short, scannable bullet points categorized by clear headers like "Style," "Comfort," and "Value." and gave an overall recommendation that is easy to read.



Before and After

AI Comparison

Shirt A offers excellent value and comfort for casual use, while Shirt B provides superior style and versatility for situations where appearance matters more. Since you value reliable products, I would recommend going for the option that has better quality material, Shirt A!



Facts

- Shirt A is very modern
- Shirt B has an "Old Money" look to it.
- Shirt A is expensive (100\$ for Shirt A and \$90 for Shirt B)

Recommendation

We highly recommend you buy Shirt A due to its style.

We simplified the central text, added the most important facts of each shirt, and gave an easy to spot recommendation.

Buy Button Visually Emphasized

Heuristic: H4 – Consistency and Standards

Severity Level: 2

An evaluator was dissatisfied that the “Buy” button was not visually emphasized compared to other actions like “Compare” or “Info.” and that in most shopping interfaces, the purchase action is the primary action and should be clearly emphasized.

While it is true that the buy button is an important component in shopping, the fact of the matter is that our Buy button already takes up a sizeable portion of an Item’s card and it comes with visuals with it to make it evidently clear. Additionally, many users prefer to get information about the product within its context, so having buttons like the “Compare” and “Info” being emphasized as well does not detract from the experience but rather enhances it.




Text Labels Across All Icons

Heuristic: H4: Consistency and Standards

Severity Level: 2

An evaluator suggested that some icons used throughout the interface might benefit from additional text labels to make their purpose clearer.

We considered adding labels under every icon, but ultimately decided not to implement this change. Most of the icons used in the interface (such as the cart icon, compare icon, and navigation arrows) follow widely recognized mobile design conventions. Adding text labels to all icons could clutter the interface and conflict with the minimalist visual style of the app. Because these icons are commonly understood in modern mobile interfaces, we believe users will recognize them without additional labels.



Checkout Page Purchase Details

Heuristic: H2 – Match Between System & Real World



Severity Level: 3

One evaluator noted that the buying page allows users to click purchasing options but does not display real-world purchasing details such as shipping cost, delivery time, or return policy. Users expect to see these details before purchasing an item, and without them the shopping experience may feel incomplete or unrealistic.

To fix this issue, we added small informational labels below the purchase button, such as “Free Shipping,” “Arrives in 3 -5 Days,” and “30-Day Returns.” These details help make the shopping process feel more realistic and aligned with common e-commerce experiences.



Before and After



We made sure to add key purchase details on the checkout page

Exit Buttons Consistency

Heuristic: H3 – User Control and Freedom

Severity Level: 3

A user noted that some screens lack a clearly visible cancel or exit option, which may make users feel stuck in certain flows.

While specific pages, weren't provided, we ensured that all pages do indeed have a back button or navigation to other pages to escape the current process or undo their own actions.



Recommendation Score Reasoning

Heuristic: H2: Match Between System and Real World

Severity Level: 2

One evaluator suggested that the recommendation score shown on each product should include a more detailed explanation of how the score is calculated.

While additional transparency could be useful, we decided not to include a full explanation of the scoring algorithm within the browsing interface. Displaying detailed reasoning or formula like explanations could overwhelm users and distract from the primary goal of browsing products. Instead, the system provides short “motivation” explanations describing why each product fits the user's mood. This approach maintains clarity without introducing unnecessary complexity.


Shopping Search Bar

Heuristic: H2: Match Between the System and the Real World

Severity Level: 4

An evaluator noted that the browsing interface does not include a search bar. In a shopping app, users expect to be able to directly search for products instead of relying only on recommendations and swiping. Without search, the app may feel less practical than real e-commerce platforms.

However, we fundamentally disagree with this change. Our app is not designed to search for products the user already has in mind. That's not the problem we are trying to solve. This app is for discovering new products, so you shouldn't need a search bar. To provide a parallel with another app, there's no search bar on Tinder because Tinder is not a site where you search for a potential partner by name.



Crowded Elements on Browsing Screen

Heuristic: H8: Aesthetic and Minimalist Design

Severity Level: 1

The browsing screen contains several interface elements such as product images, ratings, and buttons that may appear slightly crowded together.

To improve visual clarity, we increased spacing between elements on the product card and aligned the interface components more consistently. This small adjustment helps improve readability and creates a more polished layout without removing important information.



Ease of Item Comparison

Heuristic: H3: User Control and Freedom

Severity Level: 4

An evaluator noted that once two items are selected for comparison and the comparison screen is shown, users cannot directly replace the main item without going back to the cart and restarting the selection process. This reduces user control and makes comparison more tedious than necessary.

To fix this issue, we added a “Replace Item” interaction on the comparison screen so users can swap the main product directly from a small product selector instead of restarting the full flow. This makes the comparison process feel much more flexible.



Improper Item Comparison

Heuristic: H1: Visibility of System Status



Severity Level: 4

An evaluator pointed out that the compare flow does not clearly communicate which items can actually be compared. As a result, users may attempt invalid or unsupported comparisons, such as comparing an item against itself, and may not understand why the system is not responding the way they expect.

To fix this issue, we made compare availability more visible by disabling invalid comparison options and adding a short message such as “Only certain items can be compared in this prototype.” We also included light guidance on which products are eligible to be compared, so users can immediately tell what actions are supported and avoid making obsolete selections like self-comparisons.



Before and After



Users can now choose Items to compare and replace either the main or secondary product much easier and compare with similar products (preventing self comparison as well).

Purchasing Loading Screen

Heuristic: H1: Visibility of System Status


Severity Level: 3

An evaluator noted that after a user places an order, there is no intermediate loading or processing screen to indicate that the purchase is being completed. Because the system transitions too quickly, users may be unsure whether their order is actually being processed or if the app skipped an important step.

To fix this issue, we added a short order processing screen that appears after the user confirms their purchase. This screen includes a loading animation and text such as “Processing your order...” so users receive clear feedback that the system is working on their request before moving to the final confirmation page.



Before and After



Loading Screen to process order to signify that the order is being processed and the screen is not just frozen



Progress on Usability Goals



Usability Goals / Requirements

Less Thinking Involved

- Average time spent on each frame
 - If a frame is confusing it might take for the user to process.
- Facial expressions the user experiences
 - If a user is feeling frustrated, he might make faces or exhibit negative emotions.

Impact:

If our app doesn't strain the users mind like regular shopping, the user is more tempted to come back and use it again. We want the user to be alleviated of the stress of manually inspecting and comparing each item he finds while online shopping.

User Friendly UI

- The amount of mistakes the user makes in a frame.
 - If a user makes a mistake, he is probably unaware of the frames UI, and we need to redesign it on our part.

Impact:

If our app is swift and easy to use, the user is more tempted to come back and use it again. We want the user to be alleviated of the stress of manually inspecting and comparing each item he finds while online shopping.

How our Changes Address Cognitive Effort

A lot of our changes address reducing cognitive effort! For example, the labels we added to the home screen that tell the user how to interact with this app puts less guesswork on the user, so the user does not have to think that much. Help dialogs tell the user exactly what's going on at the current moment. We reduced large paragraphs of text in certain areas, and in particular in the complex task, to reduce the amount of information a user must process at a single time. Bringing up the answers from the questionnaire and expressing them in the AI comparisons reduces the load on the user to remember what they initially answered and whether it still reflects them.

Ultimately, the goal was to make users hesitate for less time when using our app. To see that we were successful, we would need to go back to user testing.

How our Changes Promote User Friendly UI

Many of our changes address making a user friendly interface. For example, some evaluators noted that swiping feature was hard to use. To fix this, we had to implement a mechanism that made it much easier to interact with the app. As another example, we revamped the voice input feature to make it more obvious to the user that it is working. A simple tap-to-start, tap-to-submit process was the easiest way for the user to work with this feature as seamlessly as possible. From a visual aesthetic standpoint, we ensured that our browsing screen was not as crowded as before to ensure that the UI was not hard to look at on the eyes.

The goal was to ensure that the users make less mistakes if they interact with something on the app in the wrong way. To confirm that we were successful, more user testing is required.




What's next?

As we said in the previous two slides, had we more time, the next step would be more user testing. This is to ensure that the changes we made actually help the user. We would compare our measurements with our previous ones from low-fi testing.

Then we would work on developing a version of the app that is better at storing state, since this is a fatal flaw of Figma prototypes. This will help make it obvious that users have, for example, saved an item, addressing some of the violations our evaluators have pointed out.

There is still design work to be done; our team disagrees on how some pieces should look (in particular the navigation bar). However, for the sake of time, we deemed this to be a good stopping point.



Appendix:

Figma Prototype

Here is a link to the Hi-Fi Figma prototype:

<https://www.figma.com/proto/uAAajZ4Nv97Vyb5P3Y0huZ/GR8?node-id=0-1&t=HYfjr7Xwkd5LJNft-1>

