

Term	Definition	Source
Container runtime	The environment for each container; comprised of binaries coordinating multiple operating system components that isolate resources and resource usage for running containers.	NIST Glossary
	Software that coordinates multiple operating system components to isolate resource and resource usage for running containers and managing container images on a node.	FFIEC Adapted for Supervisory Purposes
Continuous integration/continuous delivery or deployment (CI/CD) pipeline	The set of tools and the associated process workflows to achieve CI and CD with build, test, security, and release delivery activities, which are steered by a CI/CD orchestrator and automated as much as practice allows.	DOD Enterprise DevSecOps Fundamentals
Contract	A binding agreement between two or more parties, which may indicate prices and goods and services to be provided.	Merriam-Webster
Copyright	A type of intellectual property that protects original works of authorship as soon as an author fixes the work in a tangible form of expression.	U.S. Copyright Office
Counterfeit item	A counterfeit item is a suspect item that is a copy or substitute without legal right or authority to do so or one whose materials, performance, or characteristics are knowingly misrepresented by the vendor, supplier, distributor, or manufacturer. An item that does not conform to established requirements is not normally considered an S/CI if the nonconformity results from one or more of the following conditions, which should be controlled by site procedures as nonconforming items: defects resulting from inadequate design or production quality control; damage during shipping, handling, or storage; improper installation; deterioration during service; degradation during removal; failure resulting from aging or misapplication; or other controllable causes.	U.S. Department of Energy, Suspect/Counterfeit Items Awareness Training
Cyber risk	Risk of financial loss, operational disruption, or damage from the failure of the digital technologies employed for informational and/or operational functions introduced to a manufacturing system via electronic means from the unauthorized access, use, disclosure, disruption, modification, or destruction of the manufacturing system.	NIST Glossary
	Risk of financial loss, operational disruption, or damage from the failure of the digital technologies employed for informational and/or operational functions introduced to a system via electronic means from the unauthorized access, use, disclosure, disruption, modification, or destruction of the system.	FFIEC Adapted for Supervisory Purposes
Cybersecurity	The process of protecting consumer and bank information by preventing, detecting, and responding to attacks.	NIST Glossary
D		
Dashboard	A tool that consolidates and communicates information relevant to the entity in near real-time. It is generally visual and often uses a variety of charts.	NIST SP 800-137, Information Security Continuous Monitoring for Federal Information Systems and Organizations
Data	A representation of information as stored or transmitted.	NIST Glossary
	A physical or digital representation of information processed, stored (at rest), or transmitted (in transit).	FFIEC Adapted for Supervisory Purposes
Data analytics	The systematic process of evaluating and organizing data sets to draw insights, make predictions, and reveal trends using logical analysis.	FFIEC Developed for Supervisory Purposes
Data center	A facility that houses virtual and/or physical information technology infrastructure(s) (e.g., computer, server, and networking systems and components) designed to store, process, and serve large amounts of data in support of an entity's strategic and business	FFIEC Developed for Supervisory Purposes

Term	Definition	Source
	objectives. A data center may be a dedicated facility or an area or room that contains computer, server, and networking systems and components, and may be private or shared (e.g., a co-location facility).	
Data classification	Categorizing data based on its level of sensitivity (e.g., confidentiality, integrity, or availability), value, and criticality to the entity.	FFIEC Developed for Supervisory Purposes
Data communications	The transfer of data over networks using a combination of telecommunication services and network devices.	FFIEC Developed for Supervisory Purposes
Data governance	A set of processes that ensures that data assets are formally managed throughout the enterprise. A data governance model establishes authority and management and decision-making parameters related to the data produced or managed by the enterprise.	NIST Glossary
Data management	The practice of putting into place policies, procedures and best practices to ensure that data are understandable, trusted, visible, accessible and interoperable.	DHS Lexicon Terms and Definitions
	The practice of putting into place policies, procedures, and best practices to ensure that data are understandable, trusted, visible, accessible, and interoperable to ensure that user needs are met.	FFIEC Adapted for Supervisory Purposes
Database	A repository of information or data, which may or may not be a traditional relational database system.	NIST Glossary
	A repository of information or data organized to be accessed, managed, and updated.	FFIEC Adapted for Supervisory Purposes
Developer	A person or group that designs and/or builds, and/or documents and/or configures the hardware and/or software of computerized systems	ISACA Glossary
	A person or group that designs, builds, documents, and configures the hardware and software of systems.	FFIEC Adapted for Supervisory Purposes
Development	The systematic application of knowledge toward the production of useful materials, devices, and systems or methods that leverage the results of applied research activities; includes validation and demonstration of a chosen technology in laboratory, representative and operational environments, improving on research prototypes, integration into systems and subsystems, addressing manufacturing, producibility and sustainability needs, and independent operational test and evaluation.	DHS Lexicon Terms and Definitions
	The systematic application of knowledge toward the production of useful materials, devices, and systems or processes of defining, designing, testing, and implementing systems or components. Development includes validation and demonstration of a chosen technology, use of test and production environments, improvement of developed prototypes, integration into systems and subsystems, and inclusion of hardware builds.	FFIEC Adapted for Supervisory Purposes
Device	A piece of equipment or a mechanism designed to serve a special purpose or perform a special function.	Merriam-Webster
DevOps	A set of practices for automating the processes between software development and information technology operations teams so that they can build, test, and release software faster and more reliably. The goal is to shorten the SDLC and improve reliability while delivering features, fixes, and updates frequently in close alignment with business objectives.	NIST Glossary

Term	Definition	Source
DevSecOps	An organizational software engineering culture and practice that aims at unifying software development (Dev), security (Sec) and operations (Ops).	NIST SP 800-204C, Implementation of DevSecOps for a Microservices-Based Application With Services Mesh
	A software engineering culture and practice that aims at unifying software development (Dev), security (Sec), and operations (Ops). The main characteristic of DevSecOps is to automate, monitor, and apply security at all phases of the SDLC.	FFIEC Adapted for Supervisory Purposes
Digital signature	An electronic analogue of a written signature, a digital signature provides assurance that the claimed signatory signed the information, and the information was not modified after signature generation.	NIST Computer Security Resource Center
Dynamic analysis	Testing that operates by executing a program using a set of input use-cases and analyzing the program's runtime behavior.	OWASP Vulnerability Management Guide (OVMG)
E		
Encryption	Any procedure used in cryptography to convert plain text into cipher text to prevent anyone but the intended recipient from reading that data.	NIST Glossary
End-of-life (EOL)	With respect to technology, a time frame usually defined by a technology vendor to describe when an asset has reached the end of its useful life cycle and when the vendor no longer maintains and supports the asset or continues to sell or license it.	FFIEC Developed for Supervisory Purposes
F		
Feasibility study	An analysis of the known or anticipated need for a product, system or component to assess the degree to which the requirements, designs or plans can be implemented.	ISACA Glossary
	An analysis of a known problem or anticipated need and its potential solutions that considers all relevant factors—including economic, technical, legal, and scheduling considerations—to determine a project's viability, costs, and benefits.	FFIEC Adapted for Supervisory Purposes
Firewall	A gateway that limits access between networks in accordance with local security policy.	NIST Glossary
Firmware	Memory chips with embedded program code that hold their content when power is turned off.	ISACA Glossary
	A type of software, often included in read-only memory, that is embedded directly in a piece of hardware to make the hardware work as intended. Software is retained even when power is turned off.	FFIEC Adapted for Supervisory Purposes
Fourth party	Fourth (or nth) parties provide services to support the operations of third parties, which, in turn, provide services to the primary enterprise. Also referred to as subcontractor.	ISACA
Functional testing	Testing that verifies that an implementation of some function operates correctly.	NIST Glossary
Fuzz testing	A black box software testing technique, which basically consists in finding implementation bugs using malformed/semi-malformed data injection in an automated fashion by tools referred to as "fuzzers," which are programs or scripts that submit some combination of inputs to the test target to reveal how it responds.	OWASP, Code Review Guide 2.0
	A black box software testing technique, which basically consists in finding implementation bugs using malformed/semi-malformed data injection in an automated fashion.	FFIEC Adapted for Supervisory Purposes
G		
Gateway	An intermediate system (interface, relay) that attaches to two (or more) computer networks that have similar functions but dissimilar implementations and that enables either one-way or two-way communication between the networks.	NIST Glossary

Term	Definition	Source
H		
Hardening	A process to eliminate as many security risks as possible by removing all nonessential software programs, protocols, services, and utilities from the system. (Referred to as system hardening)	ISACA Glossary
	A process intended to eliminate as many security risks as possible by implementing security controls (e.g., changing default passwords, enabling security settings, and protecting privileged accounts), patching vulnerabilities, turning off nonessential services, and removing all nonessential software programs, protocols, and utilities from the system.	FFIEC Adapted for Supervisory Purposes
Hardware	The physical components of an information system.	NIST Glossary
Help desk	A service offered via telephone/Internet by an enterprise to its clients or employees that provides information, assistance and troubleshooting advice regarding software, hardware, or networks.	ISACA Glossary
Heterogeneity	Consisting of dissimilar or diverse elements.	Merriam-Webster
Heuristics	Involving or serving as an aid to learning, discovery, or problem-solving by experimental and especially trial-and-error methods.	Merriam-Webster
Host	Any hardware device that has the capability of permitting access to a network via a user interface, specialized software, network address, protocol stack, or any other means. Some examples include computers, personal electronic devices, thin clients, and multifunctional devices.	NIST Glossary
Human-readable code	Code that includes source code, scripts, and any other form of code that an organization deems human-readable.	NIST SP 800-218, Secure Software Development Framework (SSDF) Version 1.1: Recommendations for Mitigating the Risk of Software Vulnerabilities
Hypertext transfer protocol (HTTP)	A standard method for communication between clients and web servers.	NIST Glossary
Hypertext transfer protocol secure (HTTPS)	A protocol for accessing a secure web server, whereby all data transferred are encrypted. Standard port number is 443.	ISACA Glossary
Hypervisor	The virtualization component that manages the guest operating systems (OS) on a host and controls the flow of instructions between the guest OSs and the physical hardware.	NIST Glossary
I		
Identity and access management (IAM)	Encapsulates people, processes, and products to identify and manage the data used in an information system to authenticate users and grant or deny access rights to data and system resources.	ISACA Glossary
Impact analysis	The analysis conducted by an organizational official to determine the extent to which a change to the information system have affected the security state of the system. Referred to as a security impact analysis.	NIST SP 800-128, Guide for Security-Focused Configuration Management of Information Systems
	The analysis conducted by qualified staff in an organization to determine the extent to which changes to the system affect the security posture of the system. This may involve security, resilience, and compliance.	FFIEC Adapted for Supervisory Purposes
Incident	An occurrence that actually or potentially jeopardizes the confidentiality, integrity, or availability of a system or the information the system processes, stores, or transmits or that constitutes a violation or imminent threat of violation of security policies, security procedures, or acceptable use policies.	NIST Glossary

Term	Definition	Source
Incident management	The process of identifying, analyzing, and correcting disruptions to operations and preventing future recurrences. The goal of incident management is to limit the disruption and restore operations as quickly as possible.	FFIEC Developed for Supervisory Purposes
Incident response	Responds to crises or urgent situations within the pertinent domain to mitigate immediate and potential threats. Uses mitigation, preparedness, and response and recovery approaches, as needed, to maximize survival of life, preservation of property, and information security. Investigates and analyzes all relevant response activities.	DOD Cyber Exchange
Information security	The protection of information and information systems from unauthorized access, use, disclosure, disruption, modification, or destruction in order to provide confidentiality, integrity, and availability.	NIST Glossary
Information technology asset management (ITAM)	Refers to a set of policies and procedures that an organization uses to track, audit, and monitor the state of its IT assets, and maintain system configurations.	NIST SP 1800-5, IT Asset Management
Infrastructure	System of facilities, equipment, and services needed for the operation of an organization.	ISO Online Browsing Platform, Terms & Definitions
	The physical elements, products, and services necessary to provide and maintain ongoing operations to support business activity, including the maintenance of physical facilities.	FFIEC Adapted for Supervisory Purposes
Infrastructure as a service (IaaS)	IaaS provides entities with the ability to provision processing, storage, networks, and other fundamental computing resources where the entity is able to deploy and run software, which can include operating systems and applications. The entity does not manage or control the underlying cloud infrastructure; however, it has control over operating systems, storage, and deployed applications. Entities have the maximum flexibility to customize their cloud services and user interfaces.	NIST SP 500-316, Framework for Cloud Usability
Integration testing	An orderly progression of testing in which software elements, hardware elements or both are combined and tested to evaluate their interactions, until the entire system has been integrated.	ISACA Glossary
Integrity	A property whereby data has not been altered in an unauthorized manner since it was created, transmitted or stored.	NIST Glossary
Interdependencies	When two or more departments, processes, functions, or third-party providers interact to successfully complete a task, business function, or process.	FFIEC Developed for Supervisory Purposes
Internet of things (IoT)	Refers to the collection of technologies that allow information to be sent to and received from physical devices (e.g., security systems, HVAC systems, intelligent personal assistants, and kitchen appliances), that were not traditionally thought of as IT assets, using the internet. These devices have the ability to send and receive data over a network without necessarily requiring human-to-human or human-to-computer interaction using embedded computing capability and network connectivity and unique identifiers (e.g., internet protocol address).	FFIEC Developed for Supervisory Purposes
Intrusion detection system (IDS)	A security service that monitors and analyzes network or system events for the purpose of finding, and providing real-time or near real-time warning of, attempts to access system resources in an unauthorized manner.	NIST Glossary
Intrusion prevention system (IPS)	A system that can detect an intrusive activity and can also attempt to stop the activity, ideally before it reaches its targets.	NIST Glossary
K		
Kernel	Core that provides basic services for all other parts of the OS.	FFIEC Developed for Supervisory Purposes

Term	Definition	Source
L		
Legacy	A custom environment containing older systems or applications that may need to be secured to meet today's threats, but often use older, less secure communication mechanisms and need to be able to communicate with other systems (aka legacy environment).	NIST Glossary
	Relates to older, outdated technology systems, components, or applications that may be critical to day-to-day operations. Often, they may need to be secured, updated, or replaced to meet current threats.	FFIEC Adapted for Supervisory Purposes
License	A permission granted by competent authority to engage in a business or occupation or in an activity otherwise unlawful.	Merriam-Webster
Log	A record of events occurring within an entity's systems and networks.	NIST Glossary
Loose coupling	An approach to designing systems so that linked components of networks, software, and services can be scaled to operate as independently as possible to avoid issues with one component adversely affecting others.	FFIEC Developed for Supervisory Purposes
M		
Machine code	Also referred to as "code" or "machine language." Computer instructions and definitions expressed in a form (binary code) that can be recognized by the CPU of a computer. All source code, regardless of the language in which it was programmed, is eventually converted to machine code.	ISACA Glossary
Machine language	See <i>machine code</i> .	
Machine learning (ML)	The process of using an algorithm(s) to help computers learn without being explicitly programmed and identify patterns in data. Those patterns are then used to create a data model that can make predictions.	FFIEC Developed for Supervisory Purposes
Mainframe	A large, high-speed computer, especially one supporting numerous workstations or peripherals.	ISACA Glossary
Maintenance	Any act that either prevents the failure or malfunction of equipment or restores its operating capability.	NIST Glossary
Malicious code	Unwanted files or programs that can cause harm to a computer or compromise data stored on a computer. Various classifications of malicious code include viruses, worms, and Trojan horses.	CISA, "Protecting Against Malicious Code"
Malware	A program that is inserted into a system, usually covertly, with the intent of compromising the confidentiality, integrity, or availability of the victim's data, applications, or operating system or of otherwise annoying or disrupting the victim.	NIST Glossary
Markup language	A system (such as HTML or SGML) for marking or tagging a document that indicates its logical structure (such as paragraphs) and gives instructions for its layout on the page especially for electronic transmission and display.	Merriam-Webster
	A type of language used to annotate text and embed tags in a text document to control its structure, formatting, display, or the relationship between its parts to facilitate automated processing and use by humans.	FFIEC Adapted for Supervisory Purposes
Masking	The process of systematically removing a field or replacing it with a value in a way that does not preserve the analytic utility of the value, such as replacing a phone number with asterisks or a randomly generated pseudonym.	NIST Glossary
Master services agreement (MSA)	One legal document that consolidates separate but related agreements between the same signing parties. Also known as master contract.	Black's Law Dictionary
	Also known as a "master contract," it is a legal document that consolidates and governs multiple service agreements or transactions between the same signing parties or entities, and often addresses the terms that will govern future transactions or agreements.	FFIEC Adapted for Supervisory Purposes

Term	Definition	Source
Metadata	Data about data. For file systems, metadata are data that provide information about a file's contents.	NIST Glossary
	Data about data. Examples of metadata include purpose of the data, creator or owner of the data, file size, location where the data were created, and source of the data.	FFIEC Adapted for Supervisory Purposes
Microchip	A very small piece of silicon inside a computer. It has electronic circuits on it and can hold large quantities of information or perform mathematical and logical operations.	Collins Dictionary
Microcontroller	An integrated circuit that contains a microprocessor along with memory and associated circuits and that controls some or all of the functions of an electronic device (such as a home appliance) or system.	Merriam-Webster
Microservices	A set of containers that work together to compose an application.	NIST Glossary
Middleware	Middleware is a term used for a computer program that functions as a go between for two other programs.	DHS, Access Control Technologies Handbook
Misdirection	The process of maintaining and employing deception resources or environments and directing adversary activities to those resources or environments.	NIST Glossary
Mobile device	A portable computing device that: (i) has a small form factor such that it can easily be carried by a single individual; (ii) is designed to operate without a physical connection (e.g., wirelessly transmit or receive information); (iii) possesses local, non-removable data storage; and (iv) is powered-on for extended periods of time with a self-contained power source.	NIST Glossary
Multifactor authentication (MFA)	Authentication using two or more factors to achieve authentication. Factors include: (i) something you know (e.g., password or personal identification number (PIN)); (ii) something you have (e.g., cryptographic identification device or token); or (iii) something you are (e.g., biometric).	NIST Glossary
N		
Network	A system implemented with a collection of interconnected components. Such components may include routers, hubs, cabling, telecommunications controllers, key distribution centers, and technical control devices.	NIST Glossary
Network diagram	A network diagram (also referred to as a network map or network topology) is a visual representation of nodes and connections in a computer network.	FFIEC Developed for Supervisory Purposes
Networked	A database organized according to ownership of records, allowing records to have multiple owners and thus providing multiples access paths to the data. Database management systems (DBMSs) providing such capabilities are also referred to as CODASYL (Conference on Data Systems Languages) DBMSs.	Gartner Glossary
Network operations center (NOC)	The central location or department responsible for monitoring the health and performance of the network, including analyzing and maintaining network traffic, telecommunications, and network disruptions.	FFIEC Developed for Supervisory Purposes
Nonproduction environment	Systems (e.g., applications, infrastructure, networks, and operating systems) that are not used for production purposes. For example, systems that are used as development or test environments for new software or technologies or changes to existing software or technologies.	FFIEC Developed for Supervisory Purposes
O		
Object code	A code expressed in machine language ("1"s and "0"s), which is normally an output of a given translation" process that is ready to be executed by a computer.	U.S. Food and Drug Administration, Glossary of Computer System Software

Term	Definition	Source
		Development Terminology
Open-source software	Software released under a license that allows the software and its source code to be accessed, used, modified, and shared by anyone.	NIST S 6106.01, "Open Source Code"
Operating system (OS)	The software "master control application" that runs the computer. It is the first program loaded when the computer is turned on, and its main component, the kernel, resides in memory at all times. The operating system sets the standards for all application programs (such as the Web server) that run in the computer. The applications communicate with the operating system for most user interface and file management operations.	NIST Glossary
Operations	The performance of activities comprising methods, principles, processes, procedures, and services that support business functions.	FFIEC Developed for Supervisory Purposes
Operations management	The process of overseeing the methods, activities, or performance of practical work, and application of principles, processes, procedures, and services of an entity, using business resources.	FFIEC Developed for Supervisory Purposes
Orchestrator	A tool that enables DevOps personas or automation working on their behalf to pull images from registries, deploy those images into containers, and manage the running containers. Orchestrators are responsible for monitoring container resource consumption, job execution, and machine health across hosts.	NIST Glossary
Original equipment manufacturer	Technology providers (e.g., IT hardware vendors, hardware component makers, software vendors, resellers, and distributors) that distribute output devices and services produced by another company under their own brand name.	FFIEC Developed for Supervisory Purposes
Out-of-Band	Communication between parties utilizing a means or method that differs from the current method of communication.	NIST Glossary
P		
Patch	Fixes to software programming errors and vulnerabilities.	ISACA Glossary
Patch management	The systematic notification, identification, deployment, installation, and verification of operating system and application software code revisions. These revisions are referred to as patches, hot fixes, and service packs.	NIST Glossary
Penetration testing	A test methodology in which assessors, using all available documentation (e.g., system design, source code, manuals) and working under specific constraints, attempt to circumvent the security features of an information system.	NIST Glossary
	A test methodology in which assessors, typically working under specific constraints and using all available documentation, attempt to circumvent or defeat the security features of a system, such as the network, application, its data, or its environment resources. Penetration tests often involve analyzing for individual and combinations of vulnerabilities on a system or multiple systems that can be used to gain access beyond what is achieved through a single vulnerability.	FFIEC Adapted for Supervisory Purposes
Planned obsolescence	The practice of making or designing something in such a way that it will only be usable for a short time so that people will have to buy another one.	Merriam-Webster
	A system disposal strategy developed and implemented, as needed, to address technology refresh in budget planning to limit the use of obsolete systems that present security or reliability risks.	FFIEC Adapted for Supervisory Purposes
Platform	A computer or hardware device and/or associated operating system, or a virtual environment, on which software can be installed or run.	NIST Glossary
Platform as a service (PaaS)	The capability provided to the consumer is to deploy onto the cloud infrastructure consumer-created or acquired applications created using programming languages, libraries, services, and tools supported by the provider. The consumer does not manage or	NIST Glossary

Term	Definition	Source
	control the underlying cloud infrastructure including network, servers, operating systems, or storage, but has control over the deployed applications and possibly configuration settings for the application-hosting environment.	
Policies	Statements, rules, or assertions that specify the correct or expected behavior of an entity.	NIST Glossary
Post-implementation review (PIR)	The process for reviewing IT projects in order to learn from past investments and initiatives by comparing actual results to estimates. PIRs also serve as vehicles for evaluating the entire IT investment management process.	U.S. Government Accountability Office, Information Technology Investment Management
	An evaluation of projects that provides a feedback mechanism to management that can measure project results, comparing actual results to estimates, and gather data necessary to analyze what corrective action may be required, if necessary.	FFIEC Adapted for Supervisory Purposes
Problem	In IT, the unknown underlying cause of one or more incidents.	ISACA Glossary
Procedures	A document containing a detailed description of the steps necessary to perform specific operations in conformance with applicable standards. Procedures are defined as part of processes.	ISACA Glossary
Procurement	The process of obtaining a system, product, or service.	NIST Glossary
	The corporate processes and functions that involve governance over purchasing decisions for obtaining a system, product, or service.	FFIEC Adapted for Supervisory Purposes
Program	An activity that focuses on the coordination of a number of related projects and other activities, over time, to deliver benefits to the organization.	PMI
Project	An activity chartered to create a specified deliverable as efficiently as possible.	PMI
Project management office (PMO)	Organizational unit that supports the management of projects and project-based organizations.	PMI, "The PMO: Your Key to Strategy Execution and Results Delivery"
Protocol	A set of rules (i.e., formats and procedures) to implement and control some type of association (e.g., communication) between systems.	NIST Glossary
Prototyping	The process of quickly putting together a working model (a prototype) to test various aspects of a design, illustrate ideas or features, and gather early user feedback. Prototyping uses programmed simulation techniques to represent a model of the final system to the user for advisement and critique. The emphasis is on end-user screens and reports. Internal controls are not a priority item since this is only a model.	ISACA Glossary
Provenance	Origin or source.	Merriam-Webster
Provisioning	The activity of obtaining the equipment and resources you need for a particular activity.	Cambridge Dictionary
	The activity of obtaining, modifying, and making available the equipment, resources, software, or services a user needs to carry out a particular activity.	FFIEC Adapted for Supervisory Purposes
Q		
Quality assurance (QA)	A planned and systematic pattern of all actions necessary to provide adequate confidence that an item or product conforms to established technical requirements	ISACA Glossary
	A planned and systematic pattern of all actions necessary to provide adequate confidence that a system, component, or facility conforms to established requirements.	FFIEC Adapted for Supervisory Purposes
Quality assurance/quality control (QA/QC)	Part of quality management focused on providing confidence that quality requirements will be fulfilled.	NIST Glossary

Term	Definition	Source
Quality control (QC)	The operational techniques and procedures used to achieve quality requirements.	ISACA Glossary
	The operational techniques and procedures (such as design analysis and inspection for defects) used to achieve quality requirements.	FFIEC Adapted for Supervisory Purposes
Quality of service	The measurable end-to-end performance properties of a network service, which can be guaranteed in advance by a Service Level Agreement between a user and a service provider, so as to satisfy specific customer application requirements. Properties may include throughput (bandwidth), transit delay (latency), error rates, priority, security, packet loss, and packet jitter.	Committee on National Security Systems Glossary
Quality management	Coordinated activities to direct and control an organization with regard to quality.	NIST Glossary
Query	In databases, a request for data or information from a table or combination of tables.	FFIEC Developed for Supervisory Purposes
R		
Radio frequency identification (RFID)	A form of automatic identification and data capture technology that uses electric or magnetic fields at radio frequencies to transmit information.	NIST SP 800-98, Guidelines for Securing Radio Frequency Identification (RFID) Systems
Random access memory (RAM)	The computer's primary working memory. Each byte of RAM can be accessed randomly regardless of adjacent bytes.	ISACA Glossary
	The computer's primary working memory, which is kept where each byte of RAM can be quickly accessed by the device's processor.	FFIEC Adapted for Supervisory Purposes
Registry	A service that allows developers to easily store images as they are created; tag and catalog images for identification and version control to aid in discovery and reuse; and find and download images that others have created.	NIST SP 800-190, Application Container Security Guide
Regression	Defect or bug (in terms of code).	OWASP, Code Review Guide 2.0
Release	A collection of new and/or changed configuration items, which are tested and introduced into a production environment together.	NIST Glossary
Relational database	A database organized according to ownership of records, allowing records to have multiple owners and thus providing multiple access paths to the data. Database management systems (DBMSs) providing such capabilities are also referred to as CODASYL (Conference on Data Systems Languages) DBMSs.	Gartner Glossary
Remote access	Access to an organizational information system by a user (or an information system) communicating through an external, nonorganization-controlled network (e.g., the Internet).	NIST Glossary
Report	A detailed account or statement. For purposes of IT, the report provides analysis that supports informed decision-making.	Merriam-Webster
Request for information (RFI)	A market research tool used to obtain price, delivery, capabilities, and interest for planning purposes. Also referred to as a sources-sought notice.	GSA, "RFP, RFI, and RFQ: Understanding the Difference"
Request for proposal (RFP)	A solicitation method which communicates the [entity's] requirements and requests proposals.	GSA, "RFP, RFI, and RFQ: Understanding the Difference"
Request for quote (RFQ)	A solicitation method used to obtain price, cost, delivery, and related information from suppliers.	GSA, "RFP, RFI, and RFQ: Understanding the Difference"