Automation test result

| Start : Aug 19, 11:18:17.798 pm	End : Aug 19, 11:19:02.404 pm	Duration : 44.606 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 3 SKIPPED - 0	PASSED - 6 FAILED - 3 SKIPPED - 3

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Login functionality for Kapruka website	*44.606 s*	*3*	*0*	*3*	*0*	*12*	*6*	*3*	*3*

Tag	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@LoginScenarioOutline	3	0	3	0	1	0	1	0

#	Feature Name	T	P	F	S	Duration
1	Login functionality for Kapruka website	3	0	3	0	44.606 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	*Login functionality for Kapruka website*	*Verify login with valid and invalid credentials*	4	2	1	1	16.115 s
2	*Login functionality for Kapruka website*	*Verify login with valid and invalid credentials*	4	2	1	1	14.200 s
3	*Login functionality for Kapruka website*	*Verify login with valid and invalid credentials*	4	2	1	1	14.257 s

Login functionality for Kapruka website

FAILED	DURATION - 44.606 s			
/ 11:18:17.798 pm // 11:19:02.404 pm /		Total - 3 Pass - 0 Fail - 3 Skip - 0		Total - 12 Pass - 6 Fail - 3 Skip - 3

Verify login with valid and invalid credentials

FAILED	DURATION - 16.115 s		
/ 11:18:17.802 pm // 11:18:33.917 pm /			Total - 4 Pass - 2 Fail - 1 Skip - 1
@LoginScenarioOutline			

#	Step / Hook Details	Status	Duration
1	When I login with the website1	PASSED	3.405 s
2	When I enter username "validuser@gmail.com" and password "validpass"	PASSED	0.133 s
3	And I click on the Login button	FAILED	10.080 s

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#loginButton"} (Session info: chrome=139.0.7258.67) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/ troubleshooting/errors#no-such-element-exception Build info: version: '4.17.0', revision: 'e52b1be057*' System info: os.name: 'Windows 11', os. arch: 'amd64', os.version: '10.0', java.version: '21.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [2c00b1f06f303517360103797d70381c, findElement {using=id, value=loginButton}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 139.0.7258.67, chrome: {chromedriverVersion: 139.0.7258.68 (40ff94600b6e..., userDataDir: C:\Users\RAKESH~1\AppData\L...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60534}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60534/devtoo..., se:cdpVersion: 139.0.7258.67, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 2c00b1f06f303517360103797d70381c
	     at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)
	     at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)
	     at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:185) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:134) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:519) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:356) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350) at com.cucumber.pages.LoginPageWithScenario.clickLogin(LoginPageWithScenario.java:28) at com.cucumber.LoginScenarioOutlineStepDef.i_click_on_the_login_button(LoginScenarioOutlineStepDef.java:34) at ?.I click on the Login button(classpath:Features/TC_1_LoginwithScenarioOutline.feature:7) * Not displayable characters are replaced by '?'.		
4	Then I should see the appropriate login result	SKIPPED	0.000 s
	AFTER - com.cucumber.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.288 s
	Test failed: Verify login with valid and invalid credentials		

Verify login with valid and invalid credentials

FAILED	DURATION - 14.200 s		
/ 11:18:33.936 pm // 11:18:48.136 pm /		Total - 4 Pass - 2 Fail - 1 Skip - 1	
@LoginScenarioOutline			

#	Step / Hook Details	Status	Duration
1	When I login with the website1	PASSED	2.790 s
2	When I enter username "testuser@gmail.com" and password "testpass"	PASSED	0.107 s
3	And I click on the Login button	FAILED	10.047 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#loginButton"} (Session info: chrome=139.0.7258.67) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.17.0', revision: 'e52b1be057*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command:		

#	Step / Hook Details	Status	Duration

	[af6e5209a87a535f0675b7c3b6ff4fc0, findElement {using=id, value=loginButton}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 139.0.7258.67, chrome: {chromedriverVersion: 139.0.7258.68 (40ff94600b6e..., userDataDir: C:\Users\RAKESH~1\AppData\L...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60574}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60574/devtoo..., se:cdpVersion: 139.0.7258.67, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: af6e5209a87a535f0675b7c3b6ff4fc0
	   at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)
	   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)
	   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:185)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:134)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51)
	   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)
	   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:519)
	   at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
	   at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66)
	   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:356)
	   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350)
	   at com.cucumber.pages.LoginPageWithScenario.clickLogin(LoginPageWithScenario.java:28)
	   at com.cucumber.LoginScenarioOutlineStepDef.i_click_on_the_login_button(LoginScenarioOutlineStepDef.java:34)
	   at ?.I click on the Login button(classpath:Features/TC_1_LoginwithScenarioOutline.feature:7)
	* Not displayable characters are replaced by '?'.		

4	Then I should see the appropriate login result	SKIPPED	0.000 s
	AFTER - com.cucumber.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.226 s
	Test failed: Verify login with valid and invalid credentials		

Verify login with valid and invalid credentials

FAILED	DURATION - 14.257 s

/ 11:18:48.147 pm // 11:19:02.404 pm /

@LoginScenarioOutline

Total - 4
Pass - 2
Fail - 1
Skip - 1

4

#	Step / Hook Details	Status	Duration
1	When I login with the website1	PASSED	2.917 s
2	When I enter username "invalid@gmail.com" and password "wrongpass"	PASSED	0.107 s
3	And I click on the Login button	FAILED	10.039 s

org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#loginButton"} (Session info: chrome=139.0.7258.67) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/ troubleshooting/errors#no-such-element-exception Build info: version: '4.17.0', revision: 'e52b1be057*' System info: os.name: 'Windows 11', os. arch: 'amd64', os.version: '10.0', java.version: '21.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [1fb454d8b091f61d8f7f4ed723ee16df, findElement {using=id, value=loginButton}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 139.0.7258.67, chrome: {chromedriverVersion: 139.0.7258.68 (40ff94600b6e..., userDataDir: C:\Users\RAKESH~1\AppData\L...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60617}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60617/devtoo..., se:cdpVersion: 139.0.7258.67, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 1fb454d8b091f61d8f7f4ed723ee16df
   at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)
   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)
   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)
   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:185)
   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:134)
   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51)
   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)
   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)
   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)
   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:519)
   at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
   at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66)
   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:356)
   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350)
   at com.cucumber.pages.LoginPageWithScenario.clickLogin(LoginPageWithScenario.java:28)
   at com.cucumber.LoginScenarioOutlineStepDef.i_click_on_the_login_button(LoginScenarioOutlineStepDef.java:34)

#	Step / Hook Details	Status	Duration
	at ?.I click on the Login button(classpath:Features/TC_1_LoginwithScenarioOutline.feature:7) * Not displayable characters are replaced by '?'.		
4	Then I should see the appropriate login result	SKIPPED	0.000 s
	AFTER - com.cucumber.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.188 s
	Test failed: Verify login with valid and invalid credentials		