

| Feature | | | Scer | nario | | | St | ер | |
|------------------------|--------------|---|------|-------|---|---|----|----|---|
| Name | Duration | T | P | F | S | T | P | F | S |
| Search Page Validation | 1 m 29.642 s | 1 | 0 | 1 | 0 | 7 | 2 | 2 | 3 |


| Tag | | Scer | nario | | | Fea | ture | |
|---------|---|------|-------|---|---|-----|------|---|
| Name | Т | P | F | S | Т | P | F | S |
| @Search | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |

FEATURES SUMMARY -- 4



| # | Feature Name | T | P | F | S | Duration |
|---|------------------------|---|---|---|---|--------------|
| 1 | Search Page Validation | 1 | 0 | 1 | 0 | 1 m 29.642 s |

SCENARIOS SUMMARY -- 5




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|------------------------|----------------|---|---|---|---|--------------|
| 1 | Search Page Validation | Testing Search | 7 | 2 | 2 | 3 | 1 m 29.640 s |

DETAILED SECTION -- 6 --

Search Page Validation

| Total - 1 | | Total - 7 | |
|-----------|-------------------|-------------------|-------------------------------------|
| Pass - 0 | 1 | Pass - 2 | 7 |
| Fail - 1 | | Fail - 2 | |
| Skip - 0 | | Skip - 3 | |
| | Pass - 0 Fail - 1 | Pass - 0 Fail - 1 | Pass - 0 Fail - 1 Pass - 2 Fail - 2 |

Testing Search



| # | Step / Hook Details | Status | Duration |
|---|--|--------|--------------|
| 1 | When I login with the website | PASSED | 5.207 s |
| 2 | Then I should see dashboard | PASSED | 0.019 s |
| 3 | When user enter text to Search and click on Search button | FAILED | 1 m 22.532 s |
| | Error communicating with the remote browser. It may have died. Build info: version: '4.23.0', revision: '4df0a231af' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [698786e8e770b43444297c340ce96786, findElement [value, using]] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 139.0.7258.139, chrome: {chromedriverVersion: 139.0.7258.154 (9e0d6b2b47f, userDataDir: C:\Users\RAKESH~1\AppData\L}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:51391}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:51391/devtoo, se:cdpVersion: 139.0.7258.139, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 698786e8e770b43444297c340ce96786 | | |
| 4 | Then user should see Results | FAILED | 0.034 s |
| | org.openqa.selenium.remote.UnreachableBrowserException: Error communicating with the remote browser. It may have died. Build info: | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | version: '4.23.0', revision: '4df0a231af' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.7' Driver | | |
| | info: org.openqa.selenium.chrome.ChromeDriver Command: [698786e8e770b43444297c340ce96786, screenshot []] Capabilities | | |
| | {acceptInsecureCerts: false, browserName: chrome, browserVersion: 139.0.7258.139, chrome: {chromedriverVersion: 139.0.7258.154 (9e0d6b2b47f, userDataDir: C:\Users\RAKESH~1\AppData\L}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: | | |
| | localhost:51391}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: | | |
| | ws://localhost:51391/devtoo, se:cdpVersion: 139.0.7258.139, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, | | |
| | pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, | | |
| | webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: | | |
| | true} Session ID: 698786e8e770b43444297c340ce96786 | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:554) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:600) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:604) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:323) | | |
| | at com.cucumber.commonservices.ScreenshotServices.getScreenshot(ScreenshotServices.java:16) | | |
| | at com.cucumber.SearchStepDef.iShouldSeeResults(SearchStepDef.java:104) | | |
| | at ?.user should see Results(classpath:Features/Search.feature:8) | | |
| | Caused by: java.io.UncheckedIOException: java.net.ConnectException | | |
| | at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute0(JdkHttpClient.java:439) | | |
| | at org.openqa.selenium.remote.http.AddSeleniumUserAgent.lambda\$apply\$0(AddSeleniumUserAgent.java:42) | | |
| | at org.openqa.selenium.remote.http.Filter.lambda\$andFinally\$1(Filter.java:55) | | |
| | at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute(JdkHttpClient.java:355) | | |
| | at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:187) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:527) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:600) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:604) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:323) | | |
| | at com.cucumber.commonservices.ScreenshotServices.getScreenshot(ScreenshotServices.java:16) | | |
| | at com.cucumber.SearchStepDef.iShouldSeeResults(SearchStepDef.java:104) | | |
| | at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) | | |
| | at java.base/java.lang.reflect.Method.invoke(Method.java:580) | | |
| | at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) | | |
| | at io.cucumber.java.Invoker.invoke(Invoker.java:24) | | |
| | at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) | | |
| | at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) | | |
| | at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) | | |
| | at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) | | |
| | at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) | | |
| | at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) | | |
| | at io.cucumber.core.runner.TestStep.run(TestStep.java:53) | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) | | |
| | at io.cucumber.core.runner.TestCase.run(TestCase.java:84) | | |
| | at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) | | |
| | at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) | | |
| | at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) | | |
| | at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) | | |
| | at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) | | |
| | at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) | | |
| | at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) | | |
| | at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) | | |
| | at java.base/java.lang.reflect.Method.invoke(Method.java:580) | | |
| | at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:141) | | |
| | at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:686) | | |
| | at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:230) | | |
| | at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:63) | | |
| | at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:992) | | |
| | at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:203) | | |
| | at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:154) | | |
| | at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:134) | | |
| | at java.base/java.util.ArrayList.forEach(ArrayList.java:1596) | | |
| | at org.testng.TestRunner.privateRun(TestRunner.java:739) | | |
| | at org.testng.TestRunner.run(TestRunner.java:614) | | |
| | at org.testng.SuiteRunner.runTest(SuiteRunner.java:421) | | |
| | at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:413) | | |
| | at org.testng.SuiteRunner.privateRun(SuiteRunner.java:373) | | |
| | at org.testng.SuiteRunner.run(SuiteRunner.java:312) | | |
| | at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) | | |
| | at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) | | |
| | at org.testng.TestNG.runSuitesSequentially(TestNG.java:1274) | | |
| | at org.testng.TestNG.runSuitesLocally(TestNG.java:1208) | | |
| | at org.testng.TestNG.runSuites(TestNG.java:1112) | | |
| | at org.testng.TestNG.run(TestNG.java:1079) | | |
| | at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65) | | |
| | at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) | | |
| | Caused by: java.net.ConnectException | | |
| | at java.net.http/jdk.internal.net.http.common.Utils.toConnectException(Utils.java:1041) | | |
| | at java.net.http/jdk.internal.net.http.PlainHttpConnection.connectAsync(PlainHttpConnection.java:227) | | |
| | at java.net.http/jdk.internal.net.http.PlainHttpConnection.checkRetryConnect(PlainHttpConnection.java:280) | | |
| | at java.net.http/jdk.internal.net.http.PlainHttpConnection.lambda\$connectAsync\$2(PlainHttpConnection.java:238) | | |
| | at java.base/java.util.concurrent.CompletableFuture.uniHandle(CompletableFuture.java:934) | | |
| | at java.base/java.util.concurrent.CompletableFuture\$UniHandle.tryFire(CompletableFuture.java:911) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| | at java.base/java.util.concurrent.CompletableFuture.postComplete(CompletableFuture.java:1773) at java.base/java.util.concurrent.CompletableFuture\$AsyncSupply.run(\$\$capture(CompletableFuture.java:1773) at java.base/java.util.concurrent.CompletableFuture\$AsyncSupply.run(CompletableFuture.java) at Async.Stack.Trace (captured by IntelliJ IDEA debugger) at java.base/java.util.concurrent.CompletableFuture\$AsyncSupply. at java.base/java.util.concurrent.CompletableFuture\$AsyncSupply. at java.base/java.util.concurrent.CompletableFuture.completeAsync(CompletableFuture.java:1754) at java.base/java.util.concurrent.CompletableFuture.completeAsync(CompletableFuture.java:2719) at java.net.http/jdk.internal.net.http.PlainHttpConnection\$ConnectEvent.handle(PlainHttpConnection.java:152) at java.net.http/jdk.internal.net.http.HttpClientImpl\$SelectorManager.handleEvent(HttpClientImpl.java:1470) at java.base/java.util.ArrayList.forEach(ArrayList.java:1596) at java.base/java.util.ArrayList.forEach(ArrayList.java:1596) at java.net.http/jdk.internal.net.http.HttpClientImpl\$SelectorManager.run(HttpClientImpl.java:1415) Caused by: java.nio.ch.SocketChannelException at java.base/sun.nio.ch.SocketChannelImpl.eginConnect(SocketChannelImpl.java:786) at java.base/sun.nio.ch.SocketChannelImpl.beginConnect(SocketChannelImpl.java:786) at java.base/sun.nio.ch.SocketChannelImpl.connect(SocketChannelImpl.java:874) at java.base/java.security.AccessController.doPrivileged(AccessController.java:571) at java.net.http/jdk.internal.net.http.PlainHttpConnection.connectAsync(PlainHttpConnection.java:212) * Not displayable characters are replaced by '?'. | | |
| 5 | When page loads | SKIPPED | 0.001 s |
| 6 | Then verify all items displayed related to Search criteria | SKIPPED | 0.000 s |
| 7 | Then verify all items displayed for Cake | SKIPPED | 0.000 s |
| | AFTER - com.cucumber.Hooks.tearDown(io.cucumber.java.Scenario) | FAILED | 0.012 s |
| | org.openqa.selenium.remote.UnreachableBrowserException: Error communicating with the remote browser. It may have died. Build info: version: '4.23.0', revision: '4df0a231af' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [698786e8e770b43444297c340ce96786, close []] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 139.0.7258.139, chrome: {chromedriverVersion: 139.0.7258.154 (9e0d6b2b47f, userDataDir: C:Users\RAKESH-1\AppData\L\}, fedcm:accounts: true, goog:chromeOptions: {debugger\Address: localhost:51391}, networkConnectionEnabled: false, pageLoadStrategy: normal, platform\name: windows, proxy: Proxy(), se:cdp: ws://localhost:51391/devtoo, se:cdpVersion: 139.0.7258.139, set\WindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 698786e8e770b43444297c340ce96786 at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:554) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:600) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:407) at com.cucumber.Hooks.tearDown(Hooks.java:46) Caused by: java.io.UncheckedIOException: java.net.ConnectException at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute(JdkHttpClient.java:439) | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | at org.openqa.selenium.remote.http.AddSeleniumUserAgent.lambda\$apply\$0(AddSeleniumUserAgent.java:42) | | |
| | at org.openqa.selenium.remote.http.Filter.lambda\$andFinally\$1(Filter.java:55) | | |
| | at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute(JdkHttpClient.java:355) | | |
| | at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:187) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:527) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:600) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:604) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.close(RemoteWebDriver.java:407) | | |
| | at com.cucumber.Hooks.tearDown(Hooks.java:46) | | |
| | at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) | | |
| | at java.base/java.lang.reflect.Method.invoke(Method.java:580) | | |
| | at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) | | |
| | at io.cucumber.java.Invoker.invoke(Invoker.java:24) | | |
| | at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) | | |
| | at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) | | |
| | at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) | | |
| | at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) | | |
| | at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) | | |
| | at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) | | |
| | at io.cucumber.core.runner.TestStep.run(TestStep.java:53) | | |
| | at io.cucumber.core.runner.TestCase.run(TestCase.java:90) | | |
| | at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) | | |
| | at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) | | |
| | at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) | | |
| | at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) | | |
| | at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) | | |
| | at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) | | |
| | at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) | | |
| | at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) | | |
| | at java.base/java.lang.reflect.Method.invoke(Method.java:580) | | |
| | at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:141) | | |
| | at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:686) | | |
| | at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:230) | | |
| | at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:63) | | |
| | at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:992) | | |
| | at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:203) | | |
| | at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:154) | | |
| | at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:134) | | |
| | at java.base/java.util.ArrayList.forEach(ArrayList.java:1596) | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | at org.testng.TestRunner.privateRun(TestRunner.java:739) | | |
| | at org.testng.TestRunner.run(TestRunner.java:614) | | |
| | at org.testng.SuiteRunner.runTest(SuiteRunner.java:421) | | |
| | at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:413) | | |
| | at org.testng.SuiteRunner.privateRun(SuiteRunner.java:373) | | |
| | at org.testng.SuiteRunner.run(SuiteRunner.java:312) | | |
| | at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) | | |
| | at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) | | |
| | at org.testng.TestNG.runSuitesSequentially(TestNG.java:1274) | | |
| | at org.testng.TestNG.runSuitesLocally(TestNG.java:1208) | | |
| | at org.testng.TestNG.runSuites(TestNG.java:1112) | | |
| | at org.testng.TestNG.run(TestNG.java:1079) | | |
| | at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65) | | |
| | at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) | | |
| | Caused by: java.net.ConnectException | | |
| | at java.net.http/jdk.internal.net.http.common.Utils.toConnectException(Utils.java:1041) | | |
| | at java.net.http/jdk.internal.net.http.PlainHttpConnection.connectAsync(PlainHttpConnection.java:227) | | |
| | at java.net.http/jdk.internal.net.http.PlainHttpConnection.checkRetryConnect(PlainHttpConnection.java:280) | | |
| | at java.net.http/jdk.internal.net.http.PlainHttpConnection.lambda\$connectAsync\$2(PlainHttpConnection.java:238) | | |
| | at java.base/java.util.concurrent.CompletableFuture.uniHandle(CompletableFuture.java:934) | | |
| | at java.base/java.util.concurrent.CompletableFuture\$UniHandle.tryFire(CompletableFuture.java:911) | | |
| | at java.base/java.util.concurrent.CompletableFuture.postComplete(CompletableFuture.java:510) | | |
| | at java.base/java.util.concurrent.CompletableFuture\$AsyncSupply.run\$\$\$capture(CompletableFuture.java:1773) | | |
| | at java.base/java.util.concurrent.CompletableFuture\$AsyncSupply.run(CompletableFuture.java) | | |
| | at Async.Stack.Trace (captured by IntelliJ IDEA debugger) | | |
| | at java.base/java.util.concurrent.CompletableFuture\$AsyncSupply. <init>(CompletableFuture.java:1754)</init> | | |
| | at java.base/java.util.concurrent.CompletableFuture.completeAsync(CompletableFuture.java:2719) | | |
| | at java.net.http/jdk.internal.net.http.PlainHttpConnection\$ConnectEvent.handle(PlainHttpConnection.java:152) | | |
| | at java.net.http/jdk.internal.net.http.HttpClientImpl\$SelectorManager.handleEvent(HttpClientImpl.java:1470) | | |
| | at java.net.http/jdk.internal.net.http.HttpClientImpl\$SelectorManager.lambda\$run\$3(HttpClientImpl.java:1415) | | |
| | at java.base/java.util.ArrayList.forEach(ArrayList.java:1596) | | |
| | at java.net.http/jdk.internal.net.http.HttpClientImpl\$SelectorManager.run(HttpClientImpl.java:1415) | | |
| | Caused by: java.nio.channels.ClosedChannelException | | |
| | at java.base/sun.nio.ch.SocketChannelImpl.ensureOpen(SocketChannelImpl.java:202) | | |
| | at java.base/sun.nio.ch.SocketChannelImpl.beginConnect(SocketChannelImpl.java:786) | | |
| | at java.base/sun.nio.ch.SocketChannelImpl.connect(SocketChannelImpl.java:874) | | |
| | at java.net.http/jdk.internal.net.http.PlainHttpConnection.lambda\$connectAsync\$1(PlainHttpConnection.java:210) | | |
| | at java.base/java.security.AccessController.doPrivileged(AccessController.java:571) | | |
| | at java.net.http/jdk.internal.net.http.PlainHttpConnection.connectAsync(PlainHttpConnection.java:212) | | |