

Automation test result

10-Sept-2025, 2:00:51 pm

Start : Sept 10, 2:00:49.587 pm

End : Sept 10, 2:00:51.362 pm

Duration : 1.775 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 0
FAILED - 1
SKIPPED - 2




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Get all brand names from Kapruka brands page</u>	1.775 s	1	0	1	0	3	0	1	2

Tag	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@Brands	1	0	1	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>Get all brand names from Kapruka brands page</u>	1	0	1	0	1.775 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Get all brand names from Kapruka brands page</u>	<u>Extract and validate brand names</u>	3	0	1	2	1.764 s

Get all brand names from Kapruka brands page

FAILED	DURATION - 1.775 s	Total - 1		Total - 3	
/ 2:00:49.587 pm // 2:00:51.362 pm /		Pass - 0		Pass - 0	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 2	

Extract and validate brand names

FAILED		DURATION - 1.764 s	
/ 2:00:49.598 pm // 2:00:51.362 pm /			
@Brands			<div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 2</div>
			

#	Step / Hook Details	Status	Duration
1	Given I open the Kapruka brands page <pre>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "this.driver" is null at com.cucumber.pages.BrandsPage.openPage(BrandsPage.java:24) at com.cucumber.TC_11BrandStepDef.i_open_the_kapruka_brands_page(TC_11BrandStepDef.java:37) at ?.I open the Kapruka brands page(classpath:Features/TC_11_Brands.feature:5) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.006 s
2	When I extract all brand names	SKIPPED	0.000 s
3	Then I should see at least one brand displayed	SKIPPED	0.000 s
	AFTER - com.cucumber.Hooks.tearDown(io.cucumber.java.Scenario) Test failed: Extract and validate brand names	FAILED	0.204 s