Automation test result

| Start : Aug 19, 11:01:48.246 pm	End : Aug 19, 11:02:11.275 pm	Duration : 23.029 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 3 SKIPPED - 0	PASSED - 3 FAILED - 3 SKIPPED - 6

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Login functionality for Kapruka website	*23.029 s*	*3*	*0*	*3*	*0*	*12*	*3*	*3*	*6*

Tag	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@LoginScenarioOutline	3	0	3	0	1	0	1	0

#	Feature Name	T	P	F	S	Duration
1	Login functionality for Kapruka website	3	0	3	0	23.029 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Login functionality for Kapruka website	Verify login with valid and invalid credentials	4	1	1	2	11.399 s
2	Login functionality for Kapruka website	Verify login with valid and invalid credentials	4	1	1	2	6.781 s
3	Login functionality for Kapruka website	Verify login with valid and invalid credentials	4	1	1	2	4.805 s

Login functionality for Kapruka website

FAILED	DURATION - 23.029 s		Total - 3		Total - 12	
/ 11:01:48.246 pm // 11:02:11.275 pm /			Pass - 0	3	Pass - 3	12
			Fail - 3		Fail - 3	
			Skip - 0		Skip - 6	

Verify login with valid and invalid credentials

FAILED	DURATION - 11.399 s		Total - 4	
/ 11:01:48.252 pm // 11:01:59.651 pm /			Pass - 1	4
			Fail - 1	
@LoginScenarioOutline			Skip - 2	

#	Step / Hook Details	Status	Duration
1	When I login with the website1	PASSED	1.050 s
2	When I enter username "validuser@gmail.com" and password "validpass"	FAILED	8.875 s
	org.openqa.selenium.NoSuchSessionException: invalid session id: session deleted as the browser has closed the connection from disconnected: unable to send message to renderer (Session info: chrome=139.0.7258.67) Build info: version: '4.17.0', revision: 'e52b1be057*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.7' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [a6c8518f60650448dc18900af5cdcc56, findElement {using=id, value=username}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 139.0.7258.67, chrome: {chromedriverVersion: 139.0.7258.68 (40ff94600b6e..., userDataDir: C:\Users\RAKESH~1\AppData\L...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59773}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59773/devtoo..., se:cdpVersion: 139.0.7258.67, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: a6c8518f60650448dc18900af5cdcc56 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:185) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:134) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51)		

| #	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:519)		
	at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:356)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350)		
	at com.cucumber.pages.LoginPageWithScenario.enterUsername(LoginPageWithScenario.java:19)		
	at com.cucumber.LoginScenarioOutlineStepDef.i_enter_username_and_password(LoginScenarioOutlineStepDef.java:28)		
	at ?.I enter username "validuser@gmail.com" and password "validpass"(classpath:Features/LoginwithScenarioOutline.feature:6)		
	* Not displayable characters are replaced by '?'.		
3	And I click on the Login button	SKIPPED	0.000 s
4	Then I should see the appropriate login result	SKIPPED	0.000 s
	AFTER - com.cucumber.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.084 s

	org.openqa.selenium.NoSuchSessionException: invalid session id Build info: version: '4.17.0', revision: 'e52b1be057*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [a6c8518f60650448dc18900af5cdcc56, close {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 139.0.7258.67, chrome: {chromedriverVersion: 139.0.7258.68 (40ff94600b6e..., userDataDir: C:\Users\RAKESH~1\AppData\L...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59773}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59773/devtoo..., se:cdpVersion: 139.0.7258.67, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: a6c8518f60650448dc18900af5cdcc56
	   at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)
	   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)
	   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:185)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:134)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51)
	   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)
	   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:519)
	   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:592)
	   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:596)
	   at org.openqa.selenium.remote.RemoteWebDriver.close(RemoteWebDriver.java:406)
	   at com.cucumber.Hooks.tearDown(Hooks.java:46)		

Verify login with valid and invalid credentials

FAILED	DURATION - 6.781 s
/ 11:01:59.673 pm // 11:02:06.454 pm /	
@LoginScenarioOutline	

Total - 4
Pass - 1
Fail - 1
Skip - 2

4

#	Step / Hook Details	Status	Duration
1	When I login with the website1	PASSED	1.126 s
2	When I enter username "testuser@gmail.com" and password "testpass"	FAILED	4.576 s

	org.openqa.selenium.NoSuchElementException: Unable to find element with locator By.id: username For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.17.0', revision: 'e52b1be057*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.7' Driver info: driver. version: RemoteWebDriver
	  at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:168)
	  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:356)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350)
	  at com.cucumber.pages.LoginPageWithScenario.enterUsername(LoginPageWithScenario.java:19)
	  at com.cucumber.LoginScenarioOutlineStepDef.i_enter_username_and_password(LoginScenarioOutlineStepDef.java:28)
	  at ?.I enter username "testuser@gmail.com" and password "testpass"(classpath:Features/LoginwithScenarioOutline.feature:6)
	* Not displayable characters are replaced by '?'.		

3	And I click on the Login button	SKIPPED	0.000 s
4	Then I should see the appropriate login result	SKIPPED	0.000 s
	AFTER - com.cucumber.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.036 s

	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=139.0.7258.67) Build info: version: '4.17.0', revision: 'e52b1be057*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5d075e2e168c128a67b8139a883d29bd, close {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 139.0.7258.67, chrome: {chromedriverVersion: 139.0.7258.68 (40ff94600b6e..., userDataDir: C:\Users\RAKESH~1\AppData\L...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59809}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59809/devtoo..., se:cdpVersion: 139.0.7258.67, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5d075e2e168c128a67b8139a883d29bd
	  at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:185) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:134) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:519) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:592) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:596) at org.openqa.selenium.remote.RemoteWebDriver.close(RemoteWebDriver.java:406) at com.cucumber.Hooks.tearDown(Hooks.java:46)		

Verify login with valid and invalid credentials

FAILED	DURATION - 4.805 s
/ 11:02:06.470 pm // 11:02:11.275 pm /	
@LoginScenarioOutline	

Total - 4
Pass - 1
Fail - 1
Skip - 2

#	Step / Hook Details	Status	Duration
1	When I login with the website1	PASSED	1.041 s
2	When I enter username "invalid@gmail.com" and password "wrongpass"	FAILED	2.400 s

	org.openqa.selenium.NoSuchSessionException: invalid session id: session deleted as the browser has closed the connection from disconnected: unable to send message to renderer (Session info: chrome=139.0.7258.67) Build info: version: '4.17.0', revision: 'e52b1be057*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.7' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [6141268c5d6341d3941a5caa9226e240, findElement {using=id, value=username}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 139.0.7258.67, chrome: {chromedriverVersion: 139.0.7258.68 (40ff94600b6e..., userDataDir: C:\Users\RAKESH~1\AppData\L...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59842}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59842/devtoo..., se:cdpVersion: 139.0.7258.67, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 6141268c5d6341d3941a5caa9226e240
	    at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)		

#	Step / Hook Details	Status	Duration
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:185) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:134) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:519) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:356) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350) at com.cucumber.pages.LoginPageWithScenario.enterUsername(LoginPageWithScenario.java:19) at com.cucumber.LoginScenarioOutlineStepDef.i_enter_username_and_password(LoginScenarioOutlineStepDef.java:28) at ?.I enter username "invalid@gmail.com" and password "wrongpass"(classpath:Features/LoginwithScenarioOutline.feature:6) * Not displayable characters are replaced by '?'.		
3	And I click on the Login button	SKIPPED	0.000 s
4	Then I should see the appropriate login result	SKIPPED	0.000 s
	AFTER - com.cucumber.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.070 s
	org.openqa.selenium.NoSuchSessionException: invalid session id Build info: version: '4.17.0', revision: 'e52b1be057*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [6141268c5d6341d3941a5caa9226e240, close {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 139.0.7258.67, chrome: {chromedriverVersion: 139.0.7258.68 (40ff94600b6e..., userDataDir: C:\Users\RAKESH~1\AppData\L...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59842}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59842/devtoo..., se:cdpVersion: 139.0.7258.67, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 6141268c5d6341d3941a5caa9226e240 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:185) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:134) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:519) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:592) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:596)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.close(RemoteWebDriver.java:406) at com.cucumber.Hooks.tearDown(Hooks.java:46)		