

RidePy: A fast and modular framework for simulating ridepooling systems

Felix Jung¹ and Debsankha Manik¹

¹ Chair of Network Dynamics, Institute of Theoretical Physics and Center for Advancing Electronics Dresden (cfaed), TUD Dresden University of Technology, 01062 Dresden, Germany

DOI: [10.xxxxxx/draft](https://doi.org/10.xxxxxx/draft)

Software

- [Review](#)
- [Repository](#)
- [Archive](#)

Editor: [Patrick Diehl](#)

Reviewers:

- [@xoolive](#)
- [@abhishektiwari](#)
- [@ixjlyons](#)

Submitted: 04 December 2023

Published: unpublished

License

Authors of papers retain copyright and release the work under a Creative Commons Attribution 4.0 International License ([CC BY 4.0](#)).

Summary

RidePy enables fast computer simulations of on-demand mobility modes such as ridehailing or ridepooling. It strongly focuses on modeling the mobility service itself, rather than its customers or the environment. Through a combination of Python ([Van Rossum & Drake Jr, 1995](#)), Cython ([Behnel et al., 2011](#)) and C++ ([Stroustrup, 2000](#)), it offers ease of use at high performance. Its modular design makes customization easy, while the included modules allow for a quick start.

Statement of need

An accelerating climate change and congested cities both call for an urgent change in the way we move ([Winkler et al., 2023](#)). To reduce carbon dioxide emissions as well as the number of vehicles on the road, digitally managed on-demand mobility services such as ridehailing and ridepooling are explored in research ([Engelhardt et al., 2019](#); [Santi et al., 2014](#)) and on the road. Unfortunately, physically experimenting with such services for research purposes is extremely cost- and time-intensive. However, the operational properties of such systems are largely predefined in terms of the scheduling backend that manages them. This makes it possible to replace physical experiments with computer simulations, substituting virtual vehicles for actual ones and modeling the incoming mobility demand by sampling either historic requests or synthetic distributions. Another advantage of simulations is that the degree to which they represent reality may be freely adjusted. This makes it possible to both answer concrete operational questions ([de Ruijter et al., 2023](#); [Henao & Marshall, 2019](#); [Lotze et al., 2022](#); [Ruch et al., 2020](#); [Wilkes et al., 2021](#); [Zwick et al., 2021, 2022](#)) and investigate idealized system behavior, gaining deeper insights into the general properties of on-demand mobility systems ([Herminghaus, 2019](#); [Manik & Molkenthin, 2020](#); [Molkenthin et al., 2020](#); [Mühle, 2023](#); [Tachet et al., 2017](#); [Zech et al., 2022](#)).

In this context, a simulation framework should appropriately allow for vastly different system sizes and degrees of realism. The system size incorporates the number of simulated vehicles as well as the extent of the space they operate on: A small system may consist of a single vehicle serving a network of just two nodes, while an example of a large system could be a fleet of several thousand vehicles operating on the street network of a large city. The degree of realism may be varied, for example, by sampling requests from either a uniform distribution or recorded mobility demand, or by operating on a continuous Euclidean plane versus a realistic city street network. Another option is to adjust the constraints imposed, such as the time windows assigned to stops or the vehicles' seat capacities.

Finally, an on-demand mobility simulation framework should be fast, easy to use and adaptable to various applications.

A number of open-source simulation software projects are already being used to investigate on-demand mobility services. Some of them focus on microscopic modeling in realistic settings, through which concrete predictions for service operation are enabled, guiding urban planning. Prominent examples are MATSim ([ETH Zürich et al., 2016](#)), which performs agent-based simulations of individual inhabitants, and Eclipse SUMO ([Lopez et al., 2018](#)), a microscopic traffic simulator. Both rely on additional packages to model on-demand mobility, such as AMODEUS ([Ruch et al., 2018](#)) for MATSim and Jade ([Behrisch et al., 2014](#)) for SUMO.

FleetPy ([Engelhardt et al., 2022](#)), a recently released on-demand mobility simulation, is primarily aimed at realistic modeling of the interactions between operators and users, specifically incorporating multiple operators. While its technical approach is similar to ours, integrating Python with fast Cython and C++ extensions, the project is predominantly focused on applied simulations, although its framework architecture promises to allow for adjustment of the model detail level.

Perhaps the most idealized approach is taken by the Julia ([Bezanson et al., 2017](#)) package RidePooling.jl ([Mühle, 2022](#)) which was developed in support of a recent scientific contribution ([Mühle, 2023](#)).

A very different yet interesting route is taken by MaaSsim ([Kucharski & Cats, 2022](#)), which models on-demand mobility in the realm of two-sided mobility platforms such as Uber ([Uber Technologies, 2023](#)) and Lyft ([Lyft, 2023](#)).

RidePy extends this landscape by providing a universal and fast ridepooling simulation framework that is highly customizable while still being easy to use. It is focused on modeling the behavior of a vehicle fleet while covering a broad scope in terms of system size and degree of realism.

Philosophy and usage

RidePy simulates flexible mobility services based on *requests*, *dispatchers* and *vehicles*. The vehicles continuously move along routes defined by scheduled *stops*. At each stop, passengers are picked up or dropped off, leading to a change in seat occupancy aboard the vehicle. A RequestGenerator supplies requests for mobility that are submitted to the simulated service, consisting of origin and destination locations and optional constraints. A dispatcher processes these incoming requests. If a request cannot be fulfilled given the constraints (e.g., time windows, seat capacity), it is rejected upon submission. Otherwise, pick-up and drop-off stops are scheduled with a vehicle, respectively.

All individual components of the simulation framework may be customized or replaced. This includes RequestGenerators, dispatchers, and the TransportSpace which the system operates on. Examples for TransportSpaces include the continuous Euclidean plane and arbitrary weighted graphs (e.g., street networks). Several components of RidePy are implemented in both pure Python and Cython/C++. While their pure Python versions are easier to understand, debug and modify, the Cython/C++ versions make large-scale simulations tractable.

Running a RidePy simulation yields a sequence of Events. The included analytics code consumes these events and returns two extensive Pandas ([Wes McKinney, 2010](#)) DataFrames: stops and requests. stops contains all stops that have been visited by each vehicle, along with additional information such as the vehicles' passenger occupancy. requests similarly contains all requests that have entered the system, enriched with secondary information such as the time riders spent on the vehicle.

Additional included tooling allows for the setup, parallel execution, and analysis of simulations at different parameters (parameter scans). This includes the serialization of all simulation data in JSON format ([Bray, 2017](#)).

To ensure valid behavior, RidePy incorporates an extensive automated test suite ([Krekel et al., 2004](#)).

Availability

RidePy is available from PyPI (Felix Jung & Debsankha Manik, 2023a). The source code is hosted on GitHub (Felix Jung & Debsankha Manik, 2020). Extensive documentation can be found on the project's webpage (Felix Jung & Debsankha Manik, 2023b).

Acknowledgements

We kindly thank Philip Marszal, Matthias Dahlmanns, Knut Heidemann, Malte Schröder, and Marc Timme for their input and advice.

This project was partially supported by the Bundesministerium für Bildung und Forschung (BMBF, German Federal Ministry of Education and Research) under grant No. 16ICR01 and by the Bundesministerium für Digitales und Verkehr (BMDV, German Federal Ministry for Digital and Transport) as part of the innovation initiative mFund under grant No. 19F1155A.

Competing interests

Debsankha Manik was employed at MOIA GmbH when this research was conducted. MOIA GmbH neither sponsored nor endorses his research.

References

- Behnel, S., Bradshaw, R., Citro, C., Dalcin, L., Seljebotn, D. S., & Smith, K. (2011). Cython: The Best of Both Worlds. *Comput. Sci. Eng.*, 13(2), 31–39. <https://doi.org/10.1109/MCSE.2010.118>
- Behrisch, M., Krajzewicz, D., & Weber, M. (Eds.). (2014). *Simulation of Urban Mobility: First International Conference, SUMO 2013, Berlin, Germany, May 15-17, 2013. Revised Selected Papers* (1st ed. 2014). Springer Berlin Heidelberg : Imprint: Springer. <https://doi.org/10.1007/978-3-662-45079-6>
- Bezanson, J., Edelman, A., Karpinski, S., & Shah, V. B. (2017). Julia: A Fresh Approach to Numerical Computing. *SIAM Rev.*, 59(1), 65–98. <https://doi.org/10.1137/141000671>
- Bray, T. (2017). *The JavaScript Object Notation (JSON) Data Interchange Format*. <https://doi.org/10.17487/RFC4180>
- de Ruijter, A., Cats, O., Alonso-Mora, J., & Hoogendoorn, S. (2023). Ride-pooling adoption, efficiency and level of service under alternative demand, behavioural and pricing settings. *Transp. Plan. Technol.*, 46(4), 407–436. <https://doi.org/10.1080/03081060.2023.2194874>
- Engelhardt, R., Dandl, F., Bilali, A., & Bogenberger, K. (2019). Quantifying the Benefits of Autonomous On-Demand Ride-Pooling: A Simulation Study for Munich, Germany. *2019 IEEE Intell. Transp. Syst. Conf. ITSC*, 2992–2997. <https://doi.org/10.1109/ITSC.2019.8916955>
- Engelhardt, R., Dandl, F., Syed, A.-A., Zhang, Y., Fehn, F., Wolf, F., & Bogenberger, K. (2022). *FleetPy: A Modular Open-Source Simulation Tool for Mobility On-Demand Services* (No. arXiv:2207.14246). arXiv. <https://doi.org/10.48550/arXiv.2207.14246>
- ETH Zürich, Horni, A., Nagel, K., TU Berlin, & Axhausen, K. W. (Eds.). (2016). *The Multi-Agent Transport Simulation MATSim*. Ubiquity Press. ISBN: 978-1-909188-75-4
- Felix Jung, & Debsankha Manik. (2020). *PhysicsOfMobility/ridepy - github*. <https://github.com/PhysicsOfMobility/ridepy>

- 129 Felix Jung, & Debsankha Manik. (2023a). *Ridepy* - PyPI. <https://pypi.org/project/ridepy/>
- 130 Felix Jung, & Debsankha Manik. (2023b). *RidePy documentation*. <https://ridepy.org/>
- 131 Henao, A., & Marshall, W. E. (2019). The Impact of Ride-Hailing on Vehicle Miles Traveled.
132 *Transportation*, 46(6), 2173–2194. <https://doi.org/10.1007/s11116-018-9923-2>
- 133 Herminghaus, S. (2019). Mean Field Theory of Demand Responsive Ride Pooling Systems.
134 *Transp Res Policy Pr.*, 119, 15–28. <https://doi.org/10.1016/j.tra.2018.10.028>
- 135 Krekel, H., Oliveira, B., Pfannschmidt, R., Bruynooghe, F., Laughner, B., & Bruhin, F. (2004).
136 *Pytest*. <https://github.com/pytest-dev/pytest>
- 137 Kucharski, R., & Cats, O. (2022). Simulating two-sided mobility platforms with MaaSsim.
138 *PLOS ONE*, 17(6), e0269682. <https://doi.org/10.1371/journal.pone.0269682>
- 139 Lopez, P. A., Behrisch, M., Bieker-Walz, L., Erdmann, J., Flötteröd, Y.-P., Hilbrich, R.,
140 Lücken, L., Rummel, J., Wagner, P., & Wiessner, E. (2018). Microscopic Traffic Simulation
141 using SUMO. *2018 21st Int. Conf. Intell. Transp. Syst. ITSC*, 2575–2582. <https://doi.org/10.1109/ITSC.2018.8569938>
- 142
143 Lotze, C., Marszal, P., Schröder, M., & Timme, M. (2022). Dynamic stop pooling for flexible
144 and sustainable ride sharing. *New J. Phys.*, 24(2), 023034. <https://doi.org/10.1088/1367-2630/ac47c9>
- 145
146 Lyft, Inc. (2023). *Lyft*. <https://www.lyft.com/>
- 147 Manik, D., & Molkenhain, N. (2020). Topology dependence of on-demand ride-sharing. *Appl*
148 *Netw Sci*, 5(1), 49. <https://doi.org/10.1007/s41109-020-00290-2>
- 149 Molkenhain, N., Schröder, M., & Timme, M. (2020). Scaling Laws of Collective Ride-Sharing
150 Dynamics. *Phys. Rev. Lett.*, 125(24), 248302. <https://doi.org/10.1103/PhysRevLett.125.248302>
- 151
152 Mühle, S. (2022). *RidePoolingSimulations*. <https://github.com/SteffenMuehle/RidePoolingSimulations>
- 153
154 Mühle, S. (2023). An analytical framework for modeling ride pooling efficiency and minimum
155 fleet size. *Multimodal Transportation*, 2(2), 100080. <https://doi.org/10.1016/j.multra.2023.100080>
- 156
157 Ruch, C., Horl, S., & Frazzoli, E. (2018). AMoDeus, a Simulation-Based Testbed for
158 Autonomous Mobility-on-Demand Systems. *2018 21st Int. Conf. Intell. Transp. Syst. ITSC*, 3639–3644. <https://doi.org/10.1109/ITSC.2018.8569961>
- 159
160 Ruch, C., Lu, C., Sieber, L., & Frazzoli, E. (2020). Quantifying the Efficiency of Ride Sharing.
161 *IEEE Trans. Intell. Transp. Syst.*, 1–6. <https://doi.org/10.1109/TITS.2020.2990202>
- 162 Santi, P., Resta, G., Szell, M., Sobolevsky, S., Strogatz, S. H., & Ratti, C. (2014). Quantifying
163 the benefits of vehicle pooling with shareability networks. *PNAS*, 111(37), 13290–13294.
164 <https://doi.org/10.1073/pnas.1403657111>
- 165 Stroustrup, B. (2000). *The C++ programming language*. Pearson Education India.
- 166 Tachet, R., Sagarra, O., Santi, P., Resta, G., Szell, M., Strogatz, S. H., & Ratti, C. (2017).
167 Scaling Law of Urban Ride Sharing. *Sci Rep*, 7(1), 42868. <https://doi.org/10.1038/srep42868>
- 168
169 Uber Technologies, Inc. (2023). *Uber*. <https://www.uber.com/>
- 170 Van Rossum, G., & Drake Jr, F. L. (1995). *Python reference manual*. Centrum voor Wiskunde
171 en Informatica Amsterdam.

- 172 Wes McKinney. (2010). Data Structures for Statistical Computing in Python. In S. van
173 der Walt & Jarrod Millman (Eds.), *Proc. 9th Python Sci. Conf.* (pp. 56–61). <https://doi.org/10.25080/Majora-92bf1922-00a>
174
- 175 Wilkes, G., Engelhardt, R., Briem, L., Dandl, F., Vortisch, P., Bogenberger, K., & Kagerbauer,
176 M. (2021). Self-Regulating Demand and Supply Equilibrium in Joint Simulation of Travel
177 Demand and a Ride-Pooling Service. *Transp. Res. Rec.*, 2675(8), 226–239. <https://doi.org/10.1177/0361198121997140>
178
- 179 Winkler, L., Pearce, D., Nelson, J., & Babacan, O. (2023). The effect of sustainable mobility
180 transition policies on cumulative urban transport emissions and energy demand. *Nat*
181 *Commun*, 14(1), 2357. <https://doi.org/10.1038/s41467-023-37728-x>
- 182 Zech, R. M., Molkenhain, N., Timme, M., & Schröder, M. (2022). Collective dynamics of
183 capacity-constrained ride-pooling fleets. *Sci Rep*, 12(1), 10880. <https://doi.org/10.1038/s41598-022-14960-x>
184
- 185 Zwick, F., Kuehnel, N., & Hörl, S. (2022). Shifts in perspective: Operational aspects in
186 (non-)autonomous ride-pooling simulations. *Transportation Research Part A: Policy and*
187 *Practice*, 165, 300–320. <https://doi.org/10.1016/j.tra.2022.09.001>
- 188 Zwick, F., Kuehnel, N., Moeckel, R., & Axhausen, K. W. (2021). Ride-Pooling Efficiency in
189 Large, Medium-Sized and Small Towns -Simulation Assessment in the Munich Metropolitan
190 Region. *Procedia Computer Science*, 184, 662–667. [https://doi.org/10.1016/j.procs.2021.](https://doi.org/10.1016/j.procs.2021.03.083)
191 [03.083](https://doi.org/10.1016/j.procs.2021.03.083)