

Untitled

2022-08-19

R Markdown

This is an R Markdown document. Markdown is a simple formatting syntax for authoring HTML, PDF, and MS Word documents. For more details on using R Markdown see <http://rmarkdown.rstudio.com>.

When you click the **Knit** button a document will be generated that includes both content as well as the output of any embedded R code chunks within the document. You can embed an R code chunk like this:

```
summary(cars)
```

```
##      speed      dist
##  Min.   : 4.0    Min.   :  2.00
##  1st Qu.:12.0    1st Qu.: 26.00
##  Median :15.0    Median : 36.00
##  Mean   :15.4    Mean    : 42.98
##  3rd Qu.:19.0    3rd Qu.: 56.00
##  Max.   :25.0    Max.    :120.00
```

Including Plots


You can also embed plots, for example:



Note that the `echo = FALSE` parameter was added to the code chunk to prevent printing of the R code that generated the plot.

ddsddd

Basic market



```
## Warning: package 'kableExtra' was built under R version 4.1.3
```

```
## ! Using an auto-discovered, cached token.
```

```
## To suppress this message, modify your code or options to clearly consent to  
## the use of a cached token.
```

```
## See gargle's "Non-interactive auth" vignette for more details:
```

```
## <https://gargle.r-lib.org/articles/non-interactive-auth.html>
```

```
## i The googlesheets4 package is using a cached token for 'rcepka@gmail.com'.
```

```
## v Reading from "Untitled spreadsheet".
```

```
## v Range ''Sheet1'!B11:D17'.
```

from	to	average
1	6	3.5
7	19	13.0
20	100	60.0
101	2000	1050.5
2001	5000	3500.5
5000	and more	5000.0