

5209 BURNET ROAD OFFICE

5209 BURNET ROAD  
AUSTIN, TX 78756

19.009.BRO

CLIENT 5209 BURNET ROAD, LP  
PAT RIPPE  
720.408.9008

ARCHITECT RUNA WORKSHOP, LLC  
JEAN PIERRE TROU  
512.531.9532

STRUCTURAL IMEG CORP  
TAN TRAN  
512.745.8133


MEP WYLIE ENGINEERING  
GRANT WYLIE  
512.663.9828

LANDSCAPE COLEMAN & ASSOCIATES  
ASHLEY SCROOGS  
512.476.2090




01.21.2022

DOOR SCHEDULE															
DOOR NUMBER		DOOR TYPE	FROM ROOM	TO ROOM	WIDTH	HEIGHT	DOOR		FRAME			FIRE RATING	HARDWARE SET	COMMENTS	
							DOOR THICKNESS	MATERIAL	FINISH	TYPE	MATERIAL				FINISH
151A	C		151	114	3'-0"	8'-0"	1 3/4"	WD.	P.LAM.1	2	ALUM.	CLR. ANOD.	1.5 HRS	PASSAGE	
152A	C			152	3'-0"	8'-0"	1 3/4"	WD.	P.LAM.1	2	ALUM.	CLR. ANOD.	1.5 HRS	PASSAGE	
153A	C			153	3'-0"	8'-0"	1 3/4"	H.M.	PNT.	2	H.M.	PNT.	1.5 HRS	PASSAGE	
154A	C			154	3'-0"	8'-0"	1 3/4"	H.M.	PNT.	2	H.M.	PNT.	1.5 HRS	PASSAGE	
251A	C		251	201	3'-0"	8'-0"	1 3/4"	WD.	P.LAM.1	2	ALUM.	CLR. ANOD.	1.5 HRS	PASSAGE	
252A	C		201	252	3'-0"	8'-0"	1 3/4"	WD.	P.LAM.1	2	ALUM.	CLR. ANOD.	1.5 HRS	PASSAGE	
253A	C			253	3'-0"	8'-0"	1 3/4"	H.M.	PNT.	2	H.M.	PNT.	1.5 HRS	PASSAGE	
254A	C			254	3'-0"	8'-0"	1 3/4"	H.M.	PNT.	2	H.M.	PNT.	1.5 HRS	PASSAGE	
351A	C		301	351	3'-0"	8'-0"	1 3/4"	WD.	P.LAM.1	2	ALUM.	CLR. ANOD.	1.5 HRS	PASSAGE	
352A	C		301	352	3'-0"	8'-0"	1 3/4"	WD.	P.LAM.1	2	ALUM.	CLR. ANOD.	1.5 HRS	PASSAGE	
353A	C			353	3'-0"	8'-0"	1 3/4"	H.M.	PNT.	2	H.M.	PNT.	1.5 HRS	PASSAGE	
354A	C			354	3'-0"	8'-0"	1 3/4"	H.M.	PNT.	2	H.M.	PNT.	1.5 HRS	PASSAGE	
453A	C			453	3'-0"	8'-0"	1 3/4"	H.M.	PNT.	2	H.M.	PNT.	1.5 HRS	PASSAGE	
101A	H		101		5'-10"	9'-5"		GL		SYSTEM	ALUM.	CLR. ANOD.		ENTRY	PANIC HARDWARE DESIGNER D SERIES OR EQUIVULENT. CLOSER TO BE TOP MOUNTED
101B	H		101		5'-10"	9'-5"		GL		SYSTEM	ALUM.	CLR. ANOD.		ENTRY	PANIC HARDWARE DESIGNER D SERIES OR EQUIVULENT. CLOSER TO BE TOP MOUNTED
101C	H				6'-0"	9'-5"		GL		SYSTEM	ALUM.	CLR. ANOD.		ENTRY	PANIC HARDWARE DESIGNER D SERIES OR EQUIVULENT. CLOSER TO BE TOP MOUNTED
102A	C		101	102	3'-0"	8'-0"	1 3/4"	WD.	P.LAM.1	2	ALUM.	CLR. ANOD.		PASSAGE	
103A	B		101	103	3'-0"	8'-0"	1 3/4"	WD.	P.LAM.1	2	ALUM.	CLR. ANOD.		PASSAGE	
104A	W1		101	104	6'-0"	9'-6"		GL		SYSTEM	ALUM.	CLR. ANOD.		PASSAGE	PANIC HARDWARE DESIGNER D SERIES OR EQUIVULENT. CLOSER TO BE TOP MOUNTED
104B	W1		101	104	6'-0"	9'-6"		GL		SYSTEM	ALUM.	CLR. ANOD.		PASSAGE	PANIC HARDWARE DESIGNER D SERIES OR EQUIVULENT. CLOSER TO BE TOP MOUNTED
105A	W1		105	101	6'-0"	9'-6"		GL		SYSTEM	ALUM.	CLR. ANOD.		PASSAGE	PANIC HARDWARE DESIGNER D SERIES OR EQUIVULENT. CLOSER TO BE TOP MOUNTED
105B	A			105	3'-0"	9'-5"		GL		SYSTEM	ALUM.	CLR. ANOD.		EGRESS	
105C	C		105		3'-0"	8'-0"	1 3/4"	WD.	P.LAM.1	2	ALUM.	CLR. ANOD.		PASSAGE	
106A	E		106		6'-0"	9'-6"	1 3/4"	H.M.	REF. COMMENT S	2	H.M.	REF. COMMENT S	1.5 HRS	SECURITY LOCK	CUSTOM DOOR FINISH TO MATCH M.PAN.1 AS SPECIFIED
107A	E		107		6'-0"	9'-6"	1 3/4"	H.M.	REF. COMMENT S	2	H.M.	REF. COMMENT S	1.5 HRS	SECURITY LOCK	CUSTOM DOOR FINISH TO MATCH M.PAN.1 AS SPECIFIED
108A	C			108	3'-0"	8'-0"	1 3/4"	WD.	P.LAM.1	2	ALUM.	CLR. ANOD.		PASSAGE	
108B	G		108	101	15'-4 3/4"	9'-6"		GL		SYSTEM	ALUM.	CLR. ANOD.		PASSAGE	3 PANEL SLIDING DOOR
109A	C		108	109	3'-0"	8'-0"	1 3/4"	WD.	P.LAM.1	2	ALUM.	CLR. ANOD.		PASSAGE	
110A	C			110	3'-0"	8'-0"	1 3/4"	WD.	P.LAM.1	2	ALUM.	CLR. ANOD.		PASSAGE	
111A	C			111	3'-0"	8'-0"	1 3/4"	WD.	P.LAM.1	2	ALUM.	CLR. ANOD.		PASSAGE	
112A	D		112		6'-0"	8'-0"	1 3/4"	WD.	P.LAM.1	2	ALUM.	CLR. ANOD.		SECURITY LOCK	
113A	C		112	113	3'-0"	8'-0"	1 3/4"	WD.	P.LAM.1	2	ALUM.	CLR. ANOD.		SECURITY LOCK	
114A	C		114	104	3'-0"	8'-0"	1 3/4"	WD.	P.LAM.1	2	ALUM.	CLR. ANOD.	1.5 HRS	PASSAGE	
114B	F		114		3'-0"	8'-0"	1 3/4"	WD.	P.LAM.1	2	ALUM.	CLR. ANOD.		EGRESS	
202A	C		201	202	3'-0"	8'-0"	1 3/4"	WD.	P.LAM.1	2	ALUM.	CLR. ANOD.		PASSAGE	
203A	C		203	201	3'-0"	8'-0"	1 3/4"	WD.	P.LAM.1	2	ALUM.	CLR. ANOD.		PASSAGE	
212A	D		212	201	6'-0"	8'-0"	1 3/4"	WD.	P.LAM.1	2	ALUM.	CLR. ANOD.		SECURITY LOCK	
213A	C		212	213	3'-0"	8'-0"	1 3/4"	WD.	P.LAM.1	2	ALUM.	CLR. ANOD.		SECURITY LOCK	
215A	C		212	215	3'-0"	8'-0"	1 3/4"	WD.	P.LAM.1	2	ALUM.	CLR. ANOD.		SECURITY LOCK	
302A	E		301	302	3'-0"	8'-0"	1 3/4"	WD.	WD.1		ALUM.	CLR. ANOD.		PASSAGE	
303A	E		301	303	3'-0"	8'-0"	1 3/4"	WD.	WD.1		ALUM.	CLR. ANOD.		PASSAGE	
308A	A			301	3'-0"	9'-5"		GL		SYSTEM	ALUM.	CLR. ANOD.		PASSAGE	
308B	A		308	301	3'-0"	9'-5"		GL		SYSTEM	ALUM.	CLR. ANOD.		PASSAGE	
312A	D		312	301	6'-0"	8'-0"	1 3/4"	WD.	P.LAM.1	2	ALUM.	CLR. ANOD.		SECURITY LOCK	
313A	C		312	313	3'-0"	8'-0"	1 3/4"	WD.	P.LAM.1	2	ALUM.	CLR. ANOD.		SECURITY LOCK	
315A	C		312	315	3'-0"	8'-0"	1 3/4"	WD.	P.LAM.1	2	ALUM.	CLR. ANOD.		SECURITY LOCK	
316A	A			301	3'-0"	9'-5"		GL		SYSTEM	ALUM.	CLR. ANOD.		PASSAGE	
316B	A			301	3'-0"	9'-5"		GL		SYSTEM	ALUM.	CLR. ANOD.		PASSAGE	
G101A	C			G101	3'-0"	8'-0"	1 3/4"	H.M.	PNT.	2	H.M.	PNT.	1.5 HRS	PASSAGE	
G102A	C			G102	3'-0"	8'-0"	1 3/4"	H.M.	PNT.	2	H.M.	PNT.	1.5 HRS	PASSAGE	




14 DOOR JAMB SIDE LITE DETAIL - RACO  
3\"/>


EACH DOOR CONTRACTOR(S) (ALUM. STOREFRONT/WOOD/HOLLOW METAL) SHALL BE RESPONSIBLE TO ADJUST ALL INTERIOR DOORS SO THAT THE DOOR'S REQUIRED OPENING FORCE IS 5LBS OR LESS. ANY DOOR WITH A CLOSER SHALL BE ADJUSTED TO SLOW THE CLOSING TIME TO A MINIMUM OF THREE SECONDS. FROM A STARTING POINT OF 70° OPEN TO 3° FROM CLOSING -- REFER TO DIAGRAM.




16 DOOR CLOSER DIAGRAM  
1\"/>




19 DOOR HANDLING DIAGRAM  
N.T.S.




13 DOOR JAMB DETAIL - RACO  
3\"/>




12 DOOR HEAD DETAIL - RACO  
3\"/>




11 DOOR FRAME TYPE 2  
1\"/>




10 DOOR FRAME TYPE 1  
1\"/>




9 W1  
1\"/>




8 DOOR TYPE H  
1\"/>




7 DOOR TYPE G  
1\"/>




6 DOOR TYPE F  
1\"/>




5 DOOR TYPE E  
1\"/>




4 DOOR TYPE D  
1\"/>



3 DOOR TYPE C  
1\"/>



2 DOOR TYPE B  
1\"/>



1 DOOR TYPE A  
1\"/>

CONSTRUCTION DOCUMENTS

NO. REVISION DESCRIPTION DATE  
CD SET 01.21.22

DOOR TYPES & SCHEDULE

A7.10