

10456 170 STREET, EDMONTON, AB T5S 1M4
TEL: (780) 444-0829 FAX: (780) 444-0854
Toll free : 1-877-736-7287
www.ctrca.com

Customer ID: CG-LOB001

LOBLAWS INC.

ATTN: MIRO PROCESSING 101 WESTON STREET WINNIPEG, MB R3E 2T4 Telephone: 1-855-337-2367 INVOICE

Invoice No.: 26174

Invoice Date: 7/12/2019 GST # 86652 1834 RT

CONTRACT#

WORK ORDER # 35178

PO NUMBER: 4200364859

Service location:

SHOPPERS DRUG MART #2358

6302 50 STREET

BEAUMONT, AB T4X0B6

Description: CASE RUNNING WARM

### Work Report

2/16/19

Drove to site, found poor airflow all around island, checked evaporator, coils iced up. Product pulled, pumped system down to defrost. Will follow up.

2/19/19

Drove to site, island defrosted, checked tx screens, found two plugged, replaced. Checked defrost, started unit. Island would get down to 20F and short cycle on temperature, found faulty thermostat. Picked up parts, located thermostat and diss-assembled case, replaced tstat. Checked operations, all ok. While on roof, noticed unit next to frozen island making loud noise when off. Found defrost clock to be extremely loud, checked operations, clock very stiff / hard to turn. Spoke with manager, picked up new defrost clock and replaced. Checked operations, all ok.

Item	Quantity	Description	Unit Price	Amount
Labour	1.50	Overtime	139.88	209.82
Labour	7.50	Shift Premium	93.25	699.38
Misc	1.00	TRUCK CHARGE	40.00	40.00
Misc	1.00	SUNDRY	15.00	15.00
Misc	2.00	TX SCREEN	23.35	46.70
Misc	1.00	THERMOSTAT	142.80	142.80
Misc	1.00	DEFROST TIMER	178.50	178.50

Labour 909.20

Other 423.00

Total Amount Due:	\$1,398.82
GST	66.62
Billable Subtotal:	1,332.20



#### SERVICE REPORT

WORK ORDER:

35178

CUSTOMER PO: PR581250

DATE: 02/19/2019

CUSTOMER: SHOPPERS DRUG MART #2358 (AR#:CG-

LOB001)

SDM 2358 SITE ALIAS:

STREET: 6302 50 STREET

CITY: BEAUMONT, AB T4X0B6 MAKE: KEEPRITE (ID# 3914)

MODEL: KEZA055L6-HT3B-N141B

SERIAL #: 102104039

**INSTALLED AT: TAG #5** 

**DESCRIPTION:** On call- Jumbo Island warm

CALL TYPE: Refrigeration - Service TROUBLE REPORTED: Case Running Warm

WORK PERFORMED: Drove to site, found poor airflow all around island, checked evaporator, coils iced up.

Product pulled, pumped system down to defrost. Will follow up. (DOWDEN;SHANNON on Feb

16, 2019)

Drove to site, island defrosted, checked tx screens, found two plugged, replaced. Checked defrost, started unit. Island would get down to 20F and short cycle on temperature, found faulty thermostat. Picked up parts, located thermostat and dissassembled case, replaced tstat. Checked operations, all ok. (DOWDEN; SHANNON on Feb 19,

2019)

While on roof, noticed unit next to frozen island making loud noise when off. Found defrost clock to be extremely loud, checked operations, clock very stiff / hard to turn. Spoke with manager, picked up new defrost clock and replaced. Checked operations,

all ok. (DOWDEN; SHANNON on Feb 19, 2019)

PARTS					
QUANTITY	DESCRIPTION				
1	TRUCK CHARGE				
1	SUNDRY				
2	Tx screens - truck stock				
1	DEFROST TIMER				
1	THERMOSTAT				

LABOR						
DATE	LABOR	TECHNICIAN/DESC				
02/19/2019	7.5 (Regular)	DOWDEN;SHANNON (General)				
02/16/2019	1.5 (Overtime)	DOWDEN;SHANNON (General)				

### IS JOB COMPLETE? Yes

## Customer

Name:

**Email** 

Date: 02/19/2019 02:50 PM

Comments:

#### **Technician**

Name: SHANNON DOWDEN Date: 02/19/2019 02:50 PM

Comments:

# **Customer Signature**



**Technician Signature**