Matrix
10 X 8

Esc 7
→ kill reservation

Trans. Screen
→ send all 1920
then CR + Bell
→ if in 2nd line
send only CR
→ if special stuff
(graphics), then ECC
respective sequences
represent them
(graphics or more)

Graphics:

5E	5 x 5
5F	
60	← 2 wide
61	
62	
63	
64	
65	
66	
67	
68	
69	
6A	← 1 line
6B	
6C	5 x 4
6D	
6E	
6F	
70	5 x 6
71	10 x 4
72	
73	
74	
75	
76	← 2 x 2 lines
77	
78	
79	
7A	← 2 lines
7B	
7C	
7D	
7E	
7F	

— at power-up, wait for 1st key, then clean screen.

test graphics with H-89 program.

Testing

- Goto page 2 (2nd page) & try all cursor commands thoroughly
- rename all Multiflop variables

H-19 Terminal Graphic Definitions

Row	(0)	(1)	(2)	(3)	(4)	(5)	(6)	(7)
1	00	FF	10	00	10	00	10	10
2	00	7F	10	00	10	00	10	10
3	38	7F	10	00	10	00	10	10
4	7C	3F	10	00	10	00	10	10
5	7C	1F	10	FF	FF	F0	F0	1F
6	7C	1E	10	00	10	10	00	00
7	38	0F	10	00	10	10	00	00
8	00	07	10	00	10	10	00	00
9	00	07	10	00	10	10	00	00
10	00	03	10	00	10	10	00	00

Row	(8)	(9)	(A)	(B)	(C)	(D)	(E)	(F)
1	00	00	00	AA	00	00	00	00
2	00	10	20	55	00	10	00	00
3	00	10	10	AA	10	10	00	00
4	00	7C	08	55	00	10	00	00
5	1F	10	7C	AA	7C	54	00	00
6	10	10	08	55	00	38	1F	E0
7	10	00	10	AA	10	10	1F	E0
8	10	7C	20	55	00	00	1F	E0
9	10	00	00	AA	00	00	1F	E0
10	10	00	00	55	00	00	1F	E0

H-19 Terminal Graphic Definitions

Row	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(1A)	(1B)	(1C)	(1D)	(1E)	(1F)
1	E0	1F	FF	1F	03	00	10	10	10	87	07	80	FF	00	C0	07
2	E0	1F	FF	1F	07	00	10	10	10	44	04	40	FF	00	C0	07
3	E0	1F	FF	1F	07	00	10	10	10	48	08	40	00	00	C0	07
4	E0	1F	FF	1F	0F	00	10	10	10	30	10	20	00	00	C0	07
5	E0	1F	FF	1F	1F	FF	F0	FF	1F	30	10	20	00	00	C0	07
6	00	00	00	1F	1F	10	10	00	10	30	20	10	00	00	C0	07
7	00	00	00	1F	3F	10	10	00	10	30	20	10	00	00	C0	07
8	00	00	00	1F	7F	10	10	00	10	48	40	08	00	00	C0	07
9	00	00	00	1F	7F	10	10	00	10	44	40	04	00	FF	C0	07
10	00	00	00	1F	FF	10	10	00	10	87	80	07	00	FF	C0	07

H-19 Terminal Graphic Definitions



Notes

1) When in graphics mode, the characters 5EH (^) through 7EH (~) are mapped internally to 00 - 1FH and 7FH to access the graphic characters in the character generator.

2) The graphics start at offset 0800H into the character generator ROM.

3) The printable matrix size is 7x10

4) The number under each box corresponds to the ascii code in the charactr generator ROM.

5) The left bit of the box = bit 7, and the right bit = bit 1 (bit 0=0)