# Summary of Tables and Columns in RenWeb Database

### 1. Account

| Column Name | Data Type | Max Length |
|---|---|---|
| AccountId | int | - |
| ActivityType | nvarchar | 50 |
| BalanceTrackingLevel | nvarchar | 50 |
| Code | nvarchar | 50 |
| FactsAccountId | nvarchar | 20 |
| Name | nvarchar | 50 |
| SchoolCode | nchar | 50 |
| Type | nvarchar | 50 |

### 2. AccountingFamily

| Column Name | Data Type | Max Length |
|---|---|---|
| Accounting | bit | - |
| FamilyID | int | - |
| QuickBooksID | nvarchar | 50 |
| QuickBooksSync | bit | - |
| SchoolCode | nvarchar | 50 |
| Table_Creationtime | datetime | - |

### 3. AccountingFamily_AccountingCodes

| Column Name | Data Type | Max Length |
|---|---|---|
| AccountingCode | nvarchar | 255 |
| FamilyID | int | - |
| ModifiedBy | int | - |
| ModifiedDate | smalldatetime | - |
| SchoolCode | nvarchar | 50 |

### 4. AccountingSystem

| Column Name | Data Type | Max Length |
|---|---|---|
| AccountingSystemID | int | - |
| AccountingSystemName | nvarchar | 50 |
| AssetAccount | nvarchar | 60 |
| AutoClear | bit | - |
| AutoClearWebPayment | bit | - |
| BlockParentsWeb | bit | - |
| DefaultQBItemId | nvarchar | 50 |
| FactsAccountID | int | - |

| | | | |
|---|---|---|---|
| GLCashAccount | | nvarchar | 60 |
| LiabilityAccount | | nvarchar | 60 |
| QB_AcctSystemID | | nvarchar | 50 |
| QB_AcctSystemName | | nvarchar | 160 |
| QB_PrePaymentLiability | | bit | - |
| QB_Worksheet | | nvarchar | 255 |
| RevenueAccount | | nvarchar | 60 |
| SchoolCode | | nvarchar | 50 |
| SchoolPaysConvenienceFee | | bit | - |
| WebPayment | | bit | - |

## 5. AccountingSystemUsers

| Column Name | Data Type | Max Length |
|---|---|---|
| AccountingSystemID | int | - |
| Modify | bit | - |
| StaffID | int | - |

## 6. Acct_Active

| Column Name | Data Type | Max Length |
|---|---|---|
| active | bit | - |
| FamilyID | int | - |
| schoolcode | nvarchar | 50 |
| studentID | int | - |

## 7. Acct_PayEasy

| Column Name | Data Type | Max Length |
|---|---|---|
| ACH | bit | - |
| Amount | money | - |
| BankAccount | varchar | 50 |
| BankName | varchar | 128 |
| Cancel | bit | - |
| CC | bit | - |
| deposit | int | - |
| DepositID | int | - |
| Description | varchar | 50 |
| FamilyID | int | - |
| FileID | int | - |
| Message | varchar | 128 |
| PayEasyID | int | - |
| PaymentID | varchar | 50 |
| paymentinterruption | bit | - |
| PaymentType | int | - |
| ProcessDate | smalldatetime | - |
| RenWebPaymentID | int | - |
| SchoolCode | varchar | 50 |
| SettlementDate | smalldatetime | - |

| Column Name | Data Type | Max Length |
|---|---|---|
| TransactionAmount | money | - |
| TransactionID | varchar | 50 |

## 8. Acct_PayEasyCharges

| Column Name | Data Type | Max Length |
|---|---|---|
| Amount | money | - |
| Cancel | bit | - |
| ChargeID | int | - |
| PayEasyID | int | - |
| RecurringChargeID | int | - |

## 9. Acct_PayNowFamilyBlock

| Column Name | Data Type | Max Length |
|---|---|---|
| AccountingSystemID | int | - |
| FamilyID | int | - |

## 10. Acct_Person_Family

| Column Name | Data Type | Max Length |
|---|---|---|
| AccountingSystemID | int | - |
| FamilyID | int | - |
| FinancialResponsibility | real | - |
| PersonID | int | - |

## 11. AcctCat

| Column Name | Data Type | Max Length |
|---|---|---|
| Account | nvarchar | 64 |
| AccountingSystemID | int | - |
| AssetAccount | nvarchar | 64 |
| CatID | int | - |
| FactsAdjustmentReasonId | int | - |
| FullTitle | nvarchar | 256 |
| Level1 | nvarchar | 50 |
| Level2 | nvarchar | 50 |
| Level3 | nvarchar | 50 |
| Level4 | nvarchar | 50 |
| Level5 | nvarchar | 50 |
| Levels | int | - |
| LiabilityAccount | nvarchar | 64 |
| ModifiedBy | int | - |
| ModifiedDate | smalldatetime | - |
| ParentID | int | - |
| QB_ItemID | nvarchar | 50 |
| QB_ItemName | nvarchar | 50 |
| QB_Worksheet | nvarchar | 255 |
| RevenueAccount | nvarchar | 64 |

| | | |
|---|---|---|
| SchoolCode | varchar | 50 |
| Title | nvarchar | 50 |

## 12. AcctCodeUsers

| Column Name | Data Type | Max Length |
|---|---|---|
| AccountingCode | nvarchar | 127 |
| AcctCodeUsersID | int | - |
| FamilyID | int | - |
| schoolcode | nvarchar | 50 |
| StudentID | int | - |

## 13. AcctGLClosing

| Column Name | Data Type | Max Length |
|---|---|---|
| Closed | bit | - |
| Date | smalldatetime | - |
| ModifiedBy | int | - |
| ModifiedDate | smalldatetime | - |
| SchoolCode | varchar | 50 |

## 14. AcctStudentTuitionPlan

| Column Name | Data Type | Max Length |
|---|---|---|
| AccountingSystemID | int | - |
| AmountType | real | - |
| Charge1 | real | - |
| Charge1CatID | int | - |
| Charge1Name | nvarchar | 50 |
| Charge1Single | bit | - |
| Charge2 | real | - |
| Charge2CatID | int | - |
| Charge2Name | nvarchar | 50 |
| CHarge2SIngle | bit | - |
| Charge3 | real | - |
| CHarge3CatID | int | - |
| Charge3Name | nvarchar | 50 |
| Charge3Single | bit | - |
| ChargeDate | smalldatetime | - |
| Child | int | - |
| Discount1 | real | - |
| Discount1Amount | real | - |
| Discount1CatID | int | - |
| Discount1Name | nvarchar | 50 |
| Discount2 | real | - |
| Discount2Amount | real | - |
| Discount2CatID | int | - |
| Discount2Name | nvarchar | 50 |
| Discount3 | real | - |

| | | |
|---|---|---|
| Discount3Amount | real | - |
| Discount3CatID | int | - |
| Discount3Name | nvarchar | 50 |
| DiscountType | int | - |
| DueDate | smalldatetime | - |
| FamilyID | int | - |
| FiscalYearID | int | - |
| Installment1 | bit | - |
| Installment10 | bit | - |
| Installment11 | bit | - |
| Installment12 | bit | - |
| Installment2 | bit | - |
| Installment3 | bit | - |
| Installment4 | bit | - |
| Installment5 | bit | - |
| Installment6 | bit | - |
| Installment7 | bit | - |
| Installment8 | bit | - |
| Installment9 | bit | - |
| interval | int | - |
| ModifiedBy | int | - |
| ModifiedDate | smalldatetime | - |
| Months | int | - |
| MultiChild | real | - |
| MultiChildCatID | int | - |
| MultichildDiscountAmount | real | - |
| MultiChildDiscountName | nvarchar | 50 |
| Reenroll | real | - |
| ReenrollAccountingSystemID | int | - |
| ReenrollCatID | int | - |
| ReenrollFiscalYearID | int | - |
| ReEnrollName | nvarchar | 50 |
| SchoolCode | nvarchar | 50 |
| STaff | real | - |
| StaffCatID | int | - |
| StaffDiscountAmount | real | - |
| StaffDiscountName | nvarchar | 50 |
| StudentID | int | - |
| Tuition | real | - |
| TuitionCatID | int | - |
| TuitionPlanName | nvarchar | 50 |

| **15. AcctTuitionPlan** | | |
|---|---|---|
| Column Name | Data Type | Max Length |
| AccountingSystemID | int | - |
| AmountType | real | - |
| Charge1 | real | - |
| Charge1CatID | int | - |

| | | |
|---|---|---|
| Charge1Name | nvarchar | 50 |
| Charge1Single | bit | - |
| Charge2 | real | - |
| Charge2CatID | int | - |
| Charge2Name | nvarchar | 50 |
| CHarge2SIngle | bit | - |
| Charge3 | real | - |
| CHarge3CatID | int | - |
| Charge3Name | nvarchar | 50 |
| Charge3Single | bit | - |
| ChargeDate | smalldatetime | - |
| Child | int | - |
| Discount1Amount | real | - |
| Discount1CatID | int | - |
| Discount1Name | nvarchar | 50 |
| Discount2Amount | real | - |
| Discount2CatID | int | - |
| Discount2Name | nvarchar | 50 |
| Discount3Amount | real | - |
| Discount3CatID | int | - |
| Discount3Name | nvarchar | 50 |
| DiscountType | int | - |
| DueDate | smalldatetime | - |
| FiscalYearID | int | - |
| GradeLevels | nvarchar | 128 |
| Installment1 | bit | - |
| Installment10 | bit | - |
| Installment11 | bit | - |
| Installment12 | bit | - |
| Installment2 | bit | - |
| Installment3 | bit | - |
| Installment4 | bit | - |
| Installment5 | bit | - |
| Installment6 | bit | - |
| Installment7 | bit | - |
| Installment8 | bit | - |
| Installment9 | bit | - |
| interval | int | - |
| ModifiedBy | int | - |
| ModifiedDate | smalldatetime | - |
| Months | int | - |
| Multichild1 | real | - |
| MultiChild2 | real | - |
| MultiChild3 | real | - |
| MultiChild4 | real | - |
| MultiChild5 | real | - |
| MultiChild6 | real | - |
| MultiChildCatID | int | - |
| MultiChildDiscountName | nvarchar | 50 |

| | | |
|---|---|---|
| Reenroll | real | - |
| ReenrollAccountingSystemID | int | - |
| ReenrollCatID | int | - |
| ReenrollFiscalYearID | int | - |
| ReEnrollName | nvarchar | 50 |
| StaffCatID | int | - |
| StaffDiscountAmount | real | - |
| StaffDiscountName | nvarchar | 50 |
| Tuition | real | - |
| TuitionCatID | int | - |
| TuitionPlanID | int | - |
| TuitionPlanName | nvarchar | 50 |

## 16. ActivityLog

| Column Name | Data Type | Max Length |
|---|---|---|
| AssessmentID | int | - |
| AssignmentID | int | - |
| ChargeID | int | - |
| CLassID | int | - |
| FamilyID | int | - |
| ID | int | - |
| LogID | int | - |
| ModifiedBy | int | - |
| ModifiedByDateTime | smalldatetime | - |
| ModifiedDate | nvarchar | 64 |
| Note | nvarchar | 1000 |
| SerialNo | int | - |
| Source | nvarchar | 50 |
| StudentID | int | - |
| Task | nvarchar | 1000 |
| TermID | int | - |
| Type | nvarchar | 50 |
| Web | bit | - |
| YearID | int | - |

## 17. ActivityLog_Acct

| Column Name | Data Type | Max Length |
|---|---|---|
| AccountingSystemID | int | - |
| Amount | real | - |
| ChargeID | int | - |
| ClassID | int | - |
| Date | smalldatetime | - |
| DateDue | smalldatetime | - |
| FamilyID | int | - |
| FiscalYearID | int | - |
| LogID | int | - |
| LunchOrderID | int | - |

| | | |
|---|---|---|
| ModifiedBy | int | - |
| ModifiedDate | nvarchar | 64 |
| ModifiedDateTime | smalldatetime | - |
| Note | nvarchar | 1000 |
| PaymentID | int | - |
| RecurringChargeID | int | - |
| SerialNo | int | - |
| Source | nvarchar | 50 |
| StudentID | int | - |
| Task | nvarchar | 1000 |
| Type | nvarchar | 50 |

## 18. ActivityLog_ClassEnrollment

| Column Name | Data Type | Max Length |
|---|---|---|
| ClassID | int | - |
| LogID | int | - |
| ModifiedBy | int | - |
| ModifiedDate | smalldatetime | - |
| SerialNo | int | - |
| Source | nvarchar | 50 |
| StudentID | int | - |
| Task | nvarchar | 255 |

## 19. ActivityLog_General

| Column Name | Data Type | Max Length |
|---|---|---|
| LogID | int | - |
| ModifiedBy | int | - |
| ModifiedbyDatetime | smalldatetime | - |
| Note | nvarchar | 1000 |
| PersonID | int | - |
| RecordID | nvarchar | 50 |
| Schoolcode | nvarchar | 50 |
| SerialNo | int | - |
| Source | nvarchar | 50 |
| Task | nvarchar | 1000 |
| Type | nvarchar | 50 |

## 20. ActivityLog_Login

| Column Name | Data Type | Max Length |
|---|---|---|
| LogID | int | - |
| LoginDateTime | smalldatetime | - |
| LoginType | int | - |
| PersonID | int | - |
| Source | nvarchar | 50 |

## 21. ActivityLog_MaintenanceManager

| Column Name | Data Type | Max Length |
|---|---|---|
| DateTime | smalldatetime | - |
| DistrictCode | nvarchar | 50 |
| LogID | int | - |
| MaintenanceID | int | - |
| ModifiedDateTime | smalldatetime | - |
| Name | nvarchar | 256 |
| Server | nvarchar | 50 |
| Source | nvarchar | 50 |
| Type | nvarchar | 128 |

## 22. ActivityLog_Person

| Column Name | Data Type | Max Length |
|---|---|---|
| AddressID | int | - |
| Data | nvarchar | 50 |
| FamilyID | int | - |
| Field | varchar | 50 |
| LogID | int | - |
| ModifiedBy | int | - |
| ModifiedByDateTime | smalldatetime | - |
| ModifiedDate | varchar | 50 |
| Note | varchar | 128 |
| PersonID | int | - |
| SerialNo | int | - |
| Source | nvarchar | 50 |
| Type | varchar | 50 |

## 23. ActivityLog_SSGrades

| Column Name | Data Type | Max Length |
|---|---|---|
| ClassID | int | - |
| DataChangedFrom | nvarchar | 50 |
| DataChangedTo | nvarchar | 50 |
| FieldModified | nvarchar | 50 |
| ModifiedDateTime | datetime | - |
| SkillID | int | - |
| Source | nvarchar | 50 |
| StaffID | int | - |
| StudentID | int | - |
| Task | nvarchar | 50 |

## 24. ActivityLogConstituent

| Column Name | Data Type | Max Length |
|---|---|---|
| ALC_CID | int | - |
| ALC_Data | nvarchar | 512 |
| ALC_Field | varchar | 64 |

| | | |
|---|---|---|
| ALC_JobQueueID | int | - |
| ALC_ModifiedByUID | int | - |
| ALC_ModifiedDate | datetime | - |
| ALC_SubType | varchar | 64 |
| ALC_Type | varchar | 64 |
| ALC_TypeDescription | nvarchar | 256 |
| ALCID | uniqueidentifier | - |

## 25. ActivityLogGivingHistory

| Column Name | Data Type | Max Length |
|---|---|---|
| ALGHID | int | - |
| ChangeType | char | 3 |
| FieldName | varchar | 128 |
| GHID | int | - |
| NewValue | varchar | 1000 |
| OldValue | varchar | 1000 |
| UpdateDate | datetime | - |
| UserName | varchar | 128 |

## 26. Address

| Column Name | Data Type | Max Length |
|---|---|---|
| A_Address1 | nvarchar | 256 |
| A_Address2 | nvarchar | 256 |
| A_AddrTypeDLID | int | - |
| A_City | nvarchar | 255 |
| A_Country | nvarchar | 255 |
| A_DateEntered | datetime | - |
| A_DateUpdated | datetime | - |
| A_Name | nvarchar | 256 |
| A_PreSyncCreated | bit | - |
| A_RenwebAddressID | int | - |
| A_SoundEx_Address1 | nchar | 10 |
| A_SoundEx_City | nchar | 10 |
| A_SoundEx_State | nchar | 10 |
| A_State | nvarchar | 255 |
| A_SyncCreated | bit | - |
| A_SyncLocked | bit | - |
| A_SyncUpdated | bit | - |
| A_UpdatedByUID | int | - |
| A_Zip | nvarchar | 255 |
| A_ZipPlus4 | nvarchar | 4 |
| Address1 | nvarchar | 255 |
| Address2 | nvarchar | 255 |
| AddressID | int | - |
| AID | int | - |
| City | nvarchar | 255 |
| Country | nvarchar | 255 |

| | | |
|---|---|---|
| Greeting1 | nvarchar | 128 |
| Greeting2 | nvarchar | 128 |
| Greeting3 | nvarchar | 128 |
| Greeting4 | nvarchar | 128 |
| Greeting5 | nvarchar | 128 |
| ModifiedBy | int | - |
| ModifiedDate | smalldatetime | - |
| NewStudentInquiryID | int | - |
| State | nvarchar | 255 |
| ZIP | nvarchar | 255 |

## 27. AdjustmentReason

| Column Name | Data Type | Max Length |
|---|---|---|
| AdjustmentReasonID | int | - |
| Code | nvarchar | 50 |
| FactsAdjustmentReasonID | nvarchar | 20 |
| Reason | nvarchar | 100 |
| SchoolCode | nchar | 50 |
| Type | nvarchar | 50 |

## 28. AdmissionsFamily

| Column Name | Data Type | Max Length |
|---|---|---|
| AdmissionCodes | nvarchar | 50 |
| AutoNum | int | - |
| ContactDate | smalldatetime | - |
| EP1 | bit | - |
| EP10 | bit | - |
| EP2 | bit | - |
| EP3 | bit | - |
| EP4 | bit | - |
| EP5 | bit | - |
| EP6 | bit | - |
| EP7 | bit | - |
| EP8 | bit | - |
| EP9 | bit | - |
| FamilyID | int | - |
| FamilyNote | nvarchar | -1 |
| FinancialAid | bit | - |
| InterviewComments | nvarchar | -1 |
| InterviewDate | smalldatetime | - |
| InterviewStaff | nvarchar | 50 |
| ModifiedBy | int | - |
| ModifiedDate | smalldatetime | - |
| Note1 | nvarchar | 50 |
| Note10 | nvarchar | 50 |
| Note2 | nvarchar | 50 |
| Note3 | nvarchar | 50 |

| | | |
|---|---|---|
| Note4 | nvarchar | 50 |
| Note5 | nvarchar | 50 |
| Note6 | nvarchar | 50 |
| Note7 | nvarchar | 50 |
| Note8 | nvarchar | 50 |
| Note9 | nvarchar | 50 |
| OpenHouse1 | nvarchar | 50 |
| OpenHouse2 | nvarchar | 50 |
| OpenHouse3 | nvarchar | 50 |
| OpenHouse4 | nvarchar | 50 |
| Priority | nvarchar | 50 |
| PriorityUD | nvarchar | 50 |
| ReferredBy | nvarchar | 50 |
| ReferredByDetails | nvarchar | 255 |

| 29. AdmissionsGoals | | |
|---|---|---|
| Column Name | Data Type | Max Length |
| AppStarted | int | - |
| AppSubmitted | int | - |
| Capacity | int | - |
| GradeLevelID | int | - |
| Inquiries | int | - |
| OfferAccepted | int | - |
| OfferFinished | int | - |
| OfferSent | int | - |
| Returns | int | - |
| Visits | int | - |
| YearID | int | - |

| 30. AdmissionsStatistics | | |
|---|---|---|
| Column Name | Data Type | Max Length |
| AsOfDate | smalldatetime | - |
| Capacity | int | - |
| GradeLevel | nvarchar | 50 |
| New_AppOfferSent | int | - |
| New_AppRejected | int | - |
| New_AppSubmitted | int | - |
| New_AppWaitList | int | - |
| New_AppWithdrawn | int | - |
| New_Inquiries | int | - |
| New_OfferAccepted | int | - |
| New_OfferDeclined | int | - |
| New_OfferFinished | int | - |
| New_Visits | int | - |
| Returning_Blocked | int | - |
| Returning_Finished | int | - |
| Returning_Open | int | - |

| | | |
|---|---|---|
| Returning_Rejected | int | - |
| Returning_Withdrawn | int | - |
| SchoolCode | varchar | 50 |
| YearID | int | - |

### 31. AdvisingNotes

| Column Name | Data Type | Max Length |
|---|---|---|
| CreatedBy | int | - |
| CreatedDate | smalldatetime | - |
| Date | datetime | - |
| ModifiedBy | int | - |
| ModifiedDate | smalldatetime | - |
| Note | nvarchar | -1 |
| NoteID | int | - |
| StudentID | int | - |

### 32. AnnouncementsDistrict

| Column Name | Data Type | Max Length |
|---|---|---|
| AnnouncementID | int | - |
| BeginDate | smalldatetime | - |
| EndDate | smalldatetime | - |
| GlobalItem | bit | - |
| HTML | nvarchar | -1 |
| Icon_PictureID | int | - |
| Message | nvarchar | -1 |
| ModifiedBy | int | - |
| ModifiedDate | smalldatetime | - |
| Public | bit | - |
| SchoolCode | nvarchar | 50 |
| Title | nvarchar | 255 |

### 33. AnnouncementsStaff

| Column Name | Data Type | Max Length |
|---|---|---|
| AnnouncementID | int | - |
| BeginDate | smalldatetime | - |
| ClassID | int | - |
| EndDate | smalldatetime | - |
| GlobalItem | bit | - |
| Icon_PictureID | int | - |
| Message | nvarchar | -1 |
| ModifiedBy | int | - |
| ModifiedDate | smalldatetime | - |
| StaffID | int | - |
| Title | nvarchar | 128 |

## 34. AppSettings

| Column Name | Data Type | Max Length |
|---|---|---|
| AppSettingName | nvarchar | 50 |
| AppSettingValue | nvarchar | 255 |
| AppUserEditable | bit | - |

## 35. ArchiveDocuments

| Column Name | Data Type | Max Length |
|---|---|---|
| ArchiveID | int | - |
| Comment | nvarchar | 500 |
| CommentPublic | nvarchar | 500 |
| Date1 | smalldatetime | - |
| Date2 | smalldatetime | - |
| DateAdded | smalldatetime | - |
| Description | nvarchar | 500 |
| FamilyID | int | - |
| FileName | nvarchar | 128 |
| MakePublic | bit | - |
| OwnerID | int | - |
| ParentID | int | - |
| schoolcode | varchar | 64 |
| StaffID | int | - |
| StudentID | int | - |
| TermID | int | - |
| Type | int | - |
| YearID | int | - |

## 36. AssessmentGradeBoundary

| Column Name | Data Type | Max Length |
|---|---|---|
| Department | nvarchar | 50 |
| FromBoundary | int | - |
| Grade | int | - |
| ToBoundary | int | - |

## 37. Attendance

| Column Name | Data Type | Max Length |
|---|---|---|
| AttendanceCode | nvarchar | 50 |
| AttendanceDate | smalldatetime | - |
| AutoNumber | int | - |
| ClassID | int | - |
| Column | smallint | - |
| Comment | nvarchar | 50 |
| LastCode | nvarchar | 50 |
| ModifiedBy | int | - |
| ModifiedDate | smalldatetime | - |
| Notified | bit | - |

| StudentID | int | - |
|---|---|---|
| Updated | bit | - |

### 38. AttendanceAbsenceConversionHistory

| Column Name | Data Type | Max Length |
|---|---|---|
| ConfigSchoolID | smallint | - |
| EndDate | date | - |
| GradeLevel | nvarchar | 50 |
| HistoryID | int | - |
| RunDate | smalldatetime | - |
| StartDate | date | - |

### 39. AttendanceClassSummary

| Column Name | Data Type | Max Length |
|---|---|---|
| AE | real | - |
| AU | real | - |
| ClassID | int | - |
| ModifiedBy | int | - |
| ModifiedDate | smalldatetime | - |
| P | int | - |
| StudentID | int | - |
| TE | real | - |
| TermID | int | - |
| TU | real | - |

### 40. AttendanceCodes

| Column Name | Data Type | Max Length |
|---|---|---|
| Absent | bit | - |
| Administrator | bit | - |
| AttendanceCode | nvarchar | 5 |
| Excused | bit | - |
| Faculty | bit | - |
| Name | nvarchar | 100 |
| SchoolCode | nvarchar | 50 |
| Tardy | bit | - |
| Weight | real | - |

### 41. AttendanceDaySummary

| Column Name | Data Type | Max Length |
|---|---|---|
| Absent | bit | - |
| AbsentHalf | bit | - |
| Date | smalldatetime | - |
| Excused | bit | - |
| Present | bit | - |
| SchoolCode | nvarchar | 50 |

| StudentID | int | - |
|---|---|---|
| Tardy | bit | - |

**42. AttendanceNotes**

| Column Name | Data Type | Max Length |
|---|---|---|
| AttendanceDate | datetime | - |
| AttendanceNote | nvarchar | 255 |
| AutoNum | int | - |
| StudentID | int | - |

**43. AttendanceSeatingChart**

| Column Name | Data Type | Max Length |
|---|---|---|
| ClassID | int | - |
| Col | int | - |
| Row | int | - |
| StudentID | int | - |

**44. AuctionTrakConstituentQueue**

| Column Name | Data Type | Max Length |
|---|---|---|
| ATCQ_Address1 | varchar | 256 |
| ATCQ_Address2 | varchar | 256 |
| ATCQ_ATID | int | - |
| ATCQ_BusinessName | varchar | 256 |
| ATCQ_City | varchar | 128 |
| ATCQ_Country | varchar | 50 |
| ATCQ_DateEntered | datetime | - |
| ATCQ_DoNotImport | bit | - |
| ATCQ_Email | varchar | 256 |
| ATCQ_FirstName | varchar | 64 |
| ATCQ_IsActive | bit | - |
| ATCQ_IsProcessed | bit | - |
| ATCQ_LastName | varchar | 128 |
| ATCQ_Phone | varchar | 128 |
| ATCQ_SpouseEmail | varchar | 256 |
| ATCQ_SpouseFirstName | varchar | 64 |
| ATCQ_SpouseLastName | varchar | 128 |
| ATCQ_State | varchar | 64 |
| ATCQ_Zip | varchar | 64 |
| ATCQID | int | - |

**45. AuctionTrakGiftQueue**

| Column Name | Data Type | Max Length |
|---|---|---|
| ATGQ_AuctionID | nvarchar | 128 |
| ATGQ_CID | int | - |
| ATGQ_DeductibleAmount | decimal | - |

| ATGQ_EID | int | - |
|---|---|---|
| ATGQ_GiftAmount | decimal | - |
| ATGQ_GiftCategory | nvarchar | 128 |
| ATGQ_GiftDate | smalldatetime | - |
| ATGQ_GiftDescription | nvarchar | -1 |
| ATGQ_GiftType | nvarchar | 128 |
| ATGQID | int | - |

## 46. AutoEmailConfig

| Column Name | Data Type | Max Length |
|---|---|---|
| Active | bit | - |
| AutoEmailConfigID | int | - |
| AutoMessageID | int | - |
| BaseType | nvarchar | 50 |
| ConfigSchoolID | smallint | - |
| DistrictWide | bit | - |
| HTML | nvarchar | -1 |
| NotifyPerson1 | bit | - |
| NotifyPerson2 | bit | - |
| NotifyPerson3 | bit | - |
| NotifySchool | bit | - |
| Resend | bit | - |
| SchoolCode | nvarchar | 50 |
| SchoolEmail | nvarchar | 256 |
| SourceID | int | - |
| Subject | nvarchar | 512 |
| TemplateTypeID | smallint | - |
| TriggerFieldID1 | int | - |
| TriggerFieldID2 | int | - |
| TriggerFieldID3 | int | - |
| TriggerType | nvarchar | 50 |

## 47. AutoEmailSent

| Column Name | Data Type | Max Length |
|---|---|---|
| AutoMessageID | int | - |
| EntityID | int | - |
| Note | nvarchar | 50 |
| SchoolCode | nvarchar | 50 |
| TableID | int | - |

## 48. AutoGradingSupport

| Column Name | Data Type | Max Length |
|---|---|---|
| AutoGradingSupportID | int | - |
| Createdate | smalldatetime | - |
| Inactivedate | smalldatetime | - |
| LastModifiedDate | smalldatetime | - |

| QuestionTypeMatch | nvarchar | 50 |
| Supported | bit | - |

## 49. AutoReport

| Column Name | Data Type | Max Length |
|---|---|---|
| ARUser | nvarchar | 32 |
| AutoNum | int | - |
| Field1 | nvarchar | 255 |
| Field10 | nvarchar | 255 |
| Field100 | nvarchar | 128 |
| Field101 | nvarchar | 128 |
| Field102 | nvarchar | 128 |
| Field103 | nvarchar | 128 |
| Field104 | nvarchar | 128 |
| Field105 | nvarchar | 128 |
| Field106 | nvarchar | 128 |
| Field107 | nvarchar | 128 |
| Field108 | nvarchar | 128 |
| Field109 | nvarchar | 128 |
| Field11 | nvarchar | 128 |
| Field110 | nvarchar | 128 |
| Field111 | nvarchar | 128 |
| Field112 | nvarchar | 128 |
| Field113 | nvarchar | 128 |
| Field114 | nvarchar | 128 |
| Field115 | nvarchar | 128 |
| Field116 | nvarchar | 128 |
| Field117 | nvarchar | 128 |
| Field118 | nvarchar | 128 |
| Field119 | nvarchar | 128 |
| Field12 | nvarchar | 128 |
| Field120 | nvarchar | 128 |
| Field121 | nvarchar | 128 |
| Field122 | nvarchar | 128 |
| Field123 | nvarchar | 128 |
| Field124 | nvarchar | 128 |
| Field125 | nvarchar | 128 |
| Field126 | nvarchar | 128 |
| Field127 | nvarchar | 128 |
| Field128 | nvarchar | 128 |
| Field129 | nvarchar | 128 |
| Field13 | nvarchar | 128 |
| Field130 | nvarchar | 128 |
| Field131 | nvarchar | 128 |
| Field132 | nvarchar | 128 |
| Field133 | nvarchar | 128 |
| Field134 | nvarchar | 128 |
| Field135 | nvarchar | 128 |

| Field136 | nvarchar | 128 |
|---|---|---|
| Field137 | nvarchar | 128 |
| Field138 | nvarchar | 128 |
| Field139 | nvarchar | 128 |
| Field14 | nvarchar | 128 |
| Field140 | nvarchar | 128 |
| Field141 | nvarchar | 128 |
| Field142 | nvarchar | 128 |
| Field143 | nvarchar | 128 |
| Field144 | nvarchar | 128 |
| Field145 | nvarchar | 128 |
| Field146 | nvarchar | 128 |
| Field147 | nvarchar | 128 |
| Field148 | nvarchar | 128 |
| Field149 | nvarchar | 128 |
| Field15 | nvarchar | 128 |
| Field150 | nvarchar | 128 |
| Field151 | nvarchar | 128 |
| Field152 | nvarchar | 128 |
| Field153 | nvarchar | 128 |
| Field154 | nvarchar | 128 |
| Field155 | nvarchar | 128 |
| Field156 | nvarchar | 128 |
| Field157 | nvarchar | 128 |
| Field158 | nvarchar | 128 |
| Field159 | nvarchar | 128 |
| Field16 | nvarchar | 128 |
| Field160 | nvarchar | 128 |
| Field161 | nvarchar | 128 |
| Field162 | nvarchar | 128 |
| Field163 | nvarchar | 128 |
| Field164 | nvarchar | 128 |
| Field165 | nvarchar | 128 |
| Field166 | nvarchar | 128 |
| Field167 | nvarchar | 128 |
| Field168 | nvarchar | 128 |
| Field169 | nvarchar | 128 |
| Field17 | nvarchar | 128 |
| Field170 | nvarchar | 128 |
| Field171 | nvarchar | 128 |
| Field172 | nvarchar | 128 |
| Field173 | nvarchar | 128 |
| Field174 | nvarchar | 128 |
| Field175 | nvarchar | 128 |
| Field176 | nvarchar | 128 |
| Field177 | nvarchar | 128 |
| Field178 | nvarchar | 128 |
| Field179 | nvarchar | 128 |
| Field18 | nvarchar | 128 |

| Field180 | nvarchar | 128 |
|---|---|---|
| Field181 | nvarchar | 128 |
| Field182 | nvarchar | 128 |
| Field183 | nvarchar | 128 |
| Field184 | nvarchar | 128 |
| Field185 | nvarchar | 128 |
| Field186 | nvarchar | 128 |
| Field187 | nvarchar | 128 |
| Field188 | nvarchar | 128 |
| Field189 | nvarchar | 128 |
| Field19 | nvarchar | 128 |
| Field190 | nvarchar | 128 |
| Field191 | nvarchar | 128 |
| Field192 | nvarchar | 128 |
| Field193 | nvarchar | 128 |
| Field194 | nvarchar | 128 |
| Field195 | nvarchar | 128 |
| Field196 | nvarchar | 128 |
| Field197 | nvarchar | 128 |
| Field198 | nvarchar | 128 |
| Field199 | nvarchar | 128 |
| Field2 | nvarchar | 255 |
| Field20 | nvarchar | 128 |
| Field21 | nvarchar | 128 |
| Field22 | nvarchar | 128 |
| Field23 | nvarchar | 128 |
| Field24 | nvarchar | 128 |
| Field25 | nvarchar | 128 |
| Field26 | nvarchar | 128 |
| Field27 | nvarchar | 128 |
| Field28 | nvarchar | 128 |
| Field29 | nvarchar | 128 |
| Field3 | nvarchar | 255 |
| Field30 | nvarchar | 128 |
| Field31 | nvarchar | 128 |
| Field32 | nvarchar | 128 |
| Field33 | nvarchar | 128 |
| Field34 | nvarchar | 128 |
| Field35 | nvarchar | 128 |
| Field36 | nvarchar | 128 |
| Field37 | nvarchar | 128 |
| Field38 | nvarchar | 128 |
| Field39 | nvarchar | 128 |
| Field4 | nvarchar | 255 |
| Field40 | nvarchar | 128 |
| Field41 | nvarchar | 128 |
| Field42 | nvarchar | 128 |
| Field43 | nvarchar | 128 |
| Field44 | nvarchar | 128 |

| Field45 | nvarchar | 128 |
|---|---|---|
| Field46 | nvarchar | 128 |
| Field47 | nvarchar | 128 |
| Field48 | nvarchar | 128 |
| Field49 | nvarchar | 128 |
| Field5 | nvarchar | 255 |
| Field50 | nvarchar | 128 |
| Field51 | nvarchar | 128 |
| Field52 | nvarchar | 128 |
| Field53 | nvarchar | 128 |
| Field54 | nvarchar | 128 |
| Field55 | nvarchar | 128 |
| Field56 | nvarchar | 128 |
| Field57 | nvarchar | 128 |
| Field58 | nvarchar | 128 |
| Field59 | nvarchar | 128 |
| Field6 | nvarchar | 255 |
| Field60 | nvarchar | 128 |
| Field61 | nvarchar | 128 |
| Field62 | nvarchar | 128 |
| Field63 | nvarchar | 128 |
| Field64 | nvarchar | 128 |
| Field65 | nvarchar | 128 |
| Field66 | nvarchar | 128 |
| Field67 | nvarchar | 128 |
| Field68 | nvarchar | 128 |
| Field69 | nvarchar | 128 |
| Field7 | nvarchar | 255 |
| Field70 | nvarchar | 128 |
| Field71 | nvarchar | 128 |
| Field72 | nvarchar | 128 |
| Field73 | nvarchar | 128 |
| Field74 | nvarchar | 128 |
| Field75 | nvarchar | 128 |
| Field76 | nvarchar | 128 |
| Field77 | nvarchar | 128 |
| Field78 | nvarchar | 128 |
| Field79 | nvarchar | 128 |
| Field8 | nvarchar | 255 |
| Field80 | nvarchar | 128 |
| Field81 | nvarchar | 128 |
| Field82 | nvarchar | 128 |
| Field83 | nvarchar | 128 |
| Field84 | nvarchar | 128 |
| Field85 | nvarchar | 128 |
| Field86 | nvarchar | 128 |
| Field87 | nvarchar | 128 |
| Field88 | nvarchar | 128 |
| Field89 | nvarchar | 128 |

| Field9 | nvarchar | 255 |
|---|---|---|
| Field90 | nvarchar | 128 |
| Field91 | nvarchar | 128 |
| Field92 | nvarchar | 128 |
| Field93 | nvarchar | 128 |
| Field94 | nvarchar | 128 |
| Field95 | nvarchar | 128 |
| Field96 | nvarchar | 128 |
| Field97 | nvarchar | 128 |
| Field98 | nvarchar | 128 |
| Field99 | nvarchar | 128 |
| IDList | nvarchar | -1 |
| Text1 | nvarchar | -1 |
| Text2 | nvarchar | -1 |
| Text3 | nvarchar | -1 |
| Text4 | nvarchar | -1 |
| Text5 | nvarchar | -1 |

## 50. Backup

| Column Name | Data Type | Max Length |
|---|---|---|
| BackupDateTime | smalldatetime | - |
| BackupID | int | - |
| SecurityGroupID | int | - |
| StaffID | int | - |

## 51. Bank

| Column Name | Data Type | Max Length |
|---|---|---|
| AccountNumber | nvarchar | 50 |
| AMPP | bit | - |
| BankID | int | - |
| BankName | nvarchar | 128 |
| City | nvarchar | 50 |
| Contact | nvarchar | 50 |
| GLCashAccount | nvarchar | 50 |
| PayNow | bit | - |
| Phone | nvarchar | 50 |
| QB_AccountId | nvarchar | 50 |
| QB_BankName | nvarchar | 160 |
| QB_Worksheet | nvarchar | 255 |
| RoutingNumber | nvarchar | 50 |
| SchoolCode | nvarchar | 50 |
| State | nvarchar | 50 |
| Street | nvarchar | 50 |
| Zip | nvarchar | 50 |

## 52. BarcodeBatch

| Column Name | Data Type | Max Length |
|---|---|---|
| BarcodeBatchID | int | - |
| BatchDate | datetime | - |
| CompletedBy | int | - |
| ConfigSchoolID | smallint | - |

## 53. BroadcastMessage

| Column Name | Data Type | Max Length |
|---|---|---|
| EndDate | smalldatetime | - |
| MessageID | int | - |
| MessageText | varchar | -1 |
| MessageType | int | - |
| MessageURL | varchar | 256 |
| StartDate | smalldatetime | - |

## 54. BroadcastMessageStaff

| Column Name | Data Type | Max Length |
|---|---|---|
| MessageID | int | - |
| MessageRead | bit | - |
| MessageReadDate | smalldatetime | - |
| StaffID | int | - |

## 55. Calendar

| Column Name | Data Type | Max Length |
|---|---|---|
| ClassID | int | - |
| CreatedDate | smalldatetime | - |
| Description | nvarchar | -1 |
| DueDate | datetime | - |
| DueDateUtc | smalldatetime | - |
| EndDateTime | datetime | - |
| EndDateTimeUtc | smalldatetime | - |
| EventID | int | - |
| EventTypeID | int | - |
| ItemID | int | - |
| LastModifiedDate | smalldatetime | - |
| Location | nvarchar | 100 |
| PersonID | int | - |
| SchoolCode | varchar | 50 |
| StartDateTime | datetime | - |
| StartDateTimeUtc | smalldatetime | - |
| Title | nvarchar | 50 |
| ZoneCountryCode | nvarchar | 50 |
| ZoneName | nvarchar | 50 |
| ZoneOffset | nvarchar | 100 |

## 56. CalendarConfig

| Column Name | Data Type | Max Length |
|---|---|---|
| AudienceDistrict | bit | - |
| AudienceSchool | bit | - |
| BeginDate | datetime | - |
| BeginTime | datetime | - |
| BGColor | nvarchar | 50 |
| CalendarID | int | - |
| EndDate | datetime | - |
| EndTime | datetime | - |
| EventGroup | nvarchar | 50 |
| EventType | nvarchar | 128 |
| Icon_PictureID | int | - |
| Image_PictureID | int | - |
| Message | nvarchar | -1 |
| MQ_Address | nvarchar | 50 |
| MQ_City | nvarchar | 50 |
| MQ_Country | nvarchar | 50 |
| MQ_State | nvarchar | 50 |
| MQ_Zipcode | nvarchar | 50 |
| Public | bit | - |
| RecurrenceHash | varchar | 4000 |
| RecurrencePattern | varchar | 128 |
| Repeat | nvarchar | 50 |
| ResponsiblePerson | nvarchar | 128 |
| ResponsiblePersonEmail | nvarchar | 256 |
| ResponsiblePersonPhone | nvarchar | 128 |
| RoomID | int | - |
| SchoolCode | nvarchar | 50 |
| SetupRequired | bit | - |
| TextColor | nvarchar | 50 |
| Title | nvarchar | 128 |
| URL | nvarchar | 128 |
| VolunteersMessage | nvarchar | -1 |
| VolunteersNeeded | bit | - |

## 57. CalendarDates

| Column Name | Data Type | Max Length |
|---|---|---|
| CalendarID | int | - |
| Cancel | bit | - |
| Date | smalldatetime | - |

## 58. CalendarDistrict

| Column Name | Data Type | Max Length |
|---|---|---|
| EventDate | smalldatetime | - |
| EventID | int | - |
| GlobalItem | bit | - |

| Column Name | Data Type | Max Length |
|---|---|---|
| Message | nvarchar | -1 |
| ModifiedBy | int | - |
| ModifiedDate | smalldatetime | - |
| SchoolCode | nvarchar | 50 |
| Title | nvarchar | 255 |

## 59. CalendarFileMM

| Column Name | Data Type | Max Length |
|---|---|---|
| CreatedDate | smalldatetime | - |
| EventID | int | - |
| FileID | nvarchar | 50 |
| FileName | nvarchar | 100 |
| LastModifiedDate | smalldatetime | - |

## 60. CalendarGroup

| Column Name | Data Type | Max Length |
|---|---|---|
| AutoNumber | int | - |
| EventType | nvarchar | 50 |
| SchoolCode | nvarchar | 50 |
| SubGroup | nvarchar | 50 |

## 61. CalendarMembers

| Column Name | Data Type | Max Length |
|---|---|---|
| _ID | int | - |
| CalendarID | int | - |
| ID | int | - |
| PersonID | int | - |
| Type | nvarchar | 50 |

## 62. CalendarStaff

| Column Name | Data Type | Max Length |
|---|---|---|
| ClassID | int | - |
| EventDate | smalldatetime | - |
| EventID | int | - |
| GlobalItem | char | 10 |
| Icon_PictureID | int | - |
| Image_PictureID | int | - |
| Message | nvarchar | -1 |
| ModifiedBy | int | - |
| ModifiedDate | smalldatetime | - |
| MoodleID | int | - |
| StaffID | int | - |
| Title | nvarchar | 50 |
| URL | nvarchar | 128 |

## 63. Campaign

| Column Name | Data Type | Max Length |
|---|---|---|
| CA_CampaignFocusDLID | int | - |
| CA_CampaignTypeDLID | int | - |
| CA_Code | nvarchar | 128 |
| CA_DateEntered | datetime | - |
| CA_DateUpdated | datetime | - |
| CA_EndDate | datetime | - |
| CA_EnteredByUID | int | - |
| CA_IBID | int | - |
| CA_Name | nvarchar | 256 |
| CA_RenwebCampaignID | int | - |
| CA_StartDate | datetime | - |
| CA_Status | varchar | 2 |
| CA_UpdatedByUID | int | - |
| CAID | int | - |

## 64. CashRegister

| Column Name | Data Type | Max Length |
|---|---|---|
| AccountingCategoryID | int | - |
| AccountingSystemID | int | - |
| CashRegisterID | int | - |
| CashRegisterName | nvarchar | 64 |
| ProductsPerPage | int | - |
| TaxRate | decimal | - |
| UseCashPayment | bit | - |
| UseCheckPayment | bit | - |
| UseCreditPayment | bit | - |
| UsePayLater | bit | - |

## 65. CashRegisterBalance

| Column Name | Data Type | Max Length |
|---|---|---|
| Balance | money | - |
| BeginningDrawerBalance | money | - |
| CashRegisterID | nvarchar | 50 |
| Charges | money | - |
| Date | datetime | - |
| EndingDrawerBalance | money | - |
| Payments | money | - |
| SchoolCode | varchar | 50 |
| StaffID | int | - |
| Transactions | int | - |

## 66. CashRegisterConfig

| Column Name | Data Type | Max Length |
|---|---|---|

| | | |
|---|---|---|
| AccountingSystemID | int | - |
| Label1 | varchar | 50 |
| Label2 | varchar | 50 |
| Label3 | varchar | 50 |
| Label4 | varchar | 50 |
| Label5 | varchar | 50 |
| ModifiedBy | int | - |
| ModifiedDate | smalldatetime | - |
| Name | varchar | 50 |
| RegisterID | int | - |
| SchoolCode | varchar | 50 |
| TaxCategory | int | - |
| TaxRate | real | - |
| Tuition | bit | - |
| UserList | varchar | 50 |

## 67. CashRegisterFailedTransaction

| Column Name | Data Type | Max Length |
|---|---|---|
| Amount | decimal | - |
| CashregisterFailedTransactionId | bigint | - |
| CashRegisterTransactionID | int | - |
| ErrorDetails | nvarchar | -1 |
| ErrorMessage | nvarchar | -1 |
| FamilyID | int | - |
| PersonID | int | - |
| Processed | bit | - |
| SchoolCode | varchar | 50 |

## 68. CashRegisterItems

| Column Name | Data Type | Max Length |
|---|---|---|
| DLID | int | - |
| InventoryID | int | - |
| ItemAccountingCategory | int | - |
| ItemAmount | decimal | - |
| ItemBarCode | varchar | 255 |
| ItemName | varchar | 255 |
| ItemNumber | int | - |
| ItemPosition | int | - |
| ItemTaxable | bit | - |
| ModifiedBy | int | - |
| ModifiedDate | smalldatetime | - |
| RegisterID | int | - |

## 69. CashRegisterSession

| Column Name | Data Type | Max Length |
|---|---|---|
| CashRegisterID | int | - |

| CashRegisterSessionID | int | - |
|---|---|---|
| ClosingBalance | decimal | - |
| ClosingDate | smalldatetime | - |
| ClosingNote | nvarchar | 1024 |
| OpeningBalance | decimal | - |
| OpeningDate | smalldatetime | - |
| OpeningNote | nvarchar | 1024 |
| RegisterID | nvarchar | 64 |
| StaffID | int | - |

## 70. CashRegisterStaffMM

| Column Name | Data Type | Max Length |
|---|---|---|
| CashRegisterID | int | - |
| StaffID | int | - |

## 71. CashRegisterTransactions

| Column Name | Data Type | Max Length |
|---|---|---|
| CashRegisterID | varchar | 50 |
| Date | datetime | - |
| ModifiedBy | int | - |
| ModifiedDate | smalldatetime | - |
| SchoolCode | varchar | 50 |
| StaffID | int | - |
| StudentID | int | - |
| TransactionID | int | - |

## 72. CashRegisterUsers

| Column Name | Data Type | Max Length |
|---|---|---|
| RegisterID | int | - |
| StaffID | int | - |

## 73. Catalog

| Column Name | Data Type | Max Length |
|---|---|---|
| Author | nvarchar | 50 |
| CallNumber | nvarchar | 128 |
| CatalogID | int | - |
| CategoryListID | int | - |
| CirculationTypeID | int | - |
| ConfigSchoolID | smallint | - |
| Control001 | varchar | 128 |
| Control003 | varchar | 64 |
| DeweyDecimal | nvarchar | 64 |
| Edition | nvarchar | 50 |
| Format | nvarchar | 50 |
| FormatListID | int | - |

| Illustrator | nvarchar | 256 |
|---|---|---|
| ImportFileID | int | - |
| InterestLevel | nvarchar | 256 |
| IsActive | bit | - |
| LCCN | varchar | 25 |
| MarcLeader | nvarchar | 32 |
| MarcRecord | nvarchar | -1 |
| NonFilingCharacters | nvarchar | 50 |
| OpenLibraryCoverID | varchar | 50 |
| OtherDetail | nvarchar | 1000 |
| Pages | nvarchar | 50 |
| PhysicalTypeListID | int | - |
| Points | decimal | - |
| Publisher | nvarchar | 100 |
| PublisherPlace | nvarchar | 75 |
| PublishYear | varchar | 24 |
| ReadingLevel | nvarchar | 256 |
| Series | nvarchar | 50 |
| Size | nvarchar | 50 |
| StatementOfResponsibility | nvarchar | 256 |
| StudyProgram | nvarchar | 256 |
| SubCategoryListID | int | - |
| SubTitle | nvarchar | 256 |
| TargetAudience | nvarchar | 256 |
| Title | nvarchar | 256 |
| Volume | nvarchar | 50 |

## 74. CatalogDataField

| Column Name | Data Type | Max Length |
|---|---|---|
| CatalogDataFieldID | int | - |
| CatalogID | int | - |
| Indicator1 | char | 1 |
| Indicator2 | char | 1 |
| Tag | char | 3 |

## 75. CatalogSubField

| Column Name | Data Type | Max Length |
|---|---|---|
| AdditionalInfo | nvarchar | 256 |
| CatalogDataFieldID | int | - |
| CatalogSubFieldID | int | - |
| Code | char | 1 |
| DataField | nvarchar | 4000 |

## 76. CCI_PrimaryInterest

| Column Name | Data Type | Max Length |
|---|---|---|
| CCI_CID | int | - |

| InterestDLID | int | - |
|---|---|---|

## 77. ChargeBatch

| Column Name | Data Type | Max Length |
|---|---|---|
| AccountCode | nvarchar | 50 |
| ActivityType | nvarchar | 50 |
| AdjustmentReasonCode | nvarchar | 50 |
| ChargeBatchId | int | - |
| Description | nvarchar | 256 |
| FactsBatchId | bigint | - |
| FactsBatchPostDateTime | datetime | - |
| InvoiceDueDate | date | - |
| InvoiceMessage | nvarchar | 525 |
| InvoiceSendDate | date | - |
| StudentFamily | nvarchar | 50 |
| TermCode | nvarchar | 50 |
| TransactionDate | date | - |

## 78. ChargeBatchDetail

| Column Name | Data Type | Max Length |
|---|---|---|
| Amount | decimal | - |
| ChargeBatchDetailId | int | - |
| ChargeBatchId | int | - |
| ChargeSource | nvarchar | 20 |
| Description | nvarchar | 256 |
| FamilyId | int | - |
| PersonId | int | - |

## 79. Charges

| Column Name | Data Type | Max Length |
|---|---|---|
| _Amount | real | - |
| _ClearedAmount | real | - |
| _FamilyID | int | - |
| _SchoolCode | nvarchar | 50 |
| _StudentID | int | - |
| AccountingSystemID | int | - |
| Amount | decimal | - |
| Balance_Transfer | bit | - |
| CatID | int | - |
| ChargeID | int | - |
| ClassID | int | - |
| ClearedAmount | decimal | - |
| CR_Amount | real | - |
| CR_InventoryID | int | - |
| CR_QTY | int | - |
| Date | datetime | - |

| | | |
|---|---|---|
| Description | nvarchar | 255 |
| DueDate | datetime | - |
| ErrorCheck | bit | - |
| FamilyID | int | - |
| FID | int | - |
| FiscalYearID | int | - |
| InvoiceID | int | - |
| Journal | nvarchar | 50 |
| Lock | bit | - |
| Memo | nvarchar | 255 |
| PaymentID | int | - |
| Posted | smalldatetime | - |
| PostedID | int | - |
| QB_InvoiceID | nvarchar | 50 |
| QBPosted | bit | - |
| SchoolCode | varchar | 50 |
| SessionID | varchar | 50 |
| SID | int | - |
| StudentID | int | - |
| SyncId | int | - |
| TransactionID | int | - |
| Type | nvarchar | 50 |
| YearID | int | - |

## 80. Charges_Recurring

| Column Name | Data Type | Max Length |
|---|---|---|
| AccountingSystemID | int | - |
| Amount | real | - |
| CatID | int | - |
| ChargeID | int | - |
| Date | datetime | - |
| Description | nvarchar | 255 |
| DueDate | datetime | - |
| FamilyID | int | - |
| FiscalYearID | int | - |
| Memo | nvarchar | 255 |
| RecurringChargeID | int | - |
| SchoolCode | varchar | 50 |
| StudentID | int | - |
| TransactionID | int | - |
| Type | varchar | 50 |
| YearID | int | - |

## 81. ChargesArchive

| Column Name | Data Type | Max Length |
|---|---|---|
| _FamilyID | int | - |
| _SchoolCode | nvarchar | 50 |

| | | |
|---|---|---|
| _StudentID | int | - |
| AccountingSystemID | int | - |
| Amount | real | - |
| ArchiveChargeID | int | - |
| CatID | int | - |
| ChargeID | int | - |
| ClassID | int | - |
| ClearedAmount | real | - |
| CR_Amount | real | - |
| CR_InventoryID | int | - |
| CR_QTY | int | - |
| Date | datetime | - |
| Description | varchar | 255 |
| DueDate | datetime | - |
| ErrorCheck | bit | - |
| FamilyID | int | - |
| FID | int | - |
| FiscalYearID | int | - |
| InvoiceID | int | - |
| Journal | varchar | 50 |
| Lock | bit | - |
| Memo | varchar | 255 |
| PaymentID | int | - |
| PostedID | int | - |
| SchoolCode | varchar | 50 |
| SID | int | - |
| StudentID | int | - |
| TransactionID | int | - |
| Type | varchar | 50 |
| YearID | int | - |

| 82. ChargesError | | |
|---|---|---|
| Column Name | Data Type | Max Length |
| AccountingSystemID | int | - |
| AccountingType | nvarchar | 255 |
| Amount | decimal | - |
| ChargeDate | datetime | - |
| ChargeType | nvarchar | 50 |
| CR_Amount | decimal | - |
| CR_InventoryID | int | - |
| CR_QTY | int | - |
| Description | nvarchar | 255 |
| DueDate | datetime | - |
| ErrorCheckID | int | - |
| FamilyID | int | - |
| FiscalYearID | int | - |
| Memo | nvarchar | 255 |
| Processed | bit | - |

| Column Name | Data Type | Max Length |
|---|---|---|
| SchoolCode | varchar | 50 |
| StudentID | int | - |

## 83. ChargesErrorMM

| Column Name | Data Type | Max Length |
|---|---|---|
| ChargeID | int | - |
| ErrorCheckID | int | - |

## 84. Church

| Column Name | Data Type | Max Length |
|---|---|---|
| Church | nvarchar | 128 |
| ChurchCity | nvarchar | 50 |
| ChurchID | int | - |
| ChurchPhone | nvarchar | 50 |
| ChurchState | nvarchar | 50 |
| ChurchStreet | nvarchar | 50 |
| ChurchZip | nvarchar | 50 |
| SeniorPastor | nvarchar | 50 |
| YouthPastor | nvarchar | 50 |

## 85. CirculationHistory

| Column Name | Data Type | Max Length |
|---|---|---|
| CheckOutDate | smalldatetime | - |
| CirculationHistoryID | int | - |
| CreateDate | smalldatetime | - |
| DaysOverdue | smallint | - |
| DueDate | smalldatetime | - |
| InventoryID | int | - |
| LateFee | decimal | - |
| LateFeeProcessed | bit | - |
| ModifyDate | smalldatetime | - |
| PersonID | int | - |
| ReturnDate | smalldatetime | - |
| TimesRenewed | int | - |

## 86. CirculationType

| Column Name | Data Type | Max Length |
|---|---|---|
| CirculationTypeID | int | - |
| CirculationTypeName | nvarchar | 256 |
| ConfigSchoolID | smallint | - |
| DefaultCheckOutLimit | int | - |
| DefaultFineIncrement | decimal | - |
| DefaultGracePeriod | int | - |
| DefaultLoanPeriod | int | - |
| DefaultMaxFine | decimal | - |

| | | |
|---|---|---|
| DefaultTimesRenewable | int | - |
| IsDefault | bit | - |

## 87. CitizenshipCodes

| Column Name | Data Type | Max Length |
|---|---|---|
| CitizenshipCodeNumber | smallint | - |
| CodeAbbreviation | nvarchar | 50 |
| Description | nvarchar | 50 |
| DisableHonors | bit | - |
| SchoolCode | nvarchar | 50 |
| SortOrder | smallint | - |

## 88. Classes

| Column Name | Data Type | Max Length |
|---|---|---|
| AidID | int | - |
| AllowStandardGrading | bit | - |
| AllowStudentComment | bit | - |
| AllowStudentPost | bit | - |
| AltStaffID | int | - |
| Capacity | smallint | - |
| ClassID | int | - |
| ClassLMS | bit | - |
| Closed | bit | - |
| Color | nvarchar | 7 |
| ColorText | nvarchar | 100 |
| Comment1 | nvarchar | -1 |
| Comment2 | nvarchar | -1 |
| Comment3 | nvarchar | -1 |
| Comment4 | nvarchar | -1 |
| Comment5 | nvarchar | -1 |
| Comment6 | nvarchar | -1 |
| CourseID | int | - |
| DefaultAssignmentMaxPoints | decimal | - |
| EnableMoodle | bit | - |
| EnableStandardTagging | bit | - |
| GbkAssignmentSort | int | - |
| GbkAutoEmailFail | bit | - |
| GbkCapCategory | bit | - |
| GbkCapTerm | bit | - |
| GbkDecimalPlaces | int | - |
| GbkDefaultView | int | - |
| GbkGradeMethod | nvarchar | 50 |
| GbkIncompleteis0 | bit | - |
| GbkShowCurve | bit | - |
| GbkShowPointsEarned | bit | - |
| GbkStandardCalculation | int | - |
| GbkStandardCalculationRecent | int | - |

| | | |
|---|---|---|
| GbkStudentSort | int | - |
| GbkTimeFrame | nvarchar | 50 |
| GbkWebProgressReport | bit | - |
| GoogleCourseId | varchar | 50 |
| GradeLevels | nvarchar | 50 |
| Homeroom | bit | - |
| IsStandardsBasedCalculation | bit | - |
| LegacyClassID | nvarchar | 20 |
| LetterGrade | bit | - |
| LinkedClassID | int | - |
| LockEnrollment | bit | - |
| LockSchedule | bit | - |
| MaleFemale | nvarchar | 50 |
| MaxSize | int | - |
| ModifiedBy | int | - |
| ModifiedDate | smalldatetime | - |
| Name | nvarchar | 255 |
| NoDayAttendance | bit | - |
| Pattern | int | - |
| PWHomework | nvarchar | 255 |
| PWLessonPlan | nvarchar | 255 |
| PWTeacher | nvarchar | 255 |
| RequiredRoom | int | - |
| RoomID | smallint | - |
| SeatingChartColumn | int | - |
| SeatingChartRow | int | - |
| Section | nvarchar | 50 |
| StaffID | int | - |
| StandardMasteryGradeMinVal0 | decimal | - |
| StandardMasteryGradeMinVal1 | decimal | - |
| StandardMasteryGradeMinVal2 | decimal | - |
| StandardMaxGrade | decimal | - |
| Team | nvarchar | 50 |
| TemplateID | int | - |
| Term1 | bit | - |
| Term2 | bit | - |
| Term3 | bit | - |
| Term4 | bit | - |
| Term5 | bit | - |
| Term6 | bit | - |
| Terms | smallint | - |
| WebProgressReportStyle | nvarchar | 50 |
| Weight | real | - |
| YearID | int | - |

| 89. ClassGradeCalculation | | |
|---|---|---|
| Column Name | Data Type | Max Length |
| ClassID | int | - |

| | | |
|---|---|---|
| DecimalPlaces | smallint | - |
| f_e1 | real | - |
| f_e2 | real | - |
| f_e3 | real | - |
| f_s1 | real | - |
| f_s2 | real | - |
| f_s3 | real | - |
| f_t1 | real | - |
| f_t2 | real | - |
| f_t3 | real | - |
| f_t4 | real | - |
| f_t5 | real | - |
| f_t6 | real | - |
| ModifiedBy | int | - |
| ModifiedDate | smalldatetime | - |
| s1_e1 | real | - |
| s1_e2 | real | - |
| s1_e3 | real | - |
| s1_t1 | real | - |
| s1_t2 | real | - |
| s1_t3 | real | - |
| s1_t4 | real | - |
| s1_t5 | real | - |
| s1_t6 | real | - |
| s2_e1 | real | - |
| s2_e2 | real | - |
| s2_e3 | real | - |
| s2_t1 | real | - |
| s2_t2 | real | - |
| s2_t3 | real | - |
| s2_t4 | real | - |
| s2_t5 | real | - |
| s2_t6 | real | - |
| s3_e1 | real | - |
| s3_e2 | real | - |
| s3_e3 | real | - |
| s3_t1 | real | - |
| s3_t2 | real | - |
| s3_t3 | real | - |
| s3_t4 | real | - |
| s3_t5 | real | - |
| s3_t6 | real | - |

| **90. ClassGroupClasses** | | |
|---|---|---|
| Column Name | Data Type | Max Length |
| ClassID | int | - |
| GroupID | int | - |
| ModifiedBy | int | - |

| Column Name | Data Type | Max Length |
|---|---|---|
| ModifiedDate | smalldatetime | - |

## 91. ClassGroups

| Column Name | Data Type | Max Length |
|---|---|---|
| Elementary | bit | - |
| GroupID | int | - |
| GroupName | nvarchar | 50 |
| HighSchool | bit | - |
| MiddleSchool | bit | - |
| ModifiedBy | int | - |
| ModifiedDate | smalldatetime | - |
| Preschool | bit | - |
| SchoolCode | nvarchar | 50 |
| TemplateID | int | - |
| YearID | int | - |

## 92. ClassGroupStudents

| Column Name | Data Type | Max Length |
|---|---|---|
| GroupID | int | - |
| StudentID | int | - |

## 93. ClassWebDocument

| Column Name | Data Type | Max Length |
|---|---|---|
| BeginDate | datetime | - |
| ClassID | int | - |
| DocumentID | int | - |
| EndDate | datetime | - |

## 94. ColdFusionReport

| Column Name | Data Type | Max Length |
|---|---|---|
| CategoryID | int | - |
| ColdFusionReportId | int | - |
| Description | nvarchar | -1 |
| FileName | nvarchar | 255 |
| IsCustom | bit | - |
| IsVisible | bit | - |
| ReportName | nvarchar | 255 |
| SortOrder | int | - |

## 95. ColumnColor

| Column Name | Data Type | Max Length |
|---|---|---|
| BackgroundColor | nvarchar | 50 |
| CashRegisterID | int | - |
| ColumnNum | int | - |

| FontColor | nvarchar | 50 |
|---|---|---|

## 96. CommentCodes

| Column Name | Data Type | Max Length |
|---|---|---|
| Comment | nvarchar | 128 |
| CommentNumber | smallint | - |
| ModifiedBy | int | - |
| ModifiedDate | smalldatetime | - |
| SchoolCode | nvarchar | 50 |

## 97. CommunicationGroup

| Column Name | Data Type | Max Length |
|---|---|---|
| CanEveryoneUse | bit | - |
| CommunicationGroupID | int | - |
| ConfigSchoolID | smallint | - |
| GroupDescription | nvarchar | 1024 |
| GroupName | nvarchar | 128 |

## 98. CommunicationGroupPersonMM

| Column Name | Data Type | Max Length |
|---|---|---|
| CommunicationGroupID | int | - |
| PersonID | int | - |

## 99. CommunicationGroupSecurityGroupMM

| Column Name | Data Type | Max Length |
|---|---|---|
| CommunicationGroupID | int | - |
| SecurityGroupID | int | - |

## 100. CommunicationGroupSecurityPersonMM

| Column Name | Data Type | Max Length |
|---|---|---|
| CommunicationGroupID | int | - |
| PersonID | int | - |

## 101. CommunityService

| Column Name | Data Type | Max Length |
|---|---|---|
| CommunityServiceID | int | - |
| CreatedBy | int | - |
| Day | datetime | - |
| Description | nvarchar | 255 |
| HoursWorked | real | - |
| Location | nvarchar | 75 |
| ModifiedBy | int | - |
| ModifiedDate | smalldatetime | - |

| | | |
|---|---|---|
| Note | nvarchar | 255 |
| RequirementArea | nvarchar | 256 |
| ServiceType | nvarchar | 256 |
| StudentID | int | - |
| Supervisor | nvarchar | 75 |
| VerifiedBy | nvarchar | 255 |

## 102. Conference

| Column Name | Data Type | Max Length |
|---|---|---|
| ConferenceID | int | - |
| Date | datetime | - |
| Location | int | - |
| ModifiedBy | int | - |
| ModifiedDate | smalldatetime | - |
| Parent | nvarchar | -1 |
| Problem | nvarchar | -1 |
| Problem1 | bit | - |
| Problem10 | bit | - |
| Problem10Label | nvarchar | 50 |
| Problem1Label | nvarchar | 50 |
| Problem2 | bit | - |
| Problem2Label | nvarchar | 50 |
| Problem3 | bit | - |
| Problem3Label | nvarchar | 50 |
| Problem4 | bit | - |
| Problem4Label | nvarchar | 50 |
| Problem5 | bit | - |
| Problem5Label | nvarchar | 50 |
| Problem6 | bit | - |
| Problem6Label | nvarchar | 50 |
| Problem7 | bit | - |
| Problem7Label | nvarchar | 50 |
| Problem8 | bit | - |
| Problem8Label | nvarchar | 50 |
| Problem9 | bit | - |
| Problem9Label | nvarchar | 50 |
| Reason | nvarchar | -1 |
| Reason1 | bit | - |
| Reason2 | bit | - |
| Reason3 | bit | - |
| Recommendation | nvarchar | -1 |
| StaffID | int | - |
| Status | int | - |
| StudentID | int | - |
| Subject | nvarchar | 128 |

## 103. ConfigDistrict

| Column Name | Data Type | Max Length |
|---|---|---|
| AccountingDistrict | bit | - |
| Address | nvarchar | 50 |
| AttendancePolicy | nvarchar | -1 |
| BehaviorPolicy | nvarchar | -1 |
| BillTo | nvarchar | 50 |
| City | nvarchar | 50 |
| Daycare | bit | - |
| DistrictCode | nvarchar | 16 |
| DistrictConfiguration | int | - |
| DistrictLMS | bit | - |
| DistrictName | nvarchar | 50 |
| DistrictPassword | varchar | 50 |
| DonateNowContact | nvarchar | 128 |
| DonateNowMessage | nvarchar | 2000 |
| DonateOnlineDistrict | bit | - |
| Email | nvarchar | 256 |
| Fax | nvarchar | 50 |
| InactivityTimeoutInMinutes | int | - |
| LibraryCalendarSettings | int | - |
| LibraryDistrict | bit | - |
| LibraryPolicyAccountingCategoryID | int | - |
| LibraryPolicyDefaultBlockOnFines | bit | - |
| LibraryPolicyDefaultMaxCheckouts | int | - |
| LibraryPolicyDefaultMaxHoldTime | int | - |
| LibraryPolicyDefaultMaxReservations | int | - |
| LibraryPolicyDefaultMaxReservationTime | int | - |
| LibraryPolicyFiscalYearID | int | - |
| LibraryPolicyIsSchoolDays | bit | - |
| LibraryPolicyLateFeeMode | smallint | - |
| LockOutAttempts | int | - |
| LunchPaymentMethod | bit | - |
| MicrosoftTimeZoneId | varchar | 100 |
| ModifiedBy | int | - |
| ModifiedDate | smalldatetime | - |
| OverlayByRWstaff | nvarchar | 50 |
| OverlayDateTime | smalldatetime | - |
| OverlayID | int | - |
| OverlayIsSourceConfidential | bit | - |
| OverlayIsTargetDemo | bit | - |
| OverlaySourceDateTime | smalldatetime | - |
| OverlaySourceDistrict | varchar | 50 |
| ParentAlert | bit | - |
| ParentsWebDistrict | bit | - |
| PasswordExpiration | int | - |
| PasswordExpirationLimit | int | - |
| PasswordLength | int | - |
| PasswordRequiresCapital | bit | - |
| PasswordRequiresNumber | bit | - |

| PasswordRequiresSymbol | bit | - |
|---|---|---|
| PDACount | int | - |
| Phone | nvarchar | 50 |
| ProgressionDate | datetime | - |
| PWBanner | nvarchar | 255 |
| PWDefaultStaffIDforComments | int | - |
| PWHeaderColor1 | nvarchar | 50 |
| PWHeaderColor2 | nvarchar | 50 |
| PWHeaderPicturePath | nvarchar | 128 |
| PWMascotName | nvarchar | 50 |
| PWMessage | nvarchar | 255 |
| PWTextColor | nvarchar | 50 |
| pwversion | int | - |
| ShareSurvey | bit | - |
| SSE | bit | - |
| State | nvarchar | 50 |
| TimezoneOffset | int | - |
| TimezoneOffsetUTC | decimal | - |
| TimezoneUsesDST | bit | - |
| Web | nvarchar | 50 |
| Zip | nvarchar | 50 |

| **104. ConfigEditGrid** | | |
|---|---|---|
| Column Name | Data Type | Max Length |
| ColWidth | int | - |
| EditGridGroup | nvarchar | 50 |
| EditGridOrder | int | - |
| FieldName | nvarchar | 400 |
| StaffID | int | - |
| Type | nvarchar | 50 |

| **105. ConfigMedicalTests** | | |
|---|---|---|
| Column Name | Data Type | Max Length |
| DistrictWide | bit | - |
| Field1 | nvarchar | 50 |
| Field10 | nvarchar | 50 |
| Field2 | nvarchar | 50 |
| Field3 | nvarchar | 50 |
| Field4 | nvarchar | 50 |
| Field5 | nvarchar | 50 |
| Field6 | nvarchar | 50 |
| Field7 | nvarchar | 50 |
| Field8 | nvarchar | 50 |
| Field9 | nvarchar | 50 |
| ModifiedBy | int | - |
| ModifiedDate | smalldatetime | - |
| SchoolCode | varchar | 50 |

| | | |
|---|---|---|
| TestName | nvarchar | 50 |
| TestTypeID | int | - |

## 106. ConfigSchool

| Column Name | Data Type | Max Length |
|---|---|---|
| AbsentDay | int | - |
| AbsentHalf | int | - |
| Active | bit | - |
| Address | nvarchar | 50 |
| AttendancePolicy | nvarchar | -1 |
| BeginWebLunch | smalldatetime | - |
| BehaviorPolicy | nvarchar | -1 |
| City | nvarchar | 50 |
| CollegeBoardSchoolCode | nvarchar | 50 |
| ConfigSchoolID | smallint | - |
| DayAttendanceSource | int | - |
| DaySchedule | smallint | - |
| DefaultTemplate | nvarchar | 50 |
| DefaultTermID | smallint | - |
| DefaultYearID | int | - |
| DistrictName | nvarchar | 50 |
| DonateNowContact | nvarchar | 128 |
| DonateNowMessage | nvarchar | 2000 |
| Email | nvarchar | 256 |
| EndWebLunch | smalldatetime | - |
| EnrollmentNotificationTemplate_ExistingStudent | nvarchar | -1 |
| EnrollmentNotificationTemplate_NewStudent | nvarchar | -1 |
| EnrollmentYearID | int | - |
| FamilyNameCouple1 | nvarchar | 50 |
| FamilyNameCouple2 | nvarchar | 50 |
| FamilyNameCouple3 | nvarchar | 50 |
| FamilyNameIndividual1 | nvarchar | 50 |
| FamilyNameIndividual2 | nvarchar | 50 |
| FamilyNameIndividual3 | nvarchar | 50 |
| Fax | nvarchar | 50 |
| GBK_CurrentYearEditOnly | bit | - |
| GBK_Term1 | bit | - |
| GBK_Term2 | bit | - |
| GBK_Term3 | bit | - |
| GBK_Term4 | bit | - |
| GBK_Term5 | bit | - |
| GBK_Term6 | bit | - |
| LessonPlanLabel1 | nvarchar | 50 |
| LessonPlanLabel2 | nvarchar | 50 |
| LessonPlanLabel3 | nvarchar | 50 |
| LessonPlanLabel4 | nvarchar | 50 |
| LibraryCalendarSettings | int | - |
| LibraryPolicyAccountingCategoryID | int | - |

| | | |
|---|---|---|
| LibraryPolicyDefaultBlockOnFines | bit | - |
| LibraryPolicyDefaultMaxCheckouts | int | - |
| LibraryPolicyDefaultMaxHoldTime | int | - |
| LibraryPolicyDefaultMaxReservations | int | - |
| LibraryPolicyDefaultMaxReservationTime | int | - |
| LibraryPolicyFiscalYearID | int | - |
| LibraryPolicyIsSchoolDays | bit | - |
| LibraryPolicyLateFeeMode | smallint | - |
| LunchAccountingCategoryID | int | - |
| LunchAccountingSystemID | int | - |
| LunchFiscalYearID | int | - |
| LunchPaymentMethod | int | - |
| ModifiedBy | int | - |
| ModifiedDate | smalldatetime | - |
| NextYearID | int | - |
| NotificationEmail1 | nvarchar | 256 |
| NotificationEmail2 | nvarchar | 256 |
| OAFactsAccount | nvarchar | 50 |
| OAFactsAdjustmentReason | nvarchar | 50 |
| OAFactsTerm | nvarchar | 50 |
| OE_AccountingSystemID | int | - |
| OE_CategoryID | int | - |
| OE_FiscalYearID | int | - |
| OE_Tuition_Plan_Fiscal_Year_ID | int | - |
| OEFactsAccount | nvarchar | 50 |
| OEFactsAdjustmentReason | nvarchar | 50 |
| OEFactsTerm | nvarchar | 50 |
| ParentAlert | bit | - |
| Phone | nvarchar | 50 |
| PWBanner | nvarchar | 128 |
| PWDefaultStaffIDforComments | int | - |
| PWHeaderColor1 | nvarchar | 50 |
| PWHeaderColor2 | nvarchar | 50 |
| PWHeaderPicturePath | nvarchar | 128 |
| PWMascotName | nvarchar | 50 |
| PWScheduleTemplate | nvarchar | 128 |
| PWScheduleTermID | int | - |
| PWScheduleYearID | int | - |
| PWSchoolName | nvarchar | 50 |
| PWTermID | int | - |
| PWTermID2 | int | - |
| PWTextColor | nvarchar | 50 |
| pwversion | int | - |
| PWYearID | int | - |
| RC_Exam1 | bit | - |
| RC_Exam2 | bit | - |
| RC_Exam3 | bit | - |
| RC_FinalGrade | bit | - |
| RC_Sem1 | bit | - |

| RC_Sem2 | bit | - |
|---|---|---|
| RC_Sem3 | bit | - |
| RC_Term1 | bit | - |
| RC_Term2 | bit | - |
| RC_Term3 | bit | - |
| RC_Term4 | bit | - |
| RC_Term5 | bit | - |
| RC_Term6 | bit | - |
| ReportCardNote1 | nvarchar | 255 |
| ReportCardNote2 | nvarchar | 255 |
| ReportCardNote3 | nvarchar | 255 |
| ReportCardNote4 | nvarchar | 255 |
| ReportCardNote5 | nvarchar | 255 |
| SchoolChat | bit | - |
| SchoolCode | varchar | 50 |
| SchoolLMS | bit | - |
| SchoolName | nvarchar | 50 |
| ShowAnnouncements | bit | - |
| ShowCalendar | bit | - |
| State | nvarchar | 50 |
| TranscriptLoad | int | - |
| TranscriptNote1 | nvarchar | -1 |
| TranscriptNote2 | nvarchar | 255 |
| TranscriptNote3 | nvarchar | 255 |
| TranscriptNote4 | nvarchar | 255 |
| TranscriptNote5 | nvarchar | 255 |
| TranscriptT1Suffix | nvarchar | 50 |
| TranscriptT2Suffix | nvarchar | 50 |
| TranscriptT3Suffix | nvarchar | 50 |
| TranscriptT4Suffix | nvarchar | 50 |
| TranscriptT5Suffix | nvarchar | 50 |
| TranscriptT6Suffix | nvarchar | 50 |
| UseGradeLevelAttendanceConfiguration | bit | - |
| Web | nvarchar | 50 |
| WebCourseRequestsCustomTemplate | nvarchar | -1 |
| WebCourseRequestsFilterByGradeLEvel | bit | - |
| WebCourseRequestsShowHistory | bit | - |
| WebCourseRequestsSortByDepartment | bit | - |
| WebCourseRequestsUseCustomTemplate | bit | - |
| WebCourseRequestsUseNextYearGradeLevel | bit | - |
| WebCourseRequestsUsePrereqRules | bit | - |
| WebCourseRequestsYearID | int | - |
| Zip | nvarchar | 50 |

| 107. ConfigSubstatus | | |
|---|---|---|
| Column Name | Data Type | Max Length |
| Autonumber | int | - |
| SchoolCode | nvarchar | 50 |

| | | |
|---|---|---|
| Status | nvarchar | 50 |
| SubStatus | nvarchar | 50 |

## 108. Configuration

| Column Name | Data Type | Max Length |
|---|---|---|
| Name | varchar | 100 |
| SchoolCode | varchar | 50 |
| Value | nvarchar | 1000 |

## 109. Const_List

| Column Name | Data Type | Max Length |
|---|---|---|
| C_ConstituentTypeDLID | int | - |
| C_DateEntered | datetime | - |
| C_FiledAs | nvarchar | 512 |
| C_MaidenName | nvarchar | 128 |
| C_MailAddress1 | nvarchar | 256 |
| C_RenwebPersonID | int | - |
| CI_Name | nvarchar | 128 |
| CID | int | - |
| HasGivingPledge | varchar | 1 |
| PhoneNumber | nvarchar | 259 |

## 110. Const_PreferredAddress

| Column Name | Data Type | Max Length |
|---|---|---|
| A_Address1 | nvarchar | 256 |
| A_Address2 | nvarchar | 256 |
| A_AddrTypeDLID | int | - |
| A_City | nvarchar | 255 |
| A_Country | nvarchar | 255 |
| A_Name | nvarchar | 256 |
| A_State | nvarchar | 255 |
| A_Zip | nvarchar | 255 |
| A_ZipPlus4 | nvarchar | 4 |
| AID | int | - |
| CID | int | - |

## 111. Const_StreetAddress

| Column Name | Data Type | Max Length |
|---|---|---|
| A_Address1 | nvarchar | 256 |
| A_Address2 | nvarchar | 256 |
| A_City | nvarchar | 255 |
| A_Country | nvarchar | 255 |
| A_State | nvarchar | 255 |
| A_Zip | nvarchar | 255 |
| A_ZipPlus4 | nvarchar | 4 |

| | | |
|---|---|---|
| AID | int | - |
| CA_CID | int | - |

| 112. Constituent | | |
|---|---|---|
| Column Name | Data Type | Max Length |
| C_AID | int | - |
| C_AuctionTrakID | int | - |
| C_BirthDate | datetime | - |
| C_CCIID | int | - |
| C_ConstituentTypeDLID | int | - |
| C_CPID | int | - |
| C_DateEntered | datetime | - |
| C_DateUpdated | datetime | - |
| C_DeceasedDate | datetime | - |
| C_DoNotContact | bit | - |
| C_Email1 | nvarchar | 256 |
| C_Email2 | varchar | 256 |
| C_EmploymentDate | datetime | - |
| C_EnteredByUID | int | - |
| C_FiledAs | nvarchar | 512 |
| C_FName1 | nvarchar | 64 |
| C_HasGiving | bit | - |
| C_HasPledge | bit | - |
| C_IBID | int | - |
| C_ImportID | nvarchar | 64 |
| C_ImportID2 | nvarchar | 64 |
| C_Industry | varchar | 128 |
| C_LName1 | nvarchar | 128 |
| C_MaidenName | nvarchar | 128 |
| C_MName1 | nvarchar | 64 |
| C_ModifiedStatus | varchar | 2 |
| C_NickName | varchar | 128 |
| C_Occupation | varchar | 128 |
| C_OrgContactName | varchar | 256 |
| C_OrgName | nvarchar | 256 |
| C_Prefix1 | nvarchar | 32 |
| C_PrimaryCRID | int | - |
| C_RenwebPersonID | int | - |
| C_ShowOnAlumniWeb | bit | - |
| C_SolicitorUID | int | - |
| C_SoundEx_FName1 | nvarchar | 8 |
| C_SoundEx_LName1 | nvarchar | 8 |
| C_SoundEx_OrgName | nvarchar | 8 |
| C_Status | nvarchar | 2 |
| C_StudentGradeLevel | varchar | 32 |
| C_Suffix1 | nvarchar | 60 |
| C_SyncCreated | bit | - |
| C_SyncFromRenwebAID | int | - |

| C_SyncFromRenwebCCIID | int | - |
|---|---|---|
| C_SyncLocked | bit | - |
| C_SyncMatched | bit | - |
| C_SyncNote | varchar | 1024 |
| C_SyncUpdated | bit | - |
| C_TargetGSID | int | - |
| C_TaxID | nvarchar | 16 |
| C_UpdatedByUID | int | - |
| C_YearGraduated | int | - |
| CID | int | - |
| ConnectionDLID | int | - |
| FirstGiftGHID | int | - |
| Gender | nchar | 8 |
| IntroducedByID | int | - |
| IsSolicitorLocked | bit | - |
| LastGiftGHID | int | - |
| LifetimeGiving | decimal | - |

## 113. Constituent_NonRenweb

| Column Name | Data Type | Max Length |
|---|---|---|
| A_Address1 | nvarchar | 5 |
| AID | int | - |
| C_FName1 | nvarchar | 64 |
| C_LName1 | nvarchar | 128 |
| C_MName1 | nvarchar | 64 |
| C_Prefix1 | nvarchar | 32 |
| C_Suffix1 | nvarchar | 60 |
| CID | int | - |

## 114. ConstituentAddress

| Column Name | Data Type | Max Length |
|---|---|---|
| CA_AddrTypeDLID | int | - |
| CA_AID | int | - |
| CA_CID | int | - |
| CA_Comments | nvarchar | 512 |
| CAID | int | - |

## 115. ConstituentCommunicationLog

| Column Name | Data Type | Max Length |
|---|---|---|
| CL_ActionID | int | - |
| CL_CID | int | - |
| CL_ContactedByUID | int | - |
| CL_ContactMethod | nvarchar | 256 |
| CL_DateContacted | datetime | - |
| CL_Description | nvarchar | 1024 |
| CL_Notes | nvarchar | -1 |

| CLID | int | - |
|------|-----|---|

### 116. ConstituentConstituentInterest

| Column Name | Data Type | Max Length |
|-------------|-----------|------------|
| CCI_CID | int | - |
| CCI_ConstituentInterestDLID | int | - |
| CCI_DateEntered | datetime | - |
| CCI_DateFrom | datetime | - |
| CCI_DateTo | datetime | - |
| CCI_DateUpdated | datetime | - |
| CCI_EnteredByUID | int | - |
| CCI_IBID | int | - |
| CCI_PrimaryInterest | bit | - |
| CCI_SyncInterest | bit | - |
| CCI_UpdatedByUID | int | - |
| CCIID | int | - |

### 117. ConstituentCycleInstanceMM

| Column Name | Data Type | Max Length |
|-------------|-----------|------------|
| ConstituentID | int | - |
| CycleInstanceID | int | - |
| WorkflowID | uniqueidentifier | - |

### 118. ConstituentGivingHistory_Cum

| Column Name | Data Type | Max Length |
|-------------|-----------|------------|
| CRR_CID | int | - |
| CumGiftAmount | decimal | - |

### 119. ConstituentGivingHistory_Cum_CA

| Column Name | Data Type | Max Length |
|-------------|-----------|------------|
| CA_CumGiftAmount | decimal | - |
| CID_CAID | nvarchar | 39 |

### 120. ConstituentGivingHistory_Cum_ConstByFY

| Column Name | Data Type | Max Length |
|-------------|-----------|------------|
| CID | int | - |
| CumGiving | decimal | - |
| FY_CustomName | nvarchar | 128 |

### 121. ConstituentGivingHistory_Cum_E

| Column Name | Data Type | Max Length |
|-------------|-----------|------------|
| CID_EID | nvarchar | 38 |
| E_CumGiftAmount | decimal | - |

## 122. ConstituentGivingHistory_Cum_LastYTD

| Column Name | Data Type | Max Length |
|---|---|---|
| CRR_CID | int | - |
| CumGiftAmount_LastYTD | decimal | - |

## 123. ConstituentGivingHistory_Cum_YTD

| Column Name | Data Type | Max Length |
|---|---|---|
| CRR_CID | int | - |
| CumGiftAmount_YTD | decimal | - |

## 124. ConstituentGivingHistory_SoftCredit_ConstByFY

| Column Name | Data Type | Max Length |
|---|---|---|
| CID | int | - |
| FY_CustomName | nvarchar | 128 |
| SCGiving_ConstByFY | decimal | - |

## 125. ConstituentGivingHistory_SoftCredit_ConstYTD

| Column Name | Data Type | Max Length |
|---|---|---|
| CID | int | - |
| SCGiving_ConstYTD | decimal | - |

## 126. ConstituentGivingHistory_SoftCredit_RelByYear

| Column Name | Data Type | Max Length |
|---|---|---|
| CRID | int | - |
| GivingYear | int | - |
| SCGiving_RelByYear | decimal | - |

## 127. ConstituentGreeting

| Column Name | Data Type | Max Length |
|---|---|---|
| CG_CRID | int | - |
| CG_Greeting | nvarchar | 128 |
| CG_GreetingTypeDLID | int | - |
| CG_IsPrimaryAddressee | bit | - |
| CG_IsPrimarySalutation | bit | - |
| CG_Locked | bit | - |
| CGID | int | - |

## 128. ConstituentNote

| Column Name | Data Type | Max Length |
|---|---|---|
| CN_ActionID | int | - |
| CN_CID | int | - |

| CN_DateEntered | datetime | - |
| CN_DateUpdated | datetime | - |
| CN_EnteredByUID | int | - |
| CN_IBID | int | - |
| CN_Note | nvarchar | -1 |
| CN_Subject | nvarchar | 256 |
| CN_UpdatedByUID | int | - |
| CNID | int | - |

**129. ConstituentPhone**

| Column Name | Data Type | Max Length |
| --- | --- | --- |
| CP_CID | int | - |
| CP_PhoneNumber | varchar | 128 |
| CP_PhoneTypeDLID | int | - |
| CP_Preferred | bit | - |
| CP_SyncCreated | bit | - |
| CP_SyncFrom | varchar | 8 |
| CP_SyncUpdated | bit | - |
| CPID | int | - |

**130. ConstituentPhone_CellPhone**

| Column Name | Data Type | Max Length |
| --- | --- | --- |
| CID | int | - |
| CP_PhoneNumber | varchar | 128 |
| CP_Preferred | bit | - |
| CP_SyncFrom | varchar | 8 |
| CPID | int | - |

**131. ConstituentPhone_GetPreferred**

| Column Name | Data Type | Max Length |
| --- | --- | --- |
| CP_CID | int | - |
| CPID | int | - |
| PhoneType | int | - |

**132. ConstituentPhone_HomePhone**

| Column Name | Data Type | Max Length |
| --- | --- | --- |
| CID | int | - |
| CP_PhoneNumber | varchar | 128 |
| CP_Preferred | bit | - |
| CP_SyncFrom | varchar | 8 |
| CPID | int | - |

**133. ConstituentPhone_SyncCellPhone**

| Column Name | Data Type | Max Length |
| --- | --- | --- |

| CP_CID | int | - |
|---|---|---|
| CP_PhoneNumber | varchar | 128 |
| CPID | int | - |

### 134. ConstituentPhone_SyncCellPhone_NoLink

| Column Name | Data Type | Max Length |
|---|---|---|
| CID | int | - |
| CPID | int | - |
| OldPhone | varchar | 128 |
| Phone | nvarchar | 128 |

### 135. ConstituentPhone_SyncHomePhone

| Column Name | Data Type | Max Length |
|---|---|---|
| CP_CID | int | - |
| CP_PhoneNumber | varchar | 128 |
| CPID | int | - |

### 136. ConstituentPhone_SyncHomePhone_NoLink

| Column Name | Data Type | Max Length |
|---|---|---|
| CID | int | - |
| CPID | int | - |
| OldPhone | varchar | 128 |
| Phone | nvarchar | 128 |

### 137. ConstituentPhone_SyncworkPhone

| Column Name | Data Type | Max Length |
|---|---|---|
| CP_CID | int | - |
| CP_PhoneNumber | varchar | 128 |
| CPID | int | - |

### 138. ConstituentPhone_SyncWorkPhone_NoLink

| Column Name | Data Type | Max Length |
|---|---|---|
| CID | int | - |
| CPID | int | - |
| OldPhone | varchar | 128 |
| Phone | nvarchar | 256 |

### 139. ConstituentPhone_WorkPhone

| Column Name | Data Type | Max Length |
|---|---|---|
| CID | int | - |
| CP_PhoneNumber | varchar | 128 |
| CP_Preferred | bit | - |
| CP_SyncFrom | varchar | 8 |

| CPID | int | - |
|---|---|---|

## 140. ConstituentPledge

| Column Name | Data Type | Max Length |
|---|---|---|
| CG_Greeting | nvarchar | 128 |
| CRR_CID | int | - |
| P_Comment | nvarchar | 1024 |
| P_CRID | int | - |
| P_DateEntered | datetime | - |
| P_DateUpdated | datetime | - |
| P_EID | int | - |
| P_EnteredByUID | int | - |
| P_PledgeAmountTotal | decimal | - |
| P_PledgeBeginDate | datetime | - |
| P_PledgeEndDate | datetime | - |
| P_PledgePaymentAmount | decimal | - |
| P_PledgeStatusDLID | int | - |
| P_PledgeTermsDLID | int | - |
| P_UpdatedByUID | int | - |
| PID | int | - |

## 141. ConstituentPrimaryGreeting

| Column Name | Data Type | Max Length |
|---|---|---|
| C_BirthDate | datetime | - |
| C_ConstituentTypeDLID | int | - |
| C_DateEntered | datetime | - |
| C_DateUpdated | datetime | - |
| C_DeceasedDate | datetime | - |
| C_Email1 | nvarchar | 256 |
| C_EnteredByUID | int | - |
| C_FiledAs | nvarchar | 512 |
| C_FName1 | nvarchar | 64 |
| C_LName1 | nvarchar | 128 |
| C_MName1 | nvarchar | 64 |
| C_Occupation | varchar | 128 |
| C_OrgName | nvarchar | 256 |
| C_Prefix1 | nvarchar | 32 |
| C_PrimaryCRID | int | - |
| C_SoundEx_FName1 | nvarchar | 8 |
| C_SoundEx_LName1 | nvarchar | 8 |
| C_SoundEx_OrgName | nvarchar | 8 |
| C_Status | nvarchar | 2 |
| C_Suffix1 | nvarchar | 60 |
| C_TargetGSID | int | - |
| C_TaxID | nvarchar | 16 |
| C_UpdatedByUID | int | - |
| CG_Greeting | nvarchar | 128 |

| | | |
|---|---|---|
| CG_GreetingTypeDLID | int | - |
| CG_IsPrimaryAddressee | bit | - |
| CG_IsPrimarySalutation | bit | - |
| CGID | int | - |
| CID | int | - |
| CRID | int | - |

## 142. ConstituentRelationship

| Column Name | Data Type | Max Length |
|---|---|---|
| CR_CID1 | int | - |
| CR_CID2 | int | - |
| CR_DateEntered | datetime | - |
| CR_DateFrom | datetime | - |
| CR_DateTo | datetime | - |
| CR_DateUpdated | datetime | - |
| CR_EnteredByUID | int | - |
| CR_Greet_Addressee | nvarchar | 128 |
| CR_Greet_Addressee_Locked | bit | - |
| CR_Greet_Alt1 | nvarchar | 128 |
| CR_Greet_Alt1_Locked | bit | - |
| CR_Greet_Alt2 | nvarchar | 128 |
| CR_Greet_Alt2_Locked | bit | - |
| CR_Greet_Alt3 | nvarchar | 128 |
| CR_Greet_Alt3_Locked | bit | - |
| CR_Greet_Salutation | nvarchar | 128 |
| CR_Greet_Salutation_Locked | bit | - |
| CR_ImportID | nvarchar | 64 |
| CR_LockedSendMail | bit | - |
| CR_Note | nvarchar | 128 |
| CR_PrimaryAddresseeCGID | int | - |
| CR_PrimarySalutationCGID | int | - |
| CR_RelationshipType | nvarchar | 64 |
| CR_RenwebFamilyID | int | - |
| CR_RRID1 | int | - |
| CR_RRID2 | int | - |
| CR_RTID | int | - |
| CR_SendMail | bit | - |
| CR_UpdatedByUID | int | - |
| CRID | int | - |

## 143. ConstituentRelationshipGreeting

| Column Name | Data Type | Max Length |
|---|---|---|
| C_FiledAs | nvarchar | 512 |
| CG_CRID | int | - |
| CG_Greeting | nvarchar | 386 |
| CGID | int | - |
| CID | int | - |

| CRID | int | - |
|---|---|---|
| CRRID | int | - |
| RR_Name | nvarchar | 64 |
| RT_Name | nvarchar | 64 |

## 144. ConstituentRelationshipRole

| Column Name | Data Type | Max Length |
|---|---|---|
| CRR_CID | int | - |
| CRR_CRID | int | - |
| CRR_DateEntered | datetime | - |
| CRR_DateUpdated | datetime | - |
| CRR_EnteredByUID | int | - |
| CRR_RRID | int | - |
| CRR_UpdatedByUID | int | - |
| CRRID | int | - |

## 145. ConstituentUpdate

| Column Name | Data Type | Max Length |
|---|---|---|
| Address1 | nvarchar | 256 |
| Address2 | nvarchar | 256 |
| BusinessName | nvarchar | 256 |
| City | nvarchar | 128 |
| Country | nvarchar | 50 |
| DateEntered | datetime | - |
| DonorConnectID | int | - |
| Email | nvarchar | 256 |
| FirstName | nvarchar | 64 |
| IsActive | bit | - |
| IsProcessed | bit | - |
| LastName | nvarchar | 128 |
| Phone | varchar | 128 |
| SpouseEmail | nvarchar | 256 |
| SpouseFirstName | nvarchar | 64 |
| SpouseLastName | nvarchar | 128 |
| State | nvarchar | 64 |
| Zip | nvarchar | 64 |

## 146. ConversionMapping

| Column Name | Data Type | Max Length |
|---|---|---|
| CirculationTypeListID | int | - |
| ConfigSchoolID | smallint | - |
| ConversionMappingID | int | - |
| FormatTypeListID | int | - |
| PhysicalTypeListID | int | - |
| RWMediaType | nvarchar | 256 |

## 147. Course_Corequisites

| Column Name | Data Type | Max Length |
|---|---|---|
| CorequisiteCourseID | int | - |
| CourseID | int | - |
| ModifiedBy | int | - |
| ModifiedDate | smalldatetime | - |

## 148. Course_Equivalents

| Column Name | Data Type | Max Length |
|---|---|---|
| CourseID | int | - |
| EquivalentCourseID | int | - |
| ModifiedBy | int | - |
| ModifiedDate | smalldatetime | - |

## 149. Course_GradeLevel

| Column Name | Data Type | Max Length |
|---|---|---|
| CourseID | int | - |
| GradeLevel | nvarchar | 50 |
| ModifiedBy | int | - |
| ModifiedDate | smalldatetime | - |

## 150. Course_Prerequisites

| Column Name | Data Type | Max Length |
|---|---|---|
| CourseID | int | - |
| ModifiedBy | int | - |
| ModifiedDate | smalldatetime | - |
| PrerequisiteCourseID | int | - |

## 151. CourseBooks

| Column Name | Data Type | Max Length |
|---|---|---|
| CourseID | int | - |
| TextBookDefinitionID | int | - |

## 152. CourseLevel

| Column Name | Data Type | Max Length |
|---|---|---|
| AllowStandardGrading | bit | - |
| CourseLevelID | int | - |
| DecimalPlaces | smallint | - |
| DefaultAssignmentMaxPoints | decimal | - |
| Description | nvarchar | 50 |
| EnableStandardTagging | bit | - |
| f_e1 | real | - |
| f_e2 | real | - |

| f_e3 | real | - |
|---|---|---|
| f_s1 | real | - |
| f_s2 | real | - |
| f_s3 | real | - |
| f_t1 | real | - |
| f_t2 | real | - |
| f_t3 | real | - |
| f_t4 | real | - |
| f_t5 | real | - |
| f_t6 | real | - |
| GbkAssignmentSort | int | - |
| GbkCapCategory | bit | - |
| GbkCapTerm | bit | - |
| GbkDecimalPlaces | int | - |
| GbkGradeMethod | nvarchar | 50 |
| GbkIncompleteIs0 | bit | - |
| GbkShowCurve | bit | - |
| GbkShowPointsEarned | bit | - |
| GbkStandardCalculation | int | - |
| GbkStandardCalculationRecent | int | - |
| GbkStudentSort | int | - |
| GbkTimeFrame | nvarchar | 50 |
| GbkWebProgressReport | bit | - |
| Honors | bit | - |
| IsStandardsBasedCalculation | bit | - |
| LevelName | nvarchar | 50 |
| ModifiedBy | int | - |
| ModifiedDate | smalldatetime | - |
| s1_e1 | real | - |
| s1_e2 | real | - |
| s1_e3 | real | - |
| s1_t1 | real | - |
| s1_t2 | real | - |
| s1_t3 | real | - |
| s1_t4 | real | - |
| s1_t5 | real | - |
| s1_t6 | real | - |
| s2_e1 | real | - |
| s2_e2 | real | - |
| s2_e3 | real | - |
| s2_t1 | real | - |
| s2_t2 | real | - |
| s2_t3 | real | - |
| s2_t4 | real | - |
| s2_t5 | real | - |
| s2_t6 | real | - |
| s3_e1 | real | - |
| s3_e2 | real | - |
| s3_e3 | real | - |

| | | |
|---|---|---|
| s3_t1 | real | - |
| s3_t2 | real | - |
| s3_t3 | real | - |
| s3_t4 | real | - |
| s3_t5 | real | - |
| s3_t6 | real | - |
| SchoolCode | varchar | 50 |
| StandardMasteryGradeMinVal0 | decimal | - |
| StandardMasteryGradeMinVal1 | decimal | - |
| StandardMasteryGradeMinVal2 | decimal | - |
| StandardMaxGrade | decimal | - |
| WebProgressReportStyle | nvarchar | 50 |

| 153. CourseLevelAssessments | | |
|---|---|---|
| Column Name | Data Type | Max Length |
| AssessmentID | int | - |
| CourseLevelAssessmentID | int | - |
| CourseLevelID | int | - |
| Description | nvarchar | 100 |
| Term1 | bit | - |
| Term2 | bit | - |
| Term3 | bit | - |
| Term4 | bit | - |
| Term5 | bit | - |
| Term6 | bit | - |
| Title | nvarchar | 50 |
| Weight | real | - |

| 154. CourseLevelCodeTranslation | | |
|---|---|---|
| Column Name | Data Type | Max Length |
| CourseLevelCodeTranslationId | int | - |
| CourseLevelID | int | - |
| LetterCode | nvarchar | 50 |
| Percent | decimal | - |
| StatusCode | char | 1 |

| 155. CourseLevelGradeTranslation | | |
|---|---|---|
| Column Name | Data Type | Max Length |
| Avg | real | - |
| CourseLevelID | int | - |
| Grade | nvarchar | 50 |
| ModifiedBy | int | - |
| ModifiedDate | smalldatetime | - |

| 156. CourseObjectives | | |
|---|---|---|

| Column Name | Data Type | Max Length |
|---|---|---|
| CourseID | int | - |
| GroupID | int | - |
| ModifiedBy | int | - |
| ModifiedDate | smalldatetime | - |
| Number | varchar | 50 |
| Objective | nvarchar | -1 |
| ObjectiveID | int | - |
| ObjectiveNumber | smallint | - |

## 157. CourseObjectivesGroup

| Column Name | Data Type | Max Length |
|---|---|---|
| CourseID | int | - |
| GroupID | int | - |
| GroupName | varchar | 255 |
| GroupNumber | varchar | 50 |
| ModifiedBy | int | - |
| ModifiedDate | smalldatetime | - |

## 158. CourseRequestTemplate

| Column Name | Data Type | Max Length |
|---|---|---|
| GradeLevel | nvarchar | 50 |
| HTML_text | nvarchar | -1 |
| SchoolCode | nvarchar | 50 |
| TemplateID | int | - |

## 159. CourseRequestTemplateCourse

| Column Name | Data Type | Max Length |
|---|---|---|
| CourseID | int | - |
| ElementNum | int | - |
| TemplateID | int | - |

## 160. CourseRequestTemplateElementName

| Column Name | Data Type | Max Length |
|---|---|---|
| ElementNum | int | - |
| Name | nvarchar | 500 |
| ShowPassed | bit | - |
| TemplateID | int | - |

## 161. Courses

| Column Name | Data Type | Max Length |
|---|---|---|
| Abbreviation | nvarchar | 50 |
| Active | bit | - |
| Activity | bit | - |

| | | |
|---|---|---|
| Attendance | bit | - |
| Calc | bit | - |
| CalcTranscript | bit | - |
| Contacts | int | - |
| Corequisites | nvarchar | 50 |
| CourseAcctCat | int | - |
| CourseFee | real | - |
| CourseID | int | - |
| CourseType | nvarchar | 50 |
| Credits | float | - |
| DefaultStaffID | int | - |
| Department | nvarchar | 50 |
| DepartmentID | int | - |
| Description | nvarchar | 4000 |
| Elective | bit | - |
| Elementary | bit | - |
| EnableMoodle | bit | - |
| Equivalents | nvarchar | 50 |
| FinalWt | float | - |
| HomeRoom | bit | - |
| HS | bit | - |
| IBCourseID | int | - |
| LabAcctCat | int | - |
| LabFee | real | - |
| LegacyCourseID | nvarchar | 20 |
| LevelID | int | - |
| LinkedCourseID | int | - |
| MaterialAcctCat | int | - |
| MaterialFee | real | - |
| MaxSize | int | - |
| MidleSchool | bit | - |
| MiscAcctCat | int | - |
| MiscFee | real | - |
| ModifiedBy | int | - |
| ModifiedDate | smalldatetime | - |
| MoodleCourseID | int | - |
| MoodleGuestAccess | bit | - |
| NoCalcTranscript | bit | - |
| PatternGroup | nvarchar | 50 |
| Prerequisites | nvarchar | 50 |
| PreSchool | bit | - |
| RCPlacement | int | - |
| ReportCard | bit | - |
| ReqGrade | nvarchar | 50 |
| RequiredRoomID | int | - |
| ScheduleStyle | int | - |
| SchoolCode | varchar | 50 |
| SemesterWt | float | - |
| StateID | nvarchar | 64 |

| | | |
|---|---|---|
| Terms | int | - |
| TermWt | float | - |
| Title | nvarchar | 50 |
| Transcript | bit | - |
| TranscriptLoad | int | - |
| Weight | real | - |

| 162. CPEndOfDay | | |
|---|---|---|
| Column Name | Data Type | Max Length |
| AccHolderName | nvarchar | 50 |
| AdditionalResults1 | nvarchar | 50 |
| City | nvarchar | 50 |
| Country | nvarchar | 50 |
| CPEndofDayID | int | - |
| CPPaymentID | int | - |
| cpPaymentToken | nvarchar | 50 |
| DayTimePhone | nvarchar | 35 |
| DepositID | int | - |
| DistrictCode | nvarchar | 16 |
| Email | nvarchar | 256 |
| EveningPhone | nvarchar | 35 |
| GatewayTransID | nvarchar | 50 |
| lastfour | nvarchar | 4 |
| NotificationSent | bit | - |
| OrderAmt | int | - |
| OrderAmtDue | int | - |
| OrderBalance | int | - |
| OrderCurrStatusAmtDue | int | - |
| OrderCurrStatusBalance | int | - |
| OrderDescription | nvarchar | 50 |
| OrderDueDate | smalldatetime | - |
| OrderFee | int | - |
| OrderType | nvarchar | 16 |
| PaymentID | int | - |
| Processed | bit | - |
| Refunded | bit | - |
| SchoolCode | nvarchar | 16 |
| State | nvarchar | 50 |
| Street1 | nvarchar | 100 |
| Street2 | nvarchar | 100 |
| SyncToMaster | bit | - |
| TransactionAccType | nvarchar | 20 |
| TransactionDate | smalldatetime | - |
| TransactionEffectiveDate | smalldatetime | - |
| TransactionFailureMessage | nvarchar | 255 |
| TransactionID | int | - |
| TransactionResultCode | nvarchar | 10 |
| TransactionResultMessage | nvarchar | 255 |

| Column Name | Data Type | Max Length |
|---|---|---|
| TransactionStatus | varchar | 1 |
| TransactionTotalAmt | int | - |
| TransactionType | varchar | 1 |
| TransSettlementDate | smalldatetime | - |
| UserChoice1 | nvarchar | 50 |
| UserChoice2 | nvarchar | 50 |
| UserChoice3 | nvarchar | 50 |
| UserChoice4 | nvarchar | 50 |
| UserChoice5 | nvarchar | 50 |
| Zip | nvarchar | 20 |

### 163. CreateAReport

| Column Name | Data Type | Max Length |
|---|---|---|
| carObject | xml | -1 |
| CreateAReportID | int | - |
| FieldCount | int | - |
| HideFilter2 | varchar | 50 |
| ModifiedBy | int | - |
| ModifiedDateTime | smalldatetime | - |
| Name | varchar | 128 |
| SchoolCode | varchar | 50 |
| Share | int | - |
| StaffID | int | - |
| Type | varchar | 50 |

### 164. CreateAReport_CommLog

| Column Name | Data Type | Max Length |
|---|---|---|
| CID | int | - |
| CL_ContactMethod | nvarchar | 256 |
| CL_DateContacted | datetime | - |
| CL_Description | nvarchar | 1024 |
| CL_Notes | nvarchar | -1 |
| CLID | int | - |
| UserName | nvarchar | 32 |

### 165. CreateAReportConfiguration

| Column Name | Data Type | Max Length |
|---|---|---|
| CreateAReportID | int | - |
| F1 | varchar | 50 |
| F10 | varchar | 50 |
| F11 | varchar | 50 |
| F12 | varchar | 50 |
| F13 | varchar | 50 |
| F14 | varchar | 50 |
| F15 | varchar | 50 |
| F16 | varchar | 50 |

| | | |
|---|---|---|
| F17 | varchar | 50 |
| F18 | varchar | 50 |
| F19 | varchar | 50 |
| F2 | varchar | 50 |
| F20 | varchar | 50 |
| F3 | varchar | 50 |
| F4 | varchar | 50 |
| F5 | varchar | 50 |
| F6 | varchar | 50 |
| F7 | varchar | 50 |
| F8 | varchar | 50 |
| F9 | varchar | 50 |
| Name | varchar | 128 |
| S1 | varchar | 50 |
| S1a | varchar | 50 |
| S2 | varchar | 50 |
| S2a | varchar | 50 |
| S3 | varchar | 50 |
| S3a | varchar | 50 |
| Share | bit | - |
| StaffID | int | - |
| Type | varchar | 50 |
| Webform | varchar | 256 |
| WebformID | int | - |
| X1 | varchar | 50 |
| X1a | varchar | 50 |
| X1b | varchar | 50 |
| X2 | varchar | 50 |
| X2a | varchar | 50 |
| X2b | varchar | 50 |
| X3 | varchar | 50 |
| X3a | varchar | 50 |
| X3b | varchar | 50 |

## 166. CreateAReportFieldGroup

| Column Name | Data Type | Max Length |
|---|---|---|
| CreateAReportID | int | - |
| FieldGroup | varchar | 50 |

## 167. CreateAReportFields

| Column Name | Data Type | Max Length |
|---|---|---|
| Alignment | varchar | 50 |
| CreateAReportID | int | - |
| Field | int | - |
| Format | varchar | 50 |
| Hide | varchar | 50 |
| HideFilter2 | varchar | 50 |

| Name | varchar | 128 |
|---|---|---|
| Sa | varchar | 50 |
| Sb | varchar | 50 |
| Summary | varchar | 50 |
| Xa | varchar | 50 |
| Xb | varchar | 50 |
| Xc | varchar | 50 |
| Xd | varchar | 50 |
| Xe | varchar | 50 |
| Xg | varchar | 50 |

## 168. CreateAReportView_Campaign_Base_Const

| Column Name | Data Type | Max Length |
|---|---|---|
| Addressee | nvarchar | 128 |
| C_DoNotContact | bit | - |
| C_FiledAs | nvarchar | 512 |
| C_OrgName | nvarchar | 256 |
| C_Solicitor | nvarchar | 512 |
| CCI_ConstituentInterestDLID | int | - |
| CID | int | - |
| CRID | int | - |
| MailAddress1 | nvarchar | 256 |
| MailAddress2 | nvarchar | 256 |
| MailCity | nvarchar | 255 |
| MailCountry | nvarchar | 255 |
| MailState | nvarchar | 255 |
| MailZip | nvarchar | 255 |
| MailZipPlus4 | nvarchar | 4 |
| Salutation | nvarchar | 128 |

## 169. CreateAReportView_Campaign_Base_Giving

| Column Name | Data Type | Max Length |
|---|---|---|
| CA_CampaignFocusDLID | int | - |
| CA_CampaignTypeDLID | int | - |
| CA_Code | nvarchar | 128 |
| CA_EndDate | datetime | - |
| CA_Name | nvarchar | 256 |
| CA_StartDate | datetime | - |
| CAID | int | - |
| CID | int | - |
| CPM_Name | varchar | 1 |
| E_Code | nvarchar | 128 |
| E_Cost | decimal | - |
| E_EndDate | datetime | - |
| E_EndTime | datetime | - |
| E_Goal | decimal | - |
| E_LocationAddress1 | nvarchar | 256 |

| E_LocationAddress2 | nvarchar | 256 |
|---|---|---|
| E_LocationCity | nvarchar | 64 |
| E_LocationName | nvarchar | 64 |
| E_LocationState | nvarchar | 128 |
| E_LocationZip | nvarchar | 5 |
| E_Name | nvarchar | 64 |
| E_NumSolicited | int | - |
| E_StartDate | datetime | - |
| E_StartTime | datetime | - |
| E_Status | nvarchar | 2 |
| E_TypeDLID | int | - |
| EID | int | - |
| F_Code | nvarchar | 64 |
| F_Name | nvarchar | 256 |
| GH_CheckNumber | nvarchar | 32 |
| GH_Comment | nvarchar | 512 |
| GH_CRID | int | - |
| GH_DateEntered | datetime | - |
| GH_DateSentTY | datetime | - |
| GH_DateUpdated | datetime | - |
| GH_DeductibleAmount | decimal | - |
| GH_EnteredByUID | int | - |
| GH_GiftAmount | decimal | - |
| GH_GiftBatchDLID | int | - |
| GH_GiftCategoryDLID | int | - |
| GH_GiftDate | datetime | - |
| GH_GiftDescription | nvarchar | -1 |
| GH_GiftTypeDLID | int | - |
| GH_IsAnonymous | bit | - |
| GH_ReceiptNumber | bigint | - |
| GH_UpdatedByUID | int | - |
| GHID | int | - |
| GL_Name | nvarchar | 64 |
| GL_RangeHigh | money | - |
| GL_RangeLow | money | - |
| PK_Description | nvarchar | 128 |
| PK_Value | money | - |

| 170. CreateAReportView_Campaign_Part2 | | |
|---|---|---|
| Column Name | Data Type | Max Length |
| CA_CumGiftAmount | decimal | - |
| CA_CumGiftAmount_NoPledge | decimal | - |
| CA_CumGiftAmount_Pledge | decimal | - |
| CA_CumGiftAmountYTD | decimal | - |
| CA_CumPledgeAmount | decimal | - |
| E_CumGiftAmount | decimal | - |
| E_CumGiftAmountYTD | decimal | - |
| EID | int | - |

## 171. CreateAReportView_CID_CumGiving

| Column Name | Data Type | Max Length |
|---|---|---|
| CID | int | - |
| CumGiftAmount | decimal | - |
| CumGiftAmount_YTD | decimal | - |

## 172. CreateAReportView_Constituent_Base

| Column Name | Data Type | Max Length |
|---|---|---|
| Addressee | nvarchar | 128 |
| C_BirthDate | datetime | - |
| C_ConstituentTypeDLID | int | - |
| C_DateEntered | datetime | - |
| C_DateUpdated | datetime | - |
| C_DeceasedDate | datetime | - |
| C_DoNotContact | bit | - |
| C_Email1 | nvarchar | 256 |
| C_Email2 | varchar | 256 |
| C_EmploymentDate | datetime | - |
| C_EnteredByUID | int | - |
| C_FiledAs | nvarchar | 512 |
| C_FName1 | nvarchar | 64 |
| C_IBID | int | - |
| C_ImportID | nvarchar | 64 |
| C_Industry | varchar | 128 |
| C_LName1 | nvarchar | 128 |
| C_MaidenName | nvarchar | 128 |
| C_MName1 | nvarchar | 64 |
| C_NickName | varchar | 128 |
| C_Occupation | varchar | 128 |
| C_OrgContactName | varchar | 256 |
| C_OrgName | nvarchar | 256 |
| C_Prefix1 | nvarchar | 32 |
| C_PrimaryCRID | int | - |
| C_RenwebPersonID | int | - |
| C_ShowOnAlumniWeb | bit | - |
| C_Solicitor | nvarchar | 512 |
| C_SoundEx_FName1 | nvarchar | 8 |
| C_SoundEx_LName1 | nvarchar | 8 |
| C_SoundEx_OrgName | nvarchar | 8 |
| C_Status | nvarchar | 2 |
| C_StudentGradeLevel | varchar | 32 |
| C_Suffix1 | nvarchar | 60 |
| C_SyncCreated | bit | - |
| C_SyncLocked | bit | - |
| C_SyncMatched | bit | - |
| C_SyncNote | varchar | 1024 |

| | | |
|---|---|---|
| C_SyncUpdated | bit | - |
| C_TargetGSID | int | - |
| C_TaxID | nvarchar | 16 |
| C_UpdatedByUID | int | - |
| C_YearGraduated | int | - |
| CA_Code | nvarchar | 128 |
| CA_Name | nvarchar | 256 |
| CAID | int | - |
| CCI_ConstituentInterestDLID | int | - |
| CCI_DateFrom | datetime | - |
| CCI_DateTo | datetime | - |
| CCI_PrimaryInterest | bit | - |
| CID | int | - |
| CID_2 | int | - |
| CP_PhoneTypeDLID | int | - |
| CP_Preferred | varchar | 128 |
| CR_DateEntered | datetime | - |
| CR_DateFrom | datetime | - |
| CR_DateTo | datetime | - |
| CR_DateUpdated | datetime | - |
| CR_EnteredByUID | int | - |
| CR_Note | nvarchar | 128 |
| CR_SendMail | bit | - |
| CR_UpdatedByUID | int | - |
| CRID | int | - |
| E_Code | nvarchar | 128 |
| E_LocationName | nvarchar | 64 |
| E_Name | nvarchar | 64 |
| EID | int | - |
| F_Code | nvarchar | 64 |
| F_Name | nvarchar | 256 |
| Gender | nchar | 8 |
| GH_CheckNumber | nvarchar | 32 |
| GH_Comment | nvarchar | 512 |
| GH_DateSentTY | datetime | - |
| GH_DeductibleAmount | decimal | - |
| GH_GiftAmount | decimal | - |
| GH_GiftBatchDLID | int | - |
| GH_GiftCategoryDLID | int | - |
| GH_GiftDate | date | - |
| GH_GiftDescription | nvarchar | -1 |
| GH_GiftTypeDLID | int | - |
| GH_IsAnonymous | bit | - |
| GH_ReceiptNumber | bigint | - |
| GH_Relationship | nvarchar | 128 |
| GHID | int | - |
| GL_Name | nvarchar | 64 |
| GL_RangeHigh | money | - |
| GL_RangeLow | money | - |

| GR_AcknowledgeeName | varchar | 256 |
|---|---|---|
| GR_DateUpdated | datetime | - |
| GR_IsHonorarium | bit | - |
| GR_IsMemorial | bit | - |
| GR_ReasonCode | varchar | 8 |
| GR_ReasonDescription | nvarchar | 128 |
| GR_UpdatedByUID | int | - |
| GS_Name | nvarchar | 64 |
| HM_C_FName1 | nvarchar | 64 |
| HM_C_LName1 | nvarchar | 128 |
| HM_C_MName1 | nvarchar | 64 |
| HM_C_OrgName | nvarchar | 256 |
| HM_C_Prefix1 | nvarchar | 32 |
| HM_C_Suffix1 | nvarchar | 60 |
| HM_MailAddress1 | nvarchar | 256 |
| HM_MailAddress2 | nvarchar | 256 |
| HM_MailCity | nvarchar | 255 |
| HM_MailCountry | nvarchar | 255 |
| HM_MailState | nvarchar | 255 |
| HM_MailZip | nvarchar | 255 |
| HM_MailZipPlus4 | nvarchar | 4 |
| MailAddress1 | nvarchar | 256 |
| MailAddress2 | nvarchar | 256 |
| MailCity | nvarchar | 255 |
| MailCountry | nvarchar | 255 |
| MailState | nvarchar | 255 |
| MailZip | nvarchar | 255 |
| MailZipPlus4 | nvarchar | 4 |
| Matched_GiftAmount | decimal | - |
| Matched_GiftDate | date | - |
| Matched_GiftDescription | nvarchar | -1 |
| Matched_OrgName | nvarchar | 256 |
| PK_Description | nvarchar | 128 |
| PK_Value | money | - |
| RR_Name | nvarchar | 64 |
| RT_Name | nvarchar | 64 |
| Salutation | nvarchar | 128 |
| SC_Amount | decimal | - |
| SC_Percentage | int | - |
| SC_Relationship | nvarchar | 128 |
| SCID | int | - |

| 173. CreateAReportView_Constituent_Totals | | |
|---|---|---|
| Column Name | Data Type | Max Length |
| CID | int | - |
| CumGiftAmount | decimal | - |
| CumGiftAmount_ByYear | decimal | - |
| CumGiftAmount_LastYTD | decimal | - |

| Column Name | Data Type | Max Length |
|---|---|---|
| CumGiftAmount_Relationship_YTD | decimal | - |
| CumGiftAmount_YTD | decimal | - |
| FirstGiftAmount | decimal | - |
| FirstGiftDate | date | - |
| GivingYear | int | - |
| LastGiftAmount | decimal | - |
| LastGiftCampaignName | nvarchar | 256 |
| LastGiftDate | date | - |
| LastGiftEffortName | nvarchar | 64 |
| SCGiving_ConstYTD | decimal | - |
| SCGiving_RelByYear | decimal | - |

### 174. CreateAReportView_CumGivingFY

| Column Name | Data Type | Max Length |
|---|---|---|
| CID | int | - |
| CumGiving | decimal | - |
| FY_CustomName | nvarchar | 128 |
| SCGiving_ConstByFY | decimal | - |

### 175. CreateAReportView_GiftFY

| Column Name | Data Type | Max Length |
|---|---|---|
| FY_CustomName | nvarchar | 128 |
| GHID | int | - |

### 176. CreateAReportView_MailLabels1

| Column Name | Data Type | Max Length |
|---|---|---|
| C_BirthDate | datetime | - |
| C_ConstituentTypeDLID | int | - |
| C_DateEntered | datetime | - |
| C_DateUpdated | datetime | - |
| C_DoNotContact | bit | - |
| C_EnteredByUID | int | - |
| C_FiledAs | nvarchar | 512 |
| C_FName1 | nvarchar | 64 |
| C_LName1 | nvarchar | 128 |
| C_MailAddress1 | nvarchar | 256 |
| C_MailAddress2 | nvarchar | 256 |
| C_MailCity | nvarchar | 255 |
| C_MailCountry | nvarchar | 255 |
| C_MailState | nvarchar | 255 |
| C_MailZip | nvarchar | 255 |
| C_MailZipPlus4 | nvarchar | 4 |
| C_MName1 | nvarchar | 64 |
| C_OrgContactName | varchar | 256 |
| C_OrgName | nvarchar | 256 |
| C_Prefix1 | nvarchar | 32 |

| | | |
|---|---|---|
| C_PrimaryCRID | int | - |
| C_Solicitor | nvarchar | 512 |
| C_Status | nvarchar | 2 |
| C_Suffix1 | nvarchar | 60 |
| C_TargetGSID | int | - |
| C_UpdatedByUID | int | - |
| C_YearGraduated | int | - |
| CCI_ConstituentInterestDLID | int | - |
| CCI_DateFrom | datetime | - |
| CCI_DateTo | datetime | - |
| CCI_PrimaryInterest | bit | - |
| CG_Greeting | nvarchar | 128 |
| CG_GreetingTypeDLID | int | - |
| CG_IsPrimaryAddressee | bit | - |
| CG_IsPrimarySalutation | bit | - |
| CID | int | - |
| CR_DateEntered | datetime | - |
| CR_DateFrom | datetime | - |
| CR_DateTo | datetime | - |
| CR_DateUpdated | datetime | - |
| CR_EnteredByUID | int | - |
| CR_Note | nvarchar | 128 |
| CR_SendMail | bit | - |
| CR_UpdatedByUID | int | - |
| CRID | int | - |
| CumGiftAmount_ByYear | decimal | - |
| CumGiftAmount_LastYTD | decimal | - |
| CumGiftAmount_YTD | decimal | - |
| GivingYear | int | - |
| MailingAID | int | - |
| PrimaryFiledAs | nvarchar | 512 |
| PrimarySalutation | nvarchar | 128 |
| RR_Name | nvarchar | 64 |
| RT_Name | nvarchar | 64 |

| 177. CreateAReportView_Pledges | | |
|---|---|---|
| Column Name | Data Type | Max Length |
| A_StreetAddress1 | nvarchar | 256 |
| A_StreetAddress2 | nvarchar | 256 |
| A_StreetCity | nvarchar | 255 |
| A_StreetCountry | nvarchar | 255 |
| A_StreetState | nvarchar | 255 |
| A_StreetZip | nvarchar | 255 |
| A_StreetZipPlus4 | nvarchar | 4 |
| Addressee | nvarchar | 128 |
| C_BirthDate | datetime | - |
| C_ConstituentTypeDLID | int | - |
| C_DateEntered | datetime | - |

| | | |
|---|---|---|
| C_DateUpdated | datetime | - |
| C_DeceasedDate | datetime | - |
| C_DoNotContact | bit | - |
| C_Email1 | nvarchar | 256 |
| C_Email2 | varchar | 256 |
| C_EmploymentDate | datetime | - |
| C_EnteredByUID | int | - |
| C_FiledAs | nvarchar | 512 |
| C_FName1 | nvarchar | 64 |
| C_IBID | int | - |
| C_ImportID | nvarchar | 64 |
| C_Industry | varchar | 128 |
| C_LName1 | nvarchar | 128 |
| C_MaidenName | nvarchar | 128 |
| C_MName1 | nvarchar | 64 |
| C_NickName | varchar | 128 |
| C_Occupation | varchar | 128 |
| C_OrgContactName | varchar | 256 |
| C_OrgName | nvarchar | 256 |
| C_Prefix1 | nvarchar | 32 |
| C_PrimaryCRID | int | - |
| C_Solicitor | nvarchar | 512 |
| C_Status | nvarchar | 2 |
| C_StudentGradeLevel | varchar | 32 |
| C_Suffix1 | nvarchar | 60 |
| C_TargetGSID | int | - |
| C_TaxID | nvarchar | 16 |
| C_UpdatedByUID | int | - |
| C_YearGraduated | int | - |
| CA_Name | nvarchar | 256 |
| CAID | int | - |
| CCI_ConstituentInterestDLID | int | - |
| CCI_DateFrom | datetime | - |
| CCI_DateTo | datetime | - |
| CCI_PrimaryInterest | bit | - |
| CID | int | - |
| CP_PhoneTypeDLID | int | - |
| CP_Preferred | varchar | 128 |
| CR_DateEntered | datetime | - |
| CR_DateFrom | datetime | - |
| CR_DateTo | datetime | - |
| CR_DateUpdated | datetime | - |
| CR_EnteredByUID | int | - |
| CR_Note | nvarchar | 128 |
| CR_SendMail | bit | - |
| CR_UpdatedByUID | int | - |
| CRID | int | - |
| E_Name | nvarchar | 64 |
| EID | int | - |

| | | | |
|---|---|---|---|
| GL_Name | nvarchar | 64 | |
| GL_RangeHigh | money | - | |
| GL_RangeLow | money | - | |
| MailAddress1 | nvarchar | 256 | |
| MailAddress2 | nvarchar | 256 | |
| MailCity | nvarchar | 255 | |
| MailCountry | nvarchar | 255 | |
| MailState | nvarchar | 255 | |
| MailZip | nvarchar | 255 | |
| MailZipPlus4 | nvarchar | 4 | |
| P_Comment | nvarchar | 1024 | |
| P_DateEntered | datetime | - | |
| P_DateUpdated | datetime | - | |
| P_EnteredByUID | int | - | |
| P_PledgeAmountTotal | decimal | - | |
| P_PledgeBeginDate | datetime | - | |
| P_PledgeEndDate | datetime | - | |
| P_PledgePaymentAmount | decimal | - | |
| P_PledgeStatusDLID | nvarchar | 128 | |
| P_PledgeTermsDLID | int | - | |
| P_UpdatedByUID | int | - | |
| PID | int | - | |
| PK_Description | nvarchar | 128 | |
| PK_Value | money | - | |
| PreferredPhoneTypeDLID | int | - | |
| RR_Name | nvarchar | 64 | |
| RT_Name | nvarchar | 64 | |
| Salutation | nvarchar | 128 | |

| 178. CreateAReportView_Pledges_Const_Totals | | |
|---|---|---|
| Column Name | Data Type | Max Length |
| CID | int | - |
| CumPledgeAmountTotal | decimal | - |
| PledgeTotalGiven | decimal | - |

| 179. CreateAReportView_Pledges_Totals | | |
|---|---|---|
| Column Name | Data Type | Max Length |
| LastPledgeScheduleDate | date | - |
| PID | int | - |
| PledgeBalance | decimal | - |
| PledgeTotalGiven_PerPledge | decimal | - |

| 180. CreateAReportView_Relationship | | |
|---|---|---|
| Column Name | Data Type | Max Length |
| CID | int | - |
| CRID | int | - |

| | | |
|---|---|---|
| FiledAs | nvarchar | 512 |
| OtherCID | int | - |
| OtherFiledAs | nvarchar | 512 |
| OtherRR_Name | nvarchar | 64 |
| RelationshipType | nvarchar | 64 |
| RR_Name | nvarchar | 64 |

| 181. CreateAReportView_Team | | |
|---|---|---|
| Column Name | Data Type | Max Length |
| A_StreetAddress1 | nvarchar | 256 |
| A_StreetAddress2 | nvarchar | 256 |
| A_StreetCity | nvarchar | 255 |
| A_StreetCountry | nvarchar | 255 |
| A_StreetState | nvarchar | 255 |
| A_StreetZip | nvarchar | 255 |
| A_StreetZipPlus4 | nvarchar | 4 |
| C_BirthDate | datetime | - |
| C_ConstituentTypeDLID | int | - |
| C_DoNotContact | bit | - |
| C_Email1 | nvarchar | 256 |
| C_Email2 | varchar | 256 |
| C_FiledAs | nvarchar | 512 |
| C_FName1 | nvarchar | 64 |
| C_IBID | int | - |
| C_LName1 | nvarchar | 128 |
| C_MName1 | nvarchar | 64 |
| C_NickName | varchar | 128 |
| C_OrgName | nvarchar | 256 |
| C_Prefix1 | nvarchar | 32 |
| C_PrimaryCRID | int | - |
| C_Status | nvarchar | 2 |
| C_Suffix1 | nvarchar | 60 |
| C_TaxID | nvarchar | 16 |
| CA_Code | nvarchar | 128 |
| CA_Name | nvarchar | 256 |
| CAID | int | - |
| CG_Greeting | nvarchar | 128 |
| CG_GreetingTypeDLID | int | - |
| CID | int | - |
| CP_PhoneTypeDLID | int | - |
| CP_Preferred | varchar | 128 |
| E_Code | nvarchar | 128 |
| E_Cost | decimal | - |
| E_EndDate | datetime | - |
| E_EndTime | datetime | - |
| E_Goal | decimal | - |
| E_LocationAddress1 | nvarchar | 256 |
| E_LocationAddress2 | nvarchar | 256 |

| | | |
|---|---|---|
| E_LocationCity | nvarchar | 64 |
| E_LocationName | nvarchar | 64 |
| E_LocationState | nvarchar | 128 |
| E_LocationZip | nvarchar | 5 |
| E_Name | nvarchar | 64 |
| E_StartDate | datetime | - |
| E_StartTime | datetime | - |
| EG_GLID | int | - |
| EG_MaxGroupSize | int | - |
| EG_Name | nvarchar | 64 |
| EG_Number | int | - |
| EG_Price | decimal | - |
| EG_PriorityDLID | int | - |
| EGM_GolfHandicap | int | - |
| EGM_GroupPlacementNumber | int | - |
| EGM_PaidAmount | decimal | - |
| EID | int | - |
| GL_Name | nvarchar | 64 |
| GL_RangeHigh | money | - |
| GL_RangeLow | money | - |
| MailAddress1 | nvarchar | 256 |
| MailAddress2 | nvarchar | 256 |
| MailCity | nvarchar | 255 |
| MailCountry | nvarchar | 255 |
| MailState | nvarchar | 255 |
| MailZip | nvarchar | 255 |
| MailZipPlus4 | nvarchar | 4 |
| PK_Description | nvarchar | 128 |
| PK_Value | money | - |

| 182. CreateAReportView_Thankyou2 | | |
|---|---|---|
| Column Name | Data Type | Max Length |
| C_ConstituentTypeDLID | int | - |
| C_DateEntered | datetime | - |
| C_DoNotContact | bit | - |
| C_Email1 | nvarchar | 256 |
| C_Email2 | varchar | 256 |
| C_FiledAs | nvarchar | 512 |
| C_FName1 | nvarchar | 64 |
| C_LName1 | nvarchar | 128 |
| C_MailAddress1 | nvarchar | 256 |
| C_MailAddress2 | nvarchar | 256 |
| C_MailCity | nvarchar | 255 |
| C_MailCountry | nvarchar | 255 |
| C_MailState | nvarchar | 255 |
| C_MailZip | nvarchar | 255 |
| C_MailZipPlus4 | nvarchar | 4 |
| C_OrgContactName | varchar | 256 |

| | | |
|---|---|---|
| C_OrgName | nvarchar | 256 |
| C_Prefix1 | nvarchar | 32 |
| C_Solicitor | nvarchar | 512 |
| C_Status | nvarchar | 2 |
| C_Suffix1 | nvarchar | 60 |
| CA_Code | nvarchar | 128 |
| CA_Name | nvarchar | 256 |
| CAID | int | - |
| CCI_ConstituentInterestDLID | int | - |
| CID | int | - |
| CID_CAID | nvarchar | 39 |
| CID_EID | nvarchar | 38 |
| CP_PhoneTypeDLID | int | - |
| CP_Preferred | varchar | 128 |
| CRID | int | - |
| E_Code | nvarchar | 128 |
| E_Name | nvarchar | 64 |
| EID | int | - |
| F_Code | nvarchar | 64 |
| F_Name | nvarchar | 256 |
| GH_CheckNumber | nvarchar | 32 |
| GH_Comment | nvarchar | 512 |
| GH_CRID | int | - |
| GH_DeductibleAmount | decimal | - |
| GH_GiftAmount | decimal | - |
| GH_GiftBatchDLID | int | - |
| GH_GiftCategoryDLID | int | - |
| GH_GiftDate | date | - |
| GH_GiftDescription | nvarchar | -1 |
| GH_GiftTypeDLID | int | - |
| GH_IsAnonymous | bit | - |
| GH_ReceiptNumber | bigint | - |
| GH_Relationship | nvarchar | 128 |
| GHID | int | - |
| IsPledge | bit | - |
| PreferredPhoneTypeDLID | int | - |
| RR_Name | nvarchar | 64 |
| RT_Name | nvarchar | 64 |
| SC_Amount | decimal | - |
| SC_Percentage | int | - |
| SC_Relationship | nvarchar | 128 |
| SCID | int | - |

| 183. CreateAReportView_Workflow | | |
|---|---|---|
| Column Name | Data Type | Max Length |
| A_Address1 | nvarchar | 256 |
| A_Address2 | nvarchar | 256 |
| A_City | nvarchar | 255 |

| A_State | nvarchar | 255 |
|---|---|---|
| A_Zip | nvarchar | 255 |
| A_ZipPlus4 | nvarchar | 4 |
| ActionSolicitorName | nvarchar | 512 |
| ActionStatus | nvarchar | 20 |
| ActionTitle | nvarchar | 128 |
| ActionType | nvarchar | 20 |
| C_DoNotContact | bit | - |
| C_Email1 | nvarchar | 256 |
| C_FiledAs | nvarchar | 512 |
| C_FName1 | nvarchar | 64 |
| C_LName1 | nvarchar | 128 |
| C_Solicitor | nvarchar | 512 |
| C_Status | nvarchar | 2 |
| CAID | int | - |
| CampaignName | nvarchar | 256 |
| CID | int | - |
| ConstituentID | int | - |
| CycleName | nvarchar | 64 |
| DueDate | date | - |
| EffortName | nvarchar | 64 |
| EID | int | - |
| PhaseName | nvarchar | 128 |
| Prompt | nvarchar | 4000 |
| Response | nvarchar | 4000 |
| SolicitorName | nvarchar | 512 |

### 184. CriterionMaxAchievementLevel

| Column Name | Data Type | Max Length |
|---|---|---|
| Criterion | nvarchar | 1 |
| Department | nvarchar | 50 |
| MaxAchievementLevel | int | - |

### 185. CryptPayForms

| Column Name | Data Type | Max Length |
|---|---|---|
| CPForm | nvarchar | 10 |
| CPFormGUID | nvarchar | 128 |
| CPFormPW | nvarchar | 50 |
| CPFormUN | nvarchar | 50 |
| SchoolCode | nvarchar | 50 |

### 186. Currency

| Column Name | Data Type | Max Length |
|---|---|---|
| CurrencyCode | varchar | 10 |
| Decimal | varchar | 1 |
| Name | varchar | 50 |

| Position | varchar | 5 |
|---|---|---|
| Symbol | varchar | 10 |
| Thousands | varchar | 1 |

## 187. CurriculumPlan

| Column Name | Data Type | Max Length |
|---|---|---|
| CourseID | int | - |
| CurriculumPlan | nvarchar | 50 |
| SchoolCode | varchar | 50 |

## 188. CurriculumPlanCourses

| Column Name | Data Type | Max Length |
|---|---|---|
| CourseID | int | - |
| CurriculumPlanID | int | - |
| GradeLevel | nvarchar | 50 |
| ModifiedBy | int | - |
| ModifiedDate | smalldatetime | - |

## 189. CurriculumPlanExemptions

| Column Name | Data Type | Max Length |
|---|---|---|
| ModifiedBy | int | - |
| ModifiedDate | smalldatetime | - |
| Reason | nvarchar | -1 |
| RequirementID | int | - |
| StudentID | int | - |

## 190. CurriculumPlanRequirements

| Column Name | Data Type | Max Length |
|---|---|---|
| CourseID | int | - |
| Credits | float | - |
| CurriculumPlanID | int | - |
| Department | nvarchar | 50 |
| Grade | decimal | - |
| GradeLevel | nvarchar | 50 |
| GradeType | int | - |
| ModifiedBy | int | - |
| ModifiedDate | smalldatetime | - |
| RequirementID | int | - |
| RequirementNumber | int | - |

## 191. CurriculumPlans

| Column Name | Data Type | Max Length |
|---|---|---|
| CurriculumPlanID | int | - |
| CurriculumPlanName | nvarchar | 50 |

| Description | nvarchar | -1 |
|---|---|---|
| ModifiedBy | int | - |
| ModifiedDate | smalldatetime | - |
| SchoolCode | nvarchar | 50 |


| **192. CurriculumPlanStudent** | | |
|---|---|---|
| Column Name | Data Type | Max Length |
| CurriculumPlanID | int | - |
| StudentID | int | - |


| **193. CustomizationRC** | | |
|---|---|---|
| Column Name | Data Type | Max Length |
| ConfigSchoolID | smallint | - |
| CustomizationRCID | int | - |
| IncludeChsGpa | bit | - |
| IncludePromotedTo | bit | - |
| IncludeTermGpa | bit | - |
| IncludeTermHonorRoll | bit | - |
| IncludeTermUgpa | bit | - |
| ReportLogoImagePath | nvarchar | 500 |
| ReportPath | nvarchar | 100 |
| SignatureImagePath | nvarchar | 500 |
| SignatureText | nvarchar | 50 |


| **194. Cycle** | | |
|---|---|---|
| Column Name | Data Type | Max Length |
| CampaignID | int | - |
| CycleDefinition | xml | -1 |
| CycleDefinition2 | xml | -1 |
| CycleID | int | - |
| CycleName | nvarchar | 64 |
| CycleType | int | - |
| EffortID | int | - |
| IsBasedOnEventDate | bit | - |
| SolicitorCID | int | - |
| SolicitorType | int | - |
| Status | nvarchar | 2 |


| **195. CycleAction** | | |
|---|---|---|
| Column Name | Data Type | Max Length |
| ActionStatusID | int | - |
| ActionTitle | nvarchar | 128 |
| ActionTypeID | int | - |
| CompletedBy | int | - |
| CompletedDate | smalldatetime | - |

| CycleActionID | int | - |
|---|---|---|
| DueDate | date | - |
| EmailMessageID | bigint | - |
| EmailTemplateID | int | - |
| IsEmailAutomatic | bit | - |
| MeetingType | nvarchar | 128 |
| PhaseName | nvarchar | 128 |
| ReminderDays | int | - |
| ShowConstituentUDFields | bit | - |
| SolicitorCID | int | - |
| SolicitorType | int | - |
| WorkflowFileID | int | - |
| WorkflowID | uniqueidentifier | - |

## 196. CycleActionPrompt

| Column Name | Data Type | Max Length |
|---|---|---|
| CustomList | xml | -1 |
| CycleActionID | int | - |
| CycleActionPromptID | int | - |
| Prompt | nvarchar | 4000 |
| Response | nvarchar | 4000 |
| ResponseTypeID | int | - |

## 197. CycleInstance

| Column Name | Data Type | Max Length |
|---|---|---|
| CampaignID | int | - |
| CycleDefinition | xml | -1 |
| CycleID | int | - |
| CycleInstanceID | int | - |
| CycleName | nvarchar | 64 |
| EffortID | int | - |
| SolicitorCID | int | - |
| SolicitorType | int | - |

## 198. DayCare_CappedAmounts

| Column Name | Data Type | Max Length |
|---|---|---|
| BeginAmount | real | - |
| CappedID | int | - |
| DistrictWide | bit | - |
| EndAmount | real | - |
| RateID | int | - |
| SchoolCode | varchar | 50 |

## 199. DayCare_DayTypes

| Column Name | Data Type | Max Length |
|---|---|---|

| DayCareDayID | int | - |
|---|---|---|
| DefaultDayType | bit | - |
| Description | nvarchar | 50 |
| DistrictWide | bit | - |
| ModifiedBy | int | - |
| ModifiedTime | nvarchar | 50 |
| SchoolCode | varchar | 50 |

## 200. DayCare_RatePlans

| Column Name | Data Type | Max Length |
|---|---|---|
| Default | bit | - |
| DistrictWide | bit | - |
| ModifiedBy | int | - |
| ModifiedTime | nvarchar | 50 |
| PlanDescription | nvarchar | 50 |
| PlanNumber | int | - |
| RateID | int | - |
| SchoolCode | varchar | 50 |

## 201. DayCare_TimeZone

| Column Name | Data Type | Max Length |
|---|---|---|
| AccountingSystemid | int | - |
| BeginTime | nvarchar | 50 |
| CapAble | bit | - |
| CatID | int | - |
| DayCareDayID | int | - |
| Description | nvarchar | 128 |
| DistrictWide | bit | - |
| EndTime | nvarchar | 50 |
| Interval | int | - |
| ModifiedBy | int | - |
| ModifiedTime | nvarchar | 50 |
| RateID | int | - |
| SchoolCode | varchar | 50 |
| TimeZoneID | int | - |

## 202. DayCare_TimeZoneRates

| Column Name | Data Type | Max Length |
|---|---|---|
| AmountPerHour | real | - |
| AmountPerInterval | real | - |
| AmountType | int | - |
| ModifiedBy | int | - |
| ModifiedTime | nvarchar | 50 |
| RateID | int | - |
| TimeZoneID | int | - |

## 203. DaySetup

| Column Name | Data Type | Max Length |
|---|---|---|
| Attendance | int | - |
| BSID | int | - |
| DayCareDayID | int | - |
| DaySetupDate | datetime | - |
| DayTitle | nvarchar | 50 |
| DayType | int | - |
| LastPeriodForAttendance | int | - |
| ModifiedBy | int | - |
| ModifiedDate | smalldatetime | - |
| ScheduleDay | int | - |
| SchoolCode | nvarchar | 50 |

## 204. DaySetupTemplate

| Column Name | Data Type | Max Length |
|---|---|---|
| Date | smalldatetime | - |
| DayTitle | nvarchar | 50 |
| LastPeriodForAttendance | int | - |
| ScheduleDay | int | - |
| TemplateID | int | - |

## 205. decimal_fix

| Column Name | Data Type | Max Length |
|---|---|---|
| assessmentid | int | - |
| assignmentid | int | - |
| asstitle | varchar | 50 |
| bonuspoints | real | - |
| cattitle | nvarchar | 50 |
| classid | int | - |
| curvepoints | real | - |
| dateassigned | datetime | - |
| datedue | datetime | - |
| firstname | nvarchar | 64 |
| lastname | nvarchar | 128 |
| maxpoints | real | - |
| modifieddate | smalldatetime | - |
| name | varchar | 255 |
| penaltypoints | real | - |
| receivedpoints | real | - |
| section | varchar | 50 |
| studentid | int | - |

## 206. decimal_fix_master1

| Column Name | Data Type | Max Length |
|---|---|---|

| | | |
|---|---|---|
| alModifiedDate | nvarchar | 64 |
| assessmentid | int | - |
| assignmentid | int | - |
| asstitle | varchar | 50 |
| bonuspoints | real | - |
| cattitle | nvarchar | 50 |
| classid | int | - |
| curvepoints | real | - |
| dateassigned | datetime | - |
| datedue | datetime | - |
| firstname | nvarchar | 64 |
| lastname | nvarchar | 128 |
| LogID | int | - |
| maxpoints | real | - |
| ModifiedBy | int | - |
| ModifiedByDateTime | smalldatetime | - |
| modifieddate | smalldatetime | - |
| name | varchar | 255 |
| Note | nvarchar | 1000 |
| penaltypoints | real | - |
| receivedpoints | real | - |
| section | varchar | 50 |
| SerialNo | int | - |
| Source | nvarchar | 50 |
| studentid | int | - |
| Task | nvarchar | 1000 |
| TermID | int | - |
| Type | nvarchar | 50 |
| Web | bit | - |
| YearID | int | - |

| 207. DefaultRequests | | |
|---|---|---|
| Column Name | Data Type | Max Length |
| CourseID | int | - |
| GradeLevel | nvarchar | 50 |
| ModifiedBy | int | - |
| ModifiedDate | smalldatetime | - |
| SchoolCode | nvarchar | 50 |

| 208. DefinedList | | |
|---|---|---|
| Column Name | Data Type | Max Length |
| DefaultValue | bit | - |
| DefinedListID | int | - |
| DL_DateEntered | datetime | - |
| DL_DateUpdated | datetime | - |
| DL_Description | nvarchar | 128 |
| DL_EnteredByUID | int | - |

| DL_IsDefault | bit | - |
|---|---|---|
| DL_Sort | int | - |
| DL_SystemType | bit | - |
| DL_Type | nvarchar | 32 |
| DL_UpdatedByUID | int | - |
| DL_UserEditable | bit | - |
| DL_Value | nvarchar | 128 |
| DLID | int | - |
| ListType | nvarchar | 25 |
| ListValue | nvarchar | 50 |
| SortOrder | int | - |

## 209. DefinedListFriendlyValue

| Column Name | Data Type | Max Length |
|---|---|---|
| DefinedListFriendlyNameID | int | - |
| DefinedListID | int | - |
| FriendlyValue | nvarchar | 256 |
| LanguageID | int | - |

## 210. DefinedLists

| Column Name | Data Type | Max Length |
|---|---|---|
| DefaultField | bit | - |
| DLID | int | - |
| ModifiedBy | int | - |
| ModifiedDate | smalldatetime | - |
| Name | nvarchar | 256 |
| SchoolCode | varchar | 50 |
| Type | nvarchar | 64 |

## 211. DefinitionIdentityTable

| Column Name | Data Type | Max Length |
|---|---|---|
| Build | bigint | - |
| DefinitionIdentityAnyRevisionHash | uniqueidentifier | - |
| DefinitionIdentityHash | uniqueidentifier | - |
| Major | bigint | - |
| Minor | bigint | - |
| Name | nvarchar | -1 |
| Package | nvarchar | -1 |
| Revision | bigint | - |
| SurrogateIdentityId | bigint | - |

## 212. DepartmentColor

| Column Name | Data Type | Max Length |
|---|---|---|
| BackgroundColor | nvarchar | 50 |
| CashRegisterID | int | - |

| Column Name | Data Type | Max Length |
|---|---|---|
| Department | nvarchar | 250 |
| DLID | int | - |
| IsBlack | bit | - |
| IsWhite | bit | - |

## 213. Deposit

| Column Name | Data Type | Max Length |
|---|---|---|
| Amount | money | - |
| BalanceTransfer | int | - |
| BankID | int | - |
| Closed | bit | - |
| Date | smalldatetime | - |
| Deposit | nvarchar | 50 |
| DepositID | int | - |
| Number | int | - |
| PayEasyNowID | nvarchar | 50 |
| Posted | nvarchar | 50 |
| QB_DepositID | nvarchar | 50 |
| QBPosted | int | - |
| SchoolCode | nvarchar | 50 |
| SessionID | nvarchar | 50 |
| SyncId | int | - |

## 214. DesignConfig

| Column Name | Data Type | Max Length |
|---|---|---|
| AdditionalCSS | varchar | 4000 |
| AnalyticsType | char | 2 |
| BannerLinkURL | nvarchar | 2000 |
| BodyBackground | varchar | 6 |
| BodyColor | varchar | 6 |
| ButtonBackgroundFrom | varchar | 6 |
| ButtonBackgroundTo | varchar | 6 |
| ButtonColor | varchar | 6 |
| CalendarBackground | varchar | 6 |
| CalendarBackgroundAlternate | varchar | 6 |
| ConfigSchoolID | smallint | - |
| ContentBackground1 | varchar | 6 |
| ContentBackground2 | varchar | 6 |
| ContentBorder | varchar | 6 |
| ContentBorderInner | varchar | 6 |
| ContentHeadBackgroundFrom | varchar | 6 |
| ContentHeadBackgroundTo | varchar | 6 |
| ContentHeadColor | varchar | 6 |
| ContentTabActiveBackground | varchar | 6 |
| ContentTabActiveColor | varchar | 6 |
| ContentTabBackground | varchar | 6 |
| ContentTabColor | varchar | 6 |

| | | |
|---|---|---|
| ContentTabHoverBackground | varchar | 6 |
| ContentTabHoverColor | varchar | 6 |
| CustomTemplate | bit | - |
| DataTableBackgroundFrom | varchar | 6 |
| DataTableBackgroundTo | varchar | 6 |
| DesignConfigID | smallint | - |
| FontSize | smallint | - |
| FontType | varchar | 75 |
| GoogleAnalyticsUA | nvarchar | 25 |
| HeaderBackgroundImage | varchar | 255 |
| HeaderBackgroundImageHeight | smallint | - |
| HeaderColor | varchar | 6 |
| HeaderLogoImage | varchar | 255 |
| HeaderTextOnly | bit | - |
| IconColor | varchar | 5 |
| IsLive | bit | - |
| LastModified | smalldatetime | - |
| LayoutVersion | nvarchar | 1 |
| LeftMenuArrow | varchar | 5 |
| LeftMenuBackground | varchar | 6 |
| LeftMenuBackgroundHover | varchar | 6 |
| LeftMenuBorder | varchar | 6 |
| LeftMenuColor | varchar | 6 |
| LeftMenuColorHover | varchar | 6 |
| LeftMenuHeaderBackgroundFrom | varchar | 6 |
| LeftMenuHeaderBackgroundTo | varchar | 6 |
| LeftMenuHeaderColor | varchar | 6 |
| LeftMenuWidth | smallint | - |
| OddRowBackground | varchar | 6 |
| SchoolSiteMemberID | smallint | - |
| ScrollDrag | varchar | 6 |
| ScrollTrack | varchar | 6 |
| SiteWidth | smallint | - |
| SortableArrow | varchar | 5 |
| SortableHeaderBackgroundFrom | varchar | 6 |
| SortableHeaderBackgroundTo | varchar | 6 |
| SortableHeaderColor | varchar | 6 |
| StudentTabActiveBackgroundFrom | varchar | 6 |
| StudentTabActiveBackgroundTo | varchar | 6 |
| StudentTabActiveColor | varchar | 6 |
| StudentTabBackground | varchar | 6 |
| StudentTabColor | varchar | 6 |
| StudentTabHoverBackground | varchar | 6 |
| StudentTabHoverColor | varchar | 6 |
| StudentTabRowBackgroundFrom | varchar | 6 |
| StudentTabRowBackgroundTo | varchar | 6 |

**215. DiplomaCourses**

| Column Name | Data Type | Max Length |
|---|---|---|
| IBCourseID | int | - |
| Title | nvarchar | 50 |

## 216. DiplomaGrades

| Column Name | Data Type | Max Length |
|---|---|---|
| FinalGrade | int | - |
| IBCourseID | int | - |
| PredictedGrade1 | int | - |
| PredictedGrade2 | int | - |
| PredictedGrade3 | int | - |
| SchoolYearID | int | - |
| StudentID | int | - |

## 217. Discipline

| Column Name | Data Type | Max Length |
|---|---|---|
| DateofIncident | datetime | - |
| Demerits | real | - |
| DescriptionOfIncident | nvarchar | -1 |
| DisciplineID | int | - |
| History | nvarchar | -1 |
| Level | int | - |
| ModifiedBy | int | - |
| ModifiedDate | smalldatetime | - |
| Notified | bit | - |
| ReportedBy | nvarchar | 50 |
| ReviewedBy | nvarchar | 50 |
| Sanction1 | nvarchar | 256 |
| Sanction2 | nvarchar | 256 |
| SanctionDate1 | datetime | - |
| SanctionDate2 | datetime | - |
| StaffID | int | - |
| Status | nvarchar | 128 |
| StudentID | int | - |
| Type | int | - |
| Violation | nvarchar | 256 |

## 218. DisciplineMemorized

| Column Name | Data Type | Max Length |
|---|---|---|
| Demerits | real | - |
| Level | int | - |
| ModifiedBy | int | - |
| ModifiedDate | smalldatetime | - |
| Sanction | nvarchar | 255 |
| SchoolCode | nvarchar | 50 |
| Status | nvarchar | 50 |

| | | |
|---|---|---|
| Type | int | - |
| Violation | nvarchar | 255 |


## 219. Domain

| Column Name | Data Type | Max Length |
|---|---|---|
| DefaultGoogleUser | nvarchar | -1 |
| GoogleDomain | nvarchar | 450 |
| GoogleDomainId | int | - |
| Sacreds | nvarchar | -1 |


## 220. DonateOnLineCampaigns

| Column Name | Data Type | Max Length |
|---|---|---|
| Active | bit | - |
| AmountRaised | nvarchar | 50 |
| CampaignID | int | - |
| DonorConnectEffortID | int | - |
| DonorConnectFundID | int | - |
| Goal | nvarchar | 50 |
| Graphic | nvarchar | 128 |
| Headline | nvarchar | 128 |
| Message | nvarchar | -1 |
| SchoolCode | varchar | 50 |
| SortOrder | int | - |
| Title | nvarchar | 128 |


## 221. DonateOnlineConfiguration

| Column Name | Data Type | Max Length |
|---|---|---|
| BannerGraphic | varchar | 50 |
| ContactEmail | nvarchar | 256 |
| Headline | nvarchar | 128 |
| LeftGraphic | varchar | 50 |
| Message | nvarchar | -1 |
| MessageGraphic | nvarchar | 128 |
| RightGraphic | varchar | 50 |
| SchoolCode | varchar | 50 |
| StyleSheet | varchar | -1 |
| TopGraphic | varchar | 50 |


## 222. dtproperties

| Column Name | Data Type | Max Length |
|---|---|---|
| id | int | - |
| lvalue | image | 2147483647 |
| objectid | int | - |
| property | varchar | 64 |
| uvalue | nvarchar | 255 |

| | | |
|---|---|---|
| value | varchar | 255 |
| version | int | - |

### 223. Effort

| Column Name | Data Type | Max Length |
|---|---|---|
| E_CAID | int | - |
| E_Code | nvarchar | 128 |
| E_Cost | decimal | - |
| E_DateEntered | datetime | - |
| E_DateUpdated | datetime | - |
| E_DefaultFID | int | - |
| E_EndDate | datetime | - |
| E_EndTime | datetime | - |
| E_EnteredByUID | int | - |
| E_Goal | decimal | - |
| E_IBID | int | - |
| E_LocationAddress1 | nvarchar | 256 |
| E_LocationAddress2 | nvarchar | 256 |
| E_LocationCity | nvarchar | 64 |
| E_LocationName | nvarchar | 64 |
| E_LocationState | nvarchar | 128 |
| E_LocationZip | nvarchar | 5 |
| E_Name | nvarchar | 64 |
| E_Notes | nvarchar | 4000 |
| E_NumSolicited | int | - |
| E_RenwebCampaignID | int | - |
| E_StartDate | datetime | - |
| E_StartTime | datetime | - |
| E_Status | nvarchar | 2 |
| E_TypeDLID | int | - |
| E_UpdatedByUID | int | - |
| EID | int | - |

### 224. Email_Attachment

| Column Name | Data Type | Max Length |
|---|---|---|
| A_FileName | varchar | 512 |
| A_MID | int | - |
| A_Name | varchar | 512 |
| AID | int | - |
| SessionID | varchar | 50 |

### 225. Email_ErrorLog

| Column Name | Data Type | Max Length |
|---|---|---|
| Description | varchar | 256 |
| MID | int | - |
| SessionID | varchar | 50 |

## 226. Email_Message

| Column Name | Data Type | Max Length |
|---|---|---|
| M_DateCompleted | datetime | - |
| M_DateDelivered | datetime | - |
| M_DateQueued | datetime | - |
| M_DeliveryReport | varchar | 1024 |
| M_DistrictCode | varchar | 32 |
| M_From | varchar | 256 |
| M_FromName | nvarchar | 128 |
| M_GenerateReceivedLink | bit | - |
| M_IsHTML | bit | - |
| M_MailProcessorReport | varchar | -1 |
| M_NumMinutesInQueue | float | - |
| M_NumRcpts | int | - |
| M_Priority | int | - |
| M_ProcessedByThread | int | - |
| M_ProcessedOnServerNum | int | - |
| M_StaffID | int | - |
| M_Status | varchar | 32 |
| M_Subject | nvarchar | 1204 |
| MID | int | - |
| server | varchar | 10 |
| SessionID | varchar | 50 |

## 227. Email_MessageText

| Column Name | Data Type | Max Length |
|---|---|---|
| M_Message | nvarchar | -1 |
| MID | int | - |

## 228. Email_Recipient

| Column Name | Data Type | Max Length |
|---|---|---|
| R_CouldNotSend | bit | - |
| R_DateReceived | datetime | - |
| R_Email | nvarchar | 256 |
| R_EmailAccessedCount | int | - |
| R_MID | int | - |
| R_Received | bit | - |
| RID | int | - |
| SessionID | varchar | 50 |

## 229. EmailAttachment

| Column Name | Data Type | Max Length |
|---|---|---|
| Attachment | nvarchar | 256 |
| AutoNum | int | - |

| StaffID | int | - |
|---|---|---|

## 230. EmailMessage

| Column Name | Data Type | Max Length |
|---|---|---|
| AttachmentSession | nvarchar | 128 |
| DateCompleted | datetime | - |
| DateDelivered | datetime | - |
| DateQueued | datetime | - |
| EmailMessage | nvarchar | -1 |
| EmailMessageID | bigint | - |
| EmailType | int | - |
| FromEmail | nvarchar | 256 |
| FromName | nvarchar | 128 |
| GenerateReceivedLink | bit | - |
| MessageStatus | nvarchar | 50 |
| NumMinutesInQueue | float | - |
| NumRcpts | int | - |
| SessionID | nvarchar | 50 |
| StaffID | int | - |
| StaffID | int | - |
| Subject | nvarchar | 1204 |

## 231. EmailMessageText

| Column Name | Data Type | Max Length |
|---|---|---|
| EmailMessageID | bigint | - |
| MessageText | nvarchar | -1 |

## 232. EmailRecipient

| Column Name | Data Type | Max Length |
|---|---|---|
| AutoNum | int | - |
| CouldNotSend | bit | - |
| DateReceived | datetime | - |
| Email | nvarchar | 256 |
| EmailAccessedCount | int | - |
| EmailMessageID | bigint | - |
| EmailRecipient | nvarchar | 256 |
| EmailRecipientID | bigint | - |
| Received | bit | - |
| SessionID | nvarchar | 50 |
| StaffID | int | - |
| WasSuppressed | bit | - |

## 233. EmailReports

| Column Name | Data Type | Max Length |
|---|---|---|
| Date | smalldatetime | - |

| EmailReportsID | int | - |
|---|---|---|
| ReportPath | varchar | 8000 |
| SessionID | varchar | 50 |

### 234. EmergencyContact

| Column Name | Data Type | Max Length |
|---|---|---|
| CellPhone | nvarchar | 50 |
| CountryCode | nvarchar | 50 |
| Email | nvarchar | 256 |
| EmergencyContactID | int | - |
| FirstName | nvarchar | 64 |
| HomePhone | nvarchar | 50 |
| LastName | nvarchar | 128 |
| MiddleName | nvarchar | 50 |
| Note | nvarchar | 2000 |
| PortalSortOrder | int | - |
| RefID | int | - |
| Relationship | nvarchar | 50 |
| Salutation | nvarchar | 50 |
| SortOrder | int | - |
| StudentID | int | - |
| Suffix | nvarchar | 50 |
| WorkPhone | nvarchar | 128 |

### 235. Enrollment_Log

| Column Name | Data Type | Max Length |
|---|---|---|
| Date | datetime | - |
| GradeLevel | varchar | 50 |
| LogID | int | - |
| ModifiedBy | int | - |
| ModifiedDate | datetime | - |
| Notes | nvarchar | 50 |
| SchoolCode | varchar | 50 |
| Status | nvarchar | 50 |
| StudentID | int | - |
| SystemStatus | nvarchar | 50 |
| Yearid | int | - |

### 236. EnrollmentHistory

| Column Name | Data Type | Max Length |
|---|---|---|
| BeginDate | smalldatetime | - |
| EndDate | smalldatetime | - |
| GradeLevel | nvarchar | 50 |
| ID | int | - |
| Note | nvarchar | 50 |
| SchoolCode | varchar | 50 |

| Column Name | Data Type | Max Length |
|---|---|---|
| Status | nvarchar | 50 |
| StudentID | int | - |
| YearID | int | - |

### 237. EnrollmentStatistics

| Column Name | Data Type | Max Length |
|---|---|---|
| AsOfDate | smalldatetime | - |
| Enrollment | int | - |
| FilterType | nvarchar | 50 |
| FilterValue | nvarchar | 50 |
| GradeLevel | nvarchar | 50 |
| SchoolCode | varchar | 50 |
| YearID | int | - |

### 238. EventGroup

| Column Name | Data Type | Max Length |
|---|---|---|
| EG_EID | int | - |
| EG_GLID | int | - |
| EG_MaxGroupSize | int | - |
| EG_Name | nvarchar | 64 |
| EG_Number | int | - |
| EG_Price | decimal | - |
| EG_PriorityDLID | int | - |
| EGID | int | - |

### 239. EventGroupMember

| Column Name | Data Type | Max Length |
|---|---|---|
| EGM_CID | int | - |
| EGM_EGID | int | - |
| EGM_GolfHandicap | int | - |
| EGM_GroupPlacementNumber | int | - |
| EGM_PaidAmount | decimal | - |
| EGM_SponsoredByCRID | int | - |

### 240. EventType

| Column Name | Data Type | Max Length |
|---|---|---|
| CreatedDate | smalldatetime | - |
| EventTypeID | int | - |
| EventTypeName | nvarchar | 50 |
| LastModifiedDate | smalldatetime | - |

### 241. FacultyGroupClasses

| Column Name | Data Type | Max Length |
|---|---|---|
| ClassID | int | - |

| Column Name | Data Type | Max Length |
|---|---|---|
| GroupID | int | - |

## 242. FacultyGroups

| Column Name | Data Type | Max Length |
|---|---|---|
| GroupID | int | - |
| GroupName | nvarchar | 50 |
| YearID | int | - |

## 243. FacultyGroupStaff

| Column Name | Data Type | Max Length |
|---|---|---|
| GroupID | int | - |
| StaffID | int | - |
| UserLevel | int | - |

## 244. Family

| Column Name | Data Type | Max Length |
|---|---|---|
| AddressID | int | - |
| AutoEmailGradebookZero | bit | - |
| AutoEmailProgressReport | nvarchar | 256 |
| Birthdate | datetime | - |
| CellPhone | nvarchar | 50 |
| ChurchID | int | - |
| Citizenship | nvarchar | 50 |
| Company | nvarchar | 255 |
| Denomination | nvarchar | 50 |
| Directory_BlockAddress | bit | - |
| Directory_BlockEmail | bit | - |
| Directory_BlockHomePhone | bit | - |
| Directory_BlockName | bit | - |
| Email | nvarchar | 256 |
| Email2 | nvarchar | 256 |
| Ethnicity | nvarchar | 50 |
| FamilyID | int | - |
| FamilyOrder | int | - |
| Fax | nvarchar | 50 |
| FinancialResponsibility | bit | - |
| FinancialResponsibilityPercent | varchar | 50 |
| FirstName | nvarchar | 64 |
| Gender | nvarchar | 50 |
| HomePhone | nvarchar | 50 |
| LastName | nvarchar | 128 |
| MaritalStatus | nvarchar | 50 |
| MiddleName | nvarchar | 64 |
| NickName | nvarchar | 50 |
| Occupation | nvarchar | 128 |
| Parent | bit | - |

| | | |
|---|---|---|
| ParentID | int | - |
| Password | nvarchar | 50 |
| PersonID | int | - |
| PrimaryLanguage | nvarchar | 50 |
| Salutation | nvarchar | 64 |
| SSN | varchar | 50 |
| Suffix | nvarchar | 50 |
| WorkCity | nvarchar | 50 |
| WorkCityStateZip | nvarchar | 255 |
| WorkPhone | nvarchar | 128 |
| WorkState | nvarchar | 50 |
| WorkStreet | nvarchar | 255 |
| WorkZip | nvarchar | 50 |

## 245. FamilyConfig

| Column Name | Data Type | Max Length |
|---|---|---|
| Accounting | bit | - |
| AccountingCode | nvarchar | 256 |
| Directory | int | - |
| EnableWeb | bit | - |
| FactsCustomerPersonId | int | - |
| FactsUpdateState | int | - |
| FamilyCode | nvarchar | 128 |
| FamilyEmail | nvarchar | 256 |
| FamilyID | int | - |
| FamilyLetter | nvarchar | 255 |
| FamilyName | nvarchar | 255 |
| FamilyName2 | nvarchar | 128 |
| FamilyNameBP | nvarchar | 50 |
| ModifiedBy | int | - |
| ModifiedDate | smalldatetime | - |
| Note | nvarchar | -1 |
| ParentsWebFinancialBlock | bit | - |
| StandardFamily | bit | - |
| Unlisted | int | - |

## 246. FamilyDefaultConfiguration

| Column Name | Data Type | Max Length |
|---|---|---|
| ConfigurationName | nvarchar | 128 |
| FamilyDefaultConfigurationID | int | - |

## 247. FamilyDefaultRelationship

| Column Name | Data Type | Max Length |
|---|---|---|
| FamilyDefaultRelationshipID | int | - |
| FamilyDefaultTemplateID | int | - |
| FinancialResponsibility | bit | - |

| | | |
|---|---|---|
| IsCorrespondence | bit | - |
| IsCustody | bit | - |
| IsGrandparent | bit | - |
| IsParentsWeb | bit | - |
| IsReportCard | bit | - |
| Relationship | nvarchar | 50 |
| SortOrder | int | - |
| UseStudentLastName | bit | - |

## 248. FamilyDefaultTemplate

| Column Name | Data Type | Max Length |
|---|---|---|
| Accounting | bit | - |
| FamilyDefaultConfigurationID | int | - |
| FamilyDefaultTemplateID | int | - |
| FinancialResponsibility | decimal | - |
| UseStudentAddress | bit | - |
| WebEnabled | bit | - |

## 249. FamilyNote

| Column Name | Data Type | Max Length |
|---|---|---|
| EnteredByID | int | - |
| FamilyID | int | - |
| FamilyNote | nvarchar | -1 |
| FamilyNoteID | int | - |
| IsDesktopNote | bit | - |
| ModifiedByID | int | - |
| NoteDate | smalldatetime | - |

## 250. FamilyUpdateError

| Column Name | Data Type | Max Length |
|---|---|---|
| ErrorDetails | nvarchar | -1 |
| ErrorMessage | nvarchar | -1 |
| FamilyID | int | - |
| FamilyUpdateErrorID | bigint | - |
| PersonID | int | - |
| SchoolCode | varchar | 50 |

## 251. FinanceNotes

| Column Name | Data Type | Max Length |
|---|---|---|
| AccountingSystemID | int | - |
| Date | datetime | - |
| FamilyID | int | - |
| ModifiedBy | int | - |
| ModifiedDate | smalldatetime | - |
| Note | nvarchar | -1 |

| NoteID | int | - |
|---|---|---|
| SchoolCode | nvarchar | 50 |
| ShowOnStatement | bit | - |
| StudentID | int | - |

**252. FiscalYear**

| Column Name | Data Type | Max Length |
|---|---|---|
| BeginDate | smalldatetime | - |
| BlockParentsWeb | bit | - |
| EndDate | smalldatetime | - |
| FiscalYearID | int | - |
| FiscalYearName | nvarchar | 50 |
| FY_CustomName | nvarchar | 128 |
| FY_EndDate | datetime | - |
| FY_StartDate | datetime | - |
| FY_Year | int | - |
| ModifiedBy | int | - |
| ModifiedDate | smalldatetime | - |
| SchoolCode | nvarchar | 50 |

**253. FlexReportUserFilter**

| Column Name | Data Type | Max Length |
|---|---|---|
| FRUF_DateEntered | datetime | - |
| FRUF_FromDate | datetime | - |
| FRUF_FromDecimal | decimal | - |
| FRUF_FromInteger | int | - |
| FRUF_LookupID | int | - |
| FRUF_SessionID | uniqueidentifier | - |
| FRUF_String | nvarchar | 512 |
| FRUF_ToDate | datetime | - |
| FRUF_ToDecimal | decimal | - |
| FRUF_ToInteger | int | - |
| FRUF_UserReportID | uniqueidentifier | - |

**254. Fund**

| Column Name | Data Type | Max Length |
|---|---|---|
| F_Code | nvarchar | 64 |
| F_DateEntered | datetime | - |
| F_DateUpdated | datetime | - |
| F_DefaultEID | int | - |
| F_EnteredByUID | int | - |
| F_IBID | int | - |
| F_Name | nvarchar | 256 |
| F_UpdatedByUID | int | - |
| FID | int | - |

## 255. GbkAliases

| Column Name | Data Type | Max Length |
|---|---|---|
| Alias | nvarchar | 50 |
| ClassID | int | - |
| ModifiedBy | int | - |
| ModifiedDate | smalldatetime | - |
| StudentID | int | - |

## 256. GbkAssessments

| Column Name | Data Type | Max Length |
|---|---|---|
| AssessmentID | int | - |
| ClassID | int | - |
| Description | nvarchar | 100 |
| Drop | smallint | - |
| GbkAssessmentID | int | - |
| ModifiedBy | int | - |
| ModifiedDate | smalldatetime | - |
| Term1 | bit | - |
| Term2 | bit | - |
| Term3 | bit | - |
| Term4 | bit | - |
| Term5 | bit | - |
| Term6 | bit | - |
| Title | nvarchar | 50 |
| Weight | real | - |

## 257. GbkAssignments

| Column Name | Data Type | Max Length |
|---|---|---|
| AssessmentID | int | - |
| AssignmentID | int | - |
| AssignmentNumber | int | - |
| Calculate | bit | - |
| ClassID | int | - |
| DateAssigned | datetime | - |
| DateAssignedUtc | smalldatetime | - |
| DateDue | datetime | - |
| DateDueUtc | smalldatetime | - |
| Description | nvarchar | -1 |
| DescriptionHTML | nvarchar | -1 |
| ECType | int | - |
| GoogleAssignmentId | varchar | 50 |
| ItemID | int | - |
| ItemTypeID | int | - |
| LMSAssignment | bit | - |
| MaxPoints | real | - |
| ModifiedBy | int | - |

| | | |
|---|---|---|
| ModifiedDate | smalldatetime | - |
| MoodleAssignmentType | nvarchar | 25 |
| MoodleID | int | - |
| ObjectiveList | nvarchar | 255 |
| Publish | bit | - |
| SkillID | int | - |
| SystemOfRecord | nvarchar | 50 |
| Test | bit | - |
| Title | nvarchar | 50 |
| Weight | real | - |

### 258. GbkAssignmentsStandardMM

| Column Name | Data Type | Max Length |
|---|---|---|
| AssessmentID | int | - |
| AssignmentID | int | - |
| ClassID | int | - |
| StandardID | int | - |

### 259. GbkAssignmentStandardGrade

| Column Name | Data Type | Max Length |
|---|---|---|
| AssessmentID | int | - |
| AssignmentID | int | - |
| ClassID | int | - |
| StandardID | int | - |
| StudentGrade | decimal | - |
| StudentID | int | - |

### 260. GbkCodeTranslation

| Column Name | Data Type | Max Length |
|---|---|---|
| ClassID | int | - |
| Exempt | bit | - |
| GbkCodeTranslationId | int | - |
| LetterCode | nvarchar | 50 |
| Percent | decimal | - |
| StatusCode | char | 1 |

### 261. GbkGrades

| Column Name | Data Type | Max Length |
|---|---|---|
| AssessmentID | int | - |
| AssignmentID | int | - |
| BonusPoints | real | - |
| ClassID | int | - |
| CreatedDate | smalldatetime | - |
| CurvePoints | real | - |
| DisplayGrade | nvarchar | 50 |

| | | |
|---|---|---|
| EmailSent | bit | - |
| GbkGradeID | int | - |
| ItemStatusID | int | - |
| LastModifiedDate | smalldatetime | - |
| MaxPoints | real | - |
| MigratedItemGradeID | int | - |
| MigratedItemID | int | - |
| ModifiedBy | int | - |
| ModifiedDate | smalldatetime | - |
| Notes | nvarchar | 255 |
| PenaltyPoints | real | - |
| ReceivedPoints | real | - |
| Status | nvarchar | 50 |
| StudentID | int | - |
| Weight | real | - |

## 262. GbkGradeTranslation

| Column Name | Data Type | Max Length |
|---|---|---|
| Avg | real | - |
| ClassID | int | - |
| Grade | nvarchar | 50 |
| ModifiedBy | int | - |
| ModifiedDate | smalldatetime | - |

## 263. GbkHomework

| Column Name | Data Type | Max Length |
|---|---|---|
| AutoNum | int | - |
| ClassID | int | - |
| Homework | nvarchar | -1 |
| HomeworkHTML | nvarchar | -1 |
| ModifiedBy | int | - |
| ModifiedDate | smalldatetime | - |
| PlanDate | datetime | - |

## 264. GbkLessonPlan

| Column Name | Data Type | Max Length |
|---|---|---|
| AutoNum | int | - |
| ClassID | int | - |
| CourseObjectiveID | int | - |
| Homework | nvarchar | -1 |
| InstructionMethod | char | 10 |
| LessonPlan | nvarchar | -1 |
| LessonPlanHTML | nvarchar | -1 |
| ModifiedBy | int | - |
| ModifiedDate | smalldatetime | - |
| PlanDate | datetime | - |

**265. GbkLessonPlanObjective**

| Column Name | Data Type | Max Length |
|---|---|---|
| ClassID | int | - |
| InstructionMethod | nvarchar | 4000 |
| ModifiedBy | int | - |
| ModifiedDate | smalldatetime | - |
| ObjectiveID | int | - |
| PlanDate | datetime | - |

**266. GbkLessonPlanStandardMM**

| Column Name | Data Type | Max Length |
|---|---|---|
| ClassID | int | - |
| PlanDate | datetime | - |
| StandardID | int | - |

**267. GbkLessonPlanWebDocument**

| Column Name | Data Type | Max Length |
|---|---|---|
| ClassID | int | - |
| DocumentID | int | - |
| PlanDate | datetime | - |

**268. GbkObjective**

| Column Name | Data Type | Max Length |
|---|---|---|
| AssessmentID | int | - |
| AssignmentID | int | - |
| ClassID | int | - |
| EvaluationMethod | nvarchar | 50 |
| ModifiedBy | int | - |
| ModifiedDate | smalldatetime | - |
| ObjectiveID | int | - |

**269. GbkStandardSummary**

| Column Name | Data Type | Max Length |
|---|---|---|
| Average | decimal | - |
| ClassID | int | - |
| GbkStandardSummaryId | int | - |
| StandardID | int | - |
| StudentID | int | - |
| TermID | int | - |

**270. GbkSummary**

| Column Name | Data Type | Max Length |
|---|---|---|

| Column Name | Data Type | Max Length |
|---|---|---|
| AssessmentID | int | - |
| Average | nvarchar | 50 |
| ClassId | int | - |
| DecimalPlaces | int | - |
| ExtraCredit | real | - |
| FullAverage | real | - |
| LetterGrade | nvarchar | 50 |
| ModifiedBy | int | - |
| ModifiedDate | smalldatetime | - |
| PointsEarned | real | - |
| PointsPossible | real | - |
| StudentID | int | - |
| TermID | int | - |

## 271. GbkSummary_Test

| Column Name | Data Type | Max Length |
|---|---|---|
| AssessmentID | int | - |
| Average | nvarchar | 50 |
| ClassId | int | - |
| DecimalPlaces | int | - |
| ExtraCredit | real | - |
| FullAverage | real | - |
| LetterGrade | nvarchar | 50 |
| ModifiedBy | int | - |
| ModifiedDate | smalldatetime | - |
| PointsEarned | real | - |
| PointsPossible | real | - |
| StudentID | int | - |
| TermID | int | - |

## 272. GbkTransfer

| Column Name | Data Type | Max Length |
|---|---|---|
| FromAssessmentID | int | - |
| FromAssignmentID | int | - |
| FromClassID | int | - |
| GbkTransferID | int | - |
| ToAssessmentID | int | - |
| ToAssignmentID | int | - |
| ToClassID | int | - |

## 273. GiftReason

| Column Name | Data Type | Max Length |
|---|---|---|
| GR_AcknowledgeeName | varchar | 256 |
| GR_DateUpdated | datetime | - |
| GR_IsHonorarium | bit | - |
| GR_IsMemorial | bit | - |

| GR_ReasonCode | varchar | 8 |
| GR_ReasonDescription | nvarchar | 128 |
| GR_Status | varchar | 2 |
| GR_UpdatedByUID | int | - |
| GRID | int | - |

## 274. GivingHistory

| Column Name | Data Type | Max Length |
| --- | --- | --- |
| GH_AuctionTrakID | nvarchar | 64 |
| GH_CheckNumber | nvarchar | 32 |
| GH_Comment | nvarchar | 512 |
| GH_CPMID | int | - |
| GH_CRID | int | - |
| GH_DateEntered | datetime | - |
| GH_DateSentTY | datetime | - |
| GH_DateUpdated | datetime | - |
| GH_DeductibleAmount | decimal | - |
| GH_EID | int | - |
| GH_EnteredByUID | int | - |
| GH_FID | int | - |
| GH_GiftAmount | decimal | - |
| GH_GiftBatchDLID | int | - |
| GH_GiftCategoryDLID | int | - |
| GH_GiftDate | date | - |
| GH_GiftDescription | nvarchar | -1 |
| GH_GiftStatusDLID | int | - |
| GH_GiftTypeDLID | int | - |
| GH_GLID | int | - |
| GH_GRID | int | - |
| GH_IBID | int | - |
| GH_ImportID | nvarchar | 64 |
| GH_IsAnonymous | bit | - |
| GH_MatchedByGHID | int | - |
| GH_MatchedByPID | int | - |
| GH_MatchGiftCleared | bit | - |
| GH_PID | int | - |
| GH_ReceiptNumber | bigint | - |
| GH_RenwebGiftID | int | - |
| GH_UpdatedByUID | int | - |
| GHID | int | - |

## 275. GivingLevel

| Column Name | Data Type | Max Length |
| --- | --- | --- |
| GL_DateEntered | datetime | - |
| GL_DateUpdated | datetime | - |
| GL_EID | int | - |
| GL_EnteredByUID | int | - |

| Column Name | Data Type | Max Length |
|---|---|---|
| GL_Name | nvarchar | 64 |
| GL_RangeHigh | money | - |
| GL_RangeLow | money | - |
| GL_UpdatedByUID | int | - |
| GLID | int | - |

## 276. GivingSegment

| Column Name | Data Type | Max Length |
|---|---|---|
| GS_Name | nvarchar | 64 |
| GS_RangeHigh | decimal | - |
| GS_RangeLow | decimal | - |
| GSID | int | - |

## 277. GradeCalculatorConfig

| Column Name | Data Type | Max Length |
|---|---|---|
| ExcludeElectives | bit | - |
| ExcludeElementary | bit | - |
| ExcludeHighSchool | bit | - |
| ExcludeMiddleSchool | bit | - |
| Factor1 | real | - |
| Factor2 | real | - |
| Factor3 | real | - |
| Factor4 | real | - |
| Factor5 | real | - |
| Factor6 | real | - |
| GradeFilter | int | - |
| GradeType1 | nvarchar | 50 |
| GradeType2 | nvarchar | 50 |
| GradeType3 | nvarchar | 50 |
| GradeType4 | nvarchar | 50 |
| GradeType5 | nvarchar | 50 |
| GradeType6 | nvarchar | 50 |
| Group | int | - |
| IncludeElementary | bit | - |
| IncludeHighSchool | bit | - |
| IncludeMiddleSchool | bit | - |
| Option1 | nvarchar | 50 |
| Option2 | nvarchar | 50 |
| Option3 | nvarchar | 50 |
| Option4 | nvarchar | 50 |
| Option5 | nvarchar | 50 |
| Option6 | nvarchar | 50 |
| ReportID | int | - |
| ReportTitle | nvarchar | 50 |
| SchoolCode | nvarchar | 50 |
| Threshold | nvarchar | 50 |
| WeightType1 | nvarchar | 50 |

| Column Name | Data Type | Max Length |
|---|---|---|
| WeightType2 | nvarchar | 50 |
| WeightType3 | nvarchar | 50 |
| WeightType4 | nvarchar | 50 |
| WeightType5 | nvarchar | 50 |
| WeightType6 | nvarchar | 50 |

## 278. GradeCalculatorCourses

| Column Name | Data Type | Max Length |
|---|---|---|
| CourseID | int | - |
| Include | bit | - |
| ReportID | int | - |

## 279. GradeCalculatorDepartments

| Column Name | Data Type | Max Length |
|---|---|---|
| Department | nvarchar | 50 |
| Include | bit | - |
| ReportID | int | - |

## 280. GradeConfiguration

| Column Name | Data Type | Max Length |
|---|---|---|
| AutoNum | int | - |
| Average | decimal | - |
| Calc | bit | - |
| CourseLevelID | int | - |
| GPA | decimal | - |
| Grade | nvarchar | 50 |
| LetterGrade | bit | - |
| ModifiedBy | int | - |
| ModifiedDate | smalldatetime | - |
| NumberGrade | bit | - |
| Offset | int | - |
| Passing | bit | - |
| SchoolCode | varchar | 50 |
| Skip | bit | - |
| UGPA | decimal | - |

## 281. GradeLevels

| Column Name | Data Type | Max Length |
|---|---|---|
| AbsentDay | int | - |
| AbsentHalf | int | - |
| AdmissionTrackingID | int | - |
| AttendanceMethod | nvarchar | 50 |
| Capacity | int | - |
| CirculationLimit | int | - |
| CirculationPeriod | int | - |

| CurriculumPlanID | int | - |
|---|---|---|
| Description | nvarchar | 128 |
| Elementary | bit | - |
| FinalGradeLevel | bit | - |
| GradDate | nvarchar | 50 |
| GradeLevel | nvarchar | 50 |
| GradeLevelID | int | - |
| HighSchool | bit | - |
| InquiryTrackingID | int | - |
| MiddleSchool | bit | - |
| ModifiedBy | int | - |
| ModifiedDate | smalldatetime | - |
| NextGradeLevel | nvarchar | 50 |
| NextSchoolCode | nvarchar | 50 |
| PatronGroupID | int | - |
| PreSchool | bit | - |
| ProgressReportTemplate | nvarchar | 128 |
| ReenrollTrackingID | int | - |
| ReportCardTemplate | nvarchar | 128 |
| ScheduleTemplate | nvarchar | 50 |
| SchoolCode | nvarchar | 50 |
| SortOrder | int | - |
| TranscriptTemplate | nvarchar | 128 |


### 282. Grades

| Column Name | Data Type | Max Length |
|---|---|---|
| BonusPoints | decimal | - |
| CreatedDate | smalldatetime | - |
| CurvePoints | decimal | - |
| DisplayGrade | nvarchar | 50 |
| GradeID | int | - |
| ItemID | int | - |
| ItemStatusID | int | - |
| LastModifiedDate | smalldatetime | - |
| MaxPoints | decimal | - |
| ModifiedBy | int | - |
| ModifiedDate | smalldatetime | - |
| Notes | nvarchar | 255 |
| PenaltyPoints | decimal | - |
| PersonID | int | - |
| ReceivedPoints | decimal | - |
| Status | nvarchar | 50 |


### 283. GreetingTemplate

| Column Name | Data Type | Max Length |
|---|---|---|
| GT_DateUpdated | datetime | - |
| GT_GreetingTypeDLID | int | - |

| Column Name | Data Type | Max Length |
|---|---|---|
| GT_IsPrimaryAddressee | bit | - |
| GT_IsPrimarySalutation | bit | - |
| GT_RRID1 | int | - |
| GT_RRID2 | int | - |
| GT_Template | varchar | 1500 |
| GT_UpdatedByUID | int | - |
| GTID | int | - |

## 284. GridEditTemplate

| Column Name | Data Type | Max Length |
|---|---|---|
| ConfigSchoolID | smallint | - |
| GridTemplateID | int | - |
| PersonID | int | - |
| TemplateName | nvarchar | 256 |
| TemplateType | int | - |

## 285. GridEditTemplateColumn

| Column Name | Data Type | Max Length |
|---|---|---|
| ColumnID | int | - |
| GridTemplateID | int | - |
| SortOrder | int | - |

## 286. HomeworkDropBox

| Column Name | Data Type | Max Length |
|---|---|---|
| ClassID | int | - |
| DatePosted | smalldatetime | - |
| Deleted | bit | - |
| DeletedBy | int | - |
| DeletedDate | smalldatetime | - |
| Downloaded | bit | - |
| FileName | nvarchar | 128 |
| HomeworkDropBoxID | int | - |
| Note | nvarchar | 2000 |
| UploadedBy | int | - |
| UUID | varchar | 50 |
| Verified | bit | - |

## 287. HonorRollConfig

| Column Name | Data Type | Max Length |
|---|---|---|
| Active | bit | - |
| Description | nvarchar | 2000 |
| ExcludeElectives | bit | - |
| FilterSource | int | - |
| HonorRollID | int | - |
| HonorRollName | nvarchar | 50 |

| | | |
|---|---|---|
| HonorRollTemplate | nvarchar | 50 |
| Include_Exclude_Filter | int | - |
| ModifiedBy | int | - |
| ModifiedDate | smalldatetime | - |
| RankBy | int | - |
| SchoolCode | nvarchar | 50 |
| Source | int | - |
| Transcript | bit | - |

## 288. HonorRollFilter

| Column Name | Data Type | Max Length |
|---|---|---|
| Filter | nvarchar | 50 |
| HonorRollID | int | - |
| ModifiedBy | int | - |
| ModifiedDate | smalldatetime | - |

## 289. Honors

| Column Name | Data Type | Max Length |
|---|---|---|
| CalcMethod | nvarchar | 50 |
| GradeLevel | nvarchar | 50 |
| Honor | nvarchar | 50 |
| HonorID | int | - |
| HonorRollID | int | - |
| MaxClass | real | - |
| MinAvg | real | - |
| MinClass | real | - |
| MinCredits | real | - |
| ModifiedBy | int | - |
| ModifiedDate | smalldatetime | - |
| SchoolCode | nvarchar | 50 |
| Sequence | smallint | - |
| TimeFrame | smallint | - |

## 290. HTMLTemplates

| Column Name | Data Type | Max Length |
|---|---|---|
| AttachmentSession | nvarchar | 128 |
| CompiledDate | smalldatetime | - |
| CompiledResult | nvarchar | -1 |
| CompiledTemplate | nvarchar | -1 |
| ConfigSchoolID | smallint | - |
| Custom | nvarchar | -1 |
| DistrictWide | bit | - |
| IsDeleted | bit | - |
| Subject | nvarchar | 128 |
| Template | nvarchar | -1 |
| TemplateID | int | - |

| TemplateName | nvarchar | 255 |
| TemplateOwner | int | - |
| TemplateType | int | - |

## 291. IdentityOwnerTable

| Column Name | Data Type | Max Length |
| --- | --- | --- |
| SurrogateIdentityId | bigint | - |
| SurrogateLockOwnerId | bigint | - |

## 292. IDList

| Column Name | Data Type | Max Length |
| --- | --- | --- |
| ID | int | - |
| StaffID | int | - |
| Text | nvarchar | 50 |

## 293. ImageGallery

| Column Name | Data Type | Max Length |
| --- | --- | --- |
| ConfigSchoolID | smallint | - |
| DateEntered | smalldatetime | - |
| DateEntered | smalldatetime | - |
| ImageAccessibility | int | - |
| ImageContent | image | 2147483647 |
| ImageContent | image | 2147483647 |
| ImageGUID | uniqueidentifier | - |
| ImageGUID | uniqueidentifier | - |
| ImageID | int | - |
| ImageID | int | - |
| ImageName | nvarchar | 1024 |
| ImageName | nvarchar | 1024 |
| ImageType | int | - |
| ImageType | int | - |
| PersonID | int | - |
| UID | int | - |

## 294. ImmunizationComplianceRules

| Column Name | Data Type | Max Length |
| --- | --- | --- |
| BeginDate | datetime | - |
| BeginMonth | int | - |
| ComplianceNote | nvarchar | 255 |
| EndDate | datetime | - |
| EndMonth | int | - |
| GradeLevel | nvarchar | 50 |
| ID | int | - |
| LastShotOnOrAfter | int | - |
| LastShotOnOrAfterOperator | nvarchar | 50 |

| | | |
|---|---|---|
| LastShotWithin | int | - |
| ModifiedBy | int | - |
| ModifiedDate | smalldatetime | - |
| ShotCount | int | - |
| ShotType | nvarchar | 50 |
| StartCountOnOrAfter | int | - |

| **295. Import** | | |
|---|---|---|
| Column Name | Data Type | Max Length |
| addressid | int | - |
| Birthdate | datetime | - |
| cellphone | nvarchar | 50 |
| classof | nvarchar | 50 |
| email | nvarchar | 256 |
| ethnicity | nvarchar | 50 |
| firstname | nvarchar | 64 |
| Gender | nvarchar | 50 |
| gradelevel | nvarchar | 50 |
| ID | int | - |
| lastname | nvarchar | 64 |
| middlename | nvarchar | 64 |
| nextgradelevel | nvarchar | 50 |
| nextschoolcode | varchar | 50 |
| nextstatus | nvarchar | 50 |
| nickname | nvarchar | 50 |
| P1ALumniYear | datetime | - |
| P1CellPhone | nvarchar | 50 |
| P1Church | nvarchar | 50 |
| P1ClassOf | nvarchar | 50 |
| P1Company | nvarchar | 255 |
| P1Custody | bit | - |
| P1Email | nvarchar | 256 |
| P1FirstName | nvarchar | 64 |
| P1LastName | nvarchar | 64 |
| P1MaritalStatus | nvarchar | 50 |
| P1MiddleName | nvarchar | 64 |
| P1Occupation | nvarchar | 128 |
| P1PersonID | int | - |
| P1Relationship | nvarchar | 50 |
| P1Salutation | nvarchar | 64 |
| P1Suffix | nvarchar | 50 |
| P1WorkPhone | nvarchar | 128 |
| P2ALumniYear | datetime | - |
| P2CellPhone | nvarchar | 50 |
| P2Church | nvarchar | 50 |
| P2ClassOf | nvarchar | 50 |
| P2Company | nvarchar | 255 |
| P2Custody | bit | - |

| P2Email | nvarchar | 256 |
|---|---|---|
| P2FirstName | nvarchar | 64 |
| P2LastName | nvarchar | 64 |
| P2MaritalStatus | nvarchar | 50 |
| P2MiddleName | nvarchar | 64 |
| P2Occupation | nvarchar | 128 |
| P2PersonID | int | - |
| P2Relationship | nvarchar | 50 |
| P2Salutation | nvarchar | 64 |
| P2Suffix | nvarchar | 50 |
| P2WorkPhone | nvarchar | 128 |
| PAddress | nvarchar | 50 |
| PAddress2 | nvarchar | 50 |
| PCity | nvarchar | 50 |
| PHomephone | nvarchar | 50 |
| placement | nvarchar | 50 |
| primarylanguage | nvarchar | 50 |
| PState | nvarchar | 50 |
| publicschoolCode | nvarchar | 50 |
| publicschoolCOunty | nvarchar | 50 |
| publicschoolDistrict | nvarchar | 50 |
| publicschoolLocalSchool | nvarchar | 50 |
| publicschoolState | nvarchar | 50 |
| PZip | nvarchar | 50 |
| S1ALumniYear | datetime | - |
| S1CellPhone | nvarchar | 50 |
| S1Church | nvarchar | 50 |
| S1ClassOf | nvarchar | 50 |
| S1Company | nvarchar | 255 |
| S1Custody | bit | - |
| S1Email | nvarchar | 256 |
| S1FirstName | nvarchar | 64 |
| S1LastName | nvarchar | 64 |
| S1MaritalStatus | nvarchar | 50 |
| S1MiddleName | nvarchar | 64 |
| S1Occupation | nvarchar | 128 |
| S1PersonID | int | - |
| S1Relationship | nvarchar | 50 |
| S1Salutation | nvarchar | 64 |
| S1Suffix | nvarchar | 50 |
| S1WorkPhone | nvarchar | 128 |
| S2ALumniYear | datetime | - |
| S2CellPhone | nvarchar | 50 |
| S2Church | nvarchar | 50 |
| S2ClassOf | nvarchar | 50 |
| S2Company | nvarchar | 255 |
| S2Custody | bit | - |
| S2Email | nvarchar | 256 |
| S2FirstName | nvarchar | 64 |

| | | |
|---|---|---|
| S2LastName | nvarchar | 64 |
| S2MaritalStatus | nvarchar | 50 |
| S2MiddleName | nvarchar | 64 |
| S2Occupation | nvarchar | 128 |
| S2PersonID | int | - |
| S2Relationship | nvarchar | 50 |
| S2Salutation | nvarchar | 64 |
| S2Suffix | nvarchar | 50 |
| S2WorkPhone | nvarchar | 128 |
| SAddress | nvarchar | 50 |
| SAddress2 | nvarchar | 50 |
| schoolcode | varchar | 50 |
| SCity | nvarchar | 50 |
| SHomephone | nvarchar | 50 |
| ssn | varchar | 50 |
| SState | nvarchar | 50 |
| status | nvarchar | 50 |
| studentid | int | - |
| suffix | nvarchar | 50 |
| SZip | nvarchar | 50 |
| TimeStamp | smalldatetime | - |
| Type | nvarchar | 50 |

| 296. ImportAddress | | |
|---|---|---|
| Column Name | Data Type | Max Length |
| A_Address1 | nvarchar | 256 |
| A_Address2 | nvarchar | 256 |
| A_City | nvarchar | 128 |
| A_Country | nvarchar | 50 |
| A_Name | nvarchar | 256 |
| A_State | nvarchar | 64 |
| A_Zip | nvarchar | 64 |
| A_ZipPlus4 | nvarchar | 4 |
| Constituent_ID | int | - |
| IAID | int | - |
| Legacy_ID | nvarchar | 64 |

| 297. ImportBatch | | |
|---|---|---|
| Column Name | Data Type | Max Length |
| IB_DateImported | datetime | - |
| IB_UID | int | - |
| IBID | int | - |

| 298. ImportCampaign | | |
|---|---|---|
| Column Name | Data Type | Max Length |
| Campaign | nvarchar | 128 |

| | | |
|---|---|---|
| Campaign_Code | nvarchar | 64 |
| Effort | nvarchar | 64 |
| Effort_Code | nvarchar | 64 |
| ICAID | int | - |
| IsActive | bit | - |

### 299. ImportCommunicationLog

| Column Name | Data Type | Max Length |
|---|---|---|
| ConstituentID | int | - |
| ContactDescription | nvarchar | 1024 |
| ContactMethod | nvarchar | 256 |
| ContactNotes | nvarchar | -1 |
| DateContacted | datetime | - |
| ICLID | int | - |
| Legacy_ID | nvarchar | 64 |

### 300. ImportConstituent

| Column Name | Data Type | Max Length |
|---|---|---|
| Address_1 | nvarchar | 256 |
| Address_2 | nvarchar | 256 |
| Birth_Date | datetime | - |
| C_FiledAs1 | nvarchar | 512 |
| C_FiledAs2 | nvarchar | 512 |
| Cell_Phone | nvarchar | 64 |
| CID1 | int | - |
| CID2 | int | - |
| City | nvarchar | 128 |
| Connection | nvarchar | 64 |
| ConnectionTypeID | int | - |
| Constituent_ID | int | - |
| ConstTypeDLID | int | - |
| Country | nvarchar | 50 |
| Deceased_Date | datetime | - |
| Email | nvarchar | 256 |
| Email2 | nvarchar | 256 |
| Employment_Date | datetime | - |
| First_Name | nvarchar | 64 |
| Gender | nvarchar | 32 |
| ICID | int | - |
| Industry | nvarchar | 128 |
| Introduced_By_Legacy_ID | nvarchar | 64 |
| Last_Name | nvarchar | 128 |
| Legacy_ID | nvarchar | 64 |
| Maiden_Name | nvarchar | 128 |
| MailingAID | int | - |
| Main_Is_Husband | bit | - |
| Middle_Name | nvarchar | 64 |

| Notes | nvarchar | 1024 |
|---|---|---|
| Occupation | nvarchar | 128 |
| Organization_Name | nvarchar | 256 |
| Organization_Primary_ContactName | nvarchar | 256 |
| Phone | nvarchar | 64 |
| Preferred_Name | nvarchar | 128 |
| Prefix | nvarchar | 32 |
| SelfFormal1 | nvarchar | 128 |
| SelfFormal2 | nvarchar | 128 |
| SelfInformal1 | nvarchar | 128 |
| SelfInformal2 | nvarchar | 128 |
| Send_Mail | bit | - |
| Solicitor_Legacy_ID | nvarchar | 64 |
| Spouse_Birth_Date | datetime | - |
| Spouse_Cell_Phone | nvarchar | 64 |
| Spouse_Connection | nvarchar | 64 |
| Spouse_Deceased_Date | datetime | - |
| Spouse_Email | nvarchar | 256 |
| Spouse_Email2 | nvarchar | 256 |
| Spouse_Employment_Date | datetime | - |
| Spouse_First_Name | nvarchar | 64 |
| Spouse_Gender | nvarchar | 32 |
| Spouse_Industry | nvarchar | 128 |
| Spouse_Introduced_By_Legacy_ID | nvarchar | 64 |
| Spouse_Last_Name | nvarchar | 128 |
| Spouse_Legacy_ID | nvarchar | 64 |
| Spouse_M_Name | nvarchar | 64 |
| Spouse_Maiden_Name | nvarchar | 128 |
| Spouse_Occupation | nvarchar | 128 |
| Spouse_Preferred_Name | nvarchar | 128 |
| Spouse_Prefix | nvarchar | 32 |
| Spouse_Solicitor_Legacy_ID | nvarchar | 64 |
| Spouse_Status | nvarchar | 2 |
| Spouse_Work_Phone | nvarchar | 64 |
| Spouse_Year_Graduated | int | - |
| SpouseConnectionTypeID | int | - |
| SpouseFormal | nvarchar | 128 |
| SpouseInformal | nvarchar | 128 |
| State | nvarchar | 64 |
| Status | nvarchar | 2 |
| StreetAID | int | - |
| Suffix | nvarchar | 32 |
| Tax_ID | nvarchar | 16 |
| Work_Phone | nvarchar | 64 |
| Year_Graduated | int | - |
| Zip | nvarchar | 64 |
| Zip4 | nvarchar | 4 |

## 301. ImportConstituentInterest

| Column Name | Data Type | Max Length |
|---|---|---|
| Constituent_ID | int | - |
| ICIID | int | - |
| Interest | nvarchar | 128 |
| Interest_From | datetime | - |
| Interest_To | datetime | - |
| Legacy_ID | nvarchar | 64 |
| Primary | bit | - |

## 302. ImportConstituentNote

| Column Name | Data Type | Max Length |
|---|---|---|
| Constituent_ID | int | - |
| ICNID | int | - |
| Legacy_ID | nvarchar | 64 |
| Note_Date | datetime | - |
| Note_Subject | nvarchar | 256 |
| Note_Text | nvarchar | 4000 |

## 303. ImportConstituentPhone

| Column Name | Data Type | Max Length |
|---|---|---|
| ConstituentId | int | - |
| ImportConstituentPhoneID | int | - |
| IsPreferred | bit | - |
| LegacyId | nvarchar | 64 |
| PhoneNumber | varchar | 128 |
| PhoneType | nvarchar | 128 |

## 304. ImportError

| Column Name | Data Type | Max Length |
|---|---|---|
| Errors | nvarchar | 1024 |
| ID | int | - |
| StudentID | int | - |
| TimeStamp | smalldatetime | - |

## 305. ImportFile

| Column Name | Data Type | Max Length |
|---|---|---|
| FileName | nvarchar | 256 |
| ImportDate | datetime | - |
| ImportedBy | int | - |
| ImportFileID | int | - |
| IsCompleted | bit | - |

## 306. ImportFund

| Column Name | Data Type | Max Length |
|---|---|---|
| Fund | nvarchar | 256 |
| Fund_Code | nvarchar | 64 |
| IFID | int | - |

## 307. ImportGivingHistory

| Column Name | Data Type | Max Length |
|---|---|---|
| Check_Number | nvarchar | 32 |
| Constituent_ID | int | - |
| Deductible_Amount | money | - |
| DLID_GiftBatchID | int | - |
| Effort_Code | nvarchar | 64 |
| EID | int | - |
| FID | int | - |
| Fund_Code | nvarchar | 64 |
| Gift_Amount | money | - |
| Gift_Batch_Id | nvarchar | 128 |
| Gift_Category | nvarchar | 128 |
| Gift_Comment | nvarchar | 512 |
| Gift_Date | datetime | - |
| Gift_Description | nvarchar | -1 |
| Gift_Type | nvarchar | 128 |
| IGHID | int | - |
| Is_Anonymous | bit | - |
| Is_For_Pledge | bit | - |
| Legacy_ID | nvarchar | 64 |
| PID | int | - |
| Pledge_ID | nvarchar | 256 |
| Source_Gift_ID | nvarchar | 64 |

## 308. ImportPledge

| Column Name | Data Type | Max Length |
|---|---|---|
| Beginning_Date | datetime | - |
| Constituent_ID | int | - |
| Effort_Code | nvarchar | 64 |
| EID | int | - |
| End_Date | datetime | - |
| Frequency | nvarchar | 128 |
| IPID | int | - |
| IsWrittenOff | bit | - |
| Legacy_ID | nvarchar | 256 |
| Notes | nvarchar | 1024 |
| Payment_Amount | money | - |
| PID | int | - |
| Pledge_ID | nvarchar | 64 |
| Status | nvarchar | 2 |
| Total_Pledged_Amount | money | - |

## 309. ImportPledgeSchedule

| Column Name | Data Type | Max Length |
|---|---|---|
| ID | int | - |
| Payment_Received_Amount | decimal | - |
| Pledge_ID | nvarchar | 64 |
| Pledge_Payment_Amount | decimal | - |
| Pledge_Schedule_Date | datetime | - |

## 310. ImportRelationship

| Column Name | Data Type | Max Length |
|---|---|---|
| CID1 | int | - |
| CID2 | int | - |
| ConstTypeDLID1 | int | - |
| ConstTypeDLID2 | int | - |
| Date_Created | datetime | - |
| From_Date | datetime | - |
| ICRID | int | - |
| Legacy_ID | nvarchar | 64 |
| Notes | nvarchar | 128 |
| Related_Legacy_ID | nvarchar | 64 |
| Related_Relationship | nvarchar | 64 |
| Relationship | nvarchar | 64 |
| RelationshipGreeting | nvarchar | 128 |
| RelationshipType | nvarchar | 64 |
| RRID1 | int | - |
| RRID2 | nchar | 10 |
| SourceRelationshipID | nvarchar | 64 |
| To_Date | datetime | - |

## 311. ImportSoftCredit

| Column Name | Data Type | Max Length |
|---|---|---|
| Amount | decimal | - |
| ConstituentId | int | - |
| GivingHistoryId | int | - |
| ImportSoftCreditID | int | - |
| IsSpouseRelationship | bit | - |
| LegacyId | nvarchar | 64 |
| RelationshipId | int | - |
| SourceGiftId | nvarchar | 64 |
| SourceRelationId | nvarchar | 64 |

## 312. InstanceMetadataChangesTable

| Column Name | Data Type | Max Length |
|---|---|---|
| Change | varbinary | -1 |

| | | |
|---|---|---|
| ChangeTime | bigint | - |
| EncodingOption | tinyint | - |
| SurrogateInstanceId | bigint | - |

| 313. InstancePromotedProperties | | |
|---|---|---|
| Column Name | Data Type | Max Length |
| EncodingOption | tinyint | - |
| InstanceId | uniqueidentifier | - |
| PromotionName | nvarchar | 400 |
| Value1 | sql_variant | 0 |
| Value10 | sql_variant | 0 |
| Value11 | sql_variant | 0 |
| Value12 | sql_variant | 0 |
| Value13 | sql_variant | 0 |
| Value14 | sql_variant | 0 |
| Value15 | sql_variant | 0 |
| Value16 | sql_variant | 0 |
| Value17 | sql_variant | 0 |
| Value18 | sql_variant | 0 |
| Value19 | sql_variant | 0 |
| Value2 | sql_variant | 0 |
| Value20 | sql_variant | 0 |
| Value21 | sql_variant | 0 |
| Value22 | sql_variant | 0 |
| Value23 | sql_variant | 0 |
| Value24 | sql_variant | 0 |
| Value25 | sql_variant | 0 |
| Value26 | sql_variant | 0 |
| Value27 | sql_variant | 0 |
| Value28 | sql_variant | 0 |
| Value29 | sql_variant | 0 |
| Value3 | sql_variant | 0 |
| Value30 | sql_variant | 0 |
| Value31 | sql_variant | 0 |
| Value32 | sql_variant | 0 |
| Value33 | varbinary | -1 |
| Value34 | varbinary | -1 |
| Value35 | varbinary | -1 |
| Value36 | varbinary | -1 |
| Value37 | varbinary | -1 |
| Value38 | varbinary | -1 |
| Value39 | varbinary | -1 |
| Value4 | sql_variant | 0 |
| Value40 | varbinary | -1 |
| Value41 | varbinary | -1 |
| Value42 | varbinary | -1 |
| Value43 | varbinary | -1 |
| Value44 | varbinary | -1 |

| Value45 | varbinary | -1 |
|---|---|---|
| Value46 | varbinary | -1 |
| Value47 | varbinary | -1 |
| Value48 | varbinary | -1 |
| Value49 | varbinary | -1 |
| Value5 | sql_variant | 0 |
| Value50 | varbinary | -1 |
| Value51 | varbinary | -1 |
| Value52 | varbinary | -1 |
| Value53 | varbinary | -1 |
| Value54 | varbinary | -1 |
| Value55 | varbinary | -1 |
| Value56 | varbinary | -1 |
| Value57 | varbinary | -1 |
| Value58 | varbinary | -1 |
| Value59 | varbinary | -1 |
| Value6 | sql_variant | 0 |
| Value60 | varbinary | -1 |
| Value61 | varbinary | -1 |
| Value62 | varbinary | -1 |
| Value63 | varbinary | -1 |
| Value64 | varbinary | -1 |
| Value7 | sql_variant | 0 |
| Value8 | sql_variant | 0 |
| Value9 | sql_variant | 0 |

| 314. InstancePromotedPropertiesTable | | |
|---|---|---|
| Column Name | Data Type | Max Length |
| PromotionName | nvarchar | 400 |
| SurrogateInstanceId | bigint | - |
| Value1 | sql_variant | 0 |
| Value10 | sql_variant | 0 |
| Value11 | sql_variant | 0 |
| Value12 | sql_variant | 0 |
| Value13 | sql_variant | 0 |
| Value14 | sql_variant | 0 |
| Value15 | sql_variant | 0 |
| Value16 | sql_variant | 0 |
| Value17 | sql_variant | 0 |
| Value18 | sql_variant | 0 |
| Value19 | sql_variant | 0 |
| Value2 | sql_variant | 0 |
| Value20 | sql_variant | 0 |
| Value21 | sql_variant | 0 |
| Value22 | sql_variant | 0 |
| Value23 | sql_variant | 0 |
| Value24 | sql_variant | 0 |
| Value25 | sql_variant | 0 |

| Value26 | sql_variant | 0 |
|---|---|---|
| Value27 | sql_variant | 0 |
| Value28 | sql_variant | 0 |
| Value29 | sql_variant | 0 |
| Value3 | sql_variant | 0 |
| Value30 | sql_variant | 0 |
| Value31 | sql_variant | 0 |
| Value32 | sql_variant | 0 |
| Value33 | varbinary | -1 |
| Value34 | varbinary | -1 |
| Value35 | varbinary | -1 |
| Value36 | varbinary | -1 |
| Value37 | varbinary | -1 |
| Value38 | varbinary | -1 |
| Value39 | varbinary | -1 |
| Value4 | sql_variant | 0 |
| Value40 | varbinary | -1 |
| Value41 | varbinary | -1 |
| Value42 | varbinary | -1 |
| Value43 | varbinary | -1 |
| Value44 | varbinary | -1 |
| Value45 | varbinary | -1 |
| Value46 | varbinary | -1 |
| Value47 | varbinary | -1 |
| Value48 | varbinary | -1 |
| Value49 | varbinary | -1 |
| Value5 | sql_variant | 0 |
| Value50 | varbinary | -1 |
| Value51 | varbinary | -1 |
| Value52 | varbinary | -1 |
| Value53 | varbinary | -1 |
| Value54 | varbinary | -1 |
| Value55 | varbinary | -1 |
| Value56 | varbinary | -1 |
| Value57 | varbinary | -1 |
| Value58 | varbinary | -1 |
| Value59 | varbinary | -1 |
| Value6 | sql_variant | 0 |
| Value60 | varbinary | -1 |
| Value61 | varbinary | -1 |
| Value62 | varbinary | -1 |
| Value63 | varbinary | -1 |
| Value64 | varbinary | -1 |
| Value7 | sql_variant | 0 |
| Value8 | sql_variant | 0 |
| Value9 | sql_variant | 0 |

**315. Instances**

| Column Name | Data Type | Max Length |
|---|---|---|
| ActiveBookmarks | nvarchar | -1 |
| Build | bigint | - |
| CreationTime | datetime | - |
| CurrentMachine | nvarchar | 128 |
| EncodingOption | tinyint | - |
| ExecutionStatus | nvarchar | 450 |
| IdentityName | nvarchar | -1 |
| IdentityPackage | nvarchar | -1 |
| InstanceId | uniqueidentifier | - |
| IsCompleted | bit | - |
| IsInitialized | bit | - |
| IsSuspended | bit | - |
| LastMachine | nvarchar | 450 |
| LastUpdatedTime | datetime | - |
| Major | bigint | - |
| Minor | bigint | - |
| PendingTimer | datetime | - |
| ReadWriteComplexDataProperties | varbinary | -1 |
| ReadWritePrimitiveDataProperties | varbinary | -1 |
| Revision | bigint | - |
| ServiceDeploymentId | bigint | - |
| SuspensionExceptionName | nvarchar | 450 |
| SuspensionReason | nvarchar | -1 |
| WriteOnlyComplexDataProperties | varbinary | -1 |
| WriteOnlyPrimitiveDataProperties | varbinary | -1 |

## 316. InstancesTable

| Column Name | Data Type | Max Length |
|---|---|---|
| BlockingBookmarks | nvarchar | -1 |
| ComplexDataProperties | varbinary | -1 |
| CreationTime | datetime | - |
| DataEncodingOption | tinyint | - |
| ExecutionStatus | nvarchar | 450 |
| Id | uniqueidentifier | - |
| IsCompleted | bit | - |
| IsInitialized | bit | - |
| IsReadyToRun | bit | - |
| IsSuspended | bit | - |
| LastMachineRunOn | nvarchar | 450 |
| LastUpdated | datetime | - |
| MetadataEncodingOption | tinyint | - |
| MetadataProperties | varbinary | -1 |
| PendingTimer | datetime | - |
| PrimitiveDataProperties | varbinary | -1 |
| ServiceDeploymentId | bigint | - |
| SurrogateIdentityId | bigint | - |
| SurrogateInstanceId | bigint | - |

| | | |
|---|---|---|
| SurrogateLockOwnerId | bigint | - |
| SuspensionExceptionName | nvarchar | 450 |
| SuspensionReason | nvarchar | -1 |
| Version | bigint | - |
| WorkflowHostType | uniqueidentifier | - |
| WriteOnlyComplexDataProperties | varbinary | -1 |
| WriteOnlyPrimitiveDataProperties | varbinary | -1 |

## 317. Integration

| Column Name | Data Type | Max Length |
|---|---|---|
| IntegrationID | int | - |
| IntegrationName | nvarchar | -1 |

## 318. IntegrationAccount

| Column Name | Data Type | Max Length |
|---|---|---|
| AccessToken | nvarchar | -1 |
| ClientID | nvarchar | -1 |
| ClientSecret | nvarchar | -1 |
| IntegrationID | int | - |
| RefreshToken | nvarchar | -1 |
| StaffID | int | - |
| TokenExpiryDate | smalldatetime | - |
| Username | nvarchar | -1 |

## 319. Interest

| Column Name | Data Type | Max Length |
|---|---|---|
| Active | bit | - |
| Interest | nvarchar | 50 |
| InterestCategoryID | int | - |
| InterestID | int | - |
| SortOrder | int | - |

## 320. InterestCategory

| Column Name | Data Type | Max Length |
|---|---|---|
| Active | bit | - |
| Category | nvarchar | 50 |
| DistrictWide | bit | - |
| InterestCategoryID | int | - |
| OnlineApplication | bit | - |
| SchoolCode | nvarchar | 50 |
| SortOrder | int | - |
| Type | int | - |

## 321. intfc_StaffIsAdministrator

| Column Name | Data Type | Max Length |
|---|---|---|
| IsAdministrator | bit | - |
| StaffID | int | - |

## 322. Inventory

| Column Name | Data Type | Max Length |
|---|---|---|
| Amount | decimal | - |
| Barcode | nvarchar | 255 |
| Barcode | nvarchar | 50 |
| BarcodeBatchID | int | - |
| CallNumber | nvarchar | 128 |
| CatalogID | int | - |
| CatID | int | - |
| CirculationHistoryID | int | - |
| CirculationNote | nvarchar | 1024 |
| CopyNumber | int | - |
| COST | decimal | - |
| CreateDate | smalldatetime | - |
| CreatedByPersonID | int | - |
| DeweyDecimal | nvarchar | 64 |
| ID | int | - |
| IDType | nvarchar | 50 |
| ImportFileID | int | - |
| InactiveByPersonID | int | - |
| InactiveDate | smalldatetime | - |
| InactiveNote | nvarchar | 1024 |
| InactiveReasonListID | int | - |
| InStockQuantity | int | - |
| InventoriedByPersonID | int | - |
| InventoryDate | smalldatetime | - |
| InventoryID | int | - |
| InventoryID | int | - |
| ItemLocation | nvarchar | 256 |
| LegacyBookID | int | - |
| LibrarianNote | nvarchar | 1024 |
| LibraryListID | int | - |
| ModifiedBy | int | - |
| ModifiedByPersonID | int | - |
| ModifiedDate | smalldatetime | - |
| ModifyDate | smalldatetime | - |
| Name | nvarchar | 255 |
| PublisherCost | nvarchar | 64 |
| PurchaseCost | decimal | - |
| ReorderQuantity | int | - |
| ReplacementCost | decimal | - |
| ReservationID | int | - |
| SchoolCode | varchar | 50 |
| StatusID | int | - |

| | | |
|---|---|---|
| Taxable | bit | - |
| VendorID | int | - |
| VendorID | int | - |

**323. Item**

| Column Name | Data Type | Max Length |
|---|---|---|
| ActiveToStudent | bit | - |
| AllowReview | bit | - |
| AllowStudentComment | bit | - |
| AllowStudentPost | bit | - |
| AutoGrading | bit | - |
| AutoGradingAutoShow | bit | - |
| CreatedDate | smalldatetime | - |
| DueDateUtc | smalldatetime | - |
| EnableGradebook | bit | - |
| EndDate | datetime | - |
| EndTimeUtc | smalldatetime | - |
| ExtID | int | - |
| GradebookSyncing | bit | - |
| InactiveDate | smalldatetime | - |
| ItemDescription | nvarchar | -1 |
| ItemID | int | - |
| ItemName | nvarchar | 255 |
| ItemOrder | int | - |
| ItemTypeID | int | - |
| LastModifiedDate | smalldatetime | - |
| MaxPoints | decimal | - |
| ShowAnswerKey | bit | - |
| ShowToStudent | bit | - |
| StartDate | datetime | - |
| StartTimeUtc | smalldatetime | - |
| TopicID | int | - |
| TurnedInOffline | bit | - |
| ZoneCountryCode | nvarchar | 50 |
| ZoneName | nvarchar | 50 |
| ZoneOffset | nvarchar | 100 |

**324. ItemAssignment**

| Column Name | Data Type | Max Length |
|---|---|---|
| AssignmentID | int | - |
| CreatedDate | smalldatetime | - |
| Description | nvarchar | -1 |
| EarnedPoints | decimal | - |
| Feedback | nvarchar | -1 |
| FeedbackOn | smalldatetime | - |
| FeedbackOnUtc | smalldatetime | - |
| Files | nvarchar | -1 |

| | | |
|---|---|---|
| ItemID | int | - |
| LastModifiedDate | smalldatetime | - |
| StudentID | int | - |
| SubmittedOn | smalldatetime | - |
| SubmittedOnUtc | smalldatetime | - |
| TeacherID | int | - |
| Title | nvarchar | 200 |

## 325. ItemAssignmentFileMM

| Column Name | Data Type | Max Length |
|---|---|---|
| AssignmentID | int | - |
| CreatedDate | smalldatetime | - |
| FileID | uniqueidentifier | - |
| FileName | nvarchar | 100 |
| LastModifiedDate | smalldatetime | - |
| PersonID | int | - |

## 326. ItemFileMM

| Column Name | Data Type | Max Length |
|---|---|---|
| FileID | nvarchar | 50 |
| FileName | nvarchar | 100 |
| ItemID | int | - |

## 327. ItemStatus

| Column Name | Data Type | Max Length |
|---|---|---|
| CreateDate | smalldatetime | - |
| InactiveDate | smalldatetime | - |
| ItemStatusID | int | - |
| LastModifiedDate | smalldatetime | - |
| Status | nvarchar | 50 |
| Weight | int | - |

## 328. ItemType

| Column Name | Data Type | Max Length |
|---|---|---|
| ItemTypeID | int | - |
| ItemTypeName | nvarchar | 50 |

## 329. KeysTable

| Column Name | Data Type | Max Length |
|---|---|---|
| EncodingOption | tinyint | - |
| Id | uniqueidentifier | - |
| IsAssociated | bit | - |
| Properties | varbinary | -1 |
| SurrogateInstanceId | bigint | - |

| | | |
|---|---|---|
| SurrogateKeyId | bigint | - |

## 330. LabelLayout

| Column Name | Data Type | Max Length |
|---|---|---|
| DefaultLayout | bit | - |
| LabelID | int | - |
| LabelName | nvarchar | 20 |
| LabelType | nvarchar | 255 |
| Layout | nvarchar | 4000 |
| LayoutID | int | - |
| LayoutName | nvarchar | 255 |
| ModifiedBy | int | - |
| ModifiedDate | smalldatetime | - |
| SchoolCode | nvarchar | 50 |

## 331. LanguageList

| Column Name | Data Type | Max Length |
|---|---|---|
| LanguageID | int | - |
| LanguageName | nvarchar | 64 |
| Tag | varchar | 8 |

## 332. LessonPlanDetails

| Column Name | Data Type | Max Length |
|---|---|---|
| AutoNum | int | - |
| BeginDate | datetime | - |
| ClassID | int | - |
| Comments | nvarchar | -1 |
| CommentsHTML | nvarchar | -1 |
| CourseID | int | - |
| EndDate | datetime | - |
| Homework | nvarchar | -1 |
| LessonPlan | nvarchar | -1 |
| ModifiedBy | int | - |
| ModifiedDate | smalldatetime | - |
| Text1 | nvarchar | -1 |
| Text1HTML | nvarchar | -1 |
| Text2 | nvarchar | -1 |
| Text2HTML | nvarchar | -1 |
| Text3 | nvarchar | -1 |
| Text3HTML | nvarchar | -1 |
| Text4 | nvarchar | -1 |
| Text4HTML | nvarchar | -1 |

## 333. LessonPlanSettings

| Column Name | Data Type | Max Length |
|---|---|---|

| | | |
|---|---|---|
| Assignments | bit | - |
| ClassID | int | - |
| Comments | bit | - |
| Documents | bit | - |
| FridayView | bit | - |
| Homework | bit | - |
| LessonPlan | bit | - |
| ModifiedBy | int | - |
| ModifiedDate | smalldatetime | - |
| MondayView | bit | - |
| SaturdayView | bit | - |
| StaffID | int | - |
| Standards | bit | - |
| SundayView | bit | - |
| Text1 | bit | - |
| Text2 | bit | - |
| Text3 | bit | - |
| Text4 | bit | - |
| ThursdayView | bit | - |
| TuesdayView | bit | - |
| WednesdayView | bit | - |

| **334. Library** | | |
|---|---|---|
| Column Name | Data Type | Max Length |
| Author | nvarchar | 512 |
| Awards | varchar | 128 |
| BarCode | bit | - |
| BarcodeID | nvarchar | 32 |
| BookID | int | - |
| Category | nvarchar | 255 |
| CheckoutDate | datetime | - |
| CheckoutID | int | - |
| Checkouttype | nvarchar | 255 |
| Copyright | nvarchar | 255 |
| Cost | money | - |
| Dewey | nvarchar | 255 |
| Hardback | bit | - |
| Inventory | bit | - |
| ISBN | varchar | 255 |
| Keywords | nvarchar | 1000 |
| Lost | bit | - |
| MARC | varchar | 8000 |
| MediaType | nvarchar | 255 |
| ModifiedBy | int | - |
| ModifiedDate | smalldatetime | - |
| NonfilingCharacters | int | - |
| Pages | nvarchar | 1000 |
| Permission | bit | - |

| | | |
|---|---|---|
| PermissionNote | nvarchar | 255 |
| Publisher | nvarchar | 1000 |
| ReadingProgramLevel | nvarchar | 50 |
| ReadingProgramLevelWas | nvarchar | 50 |
| ReadingProgramPoints | nvarchar | 50 |
| ReadingProgramPointsWas | nvarchar | 50 |
| ReserveID | int | - |
| ReserveType | nvarchar | 255 |
| ReturnDate | datetime | - |
| SchoolCode | nvarchar | 255 |
| series | nvarchar | 255 |
| Subject | nvarchar | 256 |
| SubTitle | nvarchar | 255 |
| Summary | nvarchar | 4000 |
| Title | nvarchar | 512 |

## 335. LibraryFailedTransaction

| Column Name | Data Type | Max Length |
|---|---|---|
| Amount | decimal | - |
| CirculationHistoryID | int | - |
| ErrorDetails | nvarchar | -1 |
| ErrorMessage | nvarchar | -1 |
| FactsAccountCode | nvarchar | 50 |
| FactsAdjustmentReasonCode | nvarchar | 50 |
| FamilyId | int | - |
| LibraryFailedTransactionId | bigint | - |
| PersonId | int | - |
| Processed | bit | - |
| SchoolCode | varchar | 50 |

## 336. LibraryHistory

| Column Name | Data Type | Max Length |
|---|---|---|
| BookID | int | - |
| CheckInDate | smalldatetime | - |
| CheckOutDate | smalldatetime | - |
| DaysOverdue | int | - |
| ID | int | - |
| OverdueBilled | bit | - |
| StudentID | int | - |

## 337. LockerConfig

| Column Name | Data Type | Max Length |
|---|---|---|
| Combination1 | nvarchar | 50 |
| Combination2 | nvarchar | 50 |
| Combination3 | nvarchar | 50 |
| Combination4 | nvarchar | 50 |

| Combination5 | nvarchar | 50 |
|---|---|---|
| CurrentCombination | int | - |
| Locker | nvarchar | 50 |
| LockerConfigID | int | - |
| LockerGroupID | int | - |
| Note | nvarchar | 128 |
| OutOfService | bit | - |
| SchoolCode | nvarchar | 50 |

## 338. LockOwnersTable

| Column Name | Data Type | Max Length |
|---|---|---|
| ComplexLockOwnerData | varbinary | -1 |
| DeletesInstanceOnCompletion | bit | - |
| EncodingOption | tinyint | - |
| EnqueueCommand | bit | - |
| Id | uniqueidentifier | - |
| LockExpiration | datetime | - |
| MachineName | nvarchar | 128 |
| PrimitiveLockOwnerData | varbinary | -1 |
| SurrogateLockOwnerId | bigint | - |
| WorkflowHostType | uniqueidentifier | - |
| WorkflowIdentityFilter | tinyint | - |
| WriteOnlyComplexLockOwnerData | varbinary | -1 |
| WriteOnlyPrimitiveLockOwnerData | varbinary | -1 |

## 339. LoginToken

| Column Name | Data Type | Max Length |
|---|---|---|
| Created | datetime | - |
| LastAccess | datetime | - |
| LoginType | nvarchar | 50 |
| PersonID | int | - |
| PersonID | int | - |
| Token | uniqueidentifier | - |
| Token | varchar | 50 |
| TokenCreationTime | datetime | - |

## 340. LunchMenuDates

| Column Name | Data Type | Max Length |
|---|---|---|
| Date | smalldatetime | - |
| LunchID | int | - |

## 341. LunchMenuNew

| Column Name | Data Type | Max Length |
|---|---|---|
| AcctCat | int | - |
| Active | bit | - |

| | | |
|---|---|---|
| Breakfast | bit | - |
| Description | nvarchar | 128 |
| FullPrice | decimal | - |
| ItemNumber | smallint | - |
| LunchID | int | - |
| Meal | bit | - |
| ModifiedBy | int | - |
| ModifiedDate | smalldatetime | - |
| ReducedLunchEligible | bit | - |
| ReducedPrice | decimal | - |
| SchoolCode | nvarchar | 50 |
| StaffPrice | decimal | - |

## 342. LunchOrders

| Column Name | Data Type | Max Length |
|---|---|---|
| AutoNum | int | - |
| breakfast | bit | - |
| ChargeID | int | - |
| Column | int | - |
| Day | smalldatetime | - |
| Description | nvarchar | 128 |
| Free | bit | - |
| IsFactsProcessed | bit | - |
| ItemNumber | int | - |
| meal | bit | - |
| ModifiedBy | int | - |
| ModifiedDate | smalldatetime | - |
| Reduced | bit | - |
| ReducedLunchEligible | bit | - |
| StudentID | int | - |
| Verified | bit | - |

## 343. LunchordersStaff

| Column Name | Data Type | Max Length |
|---|---|---|
| AutoNum | int | - |
| ChargeID | int | - |
| Column | int | - |
| Day | datetime | - |
| Description | nvarchar | 128 |
| IsFactsProcessed | bit | - |
| ItemNumber | int | - |
| ModifiedBy | int | - |
| ModifiedDate | smalldatetime | - |
| SchoolCode | nvarchar | 50 |
| StaffID | int | - |

## 344. LunchordersWeb

| Column Name | Data Type | Max Length |
|---|---|---|
| converted | bit | - |
| Date | smalldatetime | - |
| LunchID | int | - |
| OrderID | int | - |
| paid | bit | - |
| quantity | int | - |
| StudentID | int | - |

## 345. MailMerge

| Column Name | Data Type | Max Length |
|---|---|---|
| Letter | nvarchar | -1 |
| ModifiedBy | int | - |
| ModifiedDate | smalldatetime | - |
| Name | nvarchar | 125 |
| SchoolCode | varchar | 50 |
| Type | nvarchar | 50 |

## 346. Maintenance

| Column Name | Data Type | Max Length |
|---|---|---|
| Description | nvarchar | 255 |
| F1 | varchar | 50 |
| F10 | varchar | 50 |
| F11 | varchar | 50 |
| F12 | varchar | 50 |
| F13 | varchar | 50 |
| F14 | varchar | 50 |
| F15 | varchar | 50 |
| F16 | varchar | 50 |
| F17 | varchar | 50 |
| F18 | varchar | 50 |
| F19 | varchar | 50 |
| F2 | varchar | 50 |
| F20 | varchar | 50 |
| F3 | varchar | 50 |
| F4 | varchar | 50 |
| F5 | varchar | 50 |
| F6 | varchar | 50 |
| F7 | varchar | 50 |
| F8 | varchar | 50 |
| F9 | varchar | 50 |
| LastTimeRunDay | varchar | 50 |
| LastTimeRunTime | varchar | 50 |
| MaintenanceID | int | - |
| NotificationMessage | nvarchar | -1 |
| NotificationSourceID | int | - |

| | | |
|---|---|---|
| ReadOnly | bit | - |
| RunTime | varchar | 50 |
| SchoolCode | varchar | 50 |
| Status | int | - |
| TextMessage | nvarchar | 2000 |
| TextToSpeech | nvarchar | 2000 |
| Type | nvarchar | 50 |
| VoiceFile | nvarchar | 50 |

## 347. MaintenanceClassList

| Column Name | Data Type | Max Length |
|---|---|---|
| ClassID | int | - |
| JobType | nvarchar | 50 |
| ListID | int | - |
| MaintenanceID | int | - |
| ModifiedDate | smalldatetime | - |

## 348. MaintenanceLog

| Column Name | Data Type | Max Length |
|---|---|---|
| Date | nvarchar | 50 |
| ID | int | - |
| Log | nvarchar | -1 |
| MaintenanceID | int | - |

## 349. MaintenanceTracking

| Column Name | Data Type | Max Length |
|---|---|---|
| BeginDate | nvarchar | 50 |
| BeginDateTime | smalldatetime | - |
| ClassID | int | - |
| DisciplineID | int | - |
| EndDate | nvarchar | 50 |
| EndDateTime | smalldatetime | - |
| ID | int | - |
| LogDataNumeric | decimal | - |
| LogDataString | nvarchar | 50 |
| MaintenanceID | int | - |
| ModifiedDate | smalldatetime | - |
| StudentID | int | - |
| TermID | smallint | - |
| TimeFrame | tinyint | - |
| YearID | int | - |

## 350. MappingGbkAssessments

| Column Name | Data Type | Max Length |
|---|---|---|
| CanvasID | int | - |

| | | |
|---|---|---|
| GbkAssessmentID | int | - |
| IntegrationID | int | - |
| MappingAssessmentID | int | - |
| ModifiedBy | int | - |
| ModifiedDate | smalldatetime | - |

## 351. MappingGbkAssignments

| Column Name | Data Type | Max Length |
|---|---|---|
| AssessmentID | int | - |
| AssignmentID | int | - |
| CanvasID | int | - |
| ClassID | int | - |
| IntegrationID | int | - |
| MappingAssignmentID | int | - |
| ModifiedBy | int | - |
| ModifiedDate | smalldatetime | - |

## 352. MasterLessonPlan

| Column Name | Data Type | Max Length |
|---|---|---|
| CourseID | int | - |
| Day | int | - |
| Details1 | nvarchar | -1 |
| Details2 | nvarchar | -1 |
| Details3 | nvarchar | -1 |
| Details4 | nvarchar | -1 |
| Homework | nvarchar | -1 |
| LessonPlan | nvarchar | -1 |
| StaffID | int | - |

## 353. MasterLessonPlanObjectives

| Column Name | Data Type | Max Length |
|---|---|---|
| CourseID | int | - |
| Day | int | - |
| ObjectiveID | int | - |
| StaffID | int | - |

## 354. MasterLessonPlanStandardMM

| Column Name | Data Type | Max Length |
|---|---|---|
| CourseID | int | - |
| Day | int | - |
| StaffID | int | - |
| StandardID | int | - |

## 355. MasterLessonPlanWebDocuments

| Column Name | Data Type | Max Length |
|---|---|---|
| CourseID | int | - |
| Day | int | - |
| DocumentID | int | - |
| StaffID | int | - |

## 356. MedicalTestConfiguration

| Column Name | Data Type | Max Length |
|---|---|---|
| ConfigSchoolID | smallint | - |
| ConfigurationName | nvarchar | 50 |
| DistrictWide | bit | - |
| MedicalTestConfigurationID | int | - |

## 357. MedicalTestConfigurationField

| Column Name | Data Type | Max Length |
|---|---|---|
| FieldName | nvarchar | 50 |
| LegacyIndex | smallint | - |
| MedicalTestConfigurationFieldID | int | - |
| MedicalTestConfigurationID | int | - |

## 358. MIPExportResults

| Column Name | Data Type | Max Length |
|---|---|---|
| Amount | money | - |
| DepositSlip | varchar | 50 |
| Description | varchar | 128 |
| DistCode | varchar | 50 |
| DocNum | varchar | 50 |
| EffectiveDate | datetime | - |
| Grping | varchar | 50 |
| ID | int | - |
| Session | varchar | 50 |
| Type | varchar | 50 |

## 359. MobileApp_ErrorDetailsLog

| Column Name | Data Type | Max Length |
|---|---|---|
| Date | datetime | - |
| ErrorMessage | nvarchar | -1 |
| FileName | nvarchar | 50 |
| ID | int | - |
| MethodName | nvarchar | 50 |
| MethodParams | nvarchar | -1 |
| StackTrace | nvarchar | -1 |

## 360. Mobileapp_SubscriptionPersonNotifiedBulk

| Column Name | Data Type | Max Length |
|---|---|---|
| PersonID | int | - |
| SubscriptionID | int | - |

## 361. Mobileapp_SubscriptionPurchaseDetails

| Column Name | Data Type | Max Length |
|---|---|---|
| AllowFreeAccess | bit | - |
| ExpiryDate | smalldatetime | - |
| FamilyID | int | - |
| Old | bit | - |
| PurchaseDate | nvarchar | 30 |
| ReceiptData | nvarchar | -1 |
| SubscriptionID | int | - |
| TransactionID | nvarchar | 50 |

## 362. MobileApp_UsersAnalytics

| Column Name | Data Type | Max Length |
|---|---|---|
| AnalyticsID | int | - |
| AppVersion | nvarchar | 30 |
| CurrentTime | smalldatetime | - |
| Device | nvarchar | 80 |
| DistrictCode | nvarchar | 50 |
| FamilyID | int | - |
| OS | nvarchar | 20 |
| OSVersion | nvarchar | 30 |
| UserFName | nvarchar | 255 |

## 363. MobileDesignConfig

| Column Name | Data Type | Max Length |
|---|---|---|
| BodyColor | varchar | 6 |
| BodyTextColor | varchar | 6 |
| ConfigSchoolID | smallint | - |
| DesignPreviewForUserID | int | - |
| HeaderColor | varchar | 6 |
| HeaderLinkURL | nvarchar | 2000 |
| HeaderTextColor | varchar | 6 |
| HomePageGraphicURL | nvarchar | 2000 |
| MobileDesignConfigID | smallint | - |

## 364. MSTimeZones

| Column Name | Data Type | Max Length |
|---|---|---|
| Display | varchar | 100 |
| MicrosoftTimeZoneID | varchar | 100 |

## 365. NewsLetters

| Column Name | Data Type | Max Length |
|---|---|---|
| Caption | nvarchar | 128 |
| Filename | nvarchar | 256 |
| GlobalItem | bit | - |
| Icon_PictureID | int | - |
| IsHyperlink | bit | - |
| Newsletter | bit | - |
| NewsLetterID | int | - |
| SchoolCode | nvarchar | 50 |

## 366. NewStudentInquiry

| Column Name | Data Type | Max Length |
|---|---|---|
| ChildrenNames | varchar | 50 |
| City | varchar | 50 |
| ContactDate | smalldatetime | - |
| EP1 | bit | - |
| EP10 | bit | - |
| EP2 | bit | - |
| EP3 | bit | - |
| EP4 | bit | - |
| EP5 | bit | - |
| EP6 | bit | - |
| EP7 | bit | - |
| EP8 | bit | - |
| EP9 | bit | - |
| Ethnicity | varchar | 50 |
| ExistingFamilyID | int | - |
| FamilyEmail | nvarchar | 256 |
| FamilyName | varchar | 125 |
| FamilyName2 | varchar | 50 |
| FamilyName3 | varchar | 50 |
| FinancialAid | bit | - |
| InterviewComments | nvarchar | -1 |
| InterviewDate | smalldatetime | - |
| InterviewStaff | varchar | 50 |
| ModifiedBy | int | - |
| ModifiedDate | smalldatetime | - |
| NewStudentInquiryID | int | - |
| Note | nvarchar | -1 |
| Note1 | varchar | 50 |
| Note10 | varchar | 50 |
| Note2 | varchar | 50 |
| Note3 | varchar | 50 |
| Note4 | varchar | 50 |
| Note5 | varchar | 50 |
| Note6 | varchar | 50 |
| Note7 | varchar | 50 |

| Note8 | varchar | 50 |
|---|---|---|
| Note9 | varchar | 50 |
| OpenHouse1 | varchar | 50 |
| OpenHouse2 | varchar | 50 |
| OpenHouse3 | varchar | 50 |
| OpenHouse4 | varchar | 50 |
| P1FirstName | varchar | 50 |
| P1LastName | varchar | 50 |
| P1MiddleName | varchar | 50 |
| P2FirstName | varchar | 50 |
| P2LastName | varchar | 50 |
| P2MiddleName | varchar | 50 |
| Phone | varchar | 50 |
| ReferredBy | varchar | 50 |
| ReferredByDetails | varchar | -1 |
| S1BirthDate | datetime | - |
| S1CurrentSchool | varchar | 50 |
| S1Enrolled | bit | - |
| S1FirstName | varchar | 50 |
| S1Gender | varchar | 50 |
| S1GradeLevel | varchar | 50 |
| S1LastName | varchar | 50 |
| S1MiddleName | varchar | 50 |
| S1School | varchar | 50 |
| S1SchoolYear | varchar | 50 |
| S2BirthDate | datetime | - |
| S2CurrentSchool | varchar | 50 |
| S2Enrolled | bit | - |
| S2FirstName | varchar | 50 |
| S2Gender | varchar | 50 |
| S2GradeLEvel | varchar | 50 |
| S2LastName | varchar | 50 |
| S2MiddleName | varchar | 50 |
| S2School | varchar | 50 |
| S2SchoolYear | varchar | 50 |
| S3BirthDate | datetime | - |
| S3CurrentSchool | varchar | 50 |
| S3Enrolled | bit | - |
| S3FirstName | varchar | 50 |
| S3Gender | varchar | 50 |
| S3GradeLEvel | varchar | 50 |
| S3LastName | varchar | 50 |
| S3MiddleName | varchar | 50 |
| S3School | varchar | 50 |
| S3SchoolYear | varchar | 50 |
| S4BirthDate | datetime | - |
| S4CurrentSchool | varchar | 50 |
| S4Enrolled | bit | - |
| S4FirstName | varchar | 50 |

| Column Name | Data Type | Max Length |
|---|---|---|
| S4Gender | varchar | 50 |
| S4GradeLevel | varchar | 50 |
| S4LastName | varchar | 50 |
| S4MiddleName | varchar | 50 |
| S4School | varchar | 50 |
| S4SchoolYear | varchar | 50 |
| State | varchar | 50 |
| Status | nvarchar | 50 |
| Street | varchar | 50 |
| Zip | varchar | 50 |

**367. OA**

| Column Name | Data Type | Max Length |
|---|---|---|
| admissions_email | nvarchar | 75 |
| after_amount_text | nvarchar | -1 |
| ApplicationFeeWaived | int | - |
| appname | nvarchar | 100 |
| apptype | char | 2 |
| before_amount_text | nvarchar | -1 |
| EnrollmentFeeWaived | int | - |
| enrollmenttype | nvarchar | 5 |
| FamilyPacket | bit | - |
| finished_when_submitted | varchar | 1 |
| finished_when_submitted_new | varchar | 1 |
| IsPrimary | bit | - |
| LabelRegForms | nvarchar | 255 |
| LabelSuppAppForms | nvarchar | 255 |
| LangDefault | nvarchar | 10 |
| manual_amount | varchar | 1 |
| memberid | int | - |
| MultiSchoolAppID | int | - |
| MultiSchoolSyncNeeded | bit | - |
| new_apps_allowed | char | 1 |
| notify_emails | nvarchar | -1 |
| notify_emails_subject | nvarchar | 255 |
| OEFeeWaivedNewOtherMeans | bit | - |
| on_off | varchar | 1 |
| onlineappid | int | - |
| PacketReviewOverride | nvarchar | 100 |
| parent_ack_check_title1 | nvarchar | 255 |
| parent_ack_check_title2 | nvarchar | 255 |
| payment_option | char | 1 |
| production_test | varchar | 1 |
| ReturnForUpdatesEmailParent | bit | - |
| school_fee1 | decimal | - |
| school_fee2 | decimal | - |
| school_fee3 | decimal | - |
| school_fee4 | decimal | - |

| Column Name | Data Type | Max Length |
|---|---|---|
| school_year | nvarchar | 25 |
| school_year_bak | nvarchar | 9 |
| SchoolCode | varchar | 50 |

## 368. OAAdditionalQuestionFormSchool

| Column Name | Data Type | Max Length |
|---|---|---|
| AQFSID | int | - |
| FormSchoolID | int | - |
| PacketSchoolID | int | - |

## 369. OAAddress

| Column Name | Data Type | Max Length |
|---|---|---|
| address | nvarchar | 255 |
| address2 | nvarchar | 255 |
| addressname | nvarchar | 50 |
| authorized_pickup | varchar | 1 |
| authorized_pickup_note | nvarchar | 1000 |
| Birthdate | datetime | - |
| church | nvarchar | 125 |
| church_new_city | nvarchar | 50 |
| church_new_phone | nvarchar | 25 |
| church_new_senior_pastor | nvarchar | 100 |
| church_new_state | nvarchar | 25 |
| church_new_zip | nvarchar | 10 |
| churchid | nvarchar | 25 |
| ChurchNewStreet | nvarchar | 50 |
| ChurchNewYouthPastor | nvarchar | 50 |
| city | nvarchar | 255 |
| country | nvarchar | 255 |
| custodialrights | varchar | 1 |
| deceased | varchar | 1 |
| degrees_earned | nvarchar | 255 |
| ECPUSortOrder | int | - |
| email | nvarchar | 256 |
| email2 | nvarchar | 256 |
| emergency_contact | varchar | 1 |
| emergency_contact_note | nvarchar | 1000 |
| employer | nvarchar | 125 |
| employer_address | nvarchar | 50 |
| employer_city | nvarchar | 50 |
| employer_state | nvarchar | 50 |
| employer_zip | nvarchar | 50 |
| financially_resp | varchar | 1 |
| firstname | nvarchar | 64 |
| fromdate | nvarchar | 50 |
| gender | varchar | 1 |
| gradecompleted | nvarchar | 50 |

| highest_education | nvarchar | 50 |
|---|---|---|
| highest_education_year | nvarchar | 50 |
| JobDescription | nvarchar | 128 |
| jobtitle | nvarchar | 125 |
| lastname | nvarchar | 128 |
| maritalstatus | nvarchar | 125 |
| middlename | nvarchar | 64 |
| NickName | nvarchar | 50 |
| occupation | nvarchar | 125 |
| phone | nvarchar | 50 |
| phone_cell | nvarchar | 50 |
| phone_work | nvarchar | 128 |
| phone_work_ext | nvarchar | 50 |
| Photo | nvarchar | 25 |
| receive_corr | varchar | 1 |
| relationship | nvarchar | 125 |
| religion | nvarchar | 125 |
| remove_from_family | varchar | 1 |
| remove_from_family_reason | nvarchar | 128 |
| salutation | nvarchar | 125 |
| same_church | varchar | 1 |
| school_name | nvarchar | 100 |
| ssn | nvarchar | 20 |
| state | nvarchar | 255 |
| studentid | int | - |
| suffix | nvarchar | 50 |
| todate | nvarchar | 50 |
| unlisted_directory | bit | - |
| zip | nvarchar | 255 |

| 370. OAAddressField | | |
|---|---|---|
| Column Name | Data Type | Max Length |
| NumPreviousSchools | tinyint | - |
| onlineappid | int | - |
| recent_school | varchar | 1 |
| rs_address | varchar | 1 |
| rs_city | varchar | 1 |
| rs_fromdate | varchar | 1 |
| rs_gradecompleted | varchar | 1 |
| rs_phone | varchar | 1 |
| rs_state | varchar | 1 |
| rs_todate | varchar | 1 |
| rs_zip | varchar | 1 |

| 371. OAAddressParentPreferences | | |
|---|---|---|
| Column Name | Data Type | Max Length |
| auto_email_gradebook | nvarchar | 6 |

| directory_block_address | varchar | 1 |
|---|---|---|
| directory_block_cell_phone | varchar | 1 |
| directory_block_email | varchar | 1 |
| directory_block_name | varchar | 1 |
| directory_block_phone | varchar | 1 |
| one_or_two | tinyint | - |
| parent_alert_cell_phone | varchar | 1 |
| parent_alert_home_phone | varchar | 1 |
| parent_alert_no_text | varchar | 1 |
| parent_alert_work_phone | varchar | 1 |
| studentid | int | - |

## 372. OAAlumni

| Column Name | Data Type | Max Length |
|---|---|---|
| alumniname | nvarchar | 50 |
| alumnusid | int | - |
| attended | nvarchar | 50 |
| relationship | nvarchar | 125 |
| studentid | int | - |

## 373. OAAlumniField

| Column Name | Data Type | Max Length |
|---|---|---|
| alumniname | varchar | 1 |
| attended | varchar | 1 |
| onlineappid | int | - |
| opening_question | nvarchar | -1 |
| relationship | varchar | 1 |

## 374. OADesign

| Column Name | Data Type | Max Length |
|---|---|---|
| alink | nvarchar | 6 |
| alink_hov | nvarchar | 6 |
| alternatebg1 | nvarchar | 6 |
| alternatebg2 | nvarchar | 6 |
| body_bg | nvarchar | 6 |
| category_bg | nvarchar | 6 |
| category_bg_hov | nvarchar | 6 |
| category_link | nvarchar | 6 |
| category_link_hov | nvarchar | 6 |
| css_more | nvarchar | -1 |
| DisplayLogoWideScreen | bit | - |
| field_bg | nvarchar | 6 |
| fontcolor | nvarchar | 6 |
| fontsize | smallint | - |
| fonttype | nvarchar | 75 |
| footer | nvarchar | 6 |

| | | |
|---|---|---|
| header2bg | nvarchar | 6 |
| header2text | nvarchar | 6 |
| headerbg | nvarchar | 6 |
| headertext | nvarchar | 6 |
| inside_page_bg | nvarchar | 6 |
| left_menu_column | nvarchar | 6 |
| level1_bg | nvarchar | 6 |
| level1_bg_hov | nvarchar | 6 |
| level1_link | nvarchar | 6 |
| level1_link_hov | nvarchar | 6 |
| level2_bg | nvarchar | 6 |
| level2_bg_hov | nvarchar | 6 |
| level2_link | nvarchar | 6 |
| level2_link_hov | nvarchar | 6 |
| LogoPhoto | nvarchar | 255 |
| memberid | int | - |
| templateid | smallint | - |
| top_drop_bg | nvarchar | 6 |
| top_drop_bg_hov | nvarchar | 6 |
| top_drop_link | nvarchar | 6 |
| top_drop_link_hov | nvarchar | 6 |

## 375. OAEmergencyPickup

| Column Name | Data Type | Max Length |
|---|---|---|
| authorized_pickup | varchar | 1 |
| authorized_pickup_note | nvarchar | 1000 |
| contactid | int | - |
| email | nvarchar | 256 |
| emergency_contact | varchar | 1 |
| emergency_contact_note | nvarchar | 1000 |
| firstname | nvarchar | 50 |
| lastname | nvarchar | 50 |
| note | nvarchar | -1 |
| phone | nvarchar | 25 |
| phone_cell | nvarchar | 50 |
| phone_work | nvarchar | 25 |
| Photo | nvarchar | 50 |
| RefID | int | - |
| relationship | nvarchar | 125 |
| SortOrder | int | - |
| studentid | int | - |

## 376. OAEmergencyPickupField

| Column Name | Data Type | Max Length |
|---|---|---|
| authorized_pickup | bit | - |
| ECPUPhoto | nvarchar | 1 |
| emergency_contact | bit | - |

| | | |
|---|---|---|
| onlineappid | int | - |
| SortOrder | nvarchar | 1 |

### 377. OAEnrollmentNotify

| Column Name | Data Type | Max Length |
|---|---|---|
| CCEmail | nvarchar | 400 |
| counter | int | - |
| email_body | nvarchar | -1 |
| enroll_type | varchar | 1 |
| from_email | nvarchar | 75 |
| graphic_type | varchar | 2 |
| IsPrimary | bit | - |
| photo | nvarchar | 50 |
| SchoolCode | varchar | 50 |
| subject_line | nvarchar | 255 |

### 378. OAEnterpriseLogin

| Column Name | Data Type | Max Length |
|---|---|---|
| CreatedDate | smalldatetime | - |
| EmailAddress | nvarchar | 256 |
| EnterpriseLoginID | int | - |
| FirstName | nvarchar | 64 |
| LastName | nvarchar | 128 |
| LoginCode | nvarchar | 35 |
| MemberID | int | - |
| UserRole | nvarchar | 5 |

### 379. OAFileUpload

| Column Name | Data Type | Max Length |
|---|---|---|
| filename | nvarchar | 255 |
| filesize | int | - |
| foldername | nvarchar | 50 |
| memberid | smallint | - |
| uploaddate | datetime | - |
| uploadid | int | - |

### 380. OAFileUploadEnroll

| Column Name | Data Type | Max Length |
|---|---|---|
| filename | nvarchar | 255 |
| filesize | int | - |
| foldername | nvarchar | 50 |
| memberid | smallint | - |
| uploaddate | datetime | - |
| uploadid | int | - |

## 381. OAForm

| Column Name | Data Type | Max Length |
|---|---|---|
| apptype | nvarchar | 4 |
| config_options | char | 1 |
| FamilyOrStudent | nvarchar | 7 |
| formcode | nvarchar | 20 |
| formid | int | - |
| formname | nvarchar | 100 |
| include_by_default | char | 1 |
| include_by_default_oe | char | 1 |
| SecondParentInclude | bit | - |
| sortorder | int | - |

## 382. OAFormCompleted

| Column Name | Data Type | Max Length |
|---|---|---|
| completed | varchar | 1 |
| FormSchoolID | int | - |
| studentid | int | - |

## 383. OAFormSchool

| Column Name | Data Type | Max Length |
|---|---|---|
| BeforeAfterStudents | nvarchar | 6 |
| FamilyOrStudent | nvarchar | 7 |
| formid | int | - |
| formintro | nvarchar | -1 |
| formname | nvarchar | 100 |
| FormSchoolID | int | - |
| intro_on_review_pdf | bit | - |
| IntroSentence | nvarchar | 2000 |
| isactive | varchar | 1 |
| MultiSchoolFormSchoolID | int | - |
| onlineappid | int | - |
| SavePDF | bit | - |
| SchoolSortOrder | tinyint | - |

## 384. OAGenericAcknowledgeForm

| Column Name | Data Type | Max Length |
|---|---|---|
| FormID | int | - |
| OnlineAppID | int | - |
| Title1 | nvarchar | 255 |
| Title2 | nvarchar | 255 |
| Title2Req | bit | - |
| TypeYourName1 | bit | - |
| TypeYourName2 | bit | - |

## 385. OAGenericAcknowledgeStudent

| Column Name | Data Type | Max Length |
|---|---|---|
| FormID | int | - |
| SignedDate1 | smalldatetime | - |
| SignedDate2 | smalldatetime | - |
| SignedName1 | nvarchar | 100 |
| SignedName1Img | nvarchar | -1 |
| SignedName2 | nvarchar | 100 |
| SignedName2Img | nvarchar | -1 |
| StudentID | int | - |

## 386. OAGrade

| Column Name | Data Type | Max Length |
|---|---|---|
| GradeLevel | nvarchar | 50 |
| onlineappid | int | - |

## 387. OAHouseholdField

| Column Name | Data Type | Max Length |
|---|---|---|
| church_new_city | varchar | 1 |
| church_new_phone | varchar | 1 |
| church_new_senior_pastor | varchar | 1 |
| church_new_senior_pastor_label | nvarchar | 50 |
| church_new_state | varchar | 1 |
| church_new_zip | varchar | 1 |
| ChurchNewStreet | nvarchar | 1 |
| ChurchNewYouthPastor | nvarchar | 1 |
| ChurchNewYouthPastorLabel | nvarchar | 50 |
| g_address | varchar | 1 |
| g_city | varchar | 1 |
| g_country | varchar | 1 |
| g_email | varchar | 1 |
| g_firstname | varchar | 1 |
| g_gender | varchar | 1 |
| g_lastname | varchar | 1 |
| g_maritalstatus | varchar | 1 |
| g_phone | varchar | 1 |
| g_phone_cell | varchar | 1 |
| g_relationship | varchar | 1 |
| g_salutation | varchar | 1 |
| g_state | varchar | 1 |
| g_zip | varchar | 1 |
| GFinanciallyResp | nvarchar | 1 |
| GrandparentPhoto | nvarchar | 1 |
| hide_new_church | bit | - |
| NicknameLabel | nvarchar | 50 |
| onlineappid | int | - |

| p_address | varchar | 1 |
|-----------|---------|---|
| p_Birthdate | nvarchar | 1 |
| p_church | varchar | 1 |
| p_church_label | nvarchar | 50 |
| p_city | varchar | 1 |
| p_country | varchar | 1 |
| p_custodialrights | varchar | 1 |
| p_degrees_earned | varchar | 1 |
| p_email | varchar | 1 |
| p_email2 | varchar | 1 |
| p_employer | varchar | 1 |
| p_employer_address | varchar | 1 |
| p_employer_city | varchar | 1 |
| p_employer_state | varchar | 1 |
| p_employer_zip | varchar | 1 |
| p_financially_resp | varchar | 1 |
| p_firstname | varchar | 1 |
| p_gender | varchar | 1 |
| p_highest_education | varchar | 1 |
| p_highest_education_year | varchar | 1 |
| p_jobtitle | varchar | 1 |
| p_lastname | varchar | 1 |
| p_maritalstatus | varchar | 1 |
| p_middlename | varchar | 1 |
| p_NickName | nvarchar | 1 |
| p_occupation | varchar | 1 |
| p_phone | varchar | 1 |
| p_phone_cell | varchar | 1 |
| p_phone_work | varchar | 1 |
| p_receive_corr | varchar | 1 |
| p_relationship | varchar | 1 |
| p_religion | varchar | 1 |
| p_religion_label | nvarchar | 50 |
| p_salutation | varchar | 1 |
| p_school_name | varchar | 1 |
| p_state | varchar | 1 |
| p_suffix | varchar | 1 |
| p_zip | varchar | 1 |
| ParentPhoto | nvarchar | 1 |
| ssn | varchar | 1 |
| unlisted_directory | varchar | 1 |

| 388. OAHouseholdFieldParentPreferences | | |
|----------------------------------------|-----------|------------|
| Column Name | Data Type | Max Length |
| auto_email_gradebook | bit | - |
| directory_block_address | bit | - |
| directory_block_cell_phone | bit | - |
| directory_block_email | bit | - |

| Column Name | Data Type | Max Length |
|---|---|---|
| directory_block_name | bit | - |
| directory_block_phone | bit | - |
| onlineappid | int | - |
| parent_alert_cell_phone | bit | - |
| parent_alert_home_phone | bit | - |
| parent_alert_no_text | bit | - |
| parent_alert_work_phone | bit | - |

## 389. OAInfo

| Column Name | Data Type | Max Length |
|---|---|---|
| address | nvarchar | 255 |
| address2 | nvarchar | 100 |
| alumni | varchar | 1 |
| AutoLicense | nvarchar | 50 |
| AutoMake | nvarchar | 50 |
| AutoModel | nvarchar | 50 |
| birth_city | nvarchar | 50 |
| birth_country | nvarchar | 50 |
| birth_state | nvarchar | 50 |
| cell_phone | nvarchar | 50 |
| church_member | varchar | 1 |
| citizenship | nvarchar | 125 |
| city | nvarchar | 50 |
| ClassOf | nvarchar | 50 |
| country | nvarchar | 50 |
| district_residence | nvarchar | 75 |
| DistrictCounty | nvarchar | 50 |
| DistrictSchool | nvarchar | 50 |
| DistrictState | nvarchar | 50 |
| DriversLicense | nvarchar | 50 |
| elec_sig_first | smalldatetime | - |
| elec_sig_first_name | nvarchar | 100 |
| elec_sig_first_name_img | nvarchar | -1 |
| elec_sig_second | smalldatetime | - |
| elec_sig_second_name | nvarchar | 100 |
| elec_sig_second_name_img | nvarchar | -1 |
| email | nvarchar | 100 |
| ethnicity | nvarchar | 125 |
| gender | nvarchar | 6 |
| h1g1 | varchar | 1 |
| h1g2 | varchar | 1 |
| h1g3 | varchar | 1 |
| h1g4 | varchar | 1 |
| h2g1 | varchar | 1 |
| h2g2 | varchar | 1 |
| h2g3 | varchar | 1 |
| h2g4 | varchar | 1 |
| home_phone | nvarchar | 50 |

| household2 | varchar | 1 |
|---|---|---|
| language_spoken | nvarchar | 125 |
| nickname | nvarchar | 50 |
| parent_ack_area1 | smalldatetime | - |
| parent_ack_area1_name | nvarchar | 100 |
| parent_ack_area2 | smalldatetime | - |
| parent_ack_area2_name | nvarchar | 100 |
| parent_stmt | smalldatetime | - |
| parent_stmt_name | nvarchar | 100 |
| ParentAckArea1Img | nvarchar | -1 |
| ParentAckArea2Img | nvarchar | -1 |
| ParentStmtImg | nvarchar | -1 |
| photo | nvarchar | 50 |
| previous_schools | varchar | 1 |
| previous_schools2 | varchar | 1 |
| PreviousSchools3 | bit | - |
| religion | nvarchar | 125 |
| senior_pastor | nvarchar | 100 |
| siblings | varchar | 1 |
| SmartTuitionFamilyID | int | - |
| SmartTuitionStudentID | int | - |
| ssn | varchar | 50 |
| state | nvarchar | 50 |
| student_stmt_parent | smalldatetime | - |
| student_stmt_parent_name | nvarchar | 100 |
| student_stmt_student | smalldatetime | - |
| student_stmt_student_name | nvarchar | 100 |
| studentid | int | - |
| StudentStmtParentImg | nvarchar | -1 |
| StudentStmtStudentImg | nvarchar | -1 |
| TuitionPaymentMethod | nvarchar | 100 |
| will_drive | varchar | 1 |
| zip | nvarchar | 50 |

| 390. OAInfoAnswer | | |
|---|---|---|
| Column Name | Data Type | Max Length |
| answer | nvarchar | -1 |
| one_or_two | varchar | 2 |
| questionid | int | - |
| SignatureImg | nvarchar | -1 |
| studentid | int | - |

| 391. OAInfoField | | |
|---|---|---|
| Column Name | Data Type | Max Length |
| address | varchar | 1 |
| AutoLicense | varchar | 1 |
| AutoMake | varchar | 1 |

| AutoModel | varchar | 1 |
|---|---|---|
| birth_city | varchar | 1 |
| birth_country | varchar | 1 |
| birth_state | varchar | 1 |
| cell_phone | varchar | 1 |
| church_member | varchar | 1 |
| citizenship | varchar | 1 |
| city | varchar | 1 |
| ClassOf | varchar | 1 |
| country | varchar | 1 |
| district_residence | varchar | 1 |
| DistrictCounty | nvarchar | 1 |
| DistrictSchool | nvarchar | 1 |
| DistrictState | nvarchar | 1 |
| DriversLicense | varchar | 1 |
| elec_sig_first_show_name | varchar | 1 |
| elec_sig_second_show | nvarchar | 1 |
| elec_sig_second_show_name | varchar | 1 |
| Elec_sig_secondReq | bit | - |
| email | varchar | 1 |
| ethnicity | varchar | 1 |
| gender | varchar | 1 |
| home_phone | varchar | 1 |
| howhear | varchar | 1 |
| language_spoken | varchar | 1 |
| nickname | varchar | 1 |
| NicknameLabel | nvarchar | 50 |
| onlineappid | int | - |
| parent_ack_area1_name | varchar | 1 |
| parent_ack_area2_name | varchar | 1 |
| Parent_ack_area2Req | bit | - |
| parent_stmt_name | varchar | 1 |
| ParentStmtTitle | nvarchar | 255 |
| photo | varchar | 1 |
| race | varchar | 1 |
| religion | varchar | 1 |
| senior_pastor | varchar | 1 |
| ssn | varchar | 1 |
| state | varchar | 1 |
| student_stmt_parent_name | varchar | 1 |
| student_stmt_student_name | varchar | 1 |
| StudentNameChange | bit | - |
| StudentStmt2Req | bit | - |
| StudentStmtTitle1 | nvarchar | 255 |
| StudentStmtTitle2 | nvarchar | 255 |
| zip | varchar | 1 |

## 392. OAInfoQuestion

| Column Name | Data Type | Max Length |
|---|---|---|
| formid | int | - |
| question | nvarchar | -1 |
| question_type | char | 1 |
| questionid | int | - |
| sortorder | int | - |

## 393. OAInfoQuestionMember

| Column Name | Data Type | Max Length |
|---|---|---|
| EventServiceID | int | - |
| formid | int | - |
| FormSchoolID | int | - |
| FormSection | nvarchar | 50 |
| isactive | varchar | 1 |
| IsConditional | bit | - |
| isdate | varchar | 1 |
| MultiSchoolQuestionID | smallint | - |
| numcols | int | - |
| onlineappid | int | - |
| question | nvarchar | -1 |
| question_label | nvarchar | 50 |
| question_type | varchar | 1 |
| questionid | int | - |
| renweb_fieldid | int | - |
| required | varchar | 1 |
| SignatureCheckLabel | nvarchar | 50 |
| sortorder | smallint | - |
| ud_origin | varchar | 1 |

## 394. OAInfoQuestionMemberOption

| Column Name | Data Type | Max Length |
|---|---|---|
| optionid | int | - |
| optionname | nvarchar | 128 |
| questionid | int | - |
| sortorder | smallint | - |

## 395. OAInfoQuestionMemberOptionConditional

| Column Name | Data Type | Max Length |
|---|---|---|
| ConditionalID | int | - |
| DisplayQuestionID | int | - |
| OptionID | int | - |
| QuestionID | int | - |
| ShowIt | bit | - |
| UDFieldName | nvarchar | 128 |
| YesOrNo | nvarchar | 3 |

## 396. OAInfoRace

| Column Name | Data Type | Max Length |
|---|---|---|
| race | nvarchar | 50 |
| studentid | int | - |

## 397. OAInquiryBySchool

| Column Name | Data Type | Max Length |
|---|---|---|
| memberid | smallint | - |
| SchoolCode | varchar | 50 |

## 398. OAInquiryLang

| Column Name | Data Type | Max Length |
|---|---|---|
| AdmissionsLabel | nvarchar | 255 |
| AdmissionsText | nvarchar | -1 |
| CreateAccountEmailSubject | nvarchar | 255 |
| CreateAccountEmailSubjectOE | nvarchar | 255 |
| CreateAccountEmailText | nvarchar | -1 |
| CreateAccountEmailTextOE | nvarchar | -1 |
| EmailNotifyText | nvarchar | -1 |
| EmailSubjectLine | nvarchar | 255 |
| HowHearLabel | nvarchar | 100 |
| InquiryLabel | nvarchar | 255 |
| InquiryLangID | int | - |
| IntroText | nvarchar | -1 |
| LangCode | nvarchar | 10 |
| MemberID | int | - |
| ParentAccessText | nvarchar | -1 |
| SchoolLinkTitle | nvarchar | 50 |
| ThankYouText | nvarchar | -1 |

## 399. OAMedicalAllergy

| Column Name | Data Type | Max Length |
|---|---|---|
| Allergy | nvarchar | 255 |
| AllergyID | int | - |
| Comment | nvarchar | 255 |
| StudentID | int | - |

## 400. OAMedicalCondition

| Column Name | Data Type | Max Length |
|---|---|---|
| Comment | nvarchar | 512 |
| Condition | nvarchar | 512 |
| ConditionID | int | - |
| StudentID | int | - |

## 401. OAMedicalForm

| Column Name | Data Type | Max Length |
|---|---|---|
| AllergiesYN | varchar | 1 |
| Blood_Type | nvarchar | 50 |
| ConditionsYN | varchar | 1 |
| Dentist | nvarchar | 128 |
| Dentist_Address | nvarchar | 128 |
| Dentist_Phone | nvarchar | 128 |
| Doctor | nvarchar | 128 |
| Doctor_Address | nvarchar | 128 |
| Doctor_Phone | nvarchar | 128 |
| Hospital | nvarchar | 128 |
| Insurance_Company | nvarchar | 128 |
| Insurance_Group | nvarchar | 128 |
| Insurance_Policy | nvarchar | 128 |
| MedicationsYN | bit | - |
| Permission_To_Treat | varchar | 1 |
| studentid | int | - |

## 402. OAMedicalFormField

| Column Name | Data Type | Max Length |
|---|---|---|
| Allergies | nvarchar | 1 |
| Blood_Type | nvarchar | 1 |
| Conditions | nvarchar | 1 |
| Dentist | nvarchar | 1 |
| Dentist_Address | nvarchar | 1 |
| Dentist_Phone | nvarchar | 1 |
| Doctor | nvarchar | 1 |
| Doctor_Address | nvarchar | 1 |
| Doctor_Phone | nvarchar | 1 |
| Hospital | nvarchar | 1 |
| Insurance_Company | nvarchar | 1 |
| Insurance_Group | nvarchar | 1 |
| Insurance_Policy | nvarchar | 1 |
| Medications | nvarchar | 1 |
| onlineappid | int | - |
| OTC | varchar | 1 |
| Permission_To_Treat | nvarchar | 1 |
| PermissionToTreatText | nvarchar | -1 |

## 403. OAMember

| Column Name | Data Type | Max Length |
|---|---|---|
| adjust_settings | char | 1 |
| admissions_label | nvarchar | 255 |
| admissions_on | char | 1 |
| AnalyticsType | char | 2 |

| | | |
|---|---|---|
| ApplicationSubmissionFee | decimal | - |
| back_title | nvarchar | 50 |
| back_url | nvarchar | 100 |
| BackOnClick | nvarchar | 255 |
| banner_photo | nvarchar | 255 |
| bannertitle | nvarchar | 255 |
| create_account_email | nvarchar | -1 |
| create_account_email_from | nvarchar | 256 |
| create_account_subject | nvarchar | 255 |
| CreateAccountEmailFromOE | nvarchar | 256 |
| CreateAccountEmailOE | nvarchar | -1 |
| CreateAccountOALinksEnabled | bit | - |
| CreateAccountSubjectOE | nvarchar | 255 |
| CreateAppAcctAgreeTitle | nvarchar | 50 |
| custom_design | char | 1 |
| do_payment | char | 1 |
| do_payment_oe | char | 1 |
| DualSignatureType | nvarchar | 9 |
| EnrollmentOnlineLabel | nvarchar | 255 |
| EnrollmentSubmissionFeeNew | decimal | - |
| EnrollmentSubmissionFeeReturning | decimal | - |
| EventServiceOrgID | int | - |
| family_based_oe_fee | bit | - |
| GoogleAnalyticsUA | nvarchar | 25 |
| inquiry_by_school | varchar | 1 |
| inquiry_label | nvarchar | 255 |
| inquiry_on | char | 1 |
| InquiryLangDefault | nvarchar | 10 |
| InquirySelectSchoolYears | bit | - |
| Languages | nvarchar | 50 |
| memberid | int | - |
| merchant_account_ready | varchar | 1 |
| merchant_account_ready_oe | char | 1 |
| OEBatchImport | bit | - |
| parent_access_on | varchar | 1 |
| RealSignatures | bit | - |
| request_info_email | nvarchar | -1 |
| request_info_email_from | nvarchar | 256 |
| request_info_link | varchar | 1 |
| request_info_subject | nvarchar | 255 |
| RequestInfoCreateAccountOn | bit | - |
| swf_height | smallint | - |
| TuitionSchoolCode | nvarchar | 50 |
| TuitionService | nvarchar | 50 |
| vhost_domain | nvarchar | 50 |
| WillNotEnrollEmail | nvarchar | 500 |
| WillNotEnrollEnabled | bit | - |

## 404. OAOEPacketNotAllowed

| Column Name | Data Type | Max Length |
|---|---|---|
| PacketNotAllowedID | int | - |
| RenWebParentID | int | - |
| RenWebStudentID | int | - |
| SchoolYear | nvarchar | 50 |

## 405. OAOTCConfig

| Column Name | Data Type | Max Length |
|---|---|---|
| DisplayOption | varchar | 1 |
| onlineappid | int | - |
| OTCID | int | - |

## 406. OAPacketSchool

| Column Name | Data Type | Max Length |
|---|---|---|
| MemberID | int | - |
| OnlineAppID | int | - |
| PacketSchoolID | int | - |

## 407. OAParent

| Column Name | Data Type | Max Length |
|---|---|---|
| CreatedDate | datetime | - |
| email | nvarchar | 256 |
| EmailVerified | bit | - |
| EmailVerifiedOE | bit | - |
| firstname | nvarchar | 64 |
| ForcePasswordChange | bit | - |
| isactive | varchar | 1 |
| lastname | nvarchar | 128 |
| memberid | smallint | - |
| MultiSchoolParentID | int | - |
| OAPWLinkPersonID | int | - |
| OERenWebParentID | int | - |
| parentid | int | - |
| passwd | nvarchar | 50 |
| Password2 | varbinary | 8000 |
| phone | nvarchar | 50 |
| test_account | varchar | 1 |
| username | nvarchar | 50 |

## 408. OAPayment

| Column Name | Data Type | Max Length |
|---|---|---|
| accountholder | nvarchar | 100 |
| amount | decimal | - |
| city | nvarchar | 50 |

| Column Name | Data Type | Max Length |
|---|---|---|
| dayphone | nvarchar | 50 |
| EffectiveDate | smalldatetime | - |
| email | nvarchar | 75 |
| paymentid | int | - |
| processed | bit | - |
| production_or_test | varchar | 1 |
| ReturnTransID | int | - |
| state | nvarchar | 50 |
| street | nvarchar | 50 |
| studentid | int | - |
| TransactionAccType | nvarchar | 20 |
| transdate | smalldatetime | - |
| transid | nvarchar | 50 |
| zip | nvarchar | 50 |

## 409. OAPaymentAdvanced

| Column Name | Data Type | Max Length |
|---|---|---|
| earlydate | smalldatetime | - |
| earlyfee | decimal | - |
| enddate | smalldatetime | - |
| enrollmenttype | nvarchar | 50 |
| FeeWaived | bit | - |
| GradeLevel | nvarchar | 50 |
| isstaff | bit | - |
| latedate | smalldatetime | - |
| latefee | decimal | - |
| OEFeeWaived | bit | - |
| onlineappid | int | - |
| regdate | smalldatetime | - |
| regfee | decimal | - |

## 410. OAPayOption

| Column Name | Data Type | Max Length |
|---|---|---|
| description | nvarchar | -1 |
| onlineappid | int | - |
| optionid | int | - |
| optionname | nvarchar | 100 |
| school_fee1 | decimal | - |
| school_fee2 | decimal | - |
| school_fee3 | decimal | - |
| school_fee4 | decimal | - |
| sortorder | smallint | - |

## 411. OAReferral

| Column Name | Data Type | Max Length |
|---|---|---|
| BottomEditor | nvarchar | -1 |

| | | |
|---|---|---|
| Counter | smallint | - |
| DocTitle | nvarchar | 100 |
| EmailBody | nvarchar | -1 |
| EmailSubject | nvarchar | 255 |
| GraphicType | nvarchar | 2 |
| IsActive | bit | - |
| IsRequired | bit | - |
| ItemID | int | - |
| MultiSchoolReferralID | int | - |
| OnlineAppID | int | - |
| Photo | nvarchar | 25 |
| PortfolioCategory | int | - |
| ReferralID | int | - |
| SortOrder | tinyint | - |

### 412. OAReferralAnswer

| Column Name | Data Type | Max Length |
|---|---|---|
| Answer | nvarchar | -1 |
| QuestionID | int | - |
| SignatureDate | smalldatetime | - |
| StudentReferralID | int | - |

### 413. OAReferralGridAnswer

| Column Name | Data Type | Max Length |
|---|---|---|
| Answer | nvarchar | 500 |
| GridID | int | - |
| StudentReferralID | int | - |

### 414. OAReferralQuestion

| Column Name | Data Type | Max Length |
|---|---|---|
| ColumnWidth | smallint | - |
| IsActive | bit | - |
| IsDate | bit | - |
| IsRequired | bit | - |
| IsSignature | bit | - |
| MultiSchoolQuestionID | int | - |
| NumCols | int | - |
| PortfolioCategory | int | - |
| Question | nvarchar | -1 |
| QuestionID | int | - |
| QuestionLabel | nvarchar | 50 |
| QuestionType | varchar | 1 |
| ReferralID | int | - |
| SortOrder | smallint | - |

## 415. OAReferralQuestionGrid

| Column Name | Data Type | Max Length |
|---|---|---|
| GridID | int | - |
| GridName | nvarchar | 500 |
| IsActive | bit | - |
| MultiSchoolGridID | int | - |
| QuestionID | int | - |
| SortOrder | smallint | - |

## 416. OAReferralQuestionOption

| Column Name | Data Type | Max Length |
|---|---|---|
| MultiSchoolOptionID | int | - |
| OptionID | int | - |
| OptionName | nvarchar | 128 |
| QuestionID | int | - |
| SortOrder | smallint | - |

## 417. OAReligionField

| Column Name | Data Type | Max Length |
|---|---|---|
| baptism | varchar | 1 |
| bar_bat | varchar | 1 |
| church | varchar | 1 |
| church_label | nvarchar | 50 |
| church_member | varchar | 1 |
| church_member_label | nvarchar | 50 |
| ChurchNewStreet | nvarchar | 1 |
| ChurchYouthPastor | nvarchar | 1 |
| ChurchYouthPastorLabel | nvarchar | 50 |
| communion | varchar | 1 |
| confirmation | varchar | 1 |
| hide_new_church | varchar | 1 |
| onlineappid | int | - |
| reconciliation | varchar | 1 |
| rel_city | varchar | 1 |
| rel_phone | varchar | 1 |
| rel_state | varchar | 1 |
| rel_zip | varchar | 1 |
| religion | varchar | 1 |
| religion_label | nvarchar | 50 |
| section_church | varchar | 1 |
| section_city | varchar | 1 |
| section_date | varchar | 1 |
| section_state | varchar | 1 |
| senior_pastor | varchar | 1 |
| senior_pastor_label | nvarchar | 50 |

## 418. OAReligionSection

| Column Name | Data Type | Max Length |
|---|---|---|
| s_church | nvarchar | 100 |
| s_city | nvarchar | 50 |
| s_date | nvarchar | 50 |
| s_state | nvarchar | 50 |
| studentid | int | - |
| thesection | nvarchar | 50 |

## 419. OARequestInfo

| Column Name | Data Type | Max Length |
|---|---|---|
| _AddressID | int | - |
| _P1PersonID | int | - |
| _P2PersonID | int | - |
| Active | bit | - |
| address | nvarchar | 50 |
| cell_phone | nvarchar | 64 |
| cell_phone2 | nvarchar | 64 |
| city | nvarchar | 50 |
| country | nvarchar | 50 |
| createddate | datetime | - |
| email | nvarchar | 256 |
| email2 | nvarchar | 256 |
| firstname | nvarchar | 50 |
| firstname2 | nvarchar | 50 |
| FromIP | nvarchar | 50 |
| gender | nvarchar | 50 |
| gender2 | nvarchar | 50 |
| howhear | nvarchar | 255 |
| howhear_details | nvarchar | 255 |
| LangCode | nvarchar | 10 |
| lastname | nvarchar | 50 |
| lastname2 | nvarchar | 50 |
| memberid | smallint | - |
| middlename | nvarchar | 50 |
| middlename2 | nvarchar | 50 |
| parent_notes | nvarchar | -1 |
| pdfname | nvarchar | 255 |
| phone | nvarchar | 50 |
| requestid | int | - |
| salutation | nvarchar | 125 |
| salutation2 | nvarchar | 125 |
| state | nvarchar | 50 |
| substatus | nvarchar | 125 |
| work_phone | nvarchar | 64 |
| work_phone2 | nvarchar | 64 |
| zip | nvarchar | 50 |

## 420. OARequestInfoAnswer

| Column Name | Data Type | Max Length |
|---|---|---|
| answer | nvarchar | -1 |
| questionid | int | - |
| requestid | int | - |

## 421. OARequestInfoField

| Column Name | Data Type | Max Length |
|---|---|---|
| address | varchar | 1 |
| cell_phone | varchar | 1 |
| city | varchar | 1 |
| country | varchar | 1 |
| current_school | varchar | 1 |
| gender_parent | varchar | 1 |
| gender_student | varchar | 1 |
| HomePhone | varchar | 1 |
| howhear | varchar | 1 |
| howhear_label | nvarchar | 100 |
| memberid | int | - |
| middlename | varchar | 1 |
| parent_notes | varchar | 1 |
| parent2 | varchar | 1 |
| salutation | varchar | 1 |
| school_year | varchar | 1 |
| state | varchar | 1 |
| student_birthdate | varchar | 1 |
| student_email | varchar | 1 |
| student_interests | varchar | 1 |
| student_middlename | varchar | 1 |
| StudentInterestsColumns | smallint | - |
| work_phone | varchar | 1 |
| zip | varchar | 1 |

## 422. OARequestInfoGrade

| Column Name | Data Type | Max Length |
|---|---|---|
| GradeLevel | nvarchar | 50 |
| memberid | int | - |

## 423. OARequestInfoQuestion

| Column Name | Data Type | Max Length |
|---|---|---|
| EventServiceID | int | - |
| isactive | varchar | 1 |
| IsConditional | bit | - |
| isdate | varchar | 1 |
| LangCode | nvarchar | 10 |

| memberid | smallint | - |
|---|---|---|
| numcols | int | - |
| question | nvarchar | -1 |
| question_label | nvarchar | 50 |
| question_type | varchar | 1 |
| questionid | int | - |
| required | varchar | 1 |
| sortorder | smallint | - |
| student_parent | varchar | 1 |

### 424. OARequestInfoQuestionOption

| Column Name | Data Type | Max Length |
|---|---|---|
| optionid | int | - |
| optionname | nvarchar | 50 |
| questionid | int | - |
| sortorder | smallint | - |

### 425. OARequestInfoQuestionOptionConditional

| Column Name | Data Type | Max Length |
|---|---|---|
| ConditionalID | int | - |
| DisplayQuestionID | int | - |
| OptionID | int | - |
| QuestionID | int | - |
| ShowIt | bit | - |
| YesOrNo | nvarchar | 3 |

### 426. OARequestInfoStatus

| Column Name | Data Type | Max Length |
|---|---|---|
| statusid | int | - |
| statusname | nvarchar | 50 |

### 427. OARequestInfoStudent

| Column Name | Data Type | Max Length |
|---|---|---|
| _AddressID | int | - |
| _StudentID | int | - |
| admin_notes | nvarchar | -1 |
| birthdate | smalldatetime | - |
| CreatedDateStudent | smalldatetime | - |
| current_school | nvarchar | 100 |
| email | nvarchar | 256 |
| firstname | nvarchar | 50 |
| gender | nvarchar | 50 |
| GradeLevel | nvarchar | 50 |
| lastname | nvarchar | 50 |
| middlename | nvarchar | 50 |

| Renweb_StudentID | int | - |
|---|---|---|
| requestid | int | - |
| school_year | nvarchar | 50 |
| SchoolCode | varchar | 50 |
| statusid | int | - |
| studentid | int | - |
| studentid_app | int | - |
| substatus | nvarchar | 125 |
| visit_tour | smalldatetime | - |

### 428. OARequestInfoStudentAnswer

| Column Name | Data Type | Max Length |
|---|---|---|
| answer | nvarchar | -1 |
| questionid | int | - |
| studentid | int | - |

### 429. OARequestInfoStudentInterest

| Column Name | Data Type | Max Length |
|---|---|---|
| InterestID | int | - |
| studentid | int | - |

### 430. OARequestInfoTrack

| Column Name | Data Type | Max Length |
|---|---|---|
| itemid | int | - |
| notes | nvarchar | -1 |
| NotificationSent | bit | - |
| studentid | int | - |
| yesno | char | 1 |

### 431. OASchoolYearEmailTo

| Column Name | Data Type | Max Length |
|---|---|---|
| EmailToID | int | - |
| MemberID | int | - |
| SendTo | nvarchar | 2 |
| YearID | int | - |

### 432. OASchoolYearFACTSIntegration

| Column Name | Data Type | Max Length |
|---|---|---|
| ConfigSchoolID | smallint | - |
| IntegrationID | int | - |
| OEFactsAccount | nvarchar | 50 |
| OEFactsAdjustmentReason | nvarchar | 50 |
| OEFactsTerm | nvarchar | 50 |
| YearID | int | - |

### 433. OASibling

| Column Name | Data Type | Max Length |
| --- | --- | --- |
| age | nvarchar | 10 |
| childname | nvarchar | 50 |
| dob | smalldatetime | - |
| Gender | nvarchar | 50 |
| grade | nvarchar | 25 |
| school | nvarchar | 100 |
| siblingid | int | - |
| studentid | int | - |

### 434. OASiblingField

| Column Name | Data Type | Max Length |
| --- | --- | --- |
| age | varchar | 1 |
| childname | varchar | 1 |
| dob | varchar | 1 |
| Gender | nvarchar | 1 |
| grade | varchar | 1 |
| onlineappid | int | - |
| school | varchar | 1 |

### 435. OAStaffSchoolMM

| Column Name | Data Type | Max Length |
| --- | --- | --- |
| ConfigSchoolID | smallint | - |
| PersonID | int | - |
| StaffSchoolID | int | - |

### 436. OAStatus

| Column Name | Data Type | Max Length |
| --- | --- | --- |
| appstatus | nvarchar | 50 |
| appstatusid | int | - |
| EAdmissions | bit | - |
| SIS | bit | - |
| sortorder | int | - |

### 437. OAStatusChanges

| Column Name | Data Type | Max Length |
| --- | --- | --- |
| AdminID | int | - |
| AppStatusID_From | int | - |
| AppStatusID_To | int | - |
| LogDate | smalldatetime | - |
| LogID | int | - |
| StudentID | int | - |

| 438. OAStudent | | |
|---|---|---|
| Column Name | Data Type | Max Length |
| admin_notes | nvarchar | -1 |
| ApplicationFee | decimal | - |
| appstatusid | smallint | - |
| bill_the_school | varchar | 1 |
| birthdate | datetime | - |
| ChargeID | int | - |
| cpPaymentToken | nvarchar | 50 |
| CreateDate | smalldatetime | - |
| CreditID | int | - |
| date_started | smalldatetime | - |
| date_submitted | smalldatetime | - |
| do_payment | varchar | 1 |
| enrollment_fee | decimal | - |
| enrollmenttype | nvarchar | 50 |
| FACTSInstitutionFeeEnd | smalldatetime | - |
| FACTSInstitutionFeeStart | smalldatetime | - |
| FACTSInstitutionFeeSuccess | bit | - |
| FamilyPacketFamilyID | int | - |
| FeeWasWaived | bit | - |
| firstname | nvarchar | 50 |
| GradeLevel | nvarchar | 50 |
| howhear | nvarchar | 255 |
| howhear_details | nvarchar | 255 |
| ImportDate | smalldatetime | - |
| imported_by | int | - |
| IncludeHouseholdForms | bit | - |
| IsFamilyPacket | bit | - |
| isStaff | bit | - |
| lastname | nvarchar | 50 |
| middlename | nvarchar | 50 |
| MultiSchoolStudentID | int | - |
| onlineappid | int | - |
| optionid | int | - |
| parentid | int | - |
| payment_finished | varchar | 1 |
| PaymentID | int | - |
| pdfname | nvarchar | 255 |
| production_or_test | varchar | 1 |
| renweb_studentid | int | - |
| RenWebAccounting | bit | - |
| reviewed_by | int | - |
| SchoolCode | varchar | 50 |
| studentid | int | - |
| suffix | nvarchar | 50 |
| sync_by | int | - |

| | Data Type | Max Length |
|---|---|---|
| TotalFee | decimal | - |
| trans_id | nvarchar | 50 |

## 439. OAStudentFormPDF

| Column Name | Data Type | Max Length |
|---|---|---|
| FormSchoolID | int | - |
| PDFname | nvarchar | 255 |
| StudentID | int | - |

## 440. OAStudentIFN

| Column Name | Data Type | Max Length |
|---|---|---|
| Amount | decimal | - |
| DateSent | smalldatetime | - |
| IFNID | int | - |
| StudentID | int | - |

## 441. OAStudentInterest

| Column Name | Data Type | Max Length |
|---|---|---|
| InterestID | int | - |
| studentid | int | - |

## 442. OAStudentInterestsField

| Column Name | Data Type | Max Length |
|---|---|---|
| NumColumns | smallint | - |
| onlineappid | int | - |

## 443. OAStudentMedication

| Column Name | Data Type | Max Length |
|---|---|---|
| DateDiscontinued | nvarchar | 128 |
| DatePrescribed | nvarchar | 128 |
| Discontinued | bit | - |
| Dose | nvarchar | 128 |
| Medication | nvarchar | 256 |
| MedicationID | int | - |
| MedicationNote | nvarchar | 255 |
| OAStudentMedicationID | int | - |
| Route | nvarchar | 128 |
| Scheduled | bit | - |
| ScheduledNote | nvarchar | 128 |
| SelfAdminister | bit | - |
| StudentID | int | - |

## 444. OAStudentMedicationSchedule

| Column Name | Data Type | Max Length |
|---|---|---|
| OAStudentMedicationID | int | - |
| OAStudentMedicationScheduleID | int | - |
| ScheduledDoseTime | time | - |

## 445. OAStudentMultiSchools

| Column Name | Data Type | Max Length |
|---|---|---|
| MemberID | int | - |
| SchoolCode | varchar | 50 |
| StudentID | int | - |
| StudentSchoolsID | int | - |

## 446. OAStudentOTC

| Column Name | Data Type | Max Length |
|---|---|---|
| Allow | bit | - |
| Note | nvarchar | 255 |
| OTCID | int | - |
| studentid | int | - |

## 447. OAStudentReferral

| Column Name | Data Type | Max Length |
|---|---|---|
| DateSubmitted | smalldatetime | - |
| ReferralEmail | nvarchar | 256 |
| ReferralID | int | - |
| ReferralName | nvarchar | 100 |
| StudentID | int | - |
| StudentReferralID | int | - |

## 448. OAStudentReferralFile

| Column Name | Data Type | Max Length |
|---|---|---|
| FileID | int | - |
| FileName | nvarchar | 255 |
| StudentReferralID | int | - |

## 449. OAStudentSync

| Column Name | Data Type | Max Length |
|---|---|---|
| address_grandparent1_use | nvarchar | 10 |
| address_grandparent2_use | nvarchar | 10 |
| address_grandparent3_use | nvarchar | 10 |
| address_grandparent4_use | nvarchar | 10 |
| address_use | nvarchar | 10 |
| familyid | int | - |
| grandparentid_1a | int | - |
| grandparentid_1b | int | - |

| | | |
|---|---|---|
| grandparentid_2a | int | - |
| grandparentid_2b | int | - |
| grandparentid_3a | int | - |
| grandparentid_3b | int | - |
| grandparentid_4a | int | - |
| grandparentid_4b | int | - |
| one_or_two | smallint | - |
| parentida | int | - |
| parentidb | int | - |
| saved_family | nvarchar | 150 |
| saved_grandparent1a | nvarchar | 150 |
| saved_grandparent1b | nvarchar | 150 |
| saved_grandparent2a | nvarchar | 150 |
| saved_grandparent2b | nvarchar | 150 |
| saved_grandparent3a | nvarchar | 150 |
| saved_grandparent3b | nvarchar | 150 |
| saved_grandparent4a | nvarchar | 150 |
| saved_grandparent4b | nvarchar | 150 |
| saved_parenta | nvarchar | 150 |
| saved_parentb | nvarchar | 150 |
| saved_student | nvarchar | 150 |
| studentid | int | - |
| studentid_match | int | - |

## 450. OAStudentTrack

| Column Name | Data Type | Max Length |
|---|---|---|
| itemid | int | - |
| notes | nvarchar | -1 |
| NotificationSent | bit | - |
| studentid | int | - |
| yesno | varchar | 1 |

## 451. OATextArea

| Column Name | Data Type | Max Length |
|---|---|---|
| areatitle | nvarchar | 75 |
| counter | smallint | - |
| description | nvarchar | -1 |
| graphic_type | varchar | 2 |
| memberid | smallint | - |
| photo | nvarchar | 25 |

## 452. OATextAreaApp

| Column Name | Data Type | Max Length |
|---|---|---|
| areatitle | nvarchar | 75 |
| counter | smallint | - |
| description | nvarchar | -1 |

| graphic_type | varchar | 2 |
|---|---|---|
| onlineappid | int | - |
| photo | nvarchar | 25 |
| TextAreaAppID | int | - |

## 453. OATuitionPlan

| Column Name | Data Type | Max Length |
|---|---|---|
| description | nvarchar | -1 |
| isactive | varchar | 1 |
| onlineappid | int | - |
| plantitle | nvarchar | 128 |
| renwebtuitionplanid | int | - |
| sortorder | smallint | - |
| tuitionplanid | int | - |

## 454. OATuitionPlanForm

| Column Name | Data Type | Max Length |
|---|---|---|
| AskFinRespQuestion | bit | - |
| FACTSEnabled | bit | - |
| ForceFACTS | bit | - |
| IfFACTSThenRenWebToo | bit | - |
| OnlineAppID | int | - |
| SigTitle | nvarchar | 255 |
| TypeYourName | bit | - |

## 455. OATuitionPlanStudent

| Column Name | Data Type | Max Length |
|---|---|---|
| FinRespPercent | tinyint | - |
| SignedDate | smalldatetime | - |
| SignedImg | nvarchar | -1 |
| SignedName | nvarchar | 100 |
| StudentID | int | - |
| TuitionPlanID | int | - |

## 456. Observation

| Column Name | Data Type | Max Length |
|---|---|---|
| EndDate | smalldatetime | - |
| Eval | bit | - |
| EvaluatorID | int | - |
| ObservationConfigID | int | - |
| ObservationID | int | - |
| PersonID | int | - |
| StartDate | smalldatetime | - |
| Title | nvarchar | 512 |

### 457. Observation_Radio

| Column Name | Data Type | Max Length |
| --- | --- | --- |
| AreaID | int | - |
| AreaLabel | nvarchar | 512 |
| ObservationID | int | - |
| Value | int | - |

### 458. Observation_Setup

| Column Name | Data Type | Max Length |
| --- | --- | --- |
| Eval | bit | - |
| Name | nvarchar | 256 |
| ObservationConfigID | int | - |

### 459. Observation_Setup_Radio

| Column Name | Data Type | Max Length |
| --- | --- | --- |
| AreaID | int | - |
| AreaLabel | nvarchar | 512 |
| ObservationConfigID | int | - |

### 460. Observation_Setup_Tabs

| Column Name | Data Type | Max Length |
| --- | --- | --- |
| ObservationConfigID | int | - |
| TabID | int | - |
| TabLabel | nvarchar | 256 |

### 461. Observation_Tabs

| Column Name | Data Type | Max Length |
| --- | --- | --- |
| ObservationID | int | - |
| TabID | int | - |
| TabLabel | nvarchar | 256 |
| Text | nvarchar | -1 |

### 462. On_Line_Donation

| Column Name | Data Type | Max Length |
| --- | --- | --- |
| AccountCity | varchar | 128 |
| AccountEmail | nvarchar | 256 |
| AccountHolderName | varchar | 128 |
| AccountPhone | varchar | 128 |
| AccountState | varchar | 128 |
| AccountStreet | varchar | 128 |
| AccountZip | varchar | 128 |
| Address | nvarchar | 50 |
| Affiliation | varchar | 50 |

| Amount | decimal | - |
|---|---|---|
| AnonymousDonor | bit | - |
| BillingAddress | nvarchar | 128 |
| BillingCity | nvarchar | 128 |
| BillingEmail | nvarchar | 256 |
| BillingName | nvarchar | 128 |
| BillingState | nvarchar | 128 |
| BillingZip | nvarchar | 128 |
| CampaignID | int | - |
| City | nvarchar | 50 |
| DepositID | int | - |
| DistrictCode | nvarchar | 50 |
| DonationID | int | - |
| DonorConnectCID | int | - |
| Email | nvarchar | 256 |
| FamilyID | int | - |
| FirstName | nvarchar | 50 |
| HomePhone | nvarchar | 50 |
| HonorOf | nvarchar | 128 |
| HonorOfNote | nvarchar | 500 |
| LastName | nvarchar | 50 |
| MatchedByCity | nvarchar | 128 |
| MatchedByEmail | nvarchar | 256 |
| MatchedByName | nvarchar | 128 |
| MatchedByPhone | nvarchar | 50 |
| MatchedByState | nvarchar | 50 |
| MatchedByStreet | nvarchar | 128 |
| MatchedByZIP | nvarchar | 50 |
| MatchedGift | decimal | - |
| MemoryOf | nvarchar | 128 |
| MiddleName | nvarchar | 50 |
| Note | nvarchar | 128 |
| PaymentType | int | - |
| PersonID | int | - |
| ResultCode | int | - |
| ResultMessage | nvarchar | 50 |
| SchoolCode | nvarchar | 50 |
| SessionID | nvarchar | 128 |
| State | nvarchar | 50 |
| TimeStamp | nvarchar | 50 |
| TransactionAccountType | varchar | 128 |
| TransactionDate | varchar | 128 |
| TransactionID | varchar | 128 |
| TransactionResultCode | varchar | 128 |
| TransactionResultDate | varchar | 128 |
| TransactionResultMessage | varchar | 128 |
| TransactionStatus | varchar | 128 |
| TransactionType | varchar | 128 |
| Zip | nvarchar | 50 |

## 463. On_Line_Donation_Details

| Column Name | Data Type | Max Length |
|---|---|---|
| Amount | decimal | - |
| CampaignID | int | - |
| DonationID | int | - |
| DonorConnectGHID | int | - |

## 464. On_Line_Payment

| Column Name | Data Type | Max Length |
|---|---|---|
| AccountingSystemID | int | - |
| Amount | float | - |
| DepositID | int | - |
| DistrictCode | nvarchar | 50 |
| FACTS | bit | - |
| FamilyID | int | - |
| FiscalYearID | int | - |
| Lunch | int | - |
| OldProcessID | int | - |
| OldResultMessage | varchar | 10 |
| PaymentGUID | nvarchar | 50 |
| PaymentType | int | - |
| ProcessID | int | - |
| reenrollment | bit | - |
| ResultCode | int | - |
| ResultMessage | nvarchar | 50 |
| ResultMessage1 | nvarchar | 50 |
| School_PaymentID | int | - |
| SchoolCode | nvarchar | 50 |
| SessionID | nvarchar | 128 |
| TimeStamp | nvarchar | 50 |
| WebOrderID | int | - |

## 465. On_line_Reenrollment

| Column Name | Data Type | Max Length |
|---|---|---|
| Chargeid | int | - |
| Processid | int | - |

## 466. OOBEmail

| Column Name | Data Type | Max Length |
|---|---|---|
| CID | int | - |
| Created | smalldatetime | - |
| CycleActionID | int | - |
| Email | nvarchar | 254 |
| EmailFrom | nvarchar | 254 |

| Column Name | Data Type | Max Length |
|---|---|---|
| EmailFromFullName | nvarchar | 1024 |
| OOBEmailID | uniqueidentifier | - |
| ReportSession | uniqueidentifier | - |
| Session | uniqueidentifier | - |
| TemplateEditor | bit | - |
| TemplateID | int | - |

## 467. OOBEmailCID

| Column Name | Data Type | Max Length |
|---|---|---|
| CID | int | - |
| OOBEmailID | uniqueidentifier | - |

## 468. OOBEmailCycleActionID

| Column Name | Data Type | Max Length |
|---|---|---|
| CycleActionID | int | - |
| OOBEmailID | uniqueidentifier | - |

## 469. OTCConfig

| Column Name | Data Type | Max Length |
|---|---|---|
| DistrictWide | bit | - |
| Name | nvarchar | 50 |
| OTCID | int | - |
| SchoolCode | nvarchar | 50 |
| SortOrder | int | - |

## 470. OTCStudent

| Column Name | Data Type | Max Length |
|---|---|---|
| Allow | bit | - |
| Note | nvarchar | 256 |
| OTCID | int | - |
| StudentID | int | - |

## 471. OutgoingBatch

| Column Name | Data Type | Max Length |
|---|---|---|
| BatchStatus | nvarchar | 32 |
| FactsBatchId | bigint | - |
| FactsBatchPostDateTime | smalldatetime | - |
| ModifiedBy | int | - |
| ModifiedDateTime | smalldatetime | - |
| OutgoingBatchId | int | - |
| SendChangeNotice | bit | - |
| TermCode | nvarchar | 50 |

## 472. OutgoingBatchIncidental

| Column Name | Data Type | Max Length |
|---|---|---|
| AllowPartialPayment | bit | - |
| ApplyDecreaseOption | bit | - |
| InvoiceDueDate | date | - |
| InvoiceGenerationDate | date | - |
| InvoiceMessage | nvarchar | 525 |
| OutgoingBatchId | int | - |

## 473. OutgoingTransaction

| Column Name | Data Type | Max Length |
|---|---|---|
| AccountCode | nvarchar | 20 |
| AdjustmentCode | nvarchar | 20 |
| Amount | decimal | - |
| ChargeSource | nvarchar | 20 |
| CustomerId | nvarchar | 100 |
| Description | nvarchar | 200 |
| OutgoingBatchId | int | - |
| OutgoingTransactionId | int | - |
| PersonId | int | - |
| StudentId | nvarchar | 100 |
| TransactionDate | date | - |

## 474. PA_Groups

| Column Name | Data Type | Max Length |
|---|---|---|
| GroupID | int | - |
| GroupParameter | nvarchar | 25 |
| GroupType | nvarchar | 25 |
| StaffID | int | - |

## 475. Parent_Student

| Column Name | Data Type | Max Length |
|---|---|---|
| Correspondence | bit | - |
| Custody | bit | - |
| EmergencyContact | bit | - |
| Grandparent | bit | - |
| ParentID | int | - |
| ParentsWeb | bit | - |
| PickUp | bit | - |
| PWBlock | bit | - |
| reenroll | bit | - |
| Relationship | nvarchar | 50 |
| ReportCard | bit | - |
| StudentID | int | - |

## 476. ParentAlert

| Column Name | Data Type | Max Length |
|---|---|---|
| CancelAlert | bit | - |
| CancelAlertBy | int | - |
| CancelAlertDateTime | smalldatetime | - |
| Correspondence | bit | - |
| Custody | bit | - |
| DateSubmitted | smalldatetime | - |
| Emergency | bit | - |
| EmergencyContact | bit | - |
| Grandparent | bit | - |
| Message | nvarchar | -1 |
| MessageType | int | - |
| ParentAlertID | int | - |
| PhoneNumber | nvarchar | 50 |
| PickUp | bit | - |
| ResultMessage | nvarchar | -1 |
| ScheduleDateTime | smalldatetime | - |
| SchoolCastAlertID | int | - |
| SentDateTime | smalldatetime | - |
| SoundFileID | nvarchar | 50 |
| Staff | bit | - |
| StaffID | int | - |
| Student | bit | - |
| Subject | nvarchar | 255 |
| Token | nvarchar | 50 |

## 477. ParentAlertLibrary

| Column Name | Data Type | Max Length |
|---|---|---|
| DistrictWide | bit | - |
| Message | nvarchar | -1 |
| ParentAlertLibraryID | int | - |
| SchoolCode | varchar | 50 |
| Share | bit | - |
| SoundFileID | nvarchar | 50 |
| StaffID | int | - |
| Title | nvarchar | 128 |
| Type | int | - |

## 478. ParentAlertMembers

| Column Name | Data Type | Max Length |
|---|---|---|
| AlertPersonID | nvarchar | 50 |
| AnsweredBy | nvarchar | 128 |
| ContactData | nvarchar | 128 |
| ContactMethod | nvarchar | 50 |
| ContactName | nvarchar | 128 |
| countrycode | nvarchar | 10 |

| Duration | nvarchar | 128 |
|---|---|---|
| EmailResult | nvarchar | 256 |
| Error | bit | - |
| ErrorMessage | nvarchar | 50 |
| ParentAlertID | int | - |
| ParentAlertMembersID | int | - |
| PersonID | int | - |
| ResponseCode | nvarchar | 128 |
| ResultMessage | nvarchar | 256 |
| StartTime | nvarchar | 128 |
| TextReason | nvarchar | 128 |
| TextStatus | nvarchar | 128 |
| Type | nvarchar | 50 |

## 479. ParentCommittee

| Column Name | Data Type | Max Length |
|---|---|---|
| Committee | nvarchar | 50 |
| ID | int | - |
| ModifiedBy | int | - |
| ModifiedDate | smalldatetime | - |
| Note | nvarchar | 255 |
| Office | nvarchar | 50 |
| ParentID | int | - |

## 480. ParentServiceHours

| Column Name | Data Type | Max Length |
|---|---|---|
| CreatedBy | int | - |
| Date | datetime | - |
| Description | nvarchar | 255 |
| Hours | real | - |
| ID | int | - |
| Location | nvarchar | 75 |
| ModifiedBy | int | - |
| ModifiedDate | smalldatetime | - |
| Note | nvarchar | 255 |
| ParentID | int | - |
| RequirementArea | nvarchar | 256 |
| ServiceType | nvarchar | 256 |
| Supervisor | nvarchar | 75 |
| VerifiedBy | nvarchar | 255 |
| YearID | int | - |

## 481. ParentsWeb

| Column Name | Data Type | Max Length |
|---|---|---|
| CurrentClassID | int | - |
| CurrentClassID | int | - |

| | | |
|---|---|---|
| DistrictCode | nvarchar | 50 |
| DistrictCode | nvarchar | 50 |
| Email | nvarchar | 256 |
| Email | nvarchar | 256 |
| FamilyID | int | - |
| FinancialResponsibility | bit | - |
| FinancialResponsibility | bit | - |
| FirstName | nvarchar | 50 |
| FirstName | nvarchar | 50 |
| LastName | nvarchar | 50 |
| ParentID | int | - |
| SchoolCode | nvarchar | 50 |
| SchoolCode | varchar | 50 |
| SessionID | nvarchar | 128 |
| SessionID | nvarchar | 128 |
| StudentID | int | - |
| StudentID | int | - |
| StudentIndex | int | - |
| StudentIndex | int | - |
| TermID | int | - |
| TermID | int | - |
| UserFirstName | nvarchar | 50 |
| UserID | int | - |
| UserID | int | - |
| UserLastName | nvarchar | 50 |
| UserType | nvarchar | 50 |
| UserType | nvarchar | 50 |
| WebItems | nvarchar | -1 |
| WebItems | nvarchar | -1 |
| YearID | int | - |
| YearID | int | - |

## 482. ParentsWeb_Family

| Column Name | Data Type | Max Length |
|---|---|---|
| CurrentClassID | int | - |
| DistrictCode | nvarchar | 50 |
| Email | nvarchar | 256 |
| FinancialResponsibility | bit | - |
| ID | int | - |
| LoginDateTime | smalldatetime | - |
| ParentID | int | - |
| SessionID | nvarchar | 128 |
| UserID | int | - |
| UserType | nvarchar | 50 |

## 483. ParentsWeb_Index

| Column Name | Data Type | Max Length |
|---|---|---|

| | | |
|---|---|---|
| ID | int | - |
| PWIndex | int | - |
| SessionID | char | 35 |
| WebPage | int | - |

**484. ParentsWeb_Index1**

| Column Name | Data Type | Max Length |
|---|---|---|
| AutoNum | int | - |
| ID | int | - |
| PWIndex | int | - |
| SessionID | char | 35 |
| WebPage | int | - |

**485. ParentsWeb_Index2**

| Column Name | Data Type | Max Length |
|---|---|---|
| ID | int | - |
| PWIndex | int | - |
| SessionID | char | 35 |
| WebPage | int | - |

**486. ParentsWeb_Students**

| Column Name | Data Type | Max Length |
|---|---|---|
| FirstName | nvarchar | 50 |
| ID | int | - |
| SchoolCode | nvarchar | 50 |
| StudentID | int | - |
| StudentIndex | int | - |
| TermID | int | - |
| WebItems | nvarchar | -1 |
| YearID | int | - |

**487. ParentsWebFamily**

| Column Name | Data Type | Max Length |
|---|---|---|
| CurrentClassID | int | - |
| DistrictCode | nvarchar | 50 |
| Email | nvarchar | 256 |
| FamilyID | int | - |
| FinancialResponsibility | bit | - |
| LoginDateTime | smalldatetime | - |
| ParentsWebFamilyID | int | - |
| SessionID | nvarchar | 128 |
| UserFirstName | nvarchar | 50 |
| UserID | int | - |
| UserLastName | nvarchar | 50 |
| UserType | nvarchar | 50 |

## 488. ParentsWebItems

| Column Name | Data Type | Max Length |
|---|---|---|
| Item | nvarchar | 50 |
| SchoolCode | nvarchar | 50 |
| Version | int | - |

## 489. ParentsWebLog

| Column Name | Data Type | Max Length |
|---|---|---|
| ClassID | int | - |
| DistrictCode | varchar | 50 |
| Email | nvarchar | 256 |
| FamilyID | int | - |
| LogID | int | - |
| LoginDate | datetime | - |
| LoginTime | datetime | - |
| LogoutTime | datetime | - |
| ParentID | int | - |
| SessionID | char | 35 |
| StudentID | int | - |
| UserType | varchar | 50 |

## 490. ParentsWebStudent

| Column Name | Data Type | Max Length |
|---|---|---|
| ConfigSchoolID | smallint | - |
| FirstName | nvarchar | 50 |
| LastName | nvarchar | 50 |
| ParentsWebFamilyID | int | - |
| StudentID | int | - |
| StudentIndex | int | - |
| TermID | int | - |
| WebItems | nvarchar | -1 |
| YearID | int | - |

## 491. PasswordHistory

| Column Name | Data Type | Max Length |
|---|---|---|
| Date | smalldatetime | - |
| Password | nvarchar | 50 |
| PasswordHistory | int | - |
| Pswd | varbinary | 8000 |
| StaffID | int | - |

## 492. PatronGroup

| Column Name | Data Type | Max Length |
|---|---|---|

| | | |
|---|---|---|
| BlockOnFines | bit | - |
| ConfigSchoolID | smallint | - |
| GroupName | nvarchar | 128 |
| GroupType | smallint | - |
| MaxCheckouts | int | - |
| MaxHoldTime | int | - |
| MaxReservations | int | - |
| MaxReservationTime | int | - |
| PatronGroupID | int | - |

| **493. PatronGroupCirculationType** | | |
|---|---|---|
| Column Name | Data Type | Max Length |
| CheckOutLimit | int | - |
| CirculationTypeID | int | - |
| FineIncrement | decimal | - |
| GracePeriod | int | - |
| LoanPeriod | int | - |
| MaxFine | decimal | - |
| PatronGroupCirculationTypeID | int | - |
| PatronGroupID | int | - |
| TimesRenewable | int | - |

| **494. PatternDescription** | | |
|---|---|---|
| Column Name | Data Type | Max Length |
| AutoNum | int | - |
| Begin | smallint | - |
| Day | smallint | - |
| ModifiedBy | int | - |
| ModifiedDate | smalldatetime | - |
| PatternID | smallint | - |
| SchoolCode | nvarchar | 50 |

| **495. PatternDescriptionNew** | | |
|---|---|---|
| Column Name | Data Type | Max Length |
| Begin | smallint | - |
| Day | smallint | - |
| ModifiedBy | int | - |
| ModifiedDate | smalldatetime | - |
| PatternID | smallint | - |
| SchoolCode | nvarchar | 50 |
| YearID | int | - |

| **496. Patterns** | | |
|---|---|---|
| Column Name | Data Type | Max Length |
| Contacts | int | - |

| Column Name | Data Type | Max Length |
|---|---|---|
| ModifiedBy | int | - |
| ModifiedDate | smalldatetime | - |
| Name | nvarchar | 50 |
| PatternID | int | - |
| SchoolCode | nvarchar | 50 |
| Team | nvarchar | 50 |

## 497. PatternsNew

| Column Name | Data Type | Max Length |
|---|---|---|
| ModifiedBy | int | - |
| ModifiedDate | smalldatetime | - |
| Name | nvarchar | 50 |
| PatternID | int | - |
| SchoolCode | nvarchar | 50 |
| Team | nvarchar | 50 |
| YearID | int | - |

## 498. Payment_Charges

| Column Name | Data Type | Max Length |
|---|---|---|
| _Amount | float | - |
| Amount | decimal | - |
| ChargeID | int | - |
| ModifiedBy | int | - |
| ModifiedDate | smalldatetime | - |
| PaymentID | int | - |
| PCID | int | - |

## 499. Payment_Deferred

| Column Name | Data Type | Max Length |
|---|---|---|
| _Amount | float | - |
| AccountingSystemID | int | - |
| Amount | decimal | - |
| AutoNum | int | - |
| Balance_Transfer | bit | - |
| CatID | int | - |
| FamilyID | int | - |
| FiscalYearID | int | - |
| ModifiedBy | int | - |
| ModifiedDate | smalldatetime | - |
| PaymentID | int | - |
| QB_PaymentID | nvarchar | 50 |
| SchoolCode | varchar | 50 |
| StudentID | int | - |
| SyncId | int | - |

## 500. PaymentMethods

| Column Name | Data Type | Max Length |
|---|---|---|
| DLID | int | - |
| PaymentMethodID | int | - |
| PaymentMethodType | nvarchar | 125 |
| QB_PaymentMethodID | nvarchar | 50 |
| QB_PaymentMethodName | nvarchar | 160 |
| SchoolCode | nvarchar | 50 |

## 501. Payments

| Column Name | Data Type | Max Length |
|---|---|---|
| AccountingSystemID | int | - |
| ACH | bit | - |
| Amt | decimal | - |
| Balance_Transfer | bit | - |
| CatID | int | - |
| CC | bit | - |
| Check | nvarchar | 50 |
| Credit | bit | - |
| Date | datetime | - |
| deposit | int | - |
| DepositID | int | - |
| End_of_day | bit | - |
| ErrorCheck | bit | - |
| FamilyID | int | - |
| FileID | int | - |
| FiscalYearID | int | - |
| Lock | bit | - |
| Memo | nvarchar | -1 |
| Method | nvarchar | 50 |
| ModifiedBy | int | - |
| ModifiedDate | smalldatetime | - |
| Note | nvarchar | 255 |
| PaymentID | int | - |
| paymentinterruption | bit | - |
| PaymentType | int | - |
| Posted | smalldatetime | - |
| PostedID | int | - |
| QB_PaymentID | nvarchar | 50 |
| ReversePaymentID | int | - |
| SchoolCode | nvarchar | 50 |
| SessionID | nvarchar | 50 |
| StudentID | int | - |
| SyncId | int | - |
| TransactionID | int | - |
| UserAgent | nvarchar | 2000 |

## 502. Perk

| Column Name | Data Type | Max Length |
|---|---|---|
| PK_DateEntered | datetime | - |
| PK_DateUpdated | datetime | - |
| PK_Description | nvarchar | 128 |
| PK_EnteredByUID | int | - |
| PK_GLID | int | - |
| PK_UpdatedByUID | int | - |
| PK_Value | money | - |
| PKID | int | - |

## 503. Person

| Column Name | Data Type | Max Length |
|---|---|---|
| _ParentID | int | - |
| _StaffID | int | - |
| _StudentID | int | - |
| AddressID | int | - |
| AttendanceScheduledOnly | bit | - |
| AutoEmailGradebookZero | bit | - |
| AutoEmailProgressReport | nvarchar | 256 |
| AutoLicense | nvarchar | 50 |
| AutoLogin | bit | - |
| AutoMake | nvarchar | 50 |
| AutoModel | nvarchar | 50 |
| BachelorDegree | nvarchar | 128 |
| BachelorDegree2 | nvarchar | 128 |
| BachelorSchool | nvarchar | 128 |
| BachelorSchool2 | nvarchar | 128 |
| BachelorYear | nvarchar | 50 |
| BachelorYear2 | nvarchar | 50 |
| BaptismChurch | nvarchar | 50 |
| BaptismCity | nvarchar | 50 |
| BaptismDate | nvarchar | 50 |
| BaptismState | nvarchar | 50 |
| BarMitzvahChurch | nvarchar | 50 |
| BarMitzvahCity | nvarchar | 50 |
| BarMitzvahDate | nvarchar | 50 |
| BarMitzvahState | nvarchar | 50 |
| BirthCity | nvarchar | 64 |
| BirthCountry | nvarchar | 64 |
| Birthdate | datetime | - |
| Birthplace | nvarchar | 50 |
| BirthState | nvarchar | 64 |
| BloodType | nvarchar | 50 |
| CellPhone | nvarchar | 50 |
| ChatLogin | nvarchar | 50 |
| ChurchID | int | - |
| Citizenship | nvarchar | 50 |

| CommunionChurch | nvarchar | 50 |
|---|---|---|
| CommunionCity | nvarchar | 50 |
| CommunionDate | nvarchar | 50 |
| CommunionState | nvarchar | 50 |
| Company | nvarchar | 255 |
| ConfirmationChurch | nvarchar | 50 |
| ConfirmationCity | nvarchar | 50 |
| ConfirmationDate | nvarchar | 50 |
| ConfirmationState | nvarchar | 50 |
| CountryCode | nvarchar | 50 |
| CryptPayOEGUID | nvarchar | 128 |
| CryptPayPNGUID | nvarchar | 128 |
| DayCareRateID | int | - |
| Deceased | bit | - |
| DefaultLanguage | nvarchar | 50 |
| Denomination | nvarchar | 50 |
| Dentist | nvarchar | 128 |
| DentistAddress | nvarchar | 128 |
| DentistPhone | nvarchar | 128 |
| Directory_BlockAddress | bit | - |
| Directory_BlockCellPhone | bit | - |
| Directory_BlockEmail | bit | - |
| Directory_BlockHomePhone | bit | - |
| Directory_BlockName | bit | - |
| Doctor | nvarchar | 128 |
| DoctorAddress | nvarchar | 128 |
| DoctorPhone | nvarchar | 128 |
| DonorBlock | bit | - |
| DonorCompanyID | int | - |
| DriversLicense | nvarchar | 50 |
| EducationLevel | int | - |
| Email | nvarchar | 256 |
| Email2 | nvarchar | 256 |
| EnrollmentResponsibilityID | int | - |
| Ethnicity | nvarchar | 50 |
| ExperienceSchool | real | - |
| ExperienceTotal | real | - |
| Fax | nvarchar | 50 |
| FirstName | nvarchar | 64 |
| Gender | nvarchar | 50 |
| Highschool | nvarchar | 128 |
| HomePhone | nvarchar | 50 |
| Hospital | nvarchar | 128 |
| HospitalAddress | nvarchar | 128 |
| ImportID | nvarchar | 20 |
| InsuranceCompany | nvarchar | 128 |
| InsuranceGroup | nvarchar | 128 |
| InsurancePolicy | nvarchar | 128 |
| InvalidLoginCount | int | - |

| | | |
|---|---|---|
| IsPasswordResetUrlExpired | bit | - |
| JobCategory | nvarchar | 64 |
| LastConfigSchoolID | smallint | - |
| LastName | nvarchar | 128 |
| LastSchoolLogin | nvarchar | 50 |
| LegacyPersonID | nvarchar | 20 |
| LocalChurchMember | bit | - |
| LoginAttempts | smallint | - |
| MaritalStatus | nvarchar | 50 |
| MasterDegree | nvarchar | 128 |
| MasterDegree2 | nvarchar | 128 |
| MasterSchool | nvarchar | 128 |
| MasterSchool2 | nvarchar | 128 |
| MasterYear | nvarchar | 50 |
| MasterYear2 | nvarchar | 50 |
| MatchingGiftEmployer | bit | - |
| MedicalNote | nvarchar | -1 |
| MiddleName | nvarchar | 64 |
| ModifiedBy | int | - |
| ModifiedDate | datetime | - |
| NewStudentInquiryChildNumber | int | - |
| NewStudentInquiryID | int | - |
| NickName | nvarchar | 50 |
| Note | nvarchar | 2000 |
| Occupation | nvarchar | 128 |
| Parent | bit | - |
| ParentAlertCellPhone | bit | - |
| ParentAlertHomePhone | bit | - |
| ParentAlertNoText | bit | - |
| ParentAlertPreference | nvarchar | 50 |
| ParentAlertWorkPhone | bit | - |
| Password | nvarchar | 50 |
| PasswordCreationDate | datetime | - |
| PasswordResetUrlSendDate | datetime | - |
| PathToPicture | nvarchar | 255 |
| PermitNumber | nvarchar | 50 |
| PersonID | int | - |
| PHDDegree | nvarchar | 50 |
| PHDDegree2 | nvarchar | 50 |
| PHDSchool | nvarchar | 128 |
| PHDSchool2 | nvarchar | 128 |
| PHDYear | nvarchar | 50 |
| PHDYear2 | nvarchar | 50 |
| PicResized | bit | - |
| PrimaryLanguage | nvarchar | 50 |
| pswd | varbinary | 8000 |
| PublicSchoolCode | nvarchar | 50 |
| PublicSchoolCounty | nvarchar | 50 |
| PublicSchoolDistrict | nvarchar | 50 |

| | | |
|---|---|---|
| PublicSchoolLocalSchool | nvarchar | 50 |
| PublicSchoolState | nvarchar | 50 |
| ReconciliationChurch | nvarchar | 50 |
| ReconciliationCity | nvarchar | 50 |
| ReconciliationDate | nvarchar | 50 |
| ReconciliationState | nvarchar | 50 |
| ReducedLunch | int | - |
| ResetPasswordDate | datetime | - |
| Salutation | nvarchar | 64 |
| SSN | varchar | 50 |
| Staff | bit | - |
| Student | bit | - |
| Subdivision | nvarchar | 64 |
| Suffix | nvarchar | 50 |
| Treat | bit | - |
| UnlinkSibling | bit | - |
| username | nvarchar | 50 |
| WorkCity | nvarchar | 50 |
| WorkCityStateZip | nvarchar | 255 |
| WorkCountry | nvarchar | 255 |
| WorkPhone | nvarchar | 128 |
| WorkPhoneExtension | nvarchar | 50 |
| WorkState | nvarchar | 50 |
| WorkStreet | nvarchar | 255 |
| WorkZip | nvarchar | 50 |

## 504. Person_Acknowledgement

| Column Name | Data Type | Max Length |
|---|---|---|
| AcknowledgementID | int | - |
| PersonID | int | - |

## 505. Person_Education

| Column Name | Data Type | Max Length |
|---|---|---|
| DegreeName | nvarchar | 128 |
| DegreeSchool | nvarchar | 128 |
| DegreeType | nvarchar | 128 |
| DegreeYear | nvarchar | 50 |
| EducationID | int | - |
| EducationLevel | int | - |
| PersonID | int | - |

## 506. Person_Family

| Column Name | Data Type | Max Length |
|---|---|---|
| FactsCustomer | bit | - |
| FamilyID | int | - |
| FamilyOrder | int | - |

| Column Name | Data Type | Max Length |
|---|---|---|
| FinancialResponsibility | bit | - |
| FinancialResponsibilityPercent | varchar | 50 |
| Parent | bit | - |
| PersonID | int | - |
| Student | bit | - |

## 507. Person_Interest

| Column Name | Data Type | Max Length |
|---|---|---|
| Interest | nvarchar | 50 |
| PersonID | int | - |

## 508. Person_Race

| Column Name | Data Type | Max Length |
|---|---|---|
| IsPortalRace | bit | - |
| PersonID | int | - |
| Race | nvarchar | 50 |

## 509. Person_Staff

| Column Name | Data Type | Max Length |
|---|---|---|
| Active | bit | - |
| Administrator | bit | - |
| BlockSurvey | bit | - |
| Department | nvarchar | 64 |
| DistrictUser | bit | - |
| DistrictWideUser | bit | - |
| DualEnrolledUser | bit | - |
| Elementary | bit | - |
| EndDate | datetime | - |
| Faculty | bit | - |
| FinancialFamilyID | int | - |
| FTE | real | - |
| FullTime | bit | - |
| HS | bit | - |
| LoginPassword | nvarchar | 50 |
| Loginpswd | varbinary | 8000 |
| MiddleSchool | bit | - |
| ParentAlertPin | nvarchar | 10 |
| PasswordModified | smalldatetime | - |
| PDA | int | - |
| Preschool | bit | - |
| PWComments | nvarchar | -1 |
| PWHeadline | nvarchar | 50 |
| RoomID | int | - |
| Spouse | nvarchar | 50 |
| StaffDirectoryBlock | bit | - |
| StaffID | int | - |

| | | |
|---|---|---|
| StartDate | datetime | - |
| Substitute | bit | - |
| TeacherSite | nvarchar | 256 |
| UnsubscribeRenWebEmail | bit | - |

| 510. Person_Student | | |
|---|---|---|
| Column Name | Data Type | Max Length |
| AdvisorID | int | - |
| ClassOf | nvarchar | 50 |
| Combination1 | nvarchar | 50 |
| Combination2 | nvarchar | 50 |
| DayCareRateID | int | - |
| DistrictTransferableTo | nvarchar | 10 |
| EnrollDate | datetime | - |
| ExcludeCumHonorRoll | bit | - |
| ExcludeCumRank | bit | - |
| ExcludeTermHonorRoll | bit | - |
| ExcludeTermRank | bit | - |
| GradeLevel | nvarchar | 50 |
| GraduationDate | datetime | - |
| Locker1 | nvarchar | 50 |
| Locker2 | nvarchar | 50 |
| NextGradeLevel | nvarchar | 50 |
| NextSchoolCode | varchar | 50 |
| NextStatus | nvarchar | 50 |
| PersonStudentID | int | - |
| Placement | nvarchar | 50 |
| PreProgressionGradeLevel | nvarchar | 64 |
| PreProgressionNextGradeLevel | nvarchar | 64 |
| PreProgressionNextSchoolCode | nvarchar | 64 |
| PreProgressionNextStatus | nvarchar | 64 |
| PreProgressionProgressionDate | smalldatetime | - |
| PreProgressionSchoolCode | nvarchar | 64 |
| PreProgressionStatus | nvarchar | 64 |
| ProgressionDate | datetime | - |
| PublicSchoolCode | nvarchar | 50 |
| PublicSchoolCounty | nvarchar | 50 |
| PublicSchoolDistrict | nvarchar | 50 |
| PublicSchoolLocalSchool | nvarchar | 50 |
| PublicSchoolState | nvarchar | 50 |
| ReducedLunch | int | - |
| Reenrolled | bit | - |
| ReEnrollMessage | nvarchar | 50 |
| SchoolCode | varchar | 50 |
| SchoolID | nvarchar | 50 |
| Status | nvarchar | 50 |
| StudentID | int | - |
| StudentMentorID | int | - |

| Substatus | nvarchar | 50 |
|---|---|---|
| TeacherSite | nvarchar | 256 |
| TranscriptNote1 | nvarchar | 4000 |
| UnlinkSibling | bit | - |
| WithdrawDate | datetime | - |
| WithdrawReason | nvarchar | 50 |

## 511. PersonFamily

| Column Name | Data Type | Max Length |
|---|---|---|
| FactsAccountCode | nvarchar | 50 |
| FactsInstitutionID | int | - |
| FamilyID | int | - |
| FinancialResponsibilityPercent | decimal | - |
| PersonID | int | - |

## 512. PersonInterestNew

| Column Name | Data Type | Max Length |
|---|---|---|
| InterestID | int | - |
| PersonID | int | - |

## 513. PersonMedicalEventOTCConfigMM

| Column Name | Data Type | Max Length |
|---|---|---|
| MedicalEventID | int | - |
| OTCConfigID | int | - |

## 514. PersonMedicalEventPersonMedicationMM

| Column Name | Data Type | Max Length |
|---|---|---|
| MedicalEventID | int | - |
| MedicationID | int | - |

## 515. PersonMedicationSchedule

| Column Name | Data Type | Max Length |
|---|---|---|
| MedicationID | int | - |
| PersonMedicationScheduleID | int | - |
| ScheduledDoseTime | time | - |

## 516. PersonNote

| Column Name | Data Type | Max Length |
|---|---|---|
| EnteredByID | int | - |
| IsDesktopNote | bit | - |
| ModifiedByID | int | - |
| NoteDate | smalldatetime | - |
| NoteType | int | - |

| Column Name | Data Type | Max Length |
|---|---|---|
| PersonID | int | - |
| PersonNote | nvarchar | -1 |
| PersonNoteID | int | - |
| YearID | int | - |

### 517. PersonReligiousEvent

| Column Name | Data Type | Max Length |
|---|---|---|
| City | nvarchar | 50 |
| Location | nvarchar | 50 |
| Note | nvarchar | 1024 |
| PersonID | int | - |
| PersonReligiousEventID | int | - |
| ReligiousEventDate | datetime | - |
| ReligiousEventType | nvarchar | 256 |
| State | nvarchar | 50 |

### 518. PersonStandardizedTest

| Column Name | Data Type | Max Length |
|---|---|---|
| ExcludeFromTranscript | bit | - |
| GradeLevel | nvarchar | 50 |
| LegacyTestDataID | int | - |
| PersonID | int | - |
| PersonStandardizedTestID | int | - |
| StandardizedTestConfigurationID | int | - |
| TestDate | datetime | - |
| TestNote | nvarchar | 255 |

### 519. PersonStandardizedTestScore

| Column Name | Data Type | Max Length |
|---|---|---|
| PersonStandardizedTestID | int | - |
| Score | nvarchar | 16 |
| StandardizedTestSortOrder | int | - |

### 520. PersonTracking

| Column Name | Data Type | Max Length |
|---|---|---|
| EndDate | datetime | - |
| ModifiedBy | int | - |
| ModifiedDate | smalldatetime | - |
| Notes | nvarchar | -1 |
| PersonID | int | - |
| StartDate | datetime | - |
| TrackingID | int | - |
| TrackingStatus | int | - |
| TrackingSystemID | int | - |
| UDStatus | nvarchar | 50 |

**521. Pickup**

| Column Name | Data Type | Max Length |
|---|---|---|
| CellPhone | nvarchar | 50 |
| CountryCode | nvarchar | 50 |
| Email | nvarchar | 256 |
| FirstName | nvarchar | 64 |
| HomePhone | nvarchar | 50 |
| LastName | nvarchar | 128 |
| MiddleName | nvarchar | 50 |
| Note | nvarchar | 2000 |
| PickupID | int | - |
| PortalSortOrder | int | - |
| RefID | int | - |
| Relationship | nvarchar | 50 |
| Salutation | nvarchar | 50 |
| SortOrder | int | - |
| StudentID | int | - |
| Suffix | nvarchar | 50 |
| WorkPhone | nvarchar | 128 |

**522. PickupPoint**

| Column Name | Data Type | Max Length |
|---|---|---|
| Address | nvarchar | 255 |
| City | nvarchar | 255 |
| ConfigSchoolID | smallint | - |
| IsDistrictWide | bit | - |
| Name | nvarchar | 128 |
| Note | nvarchar | 1000 |
| PickupPointID | int | - |
| State | nvarchar | 255 |
| Subdivision | nvarchar | 255 |
| ZIP | nvarchar | 255 |

**523. Pictures**

| Column Name | Data Type | Max Length |
|---|---|---|
| Caption | nvarchar | 128 |
| ClassID | int | - |
| FileName | nvarchar | 128 |
| Hyperlink | nvarchar | 128 |
| Location | nvarchar | 50 |
| PictureCube | bit | - |
| PictureGroup | nvarchar | 128 |
| PictureID | int | - |
| SchoolCode | nvarchar | 50 |
| Share | bit | - |

| Column Name | Data Type | Max Length |
|---|---|---|
| StaffID | int | - |
| System | bit | - |

## 524. Pledge

| Column Name | Data Type | Max Length |
|---|---|---|
| P_Comment | nvarchar | 1024 |
| P_CRID | int | - |
| P_DateEntered | datetime | - |
| P_DateUpdated | datetime | - |
| P_EID | int | - |
| P_EnteredByUID | int | - |
| P_IBID | int | - |
| P_ImportID | nvarchar | 64 |
| P_MatchSrcGHID | int | - |
| P_PledgeAmountTotal | decimal | - |
| P_PledgeBeginDate | datetime | - |
| P_PledgeEndDate | datetime | - |
| P_PledgePaymentAmount | decimal | - |
| P_PledgeStatusDLID | int | - |
| P_PledgeTermsDLID | int | - |
| P_RecurrenceRule | varchar | 256 |
| P_StartDate | datetime | - |
| P_UpdatedByUID | int | - |
| P_WriteOff | bit | - |
| PID | int | - |

## 525. PledgeID_CumGiven

| Column Name | Data Type | Max Length |
|---|---|---|
| CumGiftAmount | decimal | - |
| NumOfGifts | int | - |
| PID | int | - |

## 526. PledgePaymentSchedule

| Column Name | Data Type | Max Length |
|---|---|---|
| PPS_AmountCleared | decimal | - |
| PPS_AmountDue | decimal | - |
| PPS_Comment | varchar | 512 |
| PPS_DueDate | date | - |
| PPS_PID | int | - |

## 527. PortalSession

| Column Name | Data Type | Max Length |
|---|---|---|
| DateCreated | datetime | - |
| PortalSessionId | uniqueidentifier | - |
| UserSessionId | nvarchar | 256 |

**528. Portfolio**

| Column Name | Data Type | Max Length |
|---|---|---|
| ClassID | int | - |
| Deleted | bit | - |
| DeletedBy | int | - |
| DeletedDate | smalldatetime | - |
| FileName | nvarchar | 128 |
| FileType | int | - |
| GradeLevel | nvarchar | 50 |
| Note | nvarchar | 2000 |
| PersonID | int | - |
| PortfolioID | int | - |
| TermID | int | - |
| UploadedBy | int | - |
| UploadedDate | smalldatetime | - |
| UploadedDateUTC | smalldatetime | - |
| UUID | varchar | 50 |
| YearID | int | - |

**529. PortfolioGroup**

| Column Name | Data Type | Max Length |
|---|---|---|
| ConfigSchoolId | smallint | - |
| DistrictWide | bit | - |
| Name | nvarchar | 50 |
| PersonTypeId | int | - |
| PortfolioGroupId | int | - |
| SystemGroup | bit | - |

**530. PortfolioGroupSecurityGroup**

| Column Name | Data Type | Max Length |
|---|---|---|
| PortfolioGroupId | int | - |
| RightLevel | int | - |
| SecurityGroupId | int | - |

**531. PortfolioGroupSecurityIndividual**

| Column Name | Data Type | Max Length |
|---|---|---|
| PersonId | int | - |
| PortfolioGroupId | int | - |
| RightLevel | int | - |

**532. PreviousSchools**

| Column Name | Data Type | Max Length |
|---|---|---|
| Address | nvarchar | 128 |

| Column Name | Data Type | Max Length |
|---|---|---|
| FromDate | nvarchar | 50 |
| GradeCompleted | nvarchar | 50 |
| ModifiedBy | int | - |
| ModifiedDate | smalldatetime | - |
| Phone | nvarchar | 50 |
| SchoolName | nvarchar | 128 |
| SchoolNote | nvarchar | 1000 |
| SchoolNumber | smallint | - |
| StudentID | int | - |
| ToDate | nvarchar | 50 |

## 533. Product

| Column Name | Data Type | Max Length |
|---|---|---|
| AccountingCategoryID | int | - |
| BackgroundColor | nvarchar | 7 |
| Barcode | nvarchar | 64 |
| CashRegisterID | int | - |
| InventoryID | int | - |
| IsTaxable | bit | - |
| Price | decimal | - |
| ProductID | int | - |
| ProductName | nvarchar | 128 |
| SortOrder | int | - |

## 534. QB_BalanceTransferTxns

| Column Name | Data Type | Max Length |
|---|---|---|
| AccountingSystemId | int | - |
| Amount | decimal | - |
| CatId | int | - |
| Desc | nvarchar | 255 |
| FamilyId | int | - |
| Id | int | - |
| QB_AccountRefId | nvarchar | 50 |
| QB_CreditMemoId | nvarchar | 50 |
| QB_CustomerId | nvarchar | 50 |
| QB_InvoiceId | nvarchar | 50 |
| QB_ItemId | nvarchar | 50 |
| QB_Type | nvarchar | 50 |
| SchoolCode | nvarchar | 50 |
| TicketId | nvarchar | 50 |
| TxnCreationDate | smalldatetime | - |
| Type | nvarchar | 50 |

## 535. QB_Charges

| Column Name | Data Type | Max Length |
|---|---|---|
| AcctSystemId | int | - |

| | | |
|---|---|---|
| AcctSystemName | nvarchar | 50 |
| CatId | int | - |
| ChargeAmount | decimal | - |
| ChargeDate | datetime | - |
| ChargeId | int | - |
| CheckNo | nvarchar | 50 |
| ClearedAmount | decimal | - |
| Description | nvarchar | 255 |
| DueDate | datetime | - |
| FamilyId | int | - |
| FamilyName | nvarchar | 128 |
| Id | int | - |
| Note | nvarchar | 255 |
| PaymentAmount | decimal | - |
| PaymentDate | datetime | - |
| PaymentId | int | - |
| PaymentMethodId | nvarchar | 50 |
| QB_AcctSystemID | nvarchar | 50 |
| QB_FamilyId | nvarchar | 50 |
| QB_ItemId | nvarchar | 50 |
| RequestId | int | - |
| SchoolCode | nvarchar | 50 |
| TicketId | nvarchar | 50 |
| Title | nvarchar | 50 |
| Transaction_time | datetime | - |

## 536. QB_CheckAddDetails

| Column Name | Data Type | Max Length |
|---|---|---|
| AccountingSystemId | nvarchar | 50 |
| Amount | decimal | - |
| ARAccountId | nvarchar | 50 |
| BankId | nvarchar | 50 |
| ChargeId | int | - |
| CheckNo | nvarchar | 50 |
| CustomerId | nvarchar | 50 |
| Id | int | - |
| Memo | nvarchar | 250 |
| PaymentId | nvarchar | 50 |
| QB_CheckId | nvarchar | 50 |
| RequestId | int | - |
| SchoolCode | nvarchar | 50 |
| TicketId | nvarchar | 50 |
| TxnDate | datetime | - |

## 537. QB_Customers

| Column Name | Data Type | Max Length |
|---|---|---|
| AddTime | datetime | - |

| Column Name | Data Type | Max Length |
|---|---|---|
| FamilyName | nvarchar | 128 |
| Id | int | - |
| QB_FamilyID | nvarchar | 50 |
| RequestID | int | - |
| RW_FamilyID | nvarchar | 50 |
| SchoolCode | nvarchar | 50 |
| TicketID | nvarchar | 50 |

## 538. QB_Deposits

| Column Name | Data Type | Max Length |
|---|---|---|
| AccountNumber | nvarchar | 50 |
| DepositAmount | decimal | - |
| DepositDate | datetime | - |
| DepositId | int | - |
| Id | int | - |
| PaymentId | int | - |
| QB_DepositId | nvarchar | 50 |
| QB_PaymentId | nvarchar | 50 |
| RequestId | int | - |
| SchoolCode | nvarchar | 50 |
| TicketId | nvarchar | 50 |
| TransactionTime | datetime | - |

## 539. QB_ErrorLog

| Column Name | Data Type | Max Length |
|---|---|---|
| ErrorTxt | nvarchar | -1 |
| Id | int | - |
| ModifiedTime | datetime | - |
| Schoolcode | nvarchar | 50 |
| Ticket | nvarchar | 50 |

## 540. QB_ImportedCheck

| Column Name | Data Type | Max Length |
|---|---|---|
| Amount | decimal | - |
| ARAccountRef | nvarchar | 50 |
| BankAccountRef | nvarchar | 50 |
| CustomerFullName | nvarchar | 250 |
| CustomerListId | nvarchar | 50 |
| DeleteSyncId | int | - |
| Memo | nvarchar | 1000 |
| SchoolCode | nvarchar | 50 |
| SyncId | int | - |
| TimeCreated | datetime | - |
| TimeModified | datetime | - |
| TimeZoneOffset | nvarchar | 10 |
| TxnDate | datetime | - |

| Column Name | Data Type | Max Length |
|---|---|---|
| TxnId | nvarchar | 50 |
| TxnNumber | int | - |

## 541. QB_ImportedCheck_Expense

| Column Name | Data Type | Max Length |
|---|---|---|
| AccoountRefFullName | nvarchar | 209 |
| AccountRefListId | nvarchar | 50 |
| Amount | decimal | - |
| CustomerRefFullName | nvarchar | 250 |
| CustomerRefListId | nvarchar | 50 |
| Id | int | - |
| ItemRefFullName | nvarchar | 50 |
| ItemRefListId | nvarchar | 50 |
| Memo | nvarchar | 1000 |
| SchoolCode | nvarchar | 50 |
| TxnId | nvarchar | 50 |
| TxnLineId | nvarchar | 50 |
| Type | nvarchar | 20 |

## 542. QB_ImportedInvoiceItems

| Column Name | Data Type | Max Length |
|---|---|---|
| Amount | decimal | - |
| Description | nvarchar | 4000 |
| FullName | nvarchar | 200 |
| Id | int | - |
| Rate | decimal | - |
| SchoolCode | nvarchar | 50 |
| TxnId | nvarchar | 50 |
| TxnLineItemId | nvarchar | 50 |

## 543. QB_ImportedInvoices

| Column Name | Data Type | Max Length |
|---|---|---|
| AppliedAmount | decimal | - |
| ARAccountRef | nvarchar | 50 |
| BalanceRemaining | decimal | - |
| CustomerFullName | nvarchar | 1000 |
| CustomerListId | nvarchar | 50 |
| DeleteSyncId | int | - |
| DueDate | smalldatetime | - |
| Id | int | - |
| SchoolCode | nvarchar | 50 |
| SubTotal | decimal | - |
| SyncId | int | - |
| TimeCreated | datetime | - |
| TimeModified | datetime | - |
| TimeZoneOffset | nvarchar | 10 |

| | | |
|---|---|---|
| TxnDate | smalldatetime | - |
| TxnId | nvarchar | 50 |
| TxnNumber | int | - |

### 544. QB_ImportedJournalEntry

| Column Name | Data Type | Max Length |
|---|---|---|
| DeleteSyncId | int | - |
| SchoolCode | nvarchar | 50 |
| SyncId | int | - |
| TimeCreated | datetime | - |
| TimeModified | datetime | - |
| TimeZoneOffset | nvarchar | 10 |
| TxnDate | smalldatetime | - |
| TxnId | nvarchar | 50 |
| TxnNumber | int | - |

### 545. QB_ImportedJournalEntryItems

| Column Name | Data Type | Max Length |
|---|---|---|
| AccountRefFullName | nvarchar | 200 |
| AccountRefListId | nvarchar | 50 |
| Amount | decimal | - |
| EntityRefFullName | nvarchar | 200 |
| EntityRefListId | nvarchar | 50 |
| Id | int | - |
| Memo | nvarchar | 4000 |
| SchoolCode | nvarchar | 20 |
| TxnId | nvarchar | 50 |
| TxnLineId | nvarchar | 50 |
| Type | nvarchar | 50 |

### 546. QB_ImportedPayments

| Column Name | Data Type | Max Length |
|---|---|---|
| ARAccountRef | nvarchar | 50 |
| CustomerFullName | nvarchar | 100 |
| CustomerListId | nvarchar | 50 |
| DeleteSyncId | int | - |
| Memo | nvarchar | 255 |
| PaymentMethodRef | nvarchar | 50 |
| RefNumber | nvarchar | 50 |
| SchoolCode | nvarchar | 50 |
| SyncId | int | - |
| TimeCreated | datetime | - |
| TimeModified | datetime | - |
| TimeZoneOffset | nchar | 10 |
| TotalAmount | decimal | - |
| TxnDate | smalldatetime | - |

| | | |
|---|---|---|
| TxnId | nvarchar | 50 |
| TxnNumber | int | - |

**547. QB_Invoice_PC**

| Column Name | Data Type | Max Length |
|---|---|---|
| AccSystemID | int | - |
| AcctSystemName | nvarchar | 50 |
| Amt_Charges | decimal | - |
| Amt_Payments | decimal | - |
| CatID | int | - |
| ChargeDate | datetime | - |
| ChargeID | nvarchar | 100 |
| ClearedAmount | decimal | - |
| FamilyID | int | - |
| FamilyName | nvarchar | 128 |
| Id | int | - |
| PaymentDate | datetime | - |
| PaymentID | int | - |
| QB_FamilyID | nvarchar | 50 |
| QB_InvoiceID | nvarchar | 50 |
| QB_ItemID | nvarchar | 50 |
| QB_PaymentID | nvarchar | 50 |
| RequestID | int | - |
| TicketID | nvarchar | 50 |
| Title | nvarchar | 50 |

**548. QB_Invoices**

| Column Name | Data Type | Max Length |
|---|---|---|
| FamilyName | nvarchar | 128 |
| Id | int | - |
| QB_FamilyId | nvarchar | 50 |
| QB_InvoiceId | nvarchar | 50 |
| QB_PaymentId | nvarchar | 50 |
| RequestId | int | - |
| SchoolCode | nvarchar | 50 |
| TicketId | nvarchar | 50 |
| Transaction_time | datetime | - |
| TxnDate | datetime | - |

**549. QB_Items**

| Column Name | Data Type | Max Length |
|---|---|---|
| CatTitle | nvarchar | 50 |
| Description | nvarchar | 255 |
| Id | int | - |
| PaymentAmount | decimal | - |
| QB_ItemId | nvarchar | 50 |

| RequestId | int | - |
| SchoolCode | nvarchar | 50 |
| TicketId | nvarchar | 50 |
| Transaction_time | datetime | - |

## 550. QB_Journals

| Column Name | Data Type | Max Length |
| --- | --- | --- |
| FamilyId | int | - |
| FamilyName | nvarchar | 128 |
| Id | int | - |
| Note | nvarchar | 255 |
| PaymentAmt | decimal | - |
| PaymentDate | datetime | - |
| PaymentId | int | - |
| QB_AcctSystemID | nvarchar | 50 |
| QB_FamilyId | nvarchar | 50 |
| QB_JournalId | nvarchar | 50 |
| RequestId | int | - |
| SchoolCode | nvarchar | 50 |
| TicketId | nvarchar | 50 |
| Transaction_time | datetime | - |

## 551. QB_Keys

| Column Name | Data Type | Max Length |
| --- | --- | --- |
| Area | nvarchar | 50 |
| Id | int | - |

## 552. QB_OngoingSyncLog

| Column Name | Data Type | Max Length |
| --- | --- | --- |
| Completed | bit | - |
| ID | int | - |
| SchoolCode | nvarchar | 50 |
| TicketId | nvarchar | 50 |
| TimeCreated | datetime | - |

## 553. QB_Payments

| Column Name | Data Type | Max Length |
| --- | --- | --- |
| CheckNo | nvarchar | 50 |
| FamilyId | int | - |
| FamilyName | nvarchar | 128 |
| Id | int | - |
| Note | nvarchar | 255 |
| PaymentAmt | real | - |
| PaymentDate | datetime | - |
| PaymentId | int | - |

| PaymentMethodId | nvarchar | 50 |
|---|---|---|
| QB_AcctSystemID | nvarchar | 50 |
| QB_FamilyId | nvarchar | 50 |
| QB_PaymentId | nvarchar | 50 |
| RequestId | int | - |
| SchoolCode | nvarchar | 50 |
| TicketId | nvarchar | 50 |
| Transaction_time | datetime | - |

## 554. QB_PWBalance

| Column Name | Data Type | Max Length |
|---|---|---|
| QB_AccountId | nvarchar | 50 |
| QB_ARBalance | decimal | - |
| QB_CustomerId | nvarchar | 50 |
| SchoolCode | nvarchar | 50 |

## 555. QB_PWBalanceLog

| Column Name | Data Type | Max Length |
|---|---|---|
| QB_AccountId | nvarchar | 50 |
| QB_ARBalance | decimal | - |
| QB_CustomerId | nvarchar | 50 |
| SchoolCode | nvarchar | 50 |
| SyncId | int | - |
| Type | nvarchar | 20 |

## 556. QBCharges_Charges

| Column Name | Data Type | Max Length |
|---|---|---|
| AcctSystemId | int | - |
| AcctSystemName | nvarchar | 50 |
| CatId | int | - |
| ChargeAmount | decimal | - |
| ChargeDate | datetime | - |
| ChargeId | int | - |
| ClearedAmount | decimal | - |
| Description | nvarchar | 255 |
| DueDate | datetime | - |
| FamilyId | int | - |
| FamilyName | nvarchar | 128 |
| Id | int | - |
| QB_AcctSystemID | nvarchar | 50 |
| QB_FamilyId | nvarchar | 50 |
| QB_ItemId | nvarchar | 50 |
| RequestId | int | - |
| SchoolCode | nvarchar | 50 |
| TicketId | nvarchar | 50 |
| Title | nvarchar | 50 |

| | | |
|---|---|---|
| Transaction_time | datetime | - |
| Type | nvarchar | 50 |

### 557. QBCharges_Invoices

| Column Name | Data Type | Max Length |
|---|---|---|
| FamilyName | nvarchar | 128 |
| Id | int | - |
| QB_FamilyId | nvarchar | 50 |
| QB_InvoiceId | nvarchar | 50 |
| RequestId | int | - |
| SchoolCode | nvarchar | 50 |
| TicketId | nvarchar | 50 |
| Transaction_time | datetime | - |
| TxnDate | datetime | - |
| Type | nvarchar | 50 |

### 558. QBCharges_Items

| Column Name | Data Type | Max Length |
|---|---|---|
| CatTitle | nvarchar | 50 |
| ChargeAmount | decimal | - |
| Description | nvarchar | 255 |
| Id | int | - |
| QB_ItemId | nvarchar | 50 |
| RequestId | int | - |
| SchoolCode | nvarchar | 50 |
| TicketId | nvarchar | 50 |
| Transaction_time | datetime | - |
| Type | nvarchar | 50 |

### 559. QBIDList

| Column Name | Data Type | Max Length |
|---|---|---|
| ID | nvarchar | 50 |
| QId | int | - |
| SchoolCode | nvarchar | 50 |
| StaffID | int | - |
| Text | nvarchar | -1 |
| TicketID | nvarchar | 50 |

### 560. RecurringChargeConfig

| Column Name | Data Type | Max Length |
|---|---|---|
| AccountingSystemID | int | - |
| Name | nvarchar | 50 |
| RecurringChargeID | int | - |
| RegisterID | int | - |
| SchoolCode | nvarchar | 50 |

## 561. RecurringChargeItems

| Column Name | Data Type | Max Length |
|---|---|---|
| Amount | real | - |
| CatID | int | - |
| Date | smalldatetime | - |
| Description | nvarchar | 255 |
| DueDate | smalldatetime | - |
| Installment1 | bit | - |
| Installment10 | bit | - |
| Installment11 | bit | - |
| Installment12 | bit | - |
| Installment2 | bit | - |
| Installment3 | bit | - |
| Installment4 | bit | - |
| Installment5 | bit | - |
| Installment6 | bit | - |
| Installment7 | bit | - |
| Installment8 | bit | - |
| Installment9 | bit | - |
| Interval | int | - |
| Item | int | - |
| Payments | int | - |
| RecurringChargeID | int | - |

## 562. ReenrollProcess

| Column Name | Data Type | Max Length |
|---|---|---|
| AccountingSystemID | int | - |
| Caption | nvarchar | 128 |
| Filename | nvarchar | 128 |
| Finish | bit | - |
| FiscalYearID | int | - |
| Message | nvarchar | -1 |
| NextYearGradeLevel | bit | - |
| ProcessID | int | - |
| SchoolCode | varchar | 50 |
| Step | int | - |
| Type | int | - |
| WebformID | int | - |

## 563. Relationship_Email

| Column Name | Data Type | Max Length |
|---|---|---|
| C_FiledAs1 | nvarchar | 512 |
| C_FiledAs2 | nvarchar | 512 |
| C_FirstEmail1 | nvarchar | 256 |
| C_FirstEmail2 | nvarchar | 256 |

| | | | |
|---|---|---|---|
| C_SecondEmail1 | varchar | 256 | |
| C_SecondEmail2 | varchar | 256 | |
| CID1 | int | - | |
| CID2 | int | - | |
| CRID | int | - | |

### 564. Relationship_FirstConst

| Column Name | Data Type | Max Length |
|---|---|---|
| CRID | int | - |
| FirstCID | int | - |
| FirstRRID | int | - |

### 565. Relationship_FirstConst-int

| Column Name | Data Type | Max Length |
|---|---|---|
| CRID | int | - |
| FirstCID | int | - |

### 566. Relationship_LastConst

| Column Name | Data Type | Max Length |
|---|---|---|
| CRID | int | - |
| LastCID | int | - |
| LastRRID | int | - |

### 567. Relationship_LastConst-int

| Column Name | Data Type | Max Length |
|---|---|---|
| CRID | int | - |
| LastCID | int | - |

### 568. Relationship_MailingAddress

| Column Name | Data Type | Max Length |
|---|---|---|
| AID | int | - |
| C_FiledAs | nvarchar | 512 |
| C_MailAddress1 | nvarchar | 256 |
| C_MailAddress2 | nvarchar | 256 |
| C_MailCity | nvarchar | 255 |
| C_MailCountry | nvarchar | 255 |
| C_MailState | nvarchar | 255 |
| C_MailZip | nvarchar | 255 |
| C_MailZipPlus4 | nvarchar | 4 |
| C_OrgContactName | varchar | 256 |
| C_OrgName | nvarchar | 256 |
| CG_Greeting | nvarchar | 128 |
| CRID | int | - |

**569. RelationshipGreeting**

| Column Name | Data Type | Max Length |
|---|---|---|
| Addressee | nvarchar | 128 |
| C_FiledAs | nvarchar | 512 |
| CID | int | - |
| CRID | int | - |
| RelationshipPrimaryCID | int | - |
| Salutation | nvarchar | 128 |

**570. RelationshipPrimaryConstituent**

| Column Name | Data Type | Max Length |
|---|---|---|
| CRID | int | - |
| RelationshipPrimaryCID | int | - |

**571. RelationshipPrimaryConstituent-int**

| Column Name | Data Type | Max Length |
|---|---|---|
| CRID | int | - |
| RRID | int | - |

**572. RelationshipPrimaryGreetAddressee**

| Column Name | Data Type | Max Length |
|---|---|---|
| CRID | int | - |
| MinCGID | int | - |

**573. RelationshipPrimaryGreetSalutation**

| Column Name | Data Type | Max Length |
|---|---|---|
| CRID | int | - |
| MinCGID | int | - |

**574. RelationshipRole**

| Column Name | Data Type | Max Length |
|---|---|---|
| RR_AppliesToConstituentTypeDLID | int | - |
| RR_CustomName | nvarchar | 64 |
| RR_Name | nvarchar | 64 |
| RR_Type | nvarchar | 64 |
| RR_UserEditable | bit | - |
| RRID | int | - |

**575. Relationships_CrossProduct**

| Column Name | Data Type | Max Length |
|---|---|---|
| CID1 | int | - |
| CID2 | int | - |

| ParentID1 | int | - |
| ParentID2 | int | - |

### 576. Relationships_MarriedInDonor

| Column Name | Data Type | Max Length |
| --- | --- | --- |
| C1_FiledAs | nvarchar | 512 |
| C2_FiledAs | nvarchar | 512 |
| CID1 | int | - |
| CID2 | int | - |
| CRID | int | - |
| CRRID1 | int | - |
| CRRID2 | int | - |
| HusbandFName | nvarchar | 64 |
| HusbandLName | nvarchar | 128 |
| HusbandMName | nvarchar | 64 |
| HusbandPrefix | nvarchar | 32 |
| HusbandSuffix | nvarchar | 60 |
| ParentID1 | int | - |
| ParentID2 | int | - |
| WifeFName | nvarchar | 64 |
| WifeLName | nvarchar | 128 |
| WifeMName | nvarchar | 64 |
| WifePrefix | nvarchar | 32 |
| WifeSuffix | nvarchar | 60 |

### 577. Relationships_MarriedInDonor_union

| Column Name | Data Type | Max Length |
| --- | --- | --- |
| C_FiledAs | nvarchar | 512 |
| CID | int | - |
| CRID | int | - |
| CRRID | int | - |

### 578. Relationships_MarriedInRW

| Column Name | Data Type | Max Length |
| --- | --- | --- |
| C1_FiledAs | nvarchar | 512 |
| C2_FiledAs | nvarchar | 512 |
| CID1 | int | - |
| CID2 | int | - |
| Custody | bit | - |
| FamilyID | int | - |
| ParentID1 | int | - |
| ParentID2 | int | - |
| Relationship1 | nvarchar | 50 |
| Relationship2 | nvarchar | 50 |

## 579. Relationships_MarriedInRW_union

| Column Name | Data Type | Max Length |
|---|---|---|
| C1_FiledAs | nvarchar | 512 |
| C2_FiledAs | nvarchar | 512 |
| CID1 | int | - |
| CID2 | int | - |
| Custody | bit | - |
| FamilyID | int | - |
| ParentID1 | int | - |
| ParentID2 | int | - |
| Relationship1 | nvarchar | 50 |
| Relationship2 | nvarchar | 50 |

## 580. Relationships_NotMarriedInRW

| Column Name | Data Type | Max Length |
|---|---|---|
| CID1 | int | - |
| CID2 | int | - |
| ParentID1 | int | - |
| ParentID2 | int | - |

## 581. Relationships_Self

| Column Name | Data Type | Max Length |
|---|---|---|
| C_FiledAs | nvarchar | 512 |
| CID | int | - |
| CR_LockedSendMail | bit | - |
| CR_Note | nvarchar | 128 |
| CR_SendMail | bit | - |
| CRID | int | - |

## 582. RenWebSessions

| Column Name | Data Type | Max Length |
|---|---|---|
| ID | int | - |
| LastAccessed | smalldatetime | - |
| LoginTime | smalldatetime | - |
| StaffID | int | - |
| UUID | varchar | 50 |

## 583. Report_BaptizedStatus

| Column Name | Data Type | Max Length |
|---|---|---|
| BaptismStatus | varchar | 10 |
| Church | varchar | 6 |
| GradeLevel | varchar | 2 |
| SchoolCode | varchar | 50 |
| StudentCount | int | - |

**584. Report_BaptizedStatus-int**

| Column Name | Data Type | Max Length |
|---|---|---|
| Church | varchar | 6 |
| FamilyID | int | - |

**585. Report_GS3**

| Column Name | Data Type | Max Length |
|---|---|---|
| C_FiledAs | nvarchar | 512 |
| C_FName1 | nvarchar | 64 |
| C_LName1 | nvarchar | 128 |
| C_MName1 | nvarchar | 64 |
| C_Prefix1 | nvarchar | 32 |
| C_Suffix1 | nvarchar | 60 |
| CA_Name | nvarchar | 256 |
| CAID | int | - |
| CG_Greeting | nvarchar | 128 |
| E_Name | nvarchar | 64 |
| EID | int | - |
| GH_CheckNumber | nvarchar | 32 |
| GH_Comment | nvarchar | 512 |
| GH_CRID | int | - |
| GH_DeductibleAmount | decimal | - |
| GH_FID | int | - |
| GH_GiftAmount | decimal | - |
| GH_GiftCategoryDLID | int | - |
| GH_GiftDate | date | - |
| GH_GiftDescription | nvarchar | -1 |
| GH_GiftStatusDLID | int | - |
| GH_GiftTypeDLID | int | - |
| GH_NewLabel | nvarchar | 256 |
| GH_PIDLabel | nvarchar | 420 |
| GHID | int | - |
| GiftType | nvarchar | 128 |
| PledgeGeneral | varchar | 14 |

**586. Report_YEContrib_CumGivingByYear**

| Column Name | Data Type | Max Length |
|---|---|---|
| CRID | int | - |
| CumGiftAmount | decimal | - |
| GivingYear | int | - |

**587. ReportCardCalculation**

| Column Name | Data Type | Max Length |
|---|---|---|
| DecimalPlaces | smallint | - |
| f_e1 | real | - |

| | | |
|---|---|---|
| f_e2 | real | - |
| f_s1 | real | - |
| f_s2 | real | - |
| f_t1 | real | - |
| f_t2 | real | - |
| f_t3 | real | - |
| f_t4 | real | - |
| f_t5 | real | - |
| f_t6 | real | - |
| GradeLevel | nvarchar | 10 |
| ModifiedBy | int | - |
| ModifiedDate | smalldatetime | - |
| s1_e1 | real | - |
| s1_e2 | real | - |
| s1_t1 | real | - |
| s1_t2 | real | - |
| s1_t3 | real | - |
| s1_t4 | real | - |
| s1_t5 | real | - |
| s1_t6 | real | - |
| s2_e1 | real | - |
| s2_e2 | real | - |
| s2_t1 | real | - |
| s2_t2 | real | - |
| s2_t3 | real | - |
| s2_t4 | real | - |
| s2_t5 | real | - |
| s2_t6 | real | - |
| SchoolCode | nvarchar | 50 |

| 588. ReportDescriptions | | |
|---|---|---|
| Column Name | Data Type | Max Length |
| Base | varchar | 50 |
| Fields | varchar | 255 |
| Filter1 | nvarchar | 255 |
| Filter2 | nvarchar | 255 |
| Filter3 | nvarchar | 255 |
| ReportDescriptionID | int | - |
| ReportName | varchar | 255 |
| SchoolCode | varchar | 50 |
| SelectedFields | nvarchar | -1 |

| 589. ReportFavorites | | |
|---|---|---|
| Column Name | Data Type | Max Length |
| ReportID | int | - |
| StaffID | int | - |

## 590. ReportingCARScript

| Column Name | Data Type | Max Length |
|---|---|---|
| DateEntered | datetime | - |
| SessionID | uniqueidentifier | - |
| StoredProcScript | nvarchar | -1 |

## 591. ReportingCRID

| Column Name | Data Type | Max Length |
|---|---|---|
| Constituent1Email1 | nvarchar | 256 |
| Constituent1Email2 | nvarchar | 256 |
| Constituent1FiledAs | nvarchar | 512 |
| Constituent2Email1 | nvarchar | 256 |
| Constituent2Email2 | nvarchar | 256 |
| Constituent2FiledAs | nvarchar | 512 |
| ConstituentId1 | int | - |
| ConstituentId2 | int | - |
| CRID | int | - |
| DateEntered | datetime | - |
| DisplayGreeting | nvarchar | 128 |
| SessionID | uniqueidentifier | - |
| StringField1 | nvarchar | 512 |
| StringField2 | nvarchar | 512 |

## 592. ReportMessage

| Column Name | Data Type | Max Length |
|---|---|---|
| Message | nvarchar | 4000 |
| MessageType | int | - |
| ReportId | int | - |

## 593. Reservation

| Column Name | Data Type | Max Length |
|---|---|---|
| CatalogID | int | - |
| CreatedDate | datetime | - |
| OnHoldEndDate | datetime | - |
| PersonID | int | - |
| ReservationID | int | - |
| ReservationStatusID | int | - |
| ReservedDate | datetime | - |
| ReservedEndDate | datetime | - |

## 594. ResourcesStaff

| Column Name | Data Type | Max Length |
|---|---|---|
| ClassID | int | - |
| GlobalResource | int | - |

| | | |
|---|---|---|
| ModifiedBy | int | - |
| ModifiedDate | smalldatetime | - |
| NAME | nvarchar | 255 |
| ResourceID | int | - |
| ResourceOrder | int | - |
| StaffID | int | - |
| Type | nvarchar | 255 |
| URL | nvarchar | 255 |

## 595. Rooms

| Column Name | Data Type | Max Length |
|---|---|---|
| Auto | bit | - |
| ModifiedBy | int | - |
| ModifiedDate | smalldatetime | - |
| Multiple | bit | - |
| Room | nvarchar | 50 |
| RoomID | int | - |
| SchoolCode | nvarchar | 50 |
| Size | smallint | - |

## 596. Roster

| Column Name | Data Type | Max Length |
|---|---|---|
| AltYearID | int | - |
| Audit | bit | - |
| Citizen1 | nvarchar | 50 |
| Citizen2 | nvarchar | 50 |
| Citizen3 | nvarchar | 50 |
| Citizen4 | nvarchar | 50 |
| Citizen5 | nvarchar | 50 |
| Citizen6 | nvarchar | 50 |
| ClassID | int | - |
| Com1 | nvarchar | -1 |
| Com2 | nvarchar | -1 |
| Com3 | nvarchar | -1 |
| Com4 | nvarchar | -1 |
| Com5 | nvarchar | -1 |
| Com6 | nvarchar | -1 |
| CreditsOverride | real | - |
| Enrolled | bit | - |
| Enrolled1 | bit | - |
| Enrolled2 | bit | - |
| Enrolled3 | bit | - |
| Enrolled4 | bit | - |
| Enrolled5 | bit | - |
| Enrolled6 | bit | - |
| Exam1Avg | real | - |
| Exam1Calc | bit | - |

| | | |
|---|---|---|
| Exam1GPA | real | - |
| Exam1Passing | bit | - |
| Exam2Avg | real | - |
| Exam2Calc | bit | - |
| Exam2GPA | real | - |
| Exam2Passing | bit | - |
| Exam3AVG | real | - |
| Exam3Calc | bit | - |
| Exam3GPA | real | - |
| Exam3Passing | bit | - |
| Exam3UGPA | real | - |
| FinalCalc | bit | - |
| FinalGrade | nvarchar | 50 |
| FinalGradeAvg | real | - |
| FinalGradeGPA | real | - |
| FinalGradeUGPA | real | - |
| FinalPassing | bit | - |
| GbkComment | nvarchar | 2000 |
| Grade1 | nvarchar | 50 |
| Grade2 | nvarchar | 50 |
| Grade3 | nvarchar | 50 |
| Grade4 | nvarchar | 50 |
| Grade5 | nvarchar | 50 |
| Grade6 | nvarchar | 50 |
| GradeLevel | nvarchar | 50 |
| ModifiedBy | int | - |
| ModifiedDate | smalldatetime | - |
| PRC1 | nvarchar | 4000 |
| PRC2 | nvarchar | 4000 |
| PRC3 | nvarchar | 4000 |
| PRC4 | nvarchar | 4000 |
| PRC5 | nvarchar | 4000 |
| PRC6 | nvarchar | 4000 |
| PRG1 | nvarchar | 50 |
| PRG2 | nvarchar | 50 |
| PRG3 | nvarchar | 50 |
| PRG4 | nvarchar | 50 |
| PRG5 | nvarchar | 50 |
| PRG6 | nvarchar | 50 |
| Sem1Avg | real | - |
| Sem1Calc | bit | - |
| Sem1Exam | nvarchar | 50 |
| Sem1GPA | real | - |
| Sem1Grade | nvarchar | 50 |
| Sem1Passing | bit | - |
| Sem1UGPA | real | - |
| Sem2Avg | real | - |
| Sem2Calc | bit | - |
| Sem2Exam | nvarchar | 50 |

| | | |
|---|---|---|
| Sem2GPA | real | - |
| Sem2Grade | nvarchar | 50 |
| Sem2Passing | bit | - |
| Sem2UGPA | real | - |
| Sem3AVG | real | - |
| Sem3Calc | bit | - |
| Sem3Exam | nvarchar | 50 |
| Sem3GPA | real | - |
| Sem3Grade | nvarchar | 50 |
| Sem3Passing | bit | - |
| Sem3UGPA | real | - |
| StudentID | int | - |
| Term1Absent | real | - |
| Term1Avg | real | - |
| Term1Calc | bit | - |
| Term1GPA | real | - |
| Term1Passing | bit | - |
| Term1Tardy | real | - |
| Term1UGPA | real | - |
| Term2Absent | real | - |
| Term2Avg | real | - |
| Term2Calc | bit | - |
| Term2GPA | real | - |
| Term2Passing | bit | - |
| Term2Tardy | real | - |
| Term2UGPA | real | - |
| Term3Absent | real | - |
| Term3Avg | real | - |
| Term3Calc | bit | - |
| Term3GPA | real | - |
| Term3Passing | bit | - |
| Term3Tardy | real | - |
| Term3UGPA | real | - |
| Term4Absent | real | - |
| Term4Avg | real | - |
| Term4Calc | bit | - |
| Term4GPA | real | - |
| Term4Passing | bit | - |
| Term4Tardy | real | - |
| Term4UGPA | real | - |
| Term5Absent | real | - |
| Term5Avg | real | - |
| Term5Calc | bit | - |
| Term5GPA | real | - |
| Term5Passing | bit | - |
| Term5Tardy | real | - |
| Term5UGPA | real | - |
| Term6Absent | real | - |
| Term6Avg | real | - |

| | | |
|---|---|---|
| Term6Calc | bit | - |
| Term6GPA | real | - |
| Term6Passing | bit | - |
| Term6Tardy | real | - |
| Term6UGPA | real | - |
| TranscriptIDFG | int | - |
| TranscriptIDS1 | int | - |
| TranscriptIDS2 | int | - |
| TranscriptIDS3 | int | - |
| TranscriptIDT1 | int | - |
| TranscriptIDT2 | int | - |
| TranscriptIDT3 | int | - |
| TranscriptIDT4 | int | - |
| TranscriptIDT5 | int | - |
| TranscriptIDT6 | int | - |
| TranscriptS3 | int | - |
| Weight | real | - |
| YearID | int | - |

| **597. RosterPredicted** | | |
|---|---|---|
| Column Name | Data Type | Max Length |
| ClassID | int | - |
| FinalCalc | bit | - |
| FinalGrade | varchar | 50 |
| FinalGradeAvg | real | - |
| FinalGradeGPA | real | - |
| FinalGradeUGPA | real | - |
| FinalPassing | bit | - |
| ModifiedBy | int | - |
| ModifiedDate | smalldatetime | - |
| Sem1Avg | real | - |
| Sem1Calc | bit | - |
| Sem1GPA | real | - |
| Sem1Grade | varchar | 50 |
| Sem1Passing | bit | - |
| Sem1UGPA | real | - |
| Sem2Avg | real | - |
| Sem2Calc | bit | - |
| Sem2GPA | real | - |
| Sem2Grade | varchar | 50 |
| Sem2Passing | bit | - |
| Sem2UGPA | real | - |
| StudentID | int | - |

| **598. RunnableInstancesTable** | | |
|---|---|---|
| Column Name | Data Type | Max Length |
| RunnableTime | datetime | - |

| | | |
|---|---|---|
| ServiceDeploymentId | bigint | - |
| SurrogateIdentityId | bigint | - |
| SurrogateInstanceId | bigint | - |
| WorkflowHostType | uniqueidentifier | - |

## 599. SavedCARField

| Column Name | Data Type | Max Length |
|---|---|---|
| SCARF_ParentNode | nvarchar | 128 |
| SCARF_RealName | nvarchar | 128 |
| SCARF_SCARFLID | int | - |
| SCARFID | int | - |

## 600. SavedCARFilter

| Column Name | Data Type | Max Length |
|---|---|---|
| SCARFL_CAID | int | - |
| SCARFL_CAIDExtended | varchar | 4000 |
| SCARFL_CAIDMode | int | - |
| SCARFL_CCI | int | - |
| SCARFL_CCIExtended | varchar | 4000 |
| SCARFL_CCIMode | int | - |
| SCARFL_Compare1 | nvarchar | 4 |
| SCARFL_Compare2 | nvarchar | 4 |
| SCARFL_Compare3 | nvarchar | 4 |
| SCARFL_DateUpdated | datetime | - |
| SCARFL_EID | int | - |
| SCARFL_EIDExtended | varchar | 4000 |
| SCARFL_EIDMode | int | - |
| SCARFL_Filter1 | nvarchar | 256 |
| SCARFL_Filter2 | nvarchar | 256 |
| SCARFL_Filter3 | nvarchar | 256 |
| SCARFL_FilterField1 | nvarchar | 128 |
| SCARFL_FilterField2 | nvarchar | 128 |
| SCARFL_FilterField3 | nvarchar | 128 |
| SCARFL_OptionBool12 | int | - |
| SCARFL_OptionBool23 | int | - |
| SCARFL_ReportName | nvarchar | 128 |
| SCARFL_RID | int | - |
| SCARFL_Status | int | - |
| SCARFL_StatusMode | int | - |
| SCARFL_UpdatedByUID | int | - |
| SCARFLID | int | - |

## 601. SBGTermGrade

| Column Name | Data Type | Max Length |
|---|---|---|
| ClassID | int | - |
| Comment | nvarchar | 1000 |

| Grade | nvarchar | 10 |
|---|---|---|
| StandardID | int | - |
| StudentID | int | - |
| TermID | int | - |

## 602. ScheduleBackUpClasses

| Column Name | Data Type | Max Length |
|---|---|---|
| BackupID | int | - |
| ClassID | int | - |
| Pattern | int | - |
| RoomID | int | - |
| StaffID | int | - |

## 603. ScheduleBackupConfig

| Column Name | Data Type | Max Length |
|---|---|---|
| BackUpID | int | - |
| BackUpName | nvarchar | 128 |
| YearID | int | - |

## 604. ScheduleBackupRoster

| Column Name | Data Type | Max Length |
|---|---|---|
| BackUpID | int | - |
| ClassID | int | - |
| StudentID | int | - |

## 605. ScheduleBackupTimeTable

| Column Name | Data Type | Max Length |
|---|---|---|
| BackUpID | int | - |
| Begin | int | - |
| ClassID | int | - |
| Day | int | - |
| RoomID | int | - |

## 606. SchedulePatterns

| Column Name | Data Type | Max Length |
|---|---|---|
| Name | nvarchar | 50 |
| PatternGroup | nvarchar | 50 |
| PatternNumber | int | - |
| SortOrder | int | - |
| TemplateID | int | - |

## 607. SchedulePatternsTimeTable

| Column Name | Data Type | Max Length |
|---|---|---|

| Col | int | - |
| --- | --- | --- |
| PatternNumber | int | - |
| Row | int | - |
| TemplateID | int | - |

## 608. ScheduleTemplate

| Column Name | Data Type | Max Length |
| --- | --- | --- |
| Cols | int | - |
| Elementary | bit | - |
| HighSchool | bit | - |
| MiddleSchool | bit | - |
| Preschool | bit | - |
| Rows | int | - |
| TemplateID | int | - |
| TemplateName | nvarchar | 50 |
| YearID | int | - |

## 609. ScheduleTemplateStaff

| Column Name | Data Type | Max Length |
| --- | --- | --- |
| Day | int | - |
| ModifiedBy | int | - |
| ModifiedDate | smalldatetime | - |
| Period | int | - |
| ScheduleBlock | bit | - |
| StaffID | int | - |
| TemplateID | int | - |
| TemplateText | nvarchar | 50 |

## 610. ScheduleTemplateTimeTable

| Column Name | Data Type | Max Length |
| --- | --- | --- |
| Col | int | - |
| Row | int | - |
| TemplateID | int | - |
| TemplateText | nvarchar | 50 |
| TemplateTime | nvarchar | 50 |

## 611. ScheduleUserDefinedList

| Column Name | Data Type | Max Length |
| --- | --- | --- |
| CourseID | int | - |
| SortOrder | int | - |
| UDID | int | - |

## 612. ScheduleUserDefinedListName

| Column Name | Data Type | Max Length |
| --- | --- | --- |

| | | |
|---|---|---|
| Name | nvarchar | 50 |
| TemplateID | int | - |
| UDID | int | - |

**613. SchoolGoogleDomainMM**

| Column Name | Data Type | Max Length |
|---|---|---|
| ConfigSchoolId | smallint | - |
| GoogleDomainId | int | - |

**614. SchoolTerm**

| Column Name | Data Type | Max Length |
|---|---|---|
| FirstDay | datetime | - |
| LastDay | datetime | - |
| ModifiedBy | int | - |
| ModifiedDate | smalldatetime | - |
| Name | nvarchar | 50 |
| SchoolCode | nvarchar | 50 |
| SchoolTermID | int | - |
| Semester1 | bit | - |
| Semester2 | bit | - |
| SemesterID | int | - |
| TermID | smallint | - |
| YearID | int | - |

**615. SchoolYear**

| Column Name | Data Type | Max Length |
|---|---|---|
| BlockAcademicYear | bit | - |
| FACTSTermCode | nvarchar | 50 |
| FirstDay | datetime | - |
| IsTemplate | bit | - |
| LastDay | datetime | - |
| ModifiedBy | int | - |
| ModifiedDate | smalldatetime | - |
| OARequestInfoEnabled | bit | - |
| SchoolCode | nvarchar | 50 |
| SchoolID | int | - |
| SchoolYear | nvarchar | 50 |
| SummerSchool | bit | - |
| YearID | int | - |

**616. ScreenPersonalizationMM**

| Column Name | Data Type | Max Length |
|---|---|---|
| ID | int | - |
| IsVisible | bit | - |
| Order | int | - |

| | | |
|---|---|---|
| ScreenID | int | - |
| StaffID | int | - |

## 617. SearchCatalog

| Column Name | Data Type | Max Length |
|---|---|---|
| CatalogAttributeType | int | - |
| CatalogID | int | - |
| ForeignTable | nvarchar | 64 |
| ForiegnTableID | int | - |
| SearchCatalogID | int | - |
| SearchData | nvarchar | 513 |
| Timestamp | timestamp | - |

## 618. Security_ReportCategory

| Column Name | Data Type | Max Length |
|---|---|---|
| CategoryID | int | - |
| SecurityGroupID | int | - |

## 619. Security_Reports

| Column Name | Data Type | Max Length |
|---|---|---|
| BlockReport | bit | - |
| ReportID | int | - |
| SecurityGroupID | int | - |
| ViewReport | bit | - |

## 620. SecurityGroup

| Column Name | Data Type | Max Length |
|---|---|---|
| SG_Description | nvarchar | 256 |
| SG_Name | nvarchar | 64 |
| SGID | int | - |

## 621. SecurityGroupMember

| Column Name | Data Type | Max Length |
|---|---|---|
| SGM_SGID | int | - |
| SGM_UID | int | - |
| SGMID | int | - |

## 622. SecurityGroupMembership

| Column Name | Data Type | Max Length |
|---|---|---|
| GroupID | int | - |
| ModifiedBy | int | - |
| ModifiedDate | smalldatetime | - |
| StaffID | int | - |

## 623. SecurityGroupRight

| Column Name | Data Type | Max Length |
|---|---|---|
| RightLevel | int | - |
| SecurityGroupID | int | - |
| SecurityItemID | int | - |
| SGR_Permission | varchar | 32 |
| SGR_SGID | int | - |
| SGR_SIID | int | - |
| SGRID | int | - |

## 624. SecurityGroupRight_Backup

| Column Name | Data Type | Max Length |
|---|---|---|
| BackupID | int | - |
| RightLevel | int | - |
| SecurityGroupID | int | - |
| SecurityItemID | int | - |

## 625. SecurityGroupRights

| Column Name | Data Type | Max Length |
|---|---|---|
| GroupID | int | - |
| ModifiedBy | int | - |
| ModifiedDate | smalldatetime | - |
| Modify | bit | - |
| SecurityID | int | - |
| SecurityItem | nvarchar | 50 |
| View | bit | - |

## 626. SecurityGroups

| Column Name | Data Type | Max Length |
|---|---|---|
| Accounting | smallint | - |
| Admissions | smallint | - |
| Attendance | smallint | - |
| CashRegister | smallint | - |
| Classes | smallint | - |
| ClassGroup | smallint | - |
| Conference | smallint | - |
| Courses | smallint | - |
| Description | nvarchar | 255 |
| Discipline | smallint | - |
| Donor | smallint | - |
| EnrollmentD | smallint | - |
| Family | smallint | - |
| GradeBook | smallint | - |
| GroupID | int | - |

| | | |
|---|---|---|
| Library | smallint | - |
| Medical | smallint | - |
| ModifiedBy | int | - |
| ModifiedDate | smalldatetime | - |
| Name | nvarchar | 50 |
| PortalConversionType | smallint | - |
| PrintAdmin | smallint | - |
| PrintCreateAReport | smallint | - |
| ReportCard | smallint | - |
| Scheduling | smallint | - |
| SchoolCode | varchar | 50 |
| Security | smallint | - |
| Staff | smallint | - |
| Student | smallint | - |
| SystemConfiguration | smallint | - |
| SystemFunctions | smallint | - |
| Transcripts | smallint | - |

## 627. ServiceDeployments

| Column Name | Data Type | Max Length |
|---|---|---|
| RelativeApplicationPath | nvarchar | -1 |
| RelativeServicePath | nvarchar | -1 |
| ServiceDeploymentId | bigint | - |
| ServiceName | nvarchar | -1 |
| ServiceNamespace | nvarchar | -1 |
| SiteName | nvarchar | -1 |

## 628. ServiceDeploymentsTable

| Column Name | Data Type | Max Length |
|---|---|---|
| Id | bigint | - |
| RelativeApplicationPath | nvarchar | -1 |
| RelativeServicePath | nvarchar | -1 |
| ServiceDeploymentHash | uniqueidentifier | - |
| ServiceName | nvarchar | -1 |
| ServiceNamespace | nvarchar | -1 |
| SiteName | nvarchar | -1 |

## 629. SessionUpdateGreeting

| Column Name | Data Type | Max Length |
|---|---|---|
| CRID | int | - |
| DateEntered | datetime | - |
| Greeting | nvarchar | 128 |
| GreetingTypeDLID | int | - |
| SessionID | uniqueidentifier | - |
| UpdatePA | bit | - |
| UpdatePS | bit | - |

| | | |
|---|---|---|
| UpdateSM | bit | - |

## 630. SIS_Export_File

| Column Name | Data Type | Max Length |
|---|---|---|
| Delimiter | int | - |
| FileID | int | - |
| FileName | nvarchar | 255 |

## 631. SIS_Export_File_Record

| Column Name | Data Type | Max Length |
|---|---|---|
| FileID | int | - |
| Order | int | - |
| RecordID | int | - |

## 632. SIS_Export_Members

| Column Name | Data Type | Max Length |
|---|---|---|
| FileID | int | - |
| ID | int | - |
| MemberType | nvarchar | 50 |

## 633. SIS_Export_Record

| Column Name | Data Type | Max Length |
|---|---|---|
| Custom | nvarchar | 128 |
| RecordID | int | - |
| RecordName | nvarchar | 50 |
| Type | nvarchar | 50 |

## 634. SIS_Export_Record_Field

| Column Name | Data Type | Max Length |
|---|---|---|
| BeginField | int | - |
| CustomExtract | nvarchar | 255 |
| Data | nvarchar | 50 |
| DatabaseField | nvarchar | 50 |
| DatabaseTable | nvarchar | 50 |
| EndField | int | - |
| FieldID | int | - |
| FieldLength | int | - |
| FieldName | nvarchar | 50 |
| FieldNumber | int | - |
| FieldType | nvarchar | 50 |
| Mask | nvarchar | 50 |
| RecordID | int | - |
| TranslationRequired | bit | - |
| TranslationType | nvarchar | 50 |

| UDCategory | int | - |
|---|---|---|
| UDField | int | - |
| UDType | nvarchar | 50 |

## 635. SIS_Export_Translation

| Column Name | Data Type | Max Length |
|---|---|---|
| From | nvarchar | 50 |
| To | nvarchar | 50 |
| Type | nvarchar | 50 |

## 636. SkillSet_CourseObjectives

| Column Name | Data Type | Max Length |
|---|---|---|
| ObjectiveID | int | - |
| SkillID | int | - |

## 637. SoftCredit

| Column Name | Data Type | Max Length |
|---|---|---|
| SC_Amount | decimal | - |
| SC_CID | int | - |
| SC_CRID | int | - |
| SC_GHID | int | - |
| SC_Percentage | int | - |
| SCID | int | - |

## 638. SpecialNeeds

| Column Name | Data Type | Max Length |
|---|---|---|
| ADD/ADHD | bit | - |
| ADDNote | nvarchar | 50 |
| BehaviorMgt | bit | - |
| BehaviorMgtNote | nvarchar | 50 |
| GT | bit | - |
| GTNote | nvarchar | 255 |
| ModifiedBy | int | - |
| ModifiedDate | smalldatetime | - |
| OtherNeeds | nvarchar | 255 |
| SpecialED | bit | - |
| SpecialEDNote | nvarchar | 255 |
| StudentID | int | - |
| Tutoring | bit | - |
| TutoringNote | nvarchar | 255 |

## 639. SpecialNeedsNotes

| Column Name | Data Type | Max Length |
|---|---|---|
| Date | datetime | - |

| | | |
|---|---|---|
| ModifiedBy | int | - |
| ModifiedDate | smalldatetime | - |
| Note | nvarchar | -1 |
| Staff | nvarchar | 50 |
| StudentID | int | - |
| upsize_ts | timestamp | - |

## 640. SqlWorkflowInstanceStoreVersionTable

| Column Name | Data Type | Max Length |
|---|---|---|
| Build | bigint | - |
| LastUpdated | datetime | - |
| Major | bigint | - |
| Minor | bigint | - |
| Revision | bigint | - |

## 641. SS_Assignment

| Column Name | Data Type | Max Length |
|---|---|---|
| AssessmentID | int | - |
| AssignmentID | int | - |
| ClassID | int | - |
| ModifiedBy | int | - |
| ModifiedDate | smalldatetime | - |
| SkillID | int | - |

## 642. SS_Grades

| Column Name | Data Type | Max Length |
|---|---|---|
| ClassID1 | int | - |
| Com1 | nvarchar | -1 |
| Com2 | nvarchar | -1 |
| Com3 | nvarchar | -1 |
| Com4 | nvarchar | -1 |
| Com5 | nvarchar | -1 |
| Com6 | nvarchar | -1 |
| G1 | nvarchar | 15 |
| G2 | nvarchar | 15 |
| G3 | nvarchar | 15 |
| G4 | nvarchar | 15 |
| G5 | nvarchar | 15 |
| G6 | nvarchar | 15 |
| ModifiedBy | int | - |
| ModifiedDate | smalldatetime | - |
| SkillID | int | - |
| StudentID | int | - |

## 643. SS_Skills

| Column Name | Data Type | Max Length |
|---|---|---|
| GradeType | smallint | - |
| ModifiedBy | int | - |
| ModifiedDate | smalldatetime | - |
| Rubric1 | nvarchar | -1 |
| Rubric2 | nvarchar | -1 |
| Rubric3 | nvarchar | -1 |
| Rubric4 | nvarchar | -1 |
| Rubric5 | nvarchar | -1 |
| SingleGrade | bit | - |
| Skill | nvarchar | 1000 |
| SkillID | int | - |
| SkillOrder | smallint | - |
| StateID | nvarchar | 64 |
| SubjectID | int | - |

## 644. SS_Subjects

| Column Name | Data Type | Max Length |
|---|---|---|
| CourseID | int | - |
| ModifiedBy | int | - |
| ModifiedDate | smalldatetime | - |
| Subject | nvarchar | 500 |
| SubjectID | int | - |
| SubjectOrder | smallint | - |

## 645. Staff

| Column Name | Data Type | Max Length |
|---|---|---|
| Active | bit | - |
| Address1 | nvarchar | 255 |
| Address2 | nvarchar | 255 |
| AddressID | int | - |
| Administrator | bit | - |
| BachelorDegree | nvarchar | 128 |
| BachelorDegree2 | nvarchar | 128 |
| BachelorSchool | nvarchar | 128 |
| BachelorSchool2 | nvarchar | 128 |
| BachelorYear | nvarchar | 50 |
| BachelorYear2 | nvarchar | 50 |
| Birthdate | datetime | - |
| CellPhone | nvarchar | 50 |
| ChurchID | int | - |
| Citizenship | nvarchar | 50 |
| City | nvarchar | 255 |
| Country | nvarchar | 255 |
| Denomination | nvarchar | 50 |
| Department | nvarchar | 64 |
| DistrictUser | bit | - |

| | | |
|---|---|---|
| EducationLevel | int | - |
| Elementary | bit | - |
| Email | nvarchar | 256 |
| Email2 | nvarchar | 256 |
| EndDate | datetime | - |
| Ethnicity | nvarchar | 50 |
| Faculty | bit | - |
| FinancialFamilyID | int | - |
| FirstName | nvarchar | 64 |
| FTE | real | - |
| FullTime | bit | - |
| Gender | nvarchar | 50 |
| Highschool | nvarchar | 128 |
| HomePhone | nvarchar | 50 |
| HS | bit | - |
| LastName | nvarchar | 128 |
| MasterDegree | nvarchar | 128 |
| MasterDegree2 | nvarchar | 128 |
| MasterSchool | nvarchar | 128 |
| MasterSchool2 | nvarchar | 128 |
| MasterYear | nvarchar | 50 |
| MasterYear2 | nvarchar | 50 |
| MiddleName | nvarchar | 64 |
| MiddleSchool | bit | - |
| NickName | nvarchar | 50 |
| Note | nvarchar | 2000 |
| Occupation | nvarchar | 128 |
| Password | nvarchar | 50 |
| PathToPicture | nvarchar | 255 |
| PDA | int | - |
| PersonID | int | - |
| PHDDegree | nvarchar | 50 |
| PHDDegree2 | nvarchar | 50 |
| PHDSchool | nvarchar | 128 |
| PHDSchool2 | nvarchar | 128 |
| PHDYear | nvarchar | 50 |
| PHDYear2 | nvarchar | 50 |
| Preschool | bit | - |
| RoomID | int | - |
| Salutation | nvarchar | 64 |
| SSN | varchar | 50 |
| StaffDirectoryBlock | bit | - |
| StaffID | int | - |
| StartDate | datetime | - |
| State | nvarchar | 255 |
| Substitute | bit | - |
| Suffix | nvarchar | 50 |
| UnsubscribeRenWebEmail | bit | - |
| WorkPhone | nvarchar | 128 |

| WorkPhoneExtension | nvarchar | 50 |
|---|---|---|
| ZIP | nvarchar | 255 |

**646. StaffAttendance**

| Column Name | Data Type | Max Length |
|---|---|---|
| AttendanceCode | nvarchar | 50 |
| AttendanceDate | smalldatetime | - |
| Comment | nvarchar | 250 |
| StaffID | int | - |

**647. StaffCertification**

| Column Name | Data Type | Max Length |
|---|---|---|
| Certification | nvarchar | 255 |
| CertificationID | int | - |
| CertificationLevel | nvarchar | 128 |
| CertificationType | nvarchar | 128 |
| Date | nvarchar | 50 |
| DateExpires | smalldatetime | - |
| DateReceived | smalldatetime | - |
| ModifiedBy | int | - |
| ModifiedDate | smalldatetime | - |
| Note | nvarchar | 255 |
| StaffID | int | - |
| UD1 | nvarchar | 50 |
| UD2 | nvarchar | 50 |
| UD3 | nvarchar | 50 |
| UD4 | nvarchar | 50 |
| UD5 | nvarchar | 50 |

**648. StaffDomainGoogleUser**

| Column Name | Data Type | Max Length |
|---|---|---|
| GoogleDomainId | int | - |
| GoogleUserEmail | nvarchar | 450 |
| GoogleUserId | nvarchar | -1 |
| PersonId | int | - |

**649. StaffEducation**

| Column Name | Data Type | Max Length |
|---|---|---|
| Certification | bit | - |
| CEU | real | - |
| Date | datetime | - |
| Description | nvarchar | 255 |
| Hours | real | - |
| ID | int | - |
| ModifiedBy | int | - |

| Column Name | Data Type | Max Length |
|---|---|---|
| ModifiedDate | smalldatetime | - |
| StaffID | int | - |
| UD1 | nvarchar | 50 |
| UD2 | nvarchar | 50 |
| UD3 | nvarchar | 50 |
| UD4 | nvarchar | 50 |
| UD5 | nvarchar | 50 |
| Units | nvarchar | 50 |

### 650. StaffLogin

| Column Name | Data Type | Max Length |
|---|---|---|
| AutoNumber | int | - |
| Date | smalldatetime | - |
| FacultyWeb | bit | - |
| logintype | int | - |
| StaffID | int | - |

### 651. StaffSalary

| Column Name | Data Type | Max Length |
|---|---|---|
| amount | decimal | - |
| Hourly | bit | - |
| note | nvarchar | 255 |
| Salary | bit | - |
| SalaryID | int | - |
| staffID | int | - |
| StartDate | smalldatetime | - |

### 652. StaffSchools

| Column Name | Data Type | Max Length |
|---|---|---|
| AutoNum | int | - |
| ModifiedBy | int | - |
| ModifiedDate | smalldatetime | - |
| SchoolCode | nvarchar | 50 |
| StaffID | int | - |
| SuperUser | bit | - |

### 653. StaffSecurityItemRightLevel

| Column Name | Data Type | Max Length |
|---|---|---|
| RightLevel | int | - |
| SchoolCode | varchar | 50 |
| SecurityItemID | int | - |
| StaffID | int | - |

### 654. StaffSubstitutes

| Column Name | Data Type | Max Length |
|---|---|---|
| ClassID | int | - |
| Date | smalldatetime | - |
| ID | int | - |
| ModifiedBy | int | - |
| ModifiedDate | smalldatetime | - |
| Reason | nvarchar | 50 |
| StaffID | int | - |
| SubstituteID | int | - |

**655. Standard**

| Column Name | Data Type | Max Length |
|---|---|---|
| Description | nvarchar | 4000 |
| Hidden | bit | - |
| Identifier | nvarchar | 128 |
| OtherSystemID | int | - |
| SortOrder | int | - |
| Source | nvarchar | 1000 |
| StandardID | int | - |
| StandardLevel | int | - |
| StandardPathID | int | - |

**656. StandardCoursesMM**

| Column Name | Data Type | Max Length |
|---|---|---|
| CourseID | int | - |
| StandardID | int | - |

**657. StandardizedTestConfiguration**

| Column Name | Data Type | Max Length |
|---|---|---|
| ConfigSchoolID | smallint | - |
| LegacyTestID | int | - |
| ShowOnTranscript | bit | - |
| StandardizedTestConfigurationID | int | - |
| TestName | nvarchar | 50 |

**658. StandardizedTestConfigurationScore**

| Column Name | Data Type | Max Length |
|---|---|---|
| ScoreName | nvarchar | 50 |
| SortOrder | int | - |
| StandardizedTestConfigurationID | int | - |

**659. StandardPath**

| Column Name | Data Type | Max Length |
|---|---|---|
| ConfigSchoolID | smallint | - |

| Description | nvarchar | 4000 |
|---|---|---|
| Hidden | bit | - |
| Name | nvarchar | 1000 |
| OtherSystemID | int | - |
| ParentPathID | int | - |
| SortOrder | int | - |
| StandardPathID | int | - |
| StandardPathLevel | int | - |

### 660. StandardSkillSetMM

| Column Name | Data Type | Max Length |
|---|---|---|
| SkillID | int | - |
| StandardID | int | - |

### 661. StandardsPerfStandard

| Column Name | Data Type | Max Length |
|---|---|---|
| PerfDesc | nvarchar | -1 |
| PerfID | int | - |
| PerfTitle | nvarchar | 50 |
| SortOrder | smallint | - |
| StrandID | smallint | - |

### 662. StudentActivity

| Column Name | Data Type | Max Length |
|---|---|---|
| ActivityID | int | - |
| ModifiedBy | int | - |
| ModifiedDate | smalldatetime | - |
| Note | nvarchar | 50 |
| StudentID | int | - |

### 663. StudentAlert

| Column Name | Data Type | Max Length |
|---|---|---|
| Active | bit | - |
| AlertID | int | - |
| Description | nvarchar | 2000 |
| StudentID | int | - |
| Title | nvarchar | 128 |

### 664. StudentAlertApplication

| Column Name | Data Type | Max Length |
|---|---|---|
| AlertID | int | - |
| ApplicationID | int | - |
| Beep | bit | - |
| PopUp | bit | - |

| PopUpAlways | bit | - |
| Visual | bit | - |

**665. StudentAlertRead**

| Column Name | Data Type | Max Length |
|---|---|---|
| AlertID | int | - |
| StaffID | int | - |
| StudentID | int | - |

**666. StudentAllergies**

| Column Name | Data Type | Max Length |
|---|---|---|
| Allergy | nvarchar | 255 |
| AllergyID | int | - |
| Comment | nvarchar | 255 |
| ModifiedBy | int | - |
| ModifiedDate | smalldatetime | - |
| StudentID | int | - |

**667. StudentApplication**

| Column Name | Data Type | Max Length |
|---|---|---|
| AcceptedDate | datetime | - |
| ApplicationDate | datetime | - |
| ApplicationID | int | - |
| ApplicationStatus | int | - |
| CancelReason | nvarchar | 255 |
| EnrollmentFeeWaived | bit | - |
| EnrollmentPacketSent | smalldatetime | - |
| EnrollmentPacketStarted | smalldatetime | - |
| EnrollmentPacketSubmitted | smalldatetime | - |
| FinancialAid | bit | - |
| GradeLevel | nvarchar | 50 |
| InterviewDate | datetime | - |
| ModifiedBy | int | - |
| ModifiedDate | smalldatetime | - |
| Notes | nvarchar | -1 |
| OEBypassFACTS | bit | - |
| PriorityLevel | int | - |
| ReferredBy | nvarchar | 256 |
| ReferredByDetails | nvarchar | 512 |
| StudentID | int | - |
| TestedDate | datetime | - |
| TrackingSystemID | int | - |
| UDStatus | nvarchar | 256 |
| UnfinishedEmailSent | smalldatetime | - |
| YearID | int | - |

## 668. StudentApplicationEmailSent

| Column Name | Data Type | Max Length |
|---|---|---|
| ApplicationID | int | - |
| EmailAddress | nvarchar | 256 |
| EmailDate | smalldatetime | - |
| EmailSentID | int | - |
| EmailType | nvarchar | 50 |

## 669. StudentChargeRequest

| Column Name | Data Type | Max Length |
|---|---|---|
| Amount | decimal | - |
| ClassID | int | - |
| Description | nvarchar | 255 |
| StudentID | int | - |

## 670. StudentDomainGoogleUser

| Column Name | Data Type | Max Length |
|---|---|---|
| GoogleDomainId | int | - |
| GoogleUserEmail | nvarchar | 450 |
| GoogleUserId | nvarchar | -1 |
| PersonId | int | - |

## 671. StudentHonors

| Column Name | Data Type | Max Length |
|---|---|---|
| Honor | nvarchar | 50 |
| HonorID | int | - |
| ModifiedBy | int | - |
| ModifiedDate | smalldatetime | - |
| StudentHonorID | int | - |
| StudentID | int | - |
| Term | nvarchar | 50 |
| YearID | int | - |

## 672. StudentImmunization

| Column Name | Data Type | Max Length |
|---|---|---|
| Comment | nvarchar | 50 |
| Exemption | smallint | - |
| ModifiedBy | int | - |
| ModifiedDate | smalldatetime | - |
| ShotDate | datetime | - |
| ShotNumber | smallint | - |
| ShotType | nvarchar | 50 |
| StudentID | int | - |

## 673. StudentImmunizationCompliance

| Column Name | Data Type | Max Length |
| --- | --- | --- |
| Compliant | bit | - |
| DateChecked | datetime | - |
| ModifiedBy | int | - |
| ModifiedDate | smalldatetime | - |
| Reason | nvarchar | 255 |
| StudentID | int | - |
| Type | nvarchar | 50 |

## 674. StudentInquiry

| Column Name | Data Type | Max Length |
| --- | --- | --- |
| Active | int | - |
| ContactDate | smalldatetime | - |
| FinancialAid | bit | - |
| GradeLevel | nvarchar | 50 |
| InquiryID | int | - |
| Notes | nvarchar | -1 |
| ReferredBy | nvarchar | 50 |
| ReferredByDetails | nvarchar | 512 |
| SchoolCode | nvarchar | 50 |
| Status | nvarchar | 50 |
| StudentID | nchar | 10 |
| TrackingSystemID | int | - |
| YearID | int | - |

## 675. StudentMedicalConditions

| Column Name | Data Type | Max Length |
| --- | --- | --- |
| Comment | nvarchar | 512 |
| Condition | nvarchar | 512 |
| ConditionID | int | - |
| ModifiedBy | int | - |
| ModifiedDate | smalldatetime | - |
| StudentID | int | - |

## 676. StudentMedicalEvents

| Column Name | Data Type | Max Length |
| --- | --- | --- |
| Description | nvarchar | -1 |
| EventDate | datetime | - |
| EventID | int | - |
| EventType | nvarchar | 50 |
| MedicationID | int | - |
| ModifiedBy | int | - |
| ModifiedDate | smalldatetime | - |
| Outcome | nvarchar | -1 |

| PersonContacted | nvarchar | 50 |
|---|---|---|
| Staff | nvarchar | 50 |
| StudentID | int | - |
| Temperature | nvarchar | 50 |
| TimeContacted | nvarchar | 50 |
| TimeIn | nvarchar | 50 |
| TimeOut | nvarchar | 50 |
| Treatment | nvarchar | -1 |

| **677. StudentMedicalTest** | | |
|---|---|---|
| Column Name | Data Type | Max Length |
| MedicalTestConfigurationID | int | - |
| StudentID | int | - |
| StudentMedicalTestID | int | - |
| TestDate | smalldatetime | - |

| **678. StudentMedicalTestFieldData** | | |
|---|---|---|
| Column Name | Data Type | Max Length |
| FieldData | nvarchar | 512 |
| MedicalTestConfigurationFieldID | int | - |
| StudentMedicalTestFieldDataID | int | - |
| StudentMedicalTestID | int | - |

| **679. StudentMedicalTests** | | |
|---|---|---|
| Column Name | Data Type | Max Length |
| Field1 | nvarchar | 512 |
| Field10 | nvarchar | 512 |
| Field2 | nvarchar | 512 |
| Field3 | nvarchar | 512 |
| Field4 | nvarchar | 512 |
| Field5 | nvarchar | 512 |
| Field6 | nvarchar | 512 |
| Field7 | nvarchar | 512 |
| Field8 | nvarchar | 512 |
| Field9 | nvarchar | 512 |
| ModifiedBy | int | - |
| ModifiedDate | smalldatetime | - |
| StudentID | int | - |
| TestDate | datetime | - |
| TestID | int | - |
| TestTypeID | int | - |

| **680. StudentMedication** | | |
|---|---|---|
| Column Name | Data Type | Max Length |
| DateDiscontinued | nvarchar | 128 |

| | | |
|---|---|---|
| DatePrescribed | nvarchar | 128 |
| Discontinued | bit | - |
| Dose | nvarchar | 128 |
| Medication | nvarchar | 256 |
| MedicationID | int | - |
| MedicationNote | nvarchar | 255 |
| ModifiedBy | int | - |
| ModifiedDate | smalldatetime | - |
| Route | nvarchar | 128 |
| Scheduled | bit | - |
| ScheduledNote | nvarchar | 128 |
| SelfAdminister | bit | - |
| StudentID | int | - |

## 681. StudentProgression

| Column Name | Data Type | Max Length |
|---|---|---|
| AutoNumber | int | - |
| FromGradeLevel | nvarchar | 50 |
| Memo | nvarchar | -1 |
| ModifiedBy | int | - |
| ModifiedDate | smalldatetime | - |
| Progression | nvarchar | 50 |
| ProgressionDate | datetime | - |
| StudentID | int | - |
| ToGradeLevel | nvarchar | 50 |
| YearID | int | - |

## 682. StudentRank

| Column Name | Data Type | Max Length |
|---|---|---|
| AutoNum | int | - |
| CreditsAttempted | real | - |
| CreditsEarned | real | - |
| GradeLevel | nvarchar | 50 |
| HonorID | int | - |
| HonorRollID | int | - |
| RankCount | int | - |
| RankDate | datetime | - |
| StudentID | int | - |
| TermAvg | real | - |
| TermGPA | real | - |
| TermHighAvg | real | - |
| TermHighGPA | real | - |
| TermHighUGPA | real | - |
| TermID | int | - |
| TermLowAvg | real | - |
| TermLowGPA | real | - |
| TermLowUGPA | real | - |

| TermRank | int | - |
|---|---|---|
| TermUGPA | real | - |
| UDHonor1 | char | 50 |
| UDHonor2 | char | 50 |
| UDHonor3 | char | 50 |
| UDHonor4 | char | 50 |
| UDHonor5 | char | 50 |
| YearID | int | - |

## 683. StudentRecognition

| Column Name | Data Type | Max Length |
|---|---|---|
| Category | nvarchar | 50 |
| GradeLevel | nvarchar | 10 |
| HonorID | int | - |
| HonorRollID | int | - |
| ModifiedBy | int | - |
| ModifiedDate | smalldatetime | - |
| Note | nvarchar | 255 |
| Recognition | nvarchar | 255 |
| RecognitionID | int | - |
| SchoolCode | varchar | 50 |
| StudentID | int | - |
| TermID | int | - |
| YearID | int | - |

## 684. StudentReenroll

| Column Name | Data Type | Max Length |
|---|---|---|
| CancelReason | nvarchar | 128 |
| EnrollmentFeeWaived | bit | - |
| EnrollmentPacketSent | smalldatetime | - |
| EnrollmentPacketSentOtherHousehold | smalldatetime | - |
| EnrollmentPacketStarted | smalldatetime | - |
| EnrollmentPacketSubmitted | smalldatetime | - |
| FinishDate | smalldatetime | - |
| GradeLevel | nvarchar | 50 |
| Notes | nvarchar | -1 |
| NotificationSent | smalldatetime | - |
| OEBypassFACTS | bit | - |
| Paid | bit | - |
| PaidNote | nvarchar | 128 |
| ReenrollFeePaid | bit | - |
| ReenrollFeePaidDate | smalldatetime | - |
| ReenrollID | int | - |
| StartDate | smalldatetime | - |
| Status | int | - |
| StudentID | int | - |
| TrackingSystemID | int | - |

| Column Name | Data Type | Max Length |
|---|---|---|
| TuitionPlanID | int | - |
| UnfinishedEmail | smalldatetime | - |
| YearID | int | - |

## 685. StudentReenrollEmailSent

| Column Name | Data Type | Max Length |
|---|---|---|
| EmailAddress | nvarchar | 256 |
| EmailDate | smalldatetime | - |
| EmailSentID | int | - |
| EmailType | nvarchar | 50 |
| ReenrollID | int | - |

## 686. StudentRequests

| Column Name | Data Type | Max Length |
|---|---|---|
| AlternateCourseID | int | - |
| ClassList | nvarchar | 50 |
| Count | smallint | - |
| CourseID | int | - |
| LEVEL | int | - |
| ModifiedBy | int | - |
| ModifiedDate | smalldatetime | - |
| Permission | bit | - |
| PreferredClassID | int | - |
| StudentID | int | - |
| Term | int | - |
| UseAlternate | bit | - |
| WebAlternateElem | int | - |
| WebPrimaryElem | int | - |
| YearID | int | - |

## 687. Students

| Column Name | Data Type | Max Length |
|---|---|---|
| AddressID | int | - |
| AdvisorID | int | - |
| Birthdate | datetime | - |
| CellPhone | nvarchar | 50 |
| ChurchID | int | - |
| Citizenship | nvarchar | 50 |
| ClassOf | nvarchar | 50 |
| Combination1 | nvarchar | 50 |
| Combination2 | nvarchar | 50 |
| Denomination | nvarchar | 50 |
| Email | nvarchar | 256 |
| EnrollDate | datetime | - |
| Ethnicity | nvarchar | 50 |
| ExcludeCumHonorRoll | bit | - |

| ExcludeCumRank | bit | - |
|---|---|---|
| ExcludeTermHonorRoll | bit | - |
| ExcludeTermRank | bit | - |
| FirstName | nvarchar | 64 |
| Gender | nvarchar | 50 |
| GradeLevel | nvarchar | 50 |
| GraduationDate | datetime | - |
| HomePhone | nvarchar | 50 |
| LastName | nvarchar | 128 |
| Locker1 | nvarchar | 50 |
| Locker2 | nvarchar | 50 |
| MiddleName | nvarchar | 64 |
| NextGradeLevel | nvarchar | 50 |
| NextSchoolCode | varchar | 50 |
| NextStatus | nvarchar | 50 |
| NickName | nvarchar | 50 |
| Note | nvarchar | 2000 |
| Password | nvarchar | 50 |
| PathToPicture | nvarchar | 255 |
| PersonID | int | - |
| Placement | nvarchar | 50 |
| PrimaryLanguage | nvarchar | 50 |
| PublicSchoolCode | nvarchar | 50 |
| PublicSchoolCounty | nvarchar | 50 |
| PublicSchoolDistrict | nvarchar | 50 |
| PublicSchoolLocalSchool | nvarchar | 50 |
| PublicSchoolState | nvarchar | 50 |
| ReducedLunch | int | - |
| Reenrolled | bit | - |
| ReEnrollMessage | nvarchar | 50 |
| Salutation | nvarchar | 64 |
| SchoolCode | varchar | 50 |
| SchoolID | nvarchar | 50 |
| SSN | varchar | 50 |
| Status | nvarchar | 50 |
| StudentID | int | - |
| StudentMentorID | int | - |
| Substatus | nvarchar | 50 |
| Suffix | nvarchar | 50 |
| TranscriptNote1 | nvarchar | 4000 |
| WithdrawDate | datetime | - |
| WithdrawReason | nvarchar | 50 |

| 688. StudentSubmittedMM | | |
|---|---|---|
| Column Name | Data Type | Max Length |
| CreatedDate | smalldatetime | - |
| ItemID | int | - |
| LastModifiedDate | smalldatetime | - |

| StudentID | int | - |
| SubmitDate | smalldatetime | - |

| **689. StudentTransferRequest** | | |
| --- | --- | --- |
| Column Name | Data Type | Max Length |
| ApproveBehavior | bit | - |
| ApproveGrades | bit | - |
| ApproveMedical | bit | - |
| ApprovePortfolio | bit | - |
| DateTimeRequested | smalldatetime | - |
| RequestBehavior | bit | - |
| RequestGrades | bit | - |
| RequestMedical | bit | - |
| RequestPortfolio | bit | - |
| TransferApprovalStatus | varchar | 50 |
| TransferFromContactID | int | - |
| TransferFromContactName | varchar | 50 |
| TransferFromDistrictCode | varchar | 50 |
| TransferFromGradeLevel | varchar | 50 |
| TransferFromSchoolCode | varchar | 50 |
| TransferFromSchoolName | varchar | 50 |
| TransferFromStudentID | int | - |
| TransferFromStudentName | varchar | 128 |
| TransferFromTransferRequestID | int | - |
| TransferNote | nvarchar | 2000 |
| TransferRecordType | int | - |
| TransferRequestID | int | - |
| TransferResponseByStaffID | int | - |
| TransferResponseDateTime | smalldatetime | - |
| TransferToDistrictCode | varchar | 50 |
| TransferToGradeLevel | varchar | 50 |
| TransferToOAID | int | - |
| TransferToRequestingStaffID | int | - |
| TransferToRequestingStaffName | varchar | 50 |
| TransferToSchoolCode | varchar | 50 |
| TransferToSchoolName | varchar | 50 |
| TransferToTransferRequestID | int | - |
| TransferToYearID | int | - |
| TransferType | int | - |

| **690. StudentTransferRequestStudentMM** | | |
| --- | --- | --- |
| Column Name | Data Type | Max Length |
| StudentID | int | - |
| StudentName | varchar | 128 |
| TransferRequestID | int | - |

## 691. StudentTransportation

| Column Name | Data Type | Max Length |
|---|---|---|
| CityStateZip | nvarchar | 128 |
| Friday | bit | - |
| Monday | bit | - |
| Note | nvarchar | 255 |
| OverrideDate | datetime | - |
| PickupPointID | int | - |
| RouteID | int | - |
| RouteType | int | - |
| Saturday | bit | - |
| Street | nvarchar | 510 |
| StudentID | int | - |
| Sunday | bit | - |
| Thursday | bit | - |
| TransportationID | int | - |
| Tuesday | bit | - |
| Wednesday | bit | - |

## 692. StudentTransportationOverride

| Column Name | Data Type | Max Length |
|---|---|---|
| Note | nvarchar | 150 |
| OverrideDate | datetime | - |
| RouteID | int | - |

## 693. SuppressionList

| Column Name | Data Type | Max Length |
|---|---|---|
| Email | nvarchar | 256 |
| EmailType | int | - |

## 694. Survey

| Column Name | Data Type | Max Length |
|---|---|---|
| AutoNum | int | - |
| ClassID | int | - |
| Comments | nvarchar | -1 |
| EndTime | datetime | - |
| Finished | bit | - |
| ModifiedBy | int | - |
| ModifiedDate | smalldatetime | - |
| PointsEarned | int | - |
| StartTime | datetime | - |
| StudentID | int | - |
| TestID | int | - |

## 695. SurveyAnswers

| Column Name | Data Type | Max Length |
| --- | --- | --- |
| Answer | nvarchar | -1 |
| AutoNum | int | - |
| ClassID | int | - |
| Comments | nvarchar | 1000 |
| LastModified | datetime | - |
| MemberID | int | - |
| ModifiedBy | int | - |
| ModifiedDate | smalldatetime | - |
| Number | int | - |
| TestID | int | - |
| UserType | nvarchar | 50 |

## 696. SurveyClasses

| Column Name | Data Type | Max Length |
| --- | --- | --- |
| ClassID | int | - |
| TestID | int | - |

## 697. SurveyConfig

| Column Name | Data Type | Max Length |
| --- | --- | --- |
| Active | bit | - |
| AllClasses | bit | - |
| AllowedAttempts | int | - |
| BeginTime | datetime | - |
| Description | nvarchar | -1 |
| Duration | int | - |
| EndTime | datetime | - |
| Instructions | nvarchar | -1 |
| Members_Families | nvarchar | -1 |
| Members_Parents | nvarchar | -1 |
| Members_Staff | nvarchar | -1 |
| Members_Students | nvarchar | -1 |
| ModifiedBy | int | - |
| ModifiedDate | smalldatetime | - |
| Name | nvarchar | 50 |
| Points | int | - |
| Proctor | bit | - |
| ProctorPassword | nvarchar | 50 |
| Questions | int | - |
| ShareTests | bit | - |
| ShowResults | bit | - |
| StaffID | int | - |
| TestID | int | - |
| TestType | nvarchar | 50 |

## 698. SurveyMembers

| Column Name | Data Type | Max Length |
|---|---|---|
| ID | int | - |
| SurveyID | int | - |
| TYPE | nchar | 10 |

## 699. SurveyQuestions

| Column Name | Data Type | Max Length |
|---|---|---|
| Answer | nvarchar | -1 |
| AutoNum | int | - |
| HTML | bit | - |
| ModifiedBy | int | - |
| ModifiedDate | smalldatetime | - |
| Number | int | - |
| Option1 | nvarchar | -1 |
| Option2 | nvarchar | -1 |
| Option3 | nvarchar | -1 |
| Option4 | nvarchar | -1 |
| Option5 | nvarchar | -1 |
| Points | int | - |
| Question | nvarchar | -1 |
| QuestionType | nvarchar | 50 |
| TestID | int | - |

## 700. Syllabus

| Column Name | Data Type | Max Length |
|---|---|---|
| ClassID | int | - |
| GlobalItem | bit | - |
| Message | nvarchar | -1 |
| ModifiedBy | int | - |
| ModifiedDate | smalldatetime | - |
| StaffID | int | - |
| SyllabusID | int | - |
| Title | nvarchar | 255 |

## 701. SyncAddPotentialExistingConstituent

| Column Name | Data Type | Max Length |
|---|---|---|
| SAE_CID | int | - |
| SAE_Note | varchar | 64 |
| SAE_PersonID | int | - |
| SAEID | int | - |

## 702. SyncInterestUpdate

| Column Name | Data Type | Max Length |
|---|---|---|
| SIU_CCIID | int | - |
| SIU_CID | int | - |

| SIU_NeedsPrimary | bit | - |
| SIU_NewConstituentInterestDLID | int | - |
| SIU_OldConstituentInterestDLID | int | - |
| SIUID | int | - |

### 703. SyncMatchAddress

| Column Name | Data Type | Max Length |
| --- | --- | --- |
| SMA_DonorAID | int | - |
| SMA_RenwebAddressID | int | - |
| SMAID | int | - |

### 704. SyncMatchConstituent

| Column Name | Data Type | Max Length |
| --- | --- | --- |
| AddressPartMatched | nvarchar | 128 |
| AID | int | - |
| ConstituentID | int | - |
| PersonID | int | - |

### 705. SyncMatchNotPossible

| Column Name | Data Type | Max Length |
| --- | --- | --- |
| SMN_CID | int | - |
| SMN_PersonID | int | - |
| SMN_Reason | varchar | 32 |
| SMNID | int | - |

### 706. SyncNewConstituent

| Column Name | Data Type | Max Length |
| --- | --- | --- |
| AddressID | int | - |
| InterestID | int | - |
| PersonID | int | - |
| SyncNote | varchar | 1024 |

### 707. SyncNewRelationship

| Column Name | Data Type | Max Length |
| --- | --- | --- |
| DonorRoleID1 | int | - |
| DonorRoleID2 | int | - |
| ID | int | - |
| PersonID1 | int | - |
| PersonID2 | int | - |
| RelationshipName | nchar | 256 |

### 708. SyncPersonData

| Column Name | Data Type | Max Length |
| --- | --- | --- |

| Address1 | nvarchar | 256 |
|---|---|---|
| Address2 | nvarchar | 256 |
| AddressID | int | - |
| AllowUpdateExisting | bit | - |
| Birthdate | datetime | - |
| CellPhone | nvarchar | 128 |
| City | nvarchar | 255 |
| ClassOf | nchar | 50 |
| Company | nvarchar | 255 |
| Correspondence | bit | - |
| Country | nvarchar | 255 |
| Custody | bit | - |
| Email | nvarchar | 256 |
| Email2 | nvarchar | 256 |
| EmergencyContact | bit | - |
| EnrollDate | datetime | - |
| FamilyID | int | - |
| FamilyOrder | int | - |
| Fax | nvarchar | 128 |
| FiledAs | nvarchar | 512 |
| FirstName | nvarchar | 64 |
| Gender | nvarchar | 8 |
| GradeLevel | nvarchar | 50 |
| GraduationDate | datetime | - |
| Grandparent | bit | - |
| HasStudentRecord | bit | - |
| HomePhone | nvarchar | 128 |
| Interest | nvarchar | 128 |
| IsAlumni | bit | - |
| IsAlumniGrandparent | bit | - |
| IsAlumniParent | bit | - |
| IsCurOtherFamily | bit | - |
| IsCurrentGrandparent | bit | - |
| IsCurrentParent | bit | - |
| IsCurrentStaff | bit | - |
| IsCurrentStudent | bit | - |
| IsDeceased | bit | - |
| IsFlags | bit | - |
| IsFormerGrandparent | bit | - |
| IsFormerParent | bit | - |
| IsFormerStaff | bit | - |
| IsFormerStudent | bit | - |
| IsOnlyStudent | bit | - |
| LastName | nvarchar | 128 |
| MaritalStatus | nvarchar | 50 |
| MiddleName | nvarchar | 64 |
| NickName | nvarchar | 50 |
| Occupation | nvarchar | 128 |
| PersonID | int | - |

| | | |
|---|---|---|
| PreMatchCID | int | - |
| Relationship | nvarchar | 50 |
| Salutation | nvarchar | 64 |
| SchoolCode | nvarchar | 50 |
| Staff | bit | - |
| State | nvarchar | 255 |
| Suffix | nvarchar | 50 |
| WithdrawDate | datetime | - |
| WorkCityStateZip | nvarchar | 255 |
| WorkPhone | nvarchar | 256 |
| WorkStreet | nvarchar | 255 |
| ZIP | nvarchar | 255 |

### 709. SyncPersonData_AddCellPhone

| Column Name | Data Type | Max Length |
|---|---|---|
| C_DateUpdated | datetime | - |
| C_SyncUpdated | bit | - |
| C_UpdatedByUID | int | - |
| CID | int | - |
| PersonID | int | - |
| Phone | nvarchar | 128 |

### 710. SyncPersonData_AddHomePhone

| Column Name | Data Type | Max Length |
|---|---|---|
| C_DateUpdated | datetime | - |
| C_SyncUpdated | bit | - |
| C_UpdatedByUID | int | - |
| CID | int | - |
| PersonID | int | - |
| Phone | nvarchar | 128 |

### 711. SyncPersonData_AddressesNeedingToBeUnshared

| Column Name | Data Type | Max Length |
|---|---|---|
| AID | int | - |
| CAID | int | - |
| CID | int | - |

### 712. SyncPersonData_AddWorkPhone

| Column Name | Data Type | Max Length |
|---|---|---|
| C_DateUpdated | datetime | - |
| C_SyncUpdated | bit | - |
| C_UpdatedByUID | int | - |
| CID | int | - |
| PersonID | int | - |
| Phone | nvarchar | 256 |

### 713. SyncPersonData_CellPhoneUpdateRecord

| Column Name | Data Type | Max Length |
|---|---|---|
| C_DateUpdated | datetime | - |
| C_SyncUpdated | bit | - |
| C_UpdatedByUID | int | - |
| CID | int | - |
| CP_CID | int | - |
| CPID | int | - |
| OldPhone | varchar | 128 |
| Phone | nvarchar | 128 |

### 714. SyncPersonData_ConstSharedAddress

| Column Name | Data Type | Max Length |
|---|---|---|
| AddressID | int | - |
| C_DateUpdated | datetime | - |
| C_SyncFromRenwebAID | int | - |
| C_SyncUpdated | bit | - |
| C_UpdatedByUID | int | - |
| CID | int | - |
| PersonID | int | - |

### 715. SyncPersonData_HomePhoneUpdateRecord

| Column Name | Data Type | Max Length |
|---|---|---|
| C_DateUpdated | datetime | - |
| C_SyncUpdated | bit | - |
| C_UpdatedByUID | int | - |
| CID | int | - |
| CP_CID | int | - |
| CPID | int | - |
| OldPhone | varchar | 128 |
| Phone | nvarchar | 128 |

### 716. SyncPersonData_InsertAddress

| Column Name | Data Type | Max Length |
|---|---|---|
| Address1 | nvarchar | 256 |
| Address2 | nvarchar | 256 |
| AddressID | int | - |
| C_DateUpdated | datetime | - |
| C_SyncUpdated | bit | - |
| C_UpdatedByUID | int | - |
| CID | int | - |
| City | nvarchar | 255 |
| Country | nvarchar | 255 |
| PersonID | int | - |

| State | nvarchar | 255 |
|---|---|---|
| ZIP | nvarchar | 255 |

**717. SyncPersonData_LinkExistingAddress**

| Column Name | Data Type | Max Length |
|---|---|---|
| C_DateUpdated | datetime | - |
| C_SyncFromRenwebAID | int | - |
| C_SyncUpdated | bit | - |
| C_UpdatedByUID | int | - |
| CID | int | - |

**718. SyncPersonData_MiscUpdateRecord**

| Column Name | Data Type | Max Length |
|---|---|---|
| Birthdate | datetime | - |
| C_BirthDate | datetime | - |
| C_DateUpdated | datetime | - |
| C_Email1 | nvarchar | 256 |
| C_Email2 | varchar | 256 |
| C_Gender | nchar | 8 |
| C_Industry | varchar | 128 |
| C_Occupation | varchar | 128 |
| C_StudentGradeLevel | varchar | 32 |
| C_SyncUpdated | bit | - |
| C_UpdatedByUID | int | - |
| CID | int | - |
| Company | nvarchar | 255 |
| Email | nvarchar | 256 |
| Email2 | nvarchar | 256 |
| Gender | nvarchar | 8 |
| GradeLevel | nvarchar | 50 |
| Occupation | nvarchar | 128 |
| PersonID | int | - |

**719. SyncPersonData_NameUpdateRecords**

| Column Name | Data Type | Max Length |
|---|---|---|
| C_DateUpdated | datetime | - |
| C_FiledAs | nvarchar | 512 |
| C_FName1 | nvarchar | 64 |
| C_LName1 | nvarchar | 128 |
| C_MName1 | nvarchar | 64 |
| C_Prefix1 | nvarchar | 32 |
| C_Suffix1 | nvarchar | 60 |
| C_SyncUpdated | bit | - |
| C_UpdatedByUID | int | - |
| CID | int | - |
| FiledAs | nvarchar | 512 |

| | | |
|---|---|---|
| FirstName | nvarchar | 64 |
| LastName | nvarchar | 128 |
| MiddleName | nvarchar | 64 |
| PersonID | int | - |
| Salutation | nvarchar | 64 |
| Suffix | nvarchar | 50 |

## 720. SyncPersonData_NonMatchedInfo

| Column Name | Data Type | Max Length |
|---|---|---|
| Address1 | nvarchar | 5 |
| AddressID | int | - |
| FirstName | nvarchar | 64 |
| LastName | nvarchar | 128 |
| MiddleName | nvarchar | 64 |
| PersonID | int | - |
| Suffix | nvarchar | 50 |

## 721. SyncPersonData_RemoveAddress

| Column Name | Data Type | Max Length |
|---|---|---|
| A_Address1 | nvarchar | 256 |
| A_Address2 | nvarchar | 256 |
| A_City | nvarchar | 255 |
| A_Country | nvarchar | 255 |
| A_State | nvarchar | 255 |
| A_Zip | nvarchar | 255 |
| AID | int | - |
| C_DateUpdated | datetime | - |
| C_SyncUpdated | bit | - |
| C_UpdatedByUID | int | - |
| CID | int | - |

## 722. SyncPersonData_RemoveCellPhone

| Column Name | Data Type | Max Length |
|---|---|---|
| C_DateUpdated | datetime | - |
| C_SyncUpdated | bit | - |
| C_UpdatedByUID | int | - |
| CID | int | - |
| CPID | int | - |
| PersonID | int | - |
| Phone | varchar | 128 |

## 723. SyncPersonData_RemoveHomePhone

| Column Name | Data Type | Max Length |
|---|---|---|
| C_DateUpdated | datetime | - |
| C_SyncUpdated | bit | - |

| Column Name | Data Type | Max Length |
|---|---|---|
| C_UpdatedByUID | int | - |
| CID | int | - |
| CPID | int | - |
| PersonID | int | - |
| Phone | varchar | 128 |

| 724. SyncPersonData_RemoveWorkPhone | | |
|---|---|---|
| Column Name | Data Type | Max Length |
| C_DateUpdated | datetime | - |
| C_SyncUpdated | bit | - |
| C_UpdatedByUID | int | - |
| CID | int | - |
| CPID | int | - |
| PersonID | int | - |
| Phone | varchar | 128 |

| 725. SyncPersonData_RenwebNonSharedAddress | | |
|---|---|---|
| Column Name | Data Type | Max Length |
| A_Address1 | nvarchar | 256 |
| A_Address2 | nvarchar | 256 |
| A_City | nvarchar | 255 |
| A_Country | nvarchar | 255 |
| A_State | nvarchar | 255 |
| A_Zip | nvarchar | 255 |
| A_ZipPlus4 | nvarchar | 4 |
| AddressID | int | - |
| C_SyncFromRenwebAID | int | - |
| CID | int | - |
| PersonID | int | - |
| RenwebAddress1 | nvarchar | 256 |
| RenwebAddress2 | nvarchar | 256 |
| RenwebCity | nvarchar | 255 |
| RenwebCountry | nvarchar | 255 |
| RenwebState | nvarchar | 255 |
| RenwebZIP | nvarchar | 255 |

| 726. SyncPersonData_RenwebSharedAddress | | |
|---|---|---|
| Column Name | Data Type | Max Length |
| C_DateUpdated | datetime | - |
| C_SyncUpdated | bit | - |
| C_UpdatedByUID | int | - |
| CAID | int | - |
| CID | int | - |
| ConstituentAddress | nvarchar | 1024 |
| PersonID | int | - |
| RenwebAID | int | - |

## 727. SyncPersonData_StudentUpdateRecord

| Column Name | Data Type | Max Length |
|---|---|---|
| C_DateUpdated | datetime | - |
| C_SyncUpdated | bit | - |
| C_UpdatedByUID | int | - |
| C_YearGraduated | int | - |
| CID | int | - |
| PersonID | int | - |
| YearGraduated | int | - |

## 728. SyncPersonData_UpdateAddress

| Column Name | Data Type | Max Length |
|---|---|---|
| A_Address1 | nvarchar | 256 |
| A_Address2 | nvarchar | 256 |
| A_City | nvarchar | 255 |
| A_Country | nvarchar | 255 |
| A_State | nvarchar | 255 |
| A_Zip | nvarchar | 255 |
| A_ZipPlus4 | nvarchar | 4 |
| Address1 | nvarchar | 256 |
| Address2 | nvarchar | 256 |
| AID | int | - |
| C_DateUpdated | datetime | - |
| C_SyncUpdated | bit | - |
| C_UpdatedByUID | int | - |
| CID | int | - |
| City | nvarchar | 255 |
| Country | nvarchar | 255 |
| PersonID | int | - |
| State | nvarchar | 255 |
| ZIP | nvarchar | 255 |

## 729. SyncPersonData_WorkPhoneUpdateRecord

| Column Name | Data Type | Max Length |
|---|---|---|
| C_DateUpdated | datetime | - |
| C_SyncUpdated | bit | - |
| C_UpdatedByUID | int | - |
| CID | int | - |
| CP_CID | int | - |
| CPID | int | - |
| OldPhone | varchar | 128 |
| Phone | nvarchar | 256 |

## 730. SyncRelationshipConfiguration

| Column Name | Data Type | Max Length |
|---|---|---|
| AllowUpdate | bit | - |
| DonorRoleID | int | - |
| ID | int | - |
| Name | nvarchar | 256 |
| StudentRoleID | int | - |

### 731. SyncRelationshipData

| Column Name | Data Type | Max Length |
|---|---|---|
| CanUpdate | bit | - |
| ConstituentRelationshipID | int | - |
| ParentConstituentID | int | - |
| ParentID | int | - |
| RelationshipName | nvarchar | 256 |
| StudentConstituentID | int | - |
| StudentID | int | - |

### 732. SyncUpdate

| Column Name | Data Type | Max Length |
|---|---|---|
| PSU_CID | int | - |
| PSU_Interest | bit | - |
| PSU_MailingAddress | bit | - |
| PSU_PersonBasic | bit | - |
| PSU_Phone | bit | - |
| PSU_Relationship | bit | - |
| PSUID | int | - |

### 733. SyncUpdateDetail

| Column Name | Data Type | Max Length |
|---|---|---|
| PSUD_CID | int | - |
| PSUD_Notes | varchar | 2000 |
| PSUD_WhatUpdated | varchar | 64 |
| PSUDID | int | - |
| UpdateType | int | - |

### 734. TableLock

| Column Name | Data Type | Max Length |
|---|---|---|
| TL_DBName | nvarchar | 512 |
| TL_LockedTime | datetime | - |
| TL_TableIDGuid | uniqueidentifier | - |
| TL_TableIDInt | int | - |
| TL_TableName | nvarchar | 256 |
| TL_UserID | int | - |
| TL_UserName | nvarchar | 256 |
| TLID | uniqueidentifier | - |

## 735. Template

| Column Name | Data Type | Max Length |
|---|---|---|
| Day | smallint | - |
| ModifiedBy | int | - |
| ModifiedDate | smalldatetime | - |
| Period | smallint | - |
| SchoolCode | nvarchar | 50 |
| Template | nvarchar | 50 |
| TemplateText | nvarchar | 50 |
| TemplateTime | nvarchar | 50 |

## 736. TemplateNew

| Column Name | Data Type | Max Length |
|---|---|---|
| Day | smallint | - |
| ModifiedBy | int | - |
| ModifiedDate | smalldatetime | - |
| Period | smallint | - |
| SchoolCode | nvarchar | 50 |
| Template | nvarchar | 50 |
| TemplateText | nvarchar | 50 |
| YearID | int | - |

## 737. TemplateStaff

| Column Name | Data Type | Max Length |
|---|---|---|
| Day | int | - |
| ModifiedBy | int | - |
| ModifiedDate | smalldatetime | - |
| Period | int | - |
| ScheduleBlock | bit | - |
| StaffID | int | - |
| TemplateID | int | - |
| TemplateText | nvarchar | 50 |

## 738. TestConfig

| Column Name | Data Type | Max Length |
|---|---|---|
| Begin1 | int | - |
| Begin10 | int | - |
| Begin11 | int | - |
| Begin12 | int | - |
| Begin13 | int | - |
| Begin14 | int | - |
| Begin15 | int | - |
| Begin16 | int | - |
| Begin17 | int | - |

| | | |
|---|---|---|
| Begin18 | int | - |
| Begin19 | int | - |
| Begin2 | int | - |
| Begin20 | int | - |
| Begin3 | int | - |
| Begin4 | int | - |
| Begin5 | int | - |
| Begin6 | int | - |
| Begin7 | int | - |
| Begin8 | int | - |
| Begin9 | int | - |
| BeginDay | int | - |
| BeginFirstName | int | - |
| BeginGradeLEvel | int | - |
| BeginLastName | int | - |
| BeginMonth | int | - |
| BeginStudentID | int | - |
| BeginSynch1 | int | - |
| BeginSynch2 | int | - |
| BeginYear | int | - |
| DistrictWide | bit | - |
| End1 | int | - |
| End10 | int | - |
| End11 | int | - |
| End12 | int | - |
| End13 | int | - |
| End14 | int | - |
| End15 | int | - |
| End16 | int | - |
| End17 | int | - |
| End18 | int | - |
| End19 | int | - |
| End2 | int | - |
| End20 | int | - |
| End3 | int | - |
| End4 | int | - |
| End5 | int | - |
| End6 | int | - |
| End7 | int | - |
| End8 | int | - |
| End9 | int | - |
| EndDay | int | - |
| EndFirstName | int | - |
| EndGradeLevel | int | - |
| EndLastName | int | - |
| EndMonth | int | - |
| EndStudentID | int | - |
| EndSynch1 | int | - |
| EndSynch2 | int | - |

| | | |
|---|---|---|
| EndYear | int | - |
| FileType | int | - |
| ModifiedBy | int | - |
| ModifiedDate | smalldatetime | - |
| Name | nvarchar | 50 |
| SchoolCode | nvarchar | 50 |
| Score10Label | nvarchar | 50 |
| Score11Label | nvarchar | 50 |
| Score12Label | nvarchar | 50 |
| Score13Label | nvarchar | 50 |
| Score14Label | nvarchar | 50 |
| Score15Label | nvarchar | 50 |
| Score16Label | nvarchar | 50 |
| Score17Label | nvarchar | 50 |
| Score18Label | nvarchar | 50 |
| Score19Label | nvarchar | 50 |
| Score1Label | nvarchar | 50 |
| Score20Label | nvarchar | 50 |
| Score2Label | nvarchar | 50 |
| Score3Label | nvarchar | 50 |
| Score4Label | nvarchar | 50 |
| Score5Label | nvarchar | 50 |
| Score6Label | nvarchar | 50 |
| Score7Label | nvarchar | 50 |
| Score8Label | nvarchar | 50 |
| Score9Label | nvarchar | 50 |
| StandardizedTestConfigurationID | int | - |
| Synch1 | nvarchar | 64 |
| Synch2 | nvarchar | 64 |
| TestID | int | - |
| Transcript | bit | - |

| 739. TestData | | |
|---|---|---|
| Column Name | Data Type | Max Length |
| Date | datetime | - |
| ExcludeTranscript | bit | - |
| GradeLevel | nvarchar | 50 |
| ModifiedBy | int | - |
| ModifiedDate | smalldatetime | - |
| Note | nvarchar | 255 |
| PersonStandardizedTestID | int | - |
| Score1 | real | - |
| Score10 | real | - |
| Score11 | real | - |
| Score12 | real | - |
| Score13 | real | - |
| Score14 | real | - |
| Score15 | real | - |

| Score16 | real | - |
|---|---|---|
| Score17 | real | - |
| Score18 | real | - |
| Score19 | real | - |
| Score2 | real | - |
| Score20 | real | - |
| Score3 | real | - |
| Score4 | real | - |
| Score5 | real | - |
| Score6 | real | - |
| Score7 | real | - |
| Score8 | real | - |
| Score9 | real | - |
| StudentID | int | - |
| TestDataID | int | - |
| TestID | int | - |

## 740. TextBookDefinition

| Column Name | Data Type | Max Length |
|---|---|---|
| Author | nvarchar | 55 |
| Cost | smallmoney | - |
| ISBN | varchar | 50 |
| ModifiedBy | int | - |
| ModifiedDate | smalldatetime | - |
| Publisher | nvarchar | 70 |
| SchoolCode | varchar | 50 |
| TextBookDefinitionID | int | - |
| Title | nvarchar | 100 |

## 741. TextBooks

| Column Name | Data Type | Max Length |
|---|---|---|
| CheckoutDate | datetime | - |
| Lost | nvarchar | 50 |
| ModifiedBy | int | - |
| ModifiedDate | smalldatetime | - |
| Note | nvarchar | -1 |
| Number | int | - |
| StudentID | int | - |
| TextBookDefinitionID | int | - |
| TextBookID | int | - |

## 742. TimeClock

| Column Name | Data Type | Max Length |
|---|---|---|
| CheckIn | bit | - |
| CheckOut | bit | - |
| Date | datetime | - |

| | | |
|---|---|---|
| ModifiedBy | int | - |
| ModifiedDate | smalldatetime | - |
| StaffID | int | - |
| TimeClockID | int | - |

**743. TimeClockNote**

| Column Name | Data Type | Max Length |
|---|---|---|
| Absent | int | - |
| AbsentReason | nvarchar | 128 |
| AutoNum | int | - |
| Date | datetime | - |
| ModifiedBy | int | - |
| ModifiedDate | smalldatetime | - |
| Note | nvarchar | -1 |
| StaffID | int | - |
| Substitute | bit | - |
| Weight | float | - |

**744. TimeClockNoteStudent**

| Column Name | Data Type | Max Length |
|---|---|---|
| AutoNum | int | - |
| Date | datetime | - |
| ModifiedBy | int | - |
| ModifiedDate | smalldatetime | - |
| Note | nvarchar | -1 |
| StudentID | int | - |

**745. TimeClockStudent**

| Column Name | Data Type | Max Length |
|---|---|---|
| CheckIn | bit | - |
| CheckOut | bit | - |
| Date | datetime | - |
| ModifiedBy | int | - |
| ModifiedDate | smalldatetime | - |
| StudentID | int | - |
| TimeClockID | int | - |

**746. TimeClockStudentNew**

| Column Name | Data Type | Max Length |
|---|---|---|
| AutoIn | bit | - |
| AutoOut | bit | - |
| ClockedIn | smalldatetime | - |
| ClockedOut | smalldatetime | - |
| Note | nvarchar | 255 |
| ParentInID | int | - |

| Column Name | Data Type | Max Length |
|---|---|---|
| ParentOutID | int | - |
| ProcessedDate | smalldatetime | - |
| StaffInID | int | - |
| StaffOutID | int | - |
| StudentID | int | - |
| TimeClockID | int | - |

## 747. TimeTable

| Column Name | Data Type | Max Length |
|---|---|---|
| Begin | smallint | - |
| ClassID | int | - |
| Day | smallint | - |
| ModifiedBy | int | - |
| ModifiedDate | smalldatetime | - |
| Remove | bit | - |
| RoomID | int | - |

## 748. Topic

| Column Name | Data Type | Max Length |
|---|---|---|
| ActiveToStudent | bit | - |
| AllowStudentComment | bit | - |
| AllowStudentPost | bit | - |
| CreatedDate | smalldatetime | - |
| EndDate | datetime | - |
| EndTimeUtc | smalldatetime | - |
| InactiveDate | smalldatetime | - |
| LastModifiedDate | smalldatetime | - |
| ShowToStudent | bit | - |
| StartDate | datetime | - |
| StartTimeUtc | smalldatetime | - |
| TopicDescription | nvarchar | -1 |
| TopicID | int | - |
| TopicName | nvarchar | 255 |
| TopicOrder | int | - |
| UnitID | int | - |
| ZoneCountryCode | nvarchar | 8 |
| ZoneName | nvarchar | 50 |
| ZoneOffset | nvarchar | 100 |

## 749. TrackingConfig

| Column Name | Data Type | Max Length |
|---|---|---|
| DistrictWide | bit | - |
| Name | nvarchar | 50 |
| SchoolCode | nvarchar | 50 |
| SortOrder | int | - |
| TrackingSystemID | int | - |

| Type | int | - |
|---|---|---|

### 750. TrackingData

| Column Name | Data Type | Max Length |
|---|---|---|
| ID | int | - |
| ItemID | int | - |
| ItemNumber | int | - |
| Note | nvarchar | 1000 |
| NotificationSent | bit | - |
| TrackingSystemID | int | - |
| YesNo | bit | - |

### 751. TrackingItemDefinedList

| Column Name | Data Type | Max Length |
|---|---|---|
| Name | nvarchar | 128 |
| TI_DL_ID | int | - |
| TrackingItemID | int | - |

### 752. TrackingItems

| Column Name | Data Type | Max Length |
|---|---|---|
| CarbonEmail | nvarchar | 256 |
| DataType | nvarchar | 20 |
| filterApp | int | - |
| filterEnroll | int | - |
| Item | nvarchar | 50 |
| ItemID | int | - |
| ItemNumber | int | - |
| MessageText | nvarchar | -1 |
| Notify | bit | - |
| OAItemID | int | - |
| PublishApplication | bit | - |
| TrackingSystemID | int | - |

### 753. TransactionError

| Column Name | Data Type | Max Length |
|---|---|---|
| AccountId | nvarchar | 20 |
| ActivityType | nvarchar | 20 |
| AdjustmentReasonId | nvarchar | 20 |
| Amount | decimal | - |
| ChargeSource | nvarchar | 20 |
| Deleted | bit | - |
| Description | nvarchar | 256 |
| ErrorDate | datetime | - |
| ErrorDetails | nvarchar | -1 |
| ErrorMessage | nvarchar | -1 |

| Column Name | Data Type | Max Length |
|---|---|---|
| ErrorType | int | - |
| FamilyID | int | - |
| ModifiedBy | int | - |
| ModifiedDateTime | datetime | - |
| PersonID | int | - |
| Processed | bit | - |
| StudentCharge | bit | - |
| StudentFamily | nvarchar | 20 |
| TermCode | nvarchar | 50 |
| TransactionErrorId | int | - |

### 754. Transcript

| Column Name | Data Type | Max Length |
|---|---|---|
| Abbreviation | nvarchar | 100 |
| Absent | decimal | - |
| Calc | bit | - |
| CalcAvg | bit | - |
| Class | nvarchar | 255 |
| ClassID | int | - |
| Course | nvarchar | 255 |
| CourseLevel | nvarchar | 255 |
| Credits | decimal | - |
| Credits_real | real | - |
| Department | nvarchar | 255 |
| Elementary | bit | - |
| Exam1Avg | real | - |
| Exam1Grade | nvarchar | 50 |
| Exam2Avg | real | - |
| Exam2Grade | nvarchar | 50 |
| FinalGrade | nvarchar | 100 |
| FinalGradeAvg | decimal | - |
| FinalGradeAvg_real | real | - |
| FinalGradeGPA | decimal | - |
| FinalGradeGPA_real | real | - |
| FinalGradeUGPA | decimal | - |
| FinalGradeUGPA_real | real | - |
| Grade1 | nvarchar | 50 |
| Grade2 | nvarchar | 50 |
| Grade3 | nvarchar | 50 |
| Grade4 | nvarchar | 50 |
| Grade5 | nvarchar | 50 |
| Grade6 | nvarchar | 50 |
| GradeLevel | nvarchar | 100 |
| HS | bit | - |
| Imported | bit | - |
| Instructor | nvarchar | 255 |
| LegacyCourseID | nvarchar | 20 |
| Lock | bit | - |

| | | |
|---|---|---|
| ModifiedBy | int | - |
| ModifiedDate | smalldatetime | - |
| Note | nvarchar | 128 |
| Passing | bit | - |
| Preschool | bit | - |
| SchoolCode | varchar | 100 |
| SchoolName | nvarchar | 255 |
| Sem1Avg | decimal | - |
| Sem1Calc | bit | - |
| Sem1GPA | decimal | - |
| Sem1Grade | nvarchar | 10 |
| Sem1Pass | bit | - |
| Sem1UGPA | decimal | - |
| Sem2Avg | decimal | - |
| Sem2Calc | bit | - |
| Sem2GPA | decimal | - |
| Sem2Grade | nvarchar | 10 |
| Sem2Pass | bit | - |
| Sem2UGPA | decimal | - |
| Sem3Calc | bit | - |
| Sem3GPA | decimal | - |
| Sem3Pass | bit | - |
| Sem3UGPA | decimal | - |
| SemesterID | smallint | - |
| StateID | nvarchar | 64 |
| StudentID | int | - |
| SummerSchool | bit | - |
| Tardy | decimal | - |
| Term1Avg | decimal | - |
| Term2Avg | decimal | - |
| Term3Avg | decimal | - |
| Term4Avg | decimal | - |
| Term5Avg | decimal | - |
| Term6Avg | decimal | - |
| TermID | smallint | - |
| TranscriptID | int | - |
| Transfer | bit | - |
| YearID | int | - |
| YearName | nvarchar | 255 |

| 755. TranscriptAbsent | | |
|---|---|---|
| Column Name | Data Type | Max Length |
| Absent | decimal | - |
| DaysPresent | decimal | - |
| ModifiedBy | int | - |
| ModifiedDate | smalldatetime | - |
| SchoolName | nvarchar | 50 |
| StudentID | int | - |

| | | |
|---|---|---|
| Tardy | decimal | - |
| TranscriptAbsentID | int | - |
| YearID | nvarchar | 50 |

## 756. TranscriptActivity

| Column Name | Data Type | Max Length |
|---|---|---|
| Activity | nvarchar | 50 |
| ActivityNote | nvarchar | 50 |
| ModifiedBy | int | - |
| ModifiedDate | smalldatetime | - |
| SchoolName | nvarchar | 50 |
| StudentID | int | - |
| TranscriptActivityID | int | - |
| Year | nvarchar | 50 |

## 757. TranscriptHonors

| Column Name | Data Type | Max Length |
|---|---|---|
| Honor | nvarchar | 50 |
| ModifiedBy | int | - |
| ModifiedDate | smalldatetime | - |
| StudentID | int | - |
| TranscriptHonorsID | int | - |
| Year | nvarchar | 50 |

## 758. Transportation

| Column Name | Data Type | Max Length |
|---|---|---|
| DistrictWide | bit | - |
| Driver1 | nvarchar | 50 |
| Driver2 | nvarchar | 50 |
| Driver3 | nvarchar | 50 |
| Note | nvarchar | 1000 |
| Phone1 | nvarchar | 50 |
| Phone2 | nvarchar | 50 |
| Phone3 | nvarchar | 50 |
| RouteName | nvarchar | 50 |
| SchoolCode | nvarchar | 50 |
| TransportationID | int | - |

## 759. TuitionPlan

| Column Name | Data Type | Max Length |
|---|---|---|
| Charge1Account | nvarchar | 50 |
| Charge1AdjustmentReason | nvarchar | 50 |
| Charge1Amount | decimal | - |
| Charge1Name | nvarchar | 50 |
| Charge2Account | nvarchar | 50 |

| Charge2AdjustmentReason | nvarchar | 50 |
|---|---|---|
| Charge2Amount | decimal | - |
| Charge2Name | nvarchar | 50 |
| Charge3Account | nvarchar | 50 |
| Charge3AdjustmentReason | nvarchar | 50 |
| Charge3Amount | decimal | - |
| Charge3Name | nvarchar | 50 |
| Discount1Account | nvarchar | 50 |
| Discount1AdjustmentReason | nvarchar | 50 |
| Discount1Amount | decimal | - |
| Discount1Name | nvarchar | 50 |
| Discount2Account | nvarchar | 50 |
| Discount2AdjustmentReason | nvarchar | 50 |
| Discount2Amount | decimal | - |
| Discount2Name | nvarchar | 50 |
| Discount3Account | nvarchar | 50 |
| Discount3AdjustmentReason | nvarchar | 50 |
| Discount3Amount | decimal | - |
| Discount3Name | nvarchar | 50 |
| GradeLevelID | int | - |
| Multichild1 | decimal | - |
| MultiChild2 | decimal | - |
| MultiChild3 | decimal | - |
| MultiChild4 | decimal | - |
| MultiChild5 | decimal | - |
| MultiChild6 | decimal | - |
| MultiChildAccount | nvarchar | 50 |
| MultiChildAdjustmentReason | nvarchar | 50 |
| MultiChildDiscountName | nvarchar | 50 |
| StaffAccount | nvarchar | 50 |
| StaffAdjustmentReason | nvarchar | 50 |
| StaffDiscountAmount | decimal | - |
| StaffDiscountName | nvarchar | 50 |
| Tuition | decimal | - |
| TuitionAccount | nvarchar | 50 |
| TuitionAdjustmentReason | nvarchar | 50 |
| TuitionPlanName | nvarchar | 50 |

| 760. TuitionPlanInstallments | | |
|---|---|---|
| Column Name | Data Type | Max Length |
| GradeLevelID | int | - |
| Installment1 | bit | - |
| Installment10 | bit | - |
| Installment11 | bit | - |
| Installment12 | bit | - |
| Installment2 | bit | - |
| Installment3 | bit | - |
| Installment4 | bit | - |

| Installment5 | bit | - |
|---|---|---|
| Installment6 | bit | - |
| Installment7 | bit | - |
| Installment8 | bit | - |
| Installment9 | bit | - |
| InstallmentChargeAccount | nvarchar | 50 |
| InstallmentChargeAdjustmentReason | nvarchar | 50 |
| InstallmentChargeAmount | decimal | - |
| InstallmentChargeName | nvarchar | 50 |
| InstallmentDiscountAccount | nvarchar | 50 |
| InstallmentDiscountAdjustmentReason | nvarchar | 50 |
| InstallmentDiscountAmount | decimal | - |
| InstallmentDiscountName | nvarchar | 50 |
| InstallmentID | int | - |
| InstallmentName | nvarchar | 50 |
| Installments | int | - |

| 761. TuitionPlanStudents | | |
|---|---|---|
| Column Name | Data Type | Max Length |
| GradeLevelID | int | - |
| InstallmentID | int | - |
| Posted | bit | - |
| PostedDate | smalldatetime | - |
| StudentID | int | - |
| TermCode | nvarchar | 50 |

| 762. UDData | | |
|---|---|---|
| Column Name | Data Type | Max Length |
| Data | nvarchar | 4000 |
| DataID | int | - |
| FieldID | int | - |
| ID | int | - |
| UDD_Data | nvarchar | 512 |
| UDD_SourceID | int | - |
| UDD_UDFID | uniqueidentifier | - |
| UDDID | uniqueidentifier | - |

| 763. UDField | | |
|---|---|---|
| Column Name | Data Type | Max Length |
| FieldID | int | - |
| FieldName | nvarchar | 128 |
| FieldOrder | int | - |
| FieldType | int | - |
| GroupID | int | - |
| UDF_CustomList | nvarchar | -1 |
| UDF_Group | nvarchar | 128 |

| Column Name | Data Type | Max Length |
|---|---|---|
| UDF_Name | nvarchar | 128 |
| UDF_Order | int | - |
| UDF_Type | int | - |
| UDFID | uniqueidentifier | - |

## 764. UDFieldDefinedList

| Column Name | Data Type | Max Length |
|---|---|---|
| FieldID | int | - |
| Name | nvarchar | 128 |

## 765. UDGroup

| Column Name | Data Type | Max Length |
|---|---|---|
| _CategoryID | int | - |
| CanEveryoneUse | bit | - |
| DistrictWide | bit | - |
| GroupID | int | - |
| GroupName | nvarchar | 128 |
| GroupOrder | int | - |
| GroupType | nvarchar | 50 |
| SchoolCode | varchar | 50 |

## 766. UDGroupSecurity

| Column Name | Data Type | Max Length |
|---|---|---|
| Modify | bit | - |
| SecurityGroupID | int | - |
| UDGroupID | int | - |
| View | bit | - |

## 767. UDGroupSecurityPersonMM

| Column Name | Data Type | Max Length |
|---|---|---|
| PersonID | int | - |
| SecurityLevel | int | - |
| UDGroupID | int | - |

## 768. Unit

| Column Name | Data Type | Max Length |
|---|---|---|
| ActiveToStudent | bit | - |
| ClassID | int | - |
| CreatedDate | smalldatetime | - |
| EndDate | datetime | - |
| EndTimeUtc | smalldatetime | - |
| InactiveDate | smalldatetime | - |
| LastModifiedDate | smalldatetime | - |
| ShowToStudent | bit | - |

| | | |
|---|---|---|
| StartDate | datetime | - |
| StartTimeUtc | smalldatetime | - |
| UnitDescription | nvarchar | -1 |
| UnitID | int | - |
| UnitName | nvarchar | 255 |
| UnitOrder | int | - |
| ZoneCountryCode | nvarchar | 8 |
| ZoneName | nvarchar | 50 |
| ZoneOffset | nvarchar | 100 |

**769. UnitStandardMM**

| Column Name | Data Type | Max Length |
|---|---|---|
| StandardID | int | - |
| UnitID | int | - |

**770. User**

| Column Name | Data Type | Max Length |
|---|---|---|
| U_CID | int | - |
| U_DateEntered | datetime | - |
| U_DateUpdated | datetime | - |
| U_DBPassword | nvarchar | 128 |
| U_DBUserName | nvarchar | 128 |
| U_EnteredByUID | int | - |
| U_EPassword | varchar | 512 |
| U_FName | nvarchar | 64 |
| U_IsActive | bit | - |
| U_LName | nvarchar | 128 |
| U_Password | nvarchar | 32 |
| U_UpdatedByUID | int | - |
| U_UserName | nvarchar | 32 |
| UID | int | - |

**771. UserCashRegister**

| Column Name | Data Type | Max Length |
|---|---|---|
| CashRegisterID | int | - |
| DisplayPreviousOrders | bit | - |
| HideBarcodeScan | bit | - |
| HideNumberPad | bit | - |
| HidePersonList | bit | - |
| HidePersonPicture | bit | - |
| HideTransactionReceipt | bit | - |
| RegisterName | nvarchar | 64 |
| ShowZeroBalanceWarning | bit | - |
| UseUDIDLookup | bit | - |

## 772. UserPersonalization

| Column Name | Data Type | Max Length |
|---|---|---|
| PersonalizationContent | xml | -1 |
| UID | int | - |
| UserPersonalizationType | int | - |

## 773. UserPreference

| Column Name | Data Type | Max Length |
|---|---|---|
| MicrosoftTimeZoneId | varchar | 100 |
| PersonID | int | - |
| PreferredLanguage | nvarchar | 50 |

## 774. Vendor

| Column Name | Data Type | Max Length |
|---|---|---|
| City | nvarchar | 50 |
| Contact | nvarchar | 50 |
| Name | nvarchar | 128 |
| Phone | nvarchar | 50 |
| SchoolCode | nvarchar | 50 |
| State | nvarchar | 50 |
| Street1 | nvarchar | 50 |
| Street2 | nvarchar | 50 |
| VendorID | int | - |
| Zip | nvarchar | 50 |

## 775. vw_Class

| Column Name | Data Type | Max Length |
|---|---|---|
| ClassID | int | - |
| CourseID | int | - |
| LinkedCLassID | int | - |
| LockEnrollment | bit | - |
| LockSchedule | bit | - |
| MaleFemale | nvarchar | 50 |
| MaxSize | int | - |
| Name | nvarchar | 255 |
| Pattern | int | - |
| PatternGroup | nvarchar | 50 |
| RoomID | int | - |
| Section | nvarchar | 50 |
| size | int | - |
| StaffID | int | - |
| TemplateID | int | - |
| Term1 | bit | - |
| Term2 | bit | - |
| Term3 | bit | - |
| Term4 | bit | - |

| | | |
|---|---|---|
| Term5 | bit | - |
| Term6 | bit | - |
| YearID | int | - |

### 776. vw_Course_PeimsID

| Column Name | Data Type | Max Length |
|---|---|---|
| CourseID | int | - |
| PeimsID | nvarchar | 64 |

### 777. vw_CustodialParentOfStudent

| Column Name | Data Type | Max Length |
|---|---|---|
| FamilyOrder | int | - |
| FirstName | nvarchar | 64 |
| LastName | nvarchar | 128 |
| MiddleName | nvarchar | 64 |
| ParentID | int | - |
| Salutation | nvarchar | 64 |
| StudentID | int | - |
| Suffix | nvarchar | 50 |

### 778. vw_CustodialParentOfStudent_Top2

| Column Name | Data Type | Max Length |
|---|---|---|
| P1_ParentID | int | - |
| P2_ParentID | int | - |
| StudentID | int | - |

### 779. vw_CustodialParentOfStudent_Top2_Extended

| Column Name | Data Type | Max Length |
|---|---|---|
| P1_FirstName | nvarchar | 64 |
| P1_LastName | nvarchar | 128 |
| P1_MiddleName | nvarchar | 64 |
| P1_ParentID | int | - |
| P1_Salutation | nvarchar | 64 |
| P1_Suffix | nvarchar | 50 |
| P2_FirstName | nvarchar | 64 |
| P2_LastName | nvarchar | 128 |
| P2_MiddleName | nvarchar | 64 |
| P2_ParentID | int | - |
| P2_Salutation | nvarchar | 64 |
| P2_Suffix | nvarchar | 50 |
| StudentID | int | - |

### 780. vw_DaySetup

| Column Name | Data Type | Max Length |
|---|---|---|

| Attendance | int | - |
|---|---|---|
| DayCareDayID | int | - |
| DaySetupDate | datetime | - |
| DayTitle | nvarchar | 50 |
| DayType | int | - |
| LastPeriodForAttendance | int | - |
| ScheduleDay | int | - |
| SchoolCode | nvarchar | 50 |
| TemplateID | int | - |

| 781. vw_EnrollmentLog_MaxDate | | |
|---|---|---|
| Column Name | Data Type | Max Length |
| MaxDate | datetime | - |
| StudentID | int | - |

| 782. vw_EnrollmentLog_MostRecentByStudent | | |
|---|---|---|
| Column Name | Data Type | Max Length |
| Date | datetime | - |
| GradeLevel | varchar | 50 |
| LogID | int | - |
| ModifiedBy | int | - |
| ModifiedDate | datetime | - |
| Notes | nvarchar | 50 |
| SchoolCode | varchar | 50 |
| Status | nvarchar | 50 |
| StudentID | int | - |
| Yearid | int | - |

| 783. vw_OtherRelatedStudents_ByStudentID | | |
|---|---|---|
| Column Name | Data Type | Max Length |
| FamilyID | int | - |
| RelatedStudentID | int | - |
| StudentID | int | - |

| 784. vw_ParentofStudent | | |
|---|---|---|
| Column Name | Data Type | Max Length |
| AddressID | int | - |
| Expr1 | nvarchar | 64 |
| Expr2 | nvarchar | 128 |
| FamilyID | int | - |
| FirstName | nvarchar | 64 |
| LastName | nvarchar | 128 |
| PrimarySpouseID | int | - |
| SecondarySpouseID | int | - |
| StudentID | int | - |

## 785. vw_ParentofStudentDetails

| Column Name | Data Type | Max Length |
|---|---|---|
| _AddressID | int | - |
| _FamilyID | int | - |
| Address | nvarchar | 255 |
| Address2 | nvarchar | 255 |
| AddressID | int | - |
| AlumniID | int | - |
| AlumniYear2 | datetime | - |
| Birthdate | datetime | - |
| CellPhone | nvarchar | 50 |
| Church | nvarchar | 128 |
| City | nvarchar | 255 |
| ClassOf | nvarchar | 50 |
| Company | nvarchar | 255 |
| Correspondence | bit | - |
| Custody | bit | - |
| Denomination | nvarchar | 50 |
| Directory | int | - |
| Directory_BlockAddress | bit | - |
| Directory_BlockCellPhone | bit | - |
| Directory_BlockEmail | bit | - |
| Directory_BlockHomePhone | bit | - |
| Directory_BlockName | bit | - |
| Email | nvarchar | 256 |
| Email2 | nvarchar | 256 |
| EmergencyContactID | int | - |
| FamilyID | int | - |
| FirstName | nvarchar | 64 |
| Gender | nvarchar | 50 |
| Grandparent | bit | - |
| Greeting1 | nvarchar | 128 |
| Greeting2 | nvarchar | 128 |
| Greeting3 | nvarchar | 128 |
| Greeting4 | nvarchar | 128 |
| Greeting5 | nvarchar | 128 |
| HomePhone | nvarchar | 50 |
| LastName | nvarchar | 128 |
| MaritalStatus | nvarchar | 50 |
| MiddleName | nvarchar | 64 |
| NickName | nvarchar | 50 |
| Occupation | nvarchar | 128 |
| ParentID | int | - |
| ParentsWeb | bit | - |
| PersonID | int | - |
| Relationship | nvarchar | 50 |
| RelationshipToStu | nvarchar | 50 |

| | | |
|---|---|---|
| ReportCard | bit | - |
| Salutation | nvarchar | 64 |
| staff | int | - |
| State | nvarchar | 255 |
| StudentID | int | - |
| Suffix | nvarchar | 50 |
| WorkCity | nvarchar | 50 |
| WorkPhone | nvarchar | 128 |
| WorkPhoneExtension | nvarchar | 50 |
| WorkState | nvarchar | 50 |
| WorkStreet | nvarchar | 255 |
| WorkZip | nvarchar | 50 |
| ZIP | nvarchar | 255 |

## 786. vw_PreviousYearID

| Column Name | Data Type | Max Length |
|---|---|---|
| PrevYearID | int | - |
| SchoolCode | nvarchar | 50 |

## 787. vw_Roster

| Column Name | Data Type | Max Length |
|---|---|---|
| ClassID | int | - |
| CourseID | int | - |
| Enrolled | bit | - |
| Enrolled1 | bit | - |
| Enrolled2 | bit | - |
| Enrolled3 | bit | - |
| Enrolled4 | bit | - |
| Enrolled5 | bit | - |
| Enrolled6 | bit | - |
| LinkedCLassID | int | - |
| LockEnrollment | bit | - |
| MaxSize | int | - |
| Name | nvarchar | 255 |
| Pattern | int | - |
| RoomID | int | - |
| Section | nvarchar | 50 |
| size | int | - |
| StaffID | int | - |
| StudentID | int | - |
| TemplateID | int | - |
| Term1 | bit | - |
| Term2 | bit | - |
| Term3 | bit | - |
| Term4 | bit | - |
| Term5 | bit | - |
| Term6 | bit | - |

| YearID | int | - |
|--------|-----|---|

**788. vw_Schedule_PatternConflicts**

| Column Name | Data Type | Max Length |
|-------------|-----------|------------|
| P1 | int | - |
| P2 | int | - |
| TemplateID | int | - |

**789. vw_Schedule_UnscheduledStudentRequests**

| Column Name | Data Type | Max Length |
|-------------|-----------|------------|
| AlternateCourseID | int | - |
| CourseID | int | - |
| ModifiedDate | smalldatetime | - |
| PreferredClassID | int | - |
| StudentID | int | - |
| UseAlternate | bit | - |
| YearID | int | - |

**790. vw_StaffList**

| Column Name | Data Type | Max Length |
|-------------|-----------|------------|
| Active | bit | - |
| Administrator | bit | - |
| Faculty | bit | - |
| FirstName | nvarchar | 64 |
| LastName | nvarchar | 128 |
| LoginPassword | nvarchar | 50 |
| MiddleName | nvarchar | 64 |
| SchoolCode | nvarchar | 50 |
| StaffID | int | - |
| Substitute | bit | - |

**791. vw_Student_Homeroom**

| Column Name | Data Type | Max Length |
|-------------|-----------|------------|
| ClassID | int | - |
| HomeRoom | nvarchar | 306 |
| Name | nvarchar | 255 |
| Room | nvarchar | 50 |
| Section | nvarchar | 50 |
| StaffID | int | - |
| StudentID | int | - |

**792. vw_StudentCustodialAddresses**

| Column Name | Data Type | Max Length |
|-------------|-----------|------------|
| FirstName | nvarchar | 64 |

| LastName | nvarchar | 128 |
|---|---|---|
| PrimaryHouseholdAddressID | int | - |
| SecondaryHouseholdAddressID | int | - |
| StudentID | int | - |

## 793. vw_StudentGrandparentAddresses

| Column Name | Data Type | Max Length |
|---|---|---|
| GrandParentAddressID | int | - |
| StudentID | int | - |

## 794. vw_StudentHousehold

| Column Name | Data Type | Max Length |
|---|---|---|
| addressid | int | - |
| CustodialHousehold | int | - |
| FamilyID | int | - |
| GrandparentHousehold | int | - |
| P1_PersonID | int | - |
| P2_PersonID | int | - |
| PrimaryHousehold | int | - |
| Studentid | int | - |

## 795. vw_StudentOtherparentAddresses

| Column Name | Data Type | Max Length |
|---|---|---|
| GrandParentAddressID | int | - |
| StudentID | int | - |

## 796. vw_TestScore

| Column Name | Data Type | Max Length |
|---|---|---|
| date | datetime | - |
| districtwide | bit | - |
| excludetranscript | bit | - |
| gradelevel | nvarchar | 50 |
| note | nvarchar | 255 |
| score | real | - |
| scorelabel | nvarchar | 50 |
| studentid | int | - |
| testid | int | - |
| testname | nvarchar | 50 |
| transcript | bit | - |

## 797. vw_UD_Configuration

| Column Name | Data Type | Max Length |
|---|---|---|
| DistrictWide | bit | - |
| FieldID | int | - |

| FieldName | nvarchar | 128 |
|---|---|---|
| FieldOrder | int | - |
| FieldType | int | - |
| GroupID | int | - |
| GroupName | nvarchar | 128 |
| GroupOrder | int | - |
| GroupType | nvarchar | 50 |
| SchoolCode | varchar | 50 |

## 798. vw_UD_Data

| Column Name | Data Type | Max Length |
|---|---|---|
| Data | nvarchar | 4000 |
| FieldID | int | - |
| FieldName | nvarchar | 128 |
| FieldType | int | - |
| GroupID | int | - |
| GroupName | nvarchar | 128 |
| GroupType | nvarchar | 50 |
| ID | int | - |
| schoolcode | varchar | 50 |

## 799. WebDocuments

| Column Name | Data Type | Max Length |
|---|---|---|
| BeginDate | datetime | - |
| Caption | nvarchar | 255 |
| ClassID | int | - |
| DocumnetID | int | - |
| EndDate | datetime | - |
| FileName | nvarchar | 255 |
| GlobalItem | bit | - |
| StaffID | int | - |

## 800. WebFormItems

| Column Name | Data Type | Max Length |
|---|---|---|
| AudienceType | nvarchar | 50 |
| Bold1 | bit | - |
| Bold2 | bit | - |
| Bold3 | bit | - |
| Bold4 | bit | - |
| Bold5 | bit | - |
| Bold6 | bit | - |
| COlor1 | nvarchar | 50 |
| Color2 | nvarchar | 50 |
| Color3 | nvarchar | 50 |
| Color4 | nvarchar | 50 |
| Color5 | nvarchar | 50 |

| Color6 | nvarchar | 50 |
|---|---|---|
| DatabaseField | nvarchar | 128 |
| DefinedList | nvarchar | 50 |
| Field1 | nvarchar | 512 |
| Field2 | nvarchar | 128 |
| Field3 | nvarchar | 128 |
| Field4 | nvarchar | 128 |
| Field5 | nvarchar | 128 |
| Font1 | nvarchar | 50 |
| Font2 | nvarchar | 50 |
| Font3 | nvarchar | 50 |
| Font4 | nvarchar | 50 |
| Font5 | nvarchar | 50 |
| Font6 | nvarchar | 50 |
| Italics1 | bit | - |
| Italics2 | bit | - |
| Italics3 | bit | - |
| Italics4 | bit | - |
| Italics5 | bit | - |
| Italics6 | bit | - |
| ItemNumber | int | - |
| ItemType | nvarchar | 50 |
| LineFeed | bit | - |
| NoModification | bit | - |
| Required | bit | - |
| Size1 | nvarchar | 50 |
| Size2 | nvarchar | 50 |
| Size3 | nvarchar | 50 |
| Size4 | nvarchar | 50 |
| Size5 | nvarchar | 50 |
| Size6 | nvarchar | 50 |
| Text | nvarchar | -1 |
| UD_CatID | int | - |
| UD_FieldID | int | - |
| UD_FieldNumber | int | - |
| UD_Type | nvarchar | 50 |
| Underline1 | bit | - |
| Underline2 | bit | - |
| Underline3 | bit | - |
| Underline4 | bit | - |
| Underline5 | bit | - |
| Underline6 | bit | - |
| WebFormID | int | - |

| 801. WebFormMembers | | |
|---|---|---|
| Column Name | Data Type | Max Length |
| ID | int | - |
| Type | nvarchar | 50 |

| WebFormID | int | - |
|---|---|---|

## 802. WebFormResponse

| Column Name | Data Type | Max Length |
|---|---|---|
| ID | int | - |
| ModifiedTime | smalldatetime | - |
| Name | nvarchar | 128 |
| WebFormID | int | - |
| WebFormResponseID | int | - |

## 803. WebFormResponseData

| Column Name | Data Type | Max Length |
|---|---|---|
| Data | nvarchar | -1 |
| FamilyID | int | - |
| FieldNumber | int | - |
| ID | int | - |
| Modified | bit | - |
| ModifiedDate | datetime | - |
| UpdateNeeded | bit | - |
| WebFormID | int | - |

## 804. WebForms

| Column Name | Data Type | Max Length |
|---|---|---|
| AudienceDistrict | bit | - |
| AudienceSchool | bit | - |
| AudienceType | nvarchar | 50 |
| AutoUpdate | bit | - |
| Closed | bit | - |
| Color | nvarchar | 50 |
| CustomAppWebForm | nvarchar | 50 |
| CustomWebForm | nvarchar | 50 |
| DistrictWide | bit | - |
| Font | nvarchar | 50 |
| NotificationEmail | nvarchar | 256 |
| SchoolCode | nvarchar | 50 |
| Size | nvarchar | 50 |
| StaffID | bit | - |
| WebFormID | int | - |
| WebFormInstructions | nvarchar | -1 |
| WebFormName | nvarchar | 50 |
| WebFormType | nvarchar | 50 |
| WebPage | nvarchar | -1 |

## 805. WebOrder

| Column Name | Data Type | Max Length |
|---|---|---|

| | | |
|---|---|---|
| FamilyID | int | - |
| ModifiedDate | nvarchar | 50 |
| note | nvarchar | 150 |
| OrderID | int | - |
| Processed | int | - |
| TotalAmt | float | - |
| WebOrderJSON | nvarchar | -1 |

## 806. WebOrderItems

| Column Name | Data Type | Max Length |
|---|---|---|
| Date | datetime | - |
| ItemID | int | - |
| ItemPriceTotal | float | - |
| note | nvarchar | 50 |
| OrderID | int | - |
| Quantity | int | - |
| StudentID | int | - |
| Type | nvarchar | 50 |

## 807. WebTestsAnswers

| Column Name | Data Type | Max Length |
|---|---|---|
| Answer | nvarchar | -1 |
| AutoGraded | bit | - |
| AutoNum | int | - |
| Comments | nvarchar | 255 |
| Correct | bit | - |
| Feedback | nvarchar | 500 |
| FeedbackOn | smalldatetime | - |
| LastModified | datetime | - |
| ModifiedBy | int | - |
| ModifiedDate | smalldatetime | - |
| Number | int | - |
| PointsEarned | real | - |
| StaffID | int | - |
| StudentID | int | - |
| TestID | int | - |

## 808. WebTestsConfig

| Column Name | Data Type | Max Length |
|---|---|---|
| AllowedAttempts | int | - |
| AllowScroll | bit | - |
| BeginTime | datetime | - |
| ClassID | int | - |
| Description | nvarchar | -1 |
| Duration | int | - |
| EndTime | datetime | - |

| | | |
|---|---|---|
| GbkAssessmentID | int | - |
| GbkAssignmentID | int | - |
| GbkSave | bit | - |
| Grading | int | - |
| HTML | bit | - |
| Instructions | nvarchar | -1 |
| ModifiedBy | int | - |
| ModifiedDate | smalldatetime | - |
| Name | nvarchar | 50 |
| OrderBy | nvarchar | -1 |
| Points | int | - |
| Print | bit | - |
| Proctor | bit | - |
| ProctorPassword | nvarchar | 50 |
| Questions | int | - |
| ShareTests | bit | - |
| ShowResults | bit | - |
| StaffID | int | - |
| TestID | int | - |
| TestType | nvarchar | 50 |

| 809. WebTestsQuestions | | |
|---|---|---|
| Column Name | Data Type | Max Length |
| Answer | nvarchar | -1 |
| AutoNum | int | - |
| HTML | bit | - |
| ModifiedBy | int | - |
| ModifiedDate | smalldatetime | - |
| Number | int | - |
| Option1 | nvarchar | -1 |
| Option2 | nvarchar | -1 |
| Option3 | nvarchar | -1 |
| Option4 | nvarchar | -1 |
| Option5 | nvarchar | -1 |
| Points | int | - |
| Question | nvarchar | -1 |
| QuestionType | nvarchar | 50 |
| TestID | int | - |

| 810. WebTestsStudent | | |
|---|---|---|
| Column Name | Data Type | Max Length |
| AutoNum | int | - |
| ClassID | int | - |
| Comments | nvarchar | -1 |
| EndTime | datetime | - |
| Finished | bit | - |
| ModifiedBy | int | - |

| | | |
|---|---|---|
| ModifiedDate | smalldatetime | - |
| PointsEarned | int | - |
| StartTime | datetime | - |
| StudentID | int | - |
| TestID | int | - |

| **811. WorkflowAttachments** | | |
|---|---|---|
| Column Name | Data Type | Max Length |
| DateEntered | datetime | - |
| EnteredByUID | int | - |
| FileID | int | - |
| FileName | nvarchar | 255 |
| Status | nvarchar | 50 |