

# DATA 101 Exam 1

Kamila Palys

Due: Monday 10/26 at 11:59pm

## Academic Honesty Statement (fill in your name)

I, Kamila Palys, hereby affirm that I have not communicated with or gained information in any way from my classmates or anyone other than the Professor during this exam, that I have not assisted anyone else with this exam, and that all work is my own.

## Load packages and data

## Questions

### Question 1

First, we will make a table to view the salaries of the NBA players in descending order by using the “select” and “arrange” functions to display the variables we want, in the order we want.


```
## # A tibble: 417 x 2
##   player      salary
##   <chr>      <dbl>
## 1 Kobe Bryant      25
## 2 Joe Johnson     24.9
## 3 LeBron James    23.0
## 4 Carmelo Anthony 22.9
## 5 Dwight Howard   22.4
## 6 Chris Bosh       22.2
## 7 Chris Paul       21.5
## 8 Kevin Durant    20.2
## 9 Derrick Rose    20.1
## 10 Dwyane Wade    20
## # ... with 407 more rows
```

From the table it is visible that Kobe Bryant has the highest salary of all the NBA players at \$25 million.

### Question 2

Now we will create a boxplot that compares the distribution of the players’ salaries by position.

### NBA Salaries 2015–2016 by Position




From this graph, we are able to see that the highest median salary is earned by players with the center position, while the lowest median comes from the shooting guard players. The ones who play center, however, also have a more even spread of their salaries, seeing as their interquartile range, or the middle 50%, is the largest of all the positions. There are also very little outliers in the center players' salaries, and there are several high outliers in all four of the other positions, so that is not to say that players playing a position other than center cannot earn a high salary.

### Question 3

Now we will take a look at how many players there are in each position with “group\_by” and the “count” function.

```
## # A tibble: 5 x 2
## # Groups:   position [5]
##   position      n
##   <chr>    <int>
## 1 SG         96
## 2 SF         82
## 3 PG         85
## 4 PF         85
## 5 C          69
```



With this table and bar graph, it is visible that there are the most players in shooting guard at 96, while the center position has only 69, which is the least amount of players playing a certain position.

#### Question 4

[Enter code and narrative here.]

#### Question 5

[Enter code and narrative here.]

#### Question 6

[Enter code and narrative here.]

#### Question 7

[Enter code and narrative here.]

#### Question 8

[Enter code and narrative here.]

**Question 9**

[Enter code and narrative here.]

**Question 10**

[Enter code and narrative here.]