


ANOVA Table for over
Row exclusion: B&P_LLM_trimmed data

	DF	Sum of Squares	Mean Square	F-Value	P-Value	Lambda	Power
Subject	290	383.184	1.321				
test type	1	208.036	208.036	724.819	<.0001	724.819	1.000
test type * Subject	290	83.235	.287				
rating type	1	187.029	187.029	255.808	<.0001	255.808	1.000
rating type * Subject	290	212.028	.731				
test type * rating type	1	4.838	4.838	19.760	<.0001	19.760	.998
test type * rating type * Subject	290	71.007	.245				

Means Table for over
Effect: test type
Row exclusion: B&P_LLM_trimmed data

	Count	Mean	Std. Dev.	Std. Err.
CRT	582	.107	.957	.040
numeracy	582	-.738	.839	.035






Means Table for over
Effect: rating type
Row exclusion: B&P_LLM_trimmed data

	Count	Mean	Std. Dev.	Std. Err.
confidence	582	.085	.886	.037
opinion	582	-.716	.933	.039

Means Table for over
Effect: test type * rating type
Row exclusion: B&P_LLM_trimmed data

	Count	Mean	Std. Dev.	Std. Err.
CRT, confidence	291	.573	.723	.042
CRT, opinion	291	-.358	.937	.055
numeracy, confidence	291	-.402	.758	.044
numeracy, opinion	291	-1.075	.781	.046





Fisher's PLSD for over
Effect: test type
Significance Level: 5 %
Row exclusion: B&P_LLM_trimmed data

	Mean Diff.	Crit. Diff.	P-Value	
CRT, numeracy	.846	.062	<.0001	S

Fisher's PLSD for over
Effect: rating type
Significance Level: 5 %
Row exclusion: B&P_LLM_trimmed data

	Mean Diff.	Crit. Diff.	P-Value	
confidence, opinion	.802	.099	<.0001	S

